

Sonia Medina

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5856460/publications.pdf>

Version: 2024-02-01

88
papers

2,753
citations

186265

28
h-index

206112

48
g-index

90
all docs

90
docs citations

90
times ranked

3719
citing authors

#	ARTICLE	IF	CITATIONS
1	QuEChERS - Fundamentals, relevant improvements, applications and future trends. <i>Analytica Chimica Acta</i> , 2019, 1070, 1-28.	5.4	299
2	Current trends and recent advances on food authenticity technologies and chemometric approaches. <i>Trends in Food Science and Technology</i> , 2019, 85, 163-176.	15.1	145
3	Oxidized LDL triggers changes in oxidative stress and inflammatory biomarkers in human macrophages. <i>Redox Biology</i> , 2018, 15, 1-11.	9.0	134
4	Food fingerprints – A valuable tool to monitor food authenticity and safety. <i>Food Chemistry</i> , 2019, 278, 144-162.	8.2	125
5	Fermented Orange Juice: Source of Higher Carotenoid and Flavanone Contents. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 8773-8782.	5.2	84
6	Microencapsulation of lutein by spray-drying: Characterization and stability analyses to promote its use as a functional ingredient. <i>Food Chemistry</i> , 2018, 256, 181-187.	8.2	76
7	Melatonin content of pepper and tomato fruits: Effects of cultivar and solar radiation. <i>Food Chemistry</i> , 2014, 156, 347-352.	8.2	74
8	A ultra-high pressure liquid chromatography/triple quadrupole tandem mass spectrometry method for the analysis of 13 eicosanoids in human urine and quantitative 24 hour values in healthy volunteers in a controlled constant diet. <i>Rapid Communications in Mass Spectrometry</i> , 2012, 26, 1249-1257.	1.5	72
9	Soy Isoflavones and Cardiovascular Disease Epidemiological, Clinical and -Omics Perspectives. <i>Current Pharmaceutical Biotechnology</i> , 2012, 13, 624-631.	1.6	71
10	Phenolic composition profiling of different edible parts and by-products of date palm (Phoenix) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38.	6.2	64
11	Quantification of phytoprostanes – bioactive oxylipins – and phenolic compounds of <i>Passiflora edulis</i> Sims shell using UHPLC-QqQ-MS/MS and LC-IT-DAD-MS/MS. <i>Food Chemistry</i> , 2017, 229, 1-8.	8.2	63
12	Alcoholic fermentation induces melatonin synthesis in orange juice. <i>Journal of Pineal Research</i> , 2014, 56, 31-38.	7.4	59
13	Metabolomics and the Diagnosis of Human Diseases -A Guide to the Markers and Pathophysiological Pathways Affected. <i>Current Medicinal Chemistry</i> , 2014, 21, 823-848.	2.4	52
14	New UHPLC-QqQ-MS/MS method for quantitative and qualitative determination of free phytoprostanes in foodstuffs of commercial olive and sunflower oils. <i>Food Chemistry</i> , 2015, 178, 212-220.	8.2	51
15	Assessment of oxidative stress markers and prostaglandins after chronic training of triathletes. <i>Prostaglandins and Other Lipid Mediators</i> , 2012, 99, 79-86.	1.9	47
16	A new ultra-rapid UHPLC/MS/MS method for assessing glucoraphanin and sulforaphane bioavailability in human urine. <i>Food Chemistry</i> , 2014, 143, 132-138.	8.2	46
17	In vivo evidence of mitochondrial dysfunction and altered redox homeostasis in a genetic mouse model of propionic acidemia: Implications for the pathophysiology of this disorder. <i>Free Radical Biology and Medicine</i> , 2016, 96, 1-12.	2.9	42
18	The intake of broccoli sprouts modulates the inflammatory and vascular prostanoids but not the oxidative stress-related isoprostanes in healthy humans. <i>Food Chemistry</i> , 2015, 173, 1187-1194.	8.2	39

#	ARTICLE	IF	CITATIONS
19	Untargeted metabolomics reveals specific withanolides and fatty acyl glycoside as tentative metabolites to differentiate organic and conventional <i>Physalis peruviana</i> fruits. <i>Food Chemistry</i> , 2018, 244, 120-127.	8.2	39
20	Current trends on microextraction by packed sorbent – fundamentals, application fields, innovative improvements and future applications. <i>Analyst</i> , The, 2019, 144, 5048-5074.	3.5	39
21	The phytoprostane content in green table olives is influenced by Spanish-style processing and regulated deficit irrigation. <i>LWT - Food Science and Technology</i> , 2015, 64, 997-1003.	5.2	34
22	Potential of <i>Physalis peruviana</i> calyces as a low-cost valuable resource of phytoprostanes and phenolic compounds. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 2194-2204.	3.5	34
23	Dihomo-isoprostanes – nonenzymatic metabolites of AdA – are higher in epileptic patients compared to healthy individuals by a new ultrahigh pressure liquid chromatography – triple quadrupole – tandem mass spectrometry method. <i>Free Radical Biology and Medicine</i> , 2015, 79, 154-163.	2.9	33
24	Effect of thermal processing on the profile of bioactive compounds and antioxidant capacity of fermented orange juice. <i>International Journal of Food Sciences and Nutrition</i> , 2016, 67, 779-788.	2.8	33
25	<i>Aronia</i> – citrus juice (polyphenol-rich juice) intake and elite triathlon training: a lipidomic approach using representative oxylipins in urine. <i>Food and Function</i> , 2018, 9, 463-475.	4.6	33
26	Pharmacokinetics and bioavailability of hydroxytyrosol are dependent on the food matrix in humans. <i>European Journal of Nutrition</i> , 2021, 60, 905-915.	3.9	32
27	Effects of water deficit during maturation on amino acids and jujube fruit eating quality. <i>Macedonian Journal of Chemistry and Chemical Engineering</i> , 2014, 33, 105.	0.6	31
28	Green Coffee Extract Improves Cardiometabolic Parameters and Modulates Gut Microbiota in High-Fat-Diet-Fed ApoE ^{-/-} Mice. <i>Nutrients</i> , 2019, 11, 497.	4.1	30
29	Phytoprostanes. <i>Lipid Technology</i> , 2015, 27, 127-130.	0.3	29
30	Diffuse light affects the contents of vitamin C, phenolic compounds and free amino acids in lettuce plants. <i>Food Chemistry</i> , 2019, 272, 227-234.	8.2	29
31	Non-targeted metabolomic approach reveals urinary metabolites linked to steroid biosynthesis pathway after ingestion of citrus juice. <i>Food Chemistry</i> , 2013, 136, 938-946.	8.2	28
32	Effect of Water Deficit and Domestic Storage on the Procyanidin Profile, Size, and Aggregation Process in Pear-Jujube (<i>Z. jujuba</i>) Fruits. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 6187-6197.	5.2	28
33	Differential volatile organic compounds signatures of apple juices from Madeira Island according to variety and geographical origin. <i>Microchemical Journal</i> , 2019, 150, 104094.	4.5	28
34	Water Deficit during Pit Hardening Enhances Phytoprostanes Content, a Plant Biomarker of Oxidative Stress, in Extra Virgin Olive Oil. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 3784-3792.	5.2	27
35	Update on oxidative stress and inflammation in pregnant women, unborn children (nasciturus), and newborns – Nutritional and dietary effects. <i>Free Radical Biology and Medicine</i> , 2019, 142, 38-51.	2.9	27
36	Effect of elite physical exercise by triathletes on seven catabolites of DNA oxidation. <i>Free Radical Research</i> , 2015, 49, 973-983.	3.3	26

#	ARTICLE	IF	CITATIONS
37	Dependency of Phytoprostane Fingerprints of Must and Wine on Viticulture and Enological Processes. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 9022-9028.	5.2	26
38	Rootstock effect on serotonin and nutritional quality of tomatoes produced under low temperature and light conditions. <i>Journal of Food Composition and Analysis</i> , 2016, 46, 50-59.	3.9	26
39	Structural/Functional Matches and Divergences of Phytoprostanes and Phytofurans with Bioactive Human Oxylipins. <i>Antioxidants</i> , 2018, 7, 165.	5.1	26
40	Physical activity increases the bioavailability of flavanones after dietary aronia-citrus juice intake in triathletes. <i>Food Chemistry</i> , 2012, 135, 2133-2137.	8.2	25
41	Discovery of human urinary biomarkers of aronia-citrus juice intake by HPLC-TOF-based metabolomic approach. <i>Electrophoresis</i> , 2014, 35, 1599-1606.	2.4	21
42	Differentiation of Fresh and Processed Fruit Juices Using Volatile Composition. <i>Molecules</i> , 2019, 24, 974.	3.8	21
43	Evaluation of the Probiotic Properties and the Capacity to Form Biofilms of Various <i>Lactobacillus</i> Strains. <i>Microorganisms</i> , 2020, 8, 1053.	3.6	21
44	Metabolism and antiproliferative effects of sulforaphane and broccoli sprouts in human intestinal (Caco-2) and hepatic (HepG2) cells. <i>Phytochemistry Reviews</i> , 2015, 14, 1035-1044.	6.5	20
45	Comprehensive characterization and antioxidant activities of the main biflavonoids of <i>Garcinia madruno</i> : A novel tropical species for developing functional products. <i>Journal of Functional Foods</i> , 2016, 27, 503-516.	3.4	20
46	Comparative study of different cocoa (<i>Theobroma cacao</i> L.) clones in terms of their phytoprostanes and phytofurans contents. <i>Food Chemistry</i> , 2019, 280, 231-239.	8.2	20
47	Phytoprostanes and Phytofurans "Oxidative Stress and Bioactive Compounds" in Almonds are Affected by Deficit Irrigation in Almond Trees. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 7214-7225.	5.2	20
48	Effect of the season on the free phytoprostane content in Cornicabra extra virgin olive oil from deficit-irrigated olive trees. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 1585-1592.	3.5	19
49	Evaluation of Volatilomic Fingerprint from Apple Fruits to Ciders: A Useful Tool to Find Putative Biomarkers for Each Apple Variety. <i>Foods</i> , 2020, 9, 1830.	4.3	19
50	The effects of the intake of plant foods on the human metabolome. <i>TrAC - Trends in Analytical Chemistry</i> , 2013, 52, 88-99.	11.4	18
51	Untargeted fingerprinting of cider volatiles from different geographical regions by HS-SPME/GC-MS. <i>Microchemical Journal</i> , 2019, 148, 643-651.	4.5	17
52	Melatonin and hydroxytyrosol protect against oxidative stress related to the central nervous system after the ingestion of three types of wine by healthy volunteers. <i>Food and Function</i> , 2017, 8, 64-74.	4.6	16
53	Valorization Strategy of Banana Passion Fruit Shell Wastes: An Innovative Source of Phytoprostanes and Phenolic Compounds and Their Potential Use in Pharmaceutical and Cosmetic Industries. <i>Journal of Food and Nutrition Research (Newark, Del)</i> , 2017, 5, 801-808.	0.3	16
54	Iron deficiency enhances bioactive phenolics in lemon juice. <i>Journal of the Science of Food and Agriculture</i> , 2011, 91, n/a-n/a.	3.5	15

#	ARTICLE	IF	CITATIONS
55	Relationship between the Ingestion of a Polyphenol-Rich Drink, Hepcidin Hormone, and Long-Term Training. <i>Molecules</i> , 2016, 21, 1333.	3.8	15
56	Effect of the dietary intake of melatonin- and hydroxytyrosol-rich wines by healthy female volunteers on the systemic lipidomic-related oxylipins. <i>Food and Function</i> , 2017, 8, 3745-3757.	4.6	15
57	Melatonin and hydroxytyrosol-rich wines influence the generation of DNA oxidation catabolites linked to mutagenesis after the ingestion of three types of wine by healthy volunteers. <i>Food and Function</i> , 2016, 7, 4781-4796.	4.6	14
58	Snapshot situation of oxidative degradation of the nervous system, kidney, and adrenal glands biomarkers-neuroprostane and dihom-isoprostanes-urinary biomarkers from infancy to elderly adults. <i>Redox Biology</i> , 2017, 11, 586-591.	9.0	14
59	Effects of Deficit Irrigation, Rootstock, and Roasting on the Contents of Fatty Acids, Phytoprostanes, and Phytofurans in Pistachio Kernels. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 8915-8924.	5.2	14
60	Oxylipin regulation by phenolic compounds from coffee beverage: Positive outcomes from a randomized controlled trial in healthy adults and macrophage derived foam cells. <i>Free Radical Biology and Medicine</i> , 2020, 160, 604-617.	2.9	14
61	DNA catabolites in triathletes: effects of supplementation with an aroniaâ€“citrus juice (polyphenols-rich juice). <i>Food and Function</i> , 2016, 7, 2084-2093.	4.6	13
62	Assessment of oxidative stress biomarkers â€“ neuroprostanes and dihom-isoprostanes â€“ in the urine of elite triathletes after two weeks of moderate-altitude training. <i>Free Radical Research</i> , 2016, 50, 485-494.	3.3	13
63	Typicality Assessment of Onions (<i>Allium cepa</i>) from Different Geographical Regions Based on the Volatile Signature and Chemometric Tools. <i>Foods</i> , 2020, 9, 375.	4.3	13
64	Lipidomic approach in young adult triathletes: effect of supplementation with a polyphenols-rich juice on neuroprostane and F ₂ -dihomo-isoprostane markers. <i>Food and Function</i> , 2016, 7, 4343-4355.	4.6	12
65	Recycled Wastewater and Reverse Osmosis Brine Use for Halophytes Irrigation: Differences in Physiological, Nutritional and Hormonal Responses of <i>Crithmum maritimum</i> and <i>Atriplex halimus</i> Plants. <i>Agronomy</i> , 2021, 11, 627.	3.0	12
66	Hydration and chemical ingredients in sport drinks: food safety in the European context. <i>Nutricion Hospitalaria</i> , 2015, 31, 1889-99.	0.3	12
67	Potential applications of lipid peroxidation products â€“ F4-neuroprostanes, F3-neuroprostanen-6 DPA, F2-dihomo-isoprostanes and F2-isoprostanes â€“in the evaluation of the allograft function in renal transplantation. <i>Free Radical Biology and Medicine</i> , 2017, 104, 178-184.	2.9	10
68	Evaluation of <i>Phoenix dactylifera</i> Edible Parts and Byproducts as Sources of Phytoprostanes and Phytofurans. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 8942-8950.	5.2	10
69	Phytoprostanes, phytofurans, tocopherols, tocotrienols, carotenoids and free amino acids and biological potential of sea buckthorn juices. <i>Journal of the Science of Food and Agriculture</i> , 2022, 102, 185-197.	3.5	10
70	Metabolites involved in cellular communication among human cumulus-oocyte-complex and sperm during in vitro fertilization. <i>Reproductive Biology and Endocrinology</i> , 2015, 13, 123.	3.3	9
71	Targeted Lipidomics Profiling Reveals the Generation of Hydroxytyrosol-Fatty Acids in Hydroxytyrosol-Fortified Oily Matrices: New Analytical Methodology and Cytotoxicity Evaluation. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 7789-7799.	5.2	9
72	Phytoprostanes and phytofurans modulate COX-2-linked inflammation markers in LPS-stimulated THP-1 monocytes by lipidomics workflow. <i>Free Radical Biology and Medicine</i> , 2021, 167, 335-347.	2.9	9

#	ARTICLE	IF	CITATIONS
73	Urinary oxylipin signature as biomarkers to monitor the allograft function during the first six months post-renal transplantation. <i>Free Radical Biology and Medicine</i> , 2020, 146, 340-349.	2.9	7
74	Bioactive plant oxylipins-based lipidomics in eighty worldwide commercial dark chocolates: Effect of cocoa and fatty acid composition on their dietary burden. <i>Microchemical Journal</i> , 2020, 157, 105083.	4.5	7
75	Alpha-linolenic acid, phytoprostanes and phytofurans in plant, algae and food. <i>Advances in Botanical Research</i> , 2022, 101, 437-468.	1.1	7
76	Genotyping of the C>T allele of rs16906252, predictor of O16â€methylguanineâ€DNA methyltransferase (MGMT) promoter methylation status, in erosive atrophic lesions of oral lichen planus. <i>International Journal of Dermatology</i> , 2019, 58, 1078-1082.	1.0	6
77	The role of plant labile carbohydrates and nitrogen on wheat-aphid relations. <i>Scientific Reports</i> , 2021, 11, 12529.	3.3	6
78	Fruit Response to Water-Scarcity Scenarios. <i>Water Relations and Biochemical Changes</i> . , 2018, , 349-375.		5
79	Effect of Coffee and Cocoa-Based Confectionery Containing Coffee on Markers of DNA Damage and Lipid Peroxidation Products: Results from a Human Intervention Study. <i>Nutrients</i> , 2021, 13, 2399.	4.1	5
80	Antiepileptic drugs affect lipid oxidative markers- neuroprostanes and F2-dihomo-isoprostanes- in patients with epilepsy: differences among first-, second-, and third-generation drugs by UHPLC-QqQ-MS/MS. <i>RSC Advances</i> , 2016, 6, 82969-82976.	3.6	4
81	Fatty Acid Hydroxytyrosyl Esters of Olive Oils Are Bioaccessible According to Simulated <i>In Vitro</i> Gastrointestinal Digestion: Unraveling the Role of Digestive Enzymes on Their Stability. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 14165-14175.	5.2	4
82	Anti-Inflammatory and Antioxidant Capacity of a Fruit and Vegetable-Based Nutraceutical Measured by Urinary Oxylipin Concentration in a Healthy Population: A Randomized, Double-Blind, Placebo-Controlled Clinical Trial. <i>Antioxidants</i> , 2022, 11, 1342.	5.1	4
83	Unravelling the capacity of hydroxytyrosol and its lipophenolic derivates to modulate the H2O2-induced isoprostanoid profile of THP-1 monocytes by UHPLC-QqQ-MS/MS lipidomic workflow. <i>Microchemical Journal</i> , 2021, 170, 106703.	4.5	3
84	Caffeine Health Claims on Sports Supplement Labeling. Analytical Assessment According to EFSA Scientific Opinion and International Evidence and Criteria. <i>Molecules</i> , 2021, 26, 2095.	3.8	2
85	Hydroxytyrosol fatty acid esters as new candidate markers for detecting olive oil inadequate storage conditions by UHPLC-QqQ-MS/MS. <i>Microchemical Journal</i> , 2022, 181, 107656.	4.5	2
86	Lime-Induced Iron Chlorosis in Citrus: Diagnosis Through Physiological and Metabolic Evidences. , 2012, , 321-331.		1
87	Tea and Metabolomics. , 2013, , 727-735.		0
88	Recent Developments in the Applications of Fingerprinting Technology in the Food Field. <i>Foods</i> , 2022, 11, 2006.	4.3	0