

Esme Moniz-Cook

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5856853/publications.pdf>

Version: 2024-02-01

62
papers

2,368
citations

218662

26
h-index

223791

46
g-index

65
all docs

65
docs citations

65
times ranked

2853
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychosocial interventions for people with dementia: a synthesis of systematic reviews. <i>Aging and Mental Health</i> , 2019, 23, 393-403.	2.8	181
2	Behavioural and psychological symptoms in dementia and the challenges for family carers: Systematic review. <i>British Journal of Psychiatry</i> , 2016, 208, 429-434.	2.8	161
3	Improving quality of life for people with dementia in care homes: making psychosocial interventions work. <i>British Journal of Psychiatry</i> , 2012, 201, 344-351.	2.8	147
4	Alzheimer Europe's position on involving people with dementia in research through PPI (patient and Tj ETQq0 0 0 rgBT /Overlock 10 Tf	2.8	147
5	Impact of person-centred care training and person-centred activities on quality of life, agitation, and antipsychotic use in people with dementia living in nursing homes: A cluster-randomised controlled trial. <i>PLoS Medicine</i> , 2018, 15, e1002500.	8.4	147
6	Psychosocial interventions in dementia care research: The INTERDEM manifesto. <i>Aging and Mental Health</i> , 2011, 15, 283-290.	2.8	130
7	Impact of Antipsychotic Review and Nonpharmacological Intervention on Antipsychotic Use, Neuropsychiatric Symptoms, and Mortality in People With Dementia Living in Nursing Homes: A Factorial Cluster-Randomized Controlled Trial by the Well-Being and Health for People With Dementia (WHELD) Program. <i>American Journal of Psychiatry</i> , 2016, 173, 252-262.	7.2	108
8	The impact of individual Cognitive Stimulation Therapy (iCST) on cognition, quality of life, caregiver health, and family relationships in dementia: A randomised controlled trial. <i>PLoS Medicine</i> , 2017, 14, e1002269.	8.4	95
9	REMCARE: Pragmatic Multi-Centre Randomised Trial of Reminiscence Groups for People with Dementia and their Family Carers: Effectiveness and Economic Analysis. <i>PLoS ONE</i> , 2016, 11, e0152843.	2.5	79
10	Raising the standard of applied dementia care research: addressing the implementation error. <i>Aging and Mental Health</i> , 2014, 18, 809-814.	2.8	78
11	Systematic review of services providing information and/or advice to people with dementia and/or their caregivers. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 628-636.	2.7	71
12	Epidemiology of Pain in People With Dementia Living in Care Homes: Longitudinal Course, Prevalence, and Treatment Implications. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 453.e1-453.e6.	2.5	70
13	Dementia: Issues in Early Recognition and Intervention in Primary Care. <i>Journal of the Royal Society of Medicine</i> , 2003, 96, 320-324.	2.0	55
14	Towards capturing meaningful outcomes for people with dementia in psychosocial intervention research: A pan-European consultation. <i>Health Expectations</i> , 2018, 21, 1056-1065.	2.6	55
15	Can training community mental health nurses to support family carers reduce behavioural problems in dementia? An exploratory pragmatic randomised controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 185-191.	2.7	53
16	Measuring the well-being of people with dementia: a conceptual scoping review. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 249.	2.4	52
17	Impact of antipsychotic review and non-pharmacological intervention on health-related quality of life in people with dementia living in care homes: WHELD-a factorial cluster randomised controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 1094-1103.	2.7	50
18	The Challenging Behaviour Scale (CBS): Development of a scale for staff caring for older people in residential and nursing homes. <i>British Journal of Clinical Psychology</i> , 2001, 40, 309-322.	3.5	49

#	ARTICLE	IF	CITATIONS
19	Core outcome measures for interventions to prevent or slow the progress of dementia for people living with mild to moderate dementia: Systematic review and consensus recommendations. PLoS ONE, 2017, 12, e0179521.	2.5	48
20	Functional analysis of challenging behaviour in dementia: the role of superstition. International Journal of Geriatric Psychiatry, 2001, 16, 45-56.	2.7	44
21	Difficult behaviour and dementia in nursing homes: five cases of psychosocial intervention. Clinical Psychology and Psychotherapy, 2003, 10, 197-208.	2.7	44
22	Cost-effectiveness analyses for mirtazapine and sertraline in dementia: randomised controlled trial. British Journal of Psychiatry, 2013, 202, 121-128.	2.8	43
23	Bridging the divide between biomedical and psychosocial approaches in dementia research: the 2019 INTERDEM manifesto. Aging and Mental Health, 2021, 25, 206-212.	2.8	42
24	Development of a core outcome set for disease modification trials in mild to moderate dementia: a systematic review, patient and public consultation and consensus recommendations. Health Technology Assessment, 2017, 21, 1-192.	2.8	37
25	Individual Cognitive Stimulation Therapy for dementia (iCST): study protocol for a randomized controlled trial. Trials, 2012, 13, 172.	1.6	33
26	Community occupational therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID] programme): study protocol for a randomised controlled trial. Trials, 2016, 17, 65.	1.6	31
27	<p>The development of the Promoting Independence in Dementia (PRIDE) intervention to enhance independence in dementia</p>. Clinical Interventions in Aging, 2019, Volume 14, 1615-1630.	2.9	29
28	Implementing e-learning and e-tools for care home staff supporting residents with dementia and challenging behaviour: A process evaluation of the ResCare study using normalisation process theory. Dementia, 2020, 19, 1604-1620.	2.0	29
29	Improving Well-being and Health for People with Dementia (WHELD): study protocol for a randomised controlled trial. Trials, 2014, 15, 284.	1.6	24
30	Social health in dementia care: harnessing an applied research agenda. International Psychogeriatrics, 2018, 30, 775-778.	1.0	22
31	Apathy and Its Response to Antipsychotic Review and Nonpharmacological Interventions in People With Dementia Living in Nursing Homes: WHELD, a Factorial Cluster Randomized Controlled Trial. Journal of the American Medical Directors Association, 2016, 17, 741-747.	2.5	21
32	Exploring the need for a new UK occupational therapy intervention for people with dementia and family carers: Community Occupational Therapy in Dementia (COTiD). A focus group study. Aging and Mental Health, 2016, 20, 762-769.	2.8	20
33	Community Occupational Therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID]) study: A single-blind, randomised controlled trial. PLoS Medicine, 2021, 18, e1003433.	8.4	16
34	Feasibility study of an optimised person-centred intervention to improve mental health and reduce antipsychotics amongst people with dementia in care homes: study protocol for a randomised controlled trial. Trials, 2013, 14, 13.	1.6	15
35	Improving mental health and reducing antipsychotic use in people with dementia in care homes: the WHELD research programme including two RCTs. Programme Grants for Applied Research, 2020, 8, 1-98.	1.0	15
36	The language of behaviour changes in dementia: A mixed methods survey exploring the perspectives of people with dementia. Journal of Advanced Nursing, 2021, 77, 1992-2001.	3.3	14

#	ARTICLE	IF	CITATIONS
37	Study protocol for a randomised controlled trial assessing the clinical and cost-effectiveness of the Journeying through Dementia (JtD) intervention compared to usual care. <i>BMJ Open</i> , 2019, 9, e029207.	1.9	12
38	Support at Home: Interventions to Enhance Life in Dementia (SHIELD) – evidence, development and evaluation of complex interventions. <i>Programme Grants for Applied Research</i> , 2017, 5, 1-184.	1.0	12
39	UK clinicians' views on the use of formulations for the management of BPSD: a multidisciplinary survey. <i>Aging and Mental Health</i> , 2020, 25, 1-8.	2.8	10
40	Practitioners' understanding of barriers to accessing specialist support by family carers of people with dementia in distress. <i>International Journal of Care and Caring</i> , 2018, 2, 109-123.	0.5	10
41	The Journeying through Dementia psychosocial intervention versus usual care study: a single-blind, parallel group, phase 3 trial. <i>The Lancet Healthy Longevity</i> , 2022, 3, e276-e285.	4.6	10
42	Feasibility and acceptability evaluation of the Promoting Independence in Dementia (PRIDE) intervention for living well with dementia. <i>International Psychogeriatrics</i> , 2021, 33, 601-614.	1.0	9
43	Promoting Independence in Dementia (PRIDE): protocol for a feasibility randomised controlled trial. <i>Trials</i> , 2019, 20, 709.	1.6	8
44	Promoting Independence in Dementia (PRIDE): A Feasibility Randomized Controlled Trial. <i>Clinical Interventions in Aging</i> , 2021, Volume 16, 363-378.	2.9	7
45	Professional perspectives on applying the NICE and British Psychological Society Guidelines for the management of Behaviours that Challenge in dementia care: an e-survey. <i>British Journal of Clinical Psychology</i> , 2022, 61, 112-131.	3.5	6
46	EXAMINING THE PERSONALITY DIMENSIONS OF SOCIOTROPY AND AUTONOMY IN OLDER PEOPLE WITH DEMENTIA: THEIR RELEVANCE TO PERSON CENTRED CARE. <i>Behavioural and Cognitive Psychotherapy</i> , 2004, 32, 457-465.	1.2	5
47	Two sides of the same coin? Patients' and carers' views of UK memory services. <i>Aging Health</i> , 2013, 9, 275-280.	0.3	5
48	OUP accepted manuscript. <i>Age and Ageing</i> , 2022, 51, .	1.6	4
49	Developing a model of best practice for teams managing crisis in people with dementia: a consensus approach. <i>BMC Psychiatry</i> , 2020, 20, 505.	2.6	3
50	Challenging behaviour in dementia care: a novel framework for translating knowledge to practice. <i>The Cognitive Behaviour Therapist</i> , 2020, 13, .	1.0	3
51	Development of an Evidence-Based Best Practice Model for Teams Managing Crisis in Dementia: Protocol for a Qualitative Study. <i>JMIR Research Protocols</i> , 2021, 10, e14781.	1.0	2
52	AQUEDUCT Intervention for Crisis Team Quality and Effectiveness in Dementia: Protocol for a Feasibility Study. <i>JMIR Research Protocols</i> , 2020, 9, e18971.	1.0	2
53	Achieving Quality and Effectiveness in Dementia Using Crisis Teams (AQUEDUCT): a study protocol for a randomised controlled trial of a Resource Kit. <i>Trials</i> , 2022, 23, 54.	1.6	1
54	An intervention to promote self-management, independence and self-efficacy in people with early-stage dementia: the Journeying through Dementia RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-152.	2.8	1

#	ARTICLE	IF	CITATIONS
55	[P4â€™019]: A CORE OUTCOME SET FOR DISEASE MODIFICATION TRIALS IN MILDâ€™TOâ€™MODERATE DEMENTIA: A SYSTEMATIC REVIEW AND CONSENSUS RECOMMENDATIONS. Alzheimer's and Dementia, 2017, 13, P1261.	0.8	0
56	[P1â€™562]: EPIDEMIOLOGY OF PAIN IN PEOPLE WITH DEMENTIA LIVING IN CARE HOMES: LONGITUDINAL COURSE, PREVALENCE AND TREATMENT IMPLICATIONS. Alzheimer's and Dementia, 2017, 13, P509.	0.8	0
57	Title is missing!. , 2021, 18, e1003433.		0
58	Title is missing!. , 2021, 18, e1003433.		0
59	Title is missing!. , 2021, 18, e1003433.		0
60	Title is missing!. , 2021, 18, e1003433.		0
61	Title is missing!. , 2021, 18, e1003433.		0
62	Title is missing!. , 2021, 18, e1003433.		0