

Piotr Jankowski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/585713/publications.pdf>

Version: 2024-02-01

88
papers

14,098
citations

304743

22
h-index

56724

83
g-index

91
all docs

91
docs citations

91
times ranked

17022
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | 2018 ESC/ESH Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , 2018, 39, 3021-3104. | 2.2 | 6,826 |
| 2 | 2019 ESC/EAS Guidelines for the management of dyslipidaemias: lipid modification to reduce cardiovascular risk. <i>European Heart Journal</i> , 2020, 41, 111-188. | 2.2 | 4,871 |
| 3 | Lifestyle and impact on cardiovascular risk factor control in coronary patients across 27 countries: Results from the European Society of Cardiology ESC-EORP EUROASPIRE V registry. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 824-835. | 1.8 | 558 |
| 4 | Pulsatile but Not Steady Component of Blood Pressure Predicts Cardiovascular Events in Coronary Patients. <i>Hypertension</i> , 2008, 51, 848-855. | 2.7 | 254 |
| 5 | Management of dyslipidaemia in patients with coronary heart disease: Results from the ESC-EORP EUROASPIRE V survey in 27 countries. <i>Atherosclerosis</i> , 2019, 285, 135-146. | 0.8 | 227 |
| 6 | Validation of non-invasive central blood pressure devices: ARTERY Society task force consensus statement on protocol standardization. <i>European Heart Journal</i> , 2017, 38, 2805-2812. | 2.2 | 175 |
| 7 | Primary prevention efforts are poorly developed in people at high cardiovascular risk: A report from the European Society of Cardiology EURObservational Research Programme EUROASPIRE V survey in 16 European countries. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 370-379. | 1.8 | 83 |
| 8 | Effects of metabolic syndrome on arterial function in different age groups. <i>Journal of Hypertension</i> , 2018, 36, 824-833. | 0.5 | 79 |
| 9 | Heat Not Burn Tobacco Productâ€™A New Global Trend: Impact of Heat-Not-Burn Tobacco Products on Public Health, a Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 409. | 2.6 | 79 |
| 10 | PoLA/CFPiP/PCS/PSLD/PSD/PSH guidelines on diagnosis and therapy of lipid disorders in Poland 2021. <i>Archives of Medical Science</i> , 2021, 17, 1447-1547. | 0.9 | 78 |
| 11 | PoLA/CFPiP/PCS Guidelines for the Management of Dyslipidaemias for Family Physicians 2016. <i>Archives of Medical Science</i> , 2017, 1, 1-45. | 0.9 | 70 |
| 12 | The pulsatile component of blood pressure â€™ Its role in the pathogenesis of atherosclerosis. <i>Blood Pressure</i> , 2007, 16, 238-245. | 1.5 | 53 |
| 13 | Relationship Between 24-Hour Ambulatory Central Systolic Blood Pressure and Left Ventricular Mass. <i>Hypertension</i> , 2017, 70, 1157-1164. | 2.7 | 52 |
| 14 | COVID-19 and cardiovascular complications â€™ the preliminary results of the LATE-COVID study. <i>Archives of Medical Science</i> , 2021, 17, 818-822. | 0.9 | 39 |
| 15 | Prevalence of familial hypercholesterolemia: a meta-analysis of six large, observational, population-based studies in Poland. <i>Archives of Medical Science</i> , 2016, 4, 687-696. | 0.9 | 37 |
| 16 | Management of familial heterozygous hypercholesterolemia: Position Paper of the Polish Lipid Expert Forum. <i>Journal of Clinical Lipidology</i> , 2013, 7, 217-221. | 1.5 | 28 |
| 17 | Practice setting and secondary prevention of coronary artery disease. <i>Archives of Medical Science</i> , 2018, 14, 979-987. | 0.9 | 27 |
| 18 | Twenty-four-Hour Profile of Central Blood Pressure and Central-to-Peripheral Systolic Pressure Amplification. <i>American Journal of Hypertension</i> , 2013, 26, 27-33. | 2.0 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Determinants of poor hypertension management in patients with ischaemic heart disease. <i>Blood Pressure</i> , 2005, 14, 284-292. | 1.5 | 23 |
| 20 | PCSK9 inhibitors “ from discovery of a single mutation to a groundbreaking therapy of lipid disorders in one decade. <i>Archives of Medical Science</i> , 2017, 4, 914-929. | 0.9 | 22 |
| 21 | Gender gap in risk factor control of coronary patients far from closing: results from the European Society of Cardiology EUROASPIRE V registry. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 344-351. | 1.8 | 22 |
| 22 | Temporal trends in secondary prevention in myocardial infarction patients discharged with left ventricular systolic dysfunction in Poland. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 960-969. | 1.8 | 20 |
| 23 | Impact of COVID-19 pandemic on acute heart failure admissions and mortality: a multicentre study (COV-HF-SIRIO 6 study). <i>ESC Heart Failure</i> , 2022, 9, 721-728. | 3.1 | 20 |
| 24 | Secondary prevention of coronary artery disease in Poland. Results from the POLASPIRE survey. <i>Cardiology Journal</i> , 2020, 27, 533-540. | 1.2 | 18 |
| 25 | Secondary prevention of coronary artery disease in contemporary clinical practice. <i>Cardiology Journal</i> , 2015, 22, 219-226. | 1.2 | 17 |
| 26 | Ascending aortic blood pressure waveform is related to coronary atherosclerosis in hypertensive as well as in normotensive subjects. <i>Blood Pressure</i> , 2007, 16, 246-253. | 1.5 | 16 |
| 27 | Relationship between Blood and Induced Sputum Eosinophils, Bronchial Hyperresponsiveness and Reversibility of Airway Obstruction in Mild-to-Moderate Chronic Obstructive Pulmonary Disease. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2019, 16, 354-361. | 1.6 | 14 |
| 28 | The challenge of blood pressure control in patients with ischaemic heart disease in Europe. <i>Blood Pressure</i> , 2005, 14, 6-9. | 1.5 | 13 |
| 29 | Twenty-Four-Hour Central (Aortic) Systolic Blood Pressure: Reference Values and Dipping Patterns in Untreated Individuals. <i>Hypertension</i> , 2022, 79, 251-260. | 2.7 | 13 |
| 30 | Determinants of appropriate lipid management in patients with ischaemic heart disease. Cracovian Program for Secondary Prevention of Ischaemic Heart Disease. <i>International Journal of Cardiology</i> , 2003, 91, 15-23. | 1.7 | 12 |
| 31 | Clinical presentation and treatment of acute coronary syndrome as well as 1-year survival of patients hospitalized due to cancer. <i>Medicine (United States)</i> , 2020, 99, e18972. | 1.0 | 11 |
| 32 | Managed Care after Acute Myocardial Infarction (MC-AMI) Reduces Total Mortality in 12-Month Follow-Up—Results from a Poland’s National Health Fund Program of Comprehensive Post-MI Care” A Population-Wide Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 3178. | 2.4 | 9 |
| 33 | Socioeconomic characteristics of patients with coronary heart disease in relation to their cardiovascular risk profile. <i>Heart</i> , 2021, 107, 799-806. | 2.9 | 9 |
| 34 | Polish Forum for Prevention Guidelines on Hypertension: update 2017. <i>Kardiologia Polska</i> , 2017, 75, 282-285. | 0.6 | 9 |
| 35 | Secondary prevention in patients after hospitalisation due to coronary artery disease: what has changed since 2006?. <i>Kardiologia Polska</i> , 2014, 72, 355-362. | 0.6 | 9 |
| 36 | Which patients at risk of cardiovascular disease might benefit the most from inclisiran? “ The expert opinion of the Polish experts. The compromise between EBM and possibilities in healthcare.. <i>Archives of Medical Science</i> , 2022, 18, 569-576. | 0.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Dyslipidemia Management in Patients with Coronary Artery Disease. Data from the POLASPIRE Survey. <i>Journal of Clinical Medicine</i> , 2021, 10, 3711. | 2.4 | 8 |
| 38 | Palliative care for people living with cardiac disease. <i>Kardiologia Polska</i> , 2020, 78, 364-373. | 0.6 | 8 |
| 39 | Half of coronary patients are not instructed how to respond to symptoms of a heart attack. <i>Cardiology Journal</i> , 2011, 18, 668-674. | 1.2 | 8 |
| 40 | Age, sex, and secondary prevention of ischaemic heart disease in everyday practice. <i>Kardiologia Polska</i> , 2013, 71, 1251-1259. | 0.6 | 8 |
| 41 | Prevalence, diagnosis, and treatment of familial hypercholesterolaemia in outpatient practices in Poland. <i>Kardiologia Polska</i> , 2018, 76, 960-967. | 0.6 | 8 |
| 42 | Comprehensive coordinated care after myocardial infarction (KOSâ€™ZawaÅ): a patientâ€™s perspective. <i>Kardiologia Polska</i> , 2019, 77, 568-570. | 0.6 | 8 |
| 43 | Cardiac Rehabilitation in Real Life. <i>Medicine (United States)</i> , 2015, 94, e1257. | 1.0 | 7 |
| 44 | Hypercholesterolemia and prevention of cardiovascular diseases in the light of preventive medical examinations of employees in Poland. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2019, 32, 865-872. | 1.3 | 7 |
| 45 | Polish Forum for Prevention Guidelines on Smoking: update 2017. <i>Kardiologia Polska</i> , 2017, 75, 409-411. | 0.6 | 7 |
| 46 | Changes in secondary prevention of coronary artery disease in the post-discharge period over the decade 1997-2007. Results of the Cracovian Program for Secondary Prevention of Ischaemic Heart Disease and Polish parts of the EUROASPIRE II and III surveys. <i>Kardiologia Polska</i> , 2009, 67, 1353-9. | 0.6 | 7 |
| 47 | Do the Successive Waves of SARS-CoV-2, Vaccination Status and Place of Infection Influence the Clinical Picture and COVID-19 Severity among Patients with Persistent Clinical Symptoms? The Retrospective Study of Patients from the STOP-COVID Registry of the PoLoCOV-Study. <i>Journal of Personalized Medicine</i> , 2022, 12, 706. | 2.5 | 7 |
| 48 | Pulse Pressure, Blood Flow, and Atherosclerosis. <i>American Journal of Hypertension</i> , 2012, 25, 1040-1041. | 2.0 | 6 |
| 49 | Do we know more about hypertension in Poland after the May Measurement Month 2017?â€™Europe. <i>European Heart Journal Supplements</i> , 2019, 21, D97-D100. | 0.1 | 6 |
| 50 | Dietary measures among patients with coronary heart disease in Europe. ESC EORP Euroaspire V. <i>International Journal of Cardiology</i> , 2020, 302, 5-14. | 1.7 | 6 |
| 51 | Obesity in patients with established coronary artery disease over a 20-year period (1997â€™2017). <i>Polish Archives of Internal Medicine</i> , 2021, 131, 26-32. | 0.4 | 6 |
| 52 | Innovative Managed Care May Be Related to Improved Prognosis for Acute Myocardial Infarction Survivors. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021, 14, e007800. | 2.2 | 6 |
| 53 | The use of a mobile spirometry with a feedback quality assessment in primary care setting â€™ A nationwide cross-sectional feasibility study. <i>Respiratory Medicine</i> , 2021, 184, 106472. | 2.9 | 6 |
| 54 | Factors related to the effectiveness of hypercholesterolemia treatment following hospitalization for coronary artery disease. <i>Polish Archives of Internal Medicine</i> , 2016, 126, 388-394. | 0.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Neutrophil-to-Lymphocyte Ratio Is Not Associated with Severity of Coronary Artery Disease and Is Not Correlated with Vitamin D Level in Patients with a History of an Acute Coronary Syndrome. <i>Biology</i> , 2022, 11, 1001. | 2.8 | 6 |
| 56 | Treatment goal attainment for secondary prevention in coronary patients with or without diabetes mellitus – Polish multicenter study POLASPIRE. <i>Archives of Medical Science</i> , 2023, 19, 305-312. | 0.9 | 5 |
| 57 | Potential for optimizing management of obesity in the secondary prevention of coronary heart disease. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021, , . | 4.0 | 5 |
| 58 | Serum Level of Vitamin D Is Associated with Severity of Coronary Atherosclerosis in Postmenopausal Women. <i>Biology</i> , 2021, 10, 1139. | 2.8 | 5 |
| 59 | May Measurement Month 2018: an analysis of blood pressure screening campaign results from Poland. <i>European Heart Journal Supplements</i> , 2020, 22, H108-H111. | 0.1 | 4 |
| 60 | Management of Dyslipidemia in Women and Men with Coronary Heart Disease: Results from POLASPIRE Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2594. | 2.4 | 4 |
| 61 | Longitudinal effects of a nurse-managed comprehensive cardiovascular disease prevention program for hospitalized coronary heart disease patients and primary care high-risk patients. <i>Kardiologia Polska</i> , 2020, 78, 429-437. | 0.6 | 4 |
| 62 | Vitamin D Level in Patients with Consecutive Acute Coronary Syndrome Is Not Correlated with the Parameters of Platelet Activity. <i>Journal of Clinical Medicine</i> , 2022, 11, 707. | 2.4 | 4 |
| 63 | Gender does not influence event-free survival in patients with ischaemic heart disease undergoing non-emergency coronary angiography. A single centre analysis. <i>Kardiologia Polska</i> , 2007, 65, 475-84; discussion 485. | 0.6 | 4 |
| 64 | Biochemical and cardiovascular predictors of PIMS-TS risk in children after COVID-19 recovery: preliminary results of the LATE-COVID-Kids Study. <i>Archives of Medical Science</i> , 2022, 18, 545-552. | 0.9 | 4 |
| 65 | Managed Care after Acute Myocardial Infarction (MC-AMI) improves prognosis in AMI survivors with pre-existing heart failure: A propensity score matching analysis of Polish nationwide program of comprehensive post-MI care. <i>Kardiologia Polska</i> , 2022, 80, 293-301. | 0.6 | 4 |
| 66 | Active screening for COPD among hospitalized smokers – a feasibility study. <i>Therapeutic Advances in Chronic Disease</i> , 2020, 11, 204062232097111. | 2.5 | 3 |
| 67 | Smoking cessation in patients with established coronary artery disease: data from the POLASPIRE survey. <i>Kardiologia Polska</i> , 2021, 79, 418-425. | 0.6 | 3 |
| 68 | Mortality in patients after acute myocardial infarction managed by cardiologists and primary care physicians: a systematic review. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 860-867. | 0.4 | 3 |
| 69 | BREAST cancer: tele- cardio- onco AID- a new concept for a coordinated care program (BREAST-AID) - rationale and study protocol. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 295-298. | 0.4 | 3 |
| 70 | Renal denervation in patients with symptomatic chronic heart failure despite resynchronization therapy - a pilot study. <i>Postępy W Kardiologii Interwencyjnej</i> , 2019, 15, 240-246. | 0.2 | 3 |
| 71 | Small Differences in Vitamin D Levels between Male Cardiac Patients in Different Stages of Coronary Artery Disease. <i>Journal of Clinical Medicine</i> , 2022, 11, 779. | 2.4 | 3 |
| 72 | Effects of cardiac rehabilitation on risk factor management and quality of life in patients with ischemic heart disease: A multicenter cross-sectional study. <i>Polish Archives of Internal Medicine</i> , 2021, 131, 617-625. | 0.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | May Measurement Month 2019: an analysis of blood pressure screening results from Poland. <i>European Heart Journal Supplements</i> , 2021, 23, B124-B127. | 0.1 | 2 |
| 74 | Secondary prevention of coronary artery disease in hospital practice over the decade 1996-2006. Results of the Cracovian Program for Secondary Prevention of Ischaemic Heart Disease and Polish parts of the EUROASPIRE II and EUROASPIRE III surveys. <i>Kardiologia Polska</i> , 2009, 67, 970-7. | 0.6 | 2 |
| 75 | Undiagnosed Diabetes and Prediabetes in Patients with Chronic Coronary Syndromes—An Alarming Public Health Issue. <i>Journal of Clinical Medicine</i> , 2021, 10, 1981. | 2.4 | 1 |
| 76 | Over time changes in the prevention of recurrent coronary artery disease in everyday practice. <i>Polish Archives of Internal Medicine</i> , 2021, 131, 673-678. | 0.4 | 1 |
| 77 | Dyslipidaemia, carbohydrate metabolism disorders and arterial hypertension detected in academic employees during examinations in occupational medicine. <i>Annals of Agricultural and Environmental Medicine</i> , 2021, 28, 314-318. | 1.0 | 1 |
| 78 | The use of direct immunofluorescence and nested polymerase chain reaction in diagnosing perinatal infections of <i>Chlamydia trachomatis</i> . <i>Advances in Clinical and Experimental Medicine</i> , 2018, 27, 1711-1716. | 1.4 | 1 |
| 79 | Temporal changes in the secondary prevention of coronary artery disease in patients following myocardial revascularization. <i>Postępy W Kardiologii Interwencyjnej</i> , 2020, 16, 422-428. | 0.2 | 1 |
| 80 | How drugs influencing central blood pressure prevent atherosclerosis complications?. <i>Current Pharmaceutical Biotechnology</i> , 2012, 13, 2449-55. | 1.6 | 1 |
| 81 | Recollection of Physician Information about Risk Factor and Lifestyle Changes in Chronic Coronary Syndrome Patients. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6416. | 2.6 | 1 |
| 82 | Delayed Diagnosis of Non-ST Segment Elevation Myocardial Infarction in a Young Patient with Multivessel Disease and Familial Hypercholesterolemia Complicated by Cardiogenic Shock Finally Treated with Intra-Aortic Balloon Pump as a Bridge to Extra Corporeal Membrane Oxygenation. <i>Case Reports in Cardiology</i> , 2019, 2019, 1-4. | 0.2 | 0 |
| 83 | The obesity pandemic among patients with coronary artery disease: do we have enough to tackle its progression? Authors' reply. <i>Polish Archives of Internal Medicine</i> , 2021, 131, 316-316. | 0.4 | 0 |
| 84 | Successful revascularization of total occlusion of the left anterior descending artery in patient with COVID-19 infection and treatment-resistant heart failure. <i>Kardiologia Polska</i> , 2021, 79, 889-890. | 0.6 | 0 |
| 85 | Inhibitors of sodium-glucose transport protein 2: A new multidirectional therapeutic option for heart failure patients. <i>Cardiology Journal</i> , 2021, , . | 1.2 | 0 |
| 86 | Blood pressure and cholesterol control in the general population. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 258-258. | 0.4 | 0 |
| 87 | 2021 PoLA/CFPiP/PCS/PSLD/PSD/PSH guidelines on the diagnosis and therapy of lipid disorders in Poland. <i>Diagnostyka Laboratoryjna i Wiadomości PTDL</i> , 2021, 57, 1-99. | 0.1 | 0 |
| 88 | Lipid-lowering drugs and control of hypercholesterolemia in Poland: recent evidence. , 2011, 121, 164-71. | | 0 |