

Dawn A Skelton

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/585757/dawn-a-skelton-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

180
papers

6,504
citations

38
h-index

77
g-index

196
ext. papers

7,757
ext. citations

3.2
avg, IF

6.09
L-index

#	Paper	IF	Citations
180	Resistance exercise as a treatment for sarcopenia: prescription and delivery.. <i>Age and Ageing</i> , 2022 , 51,	3	3
179	Make Movement Your Mission: Evaluation of an online digital health initiative to increase physical activity in older people during the COVID-19 pandemic.. <i>Digital Health</i> , 2022 , 8, 20552076221084468	4	
178	Feasibility of performance-based and self-reported outcomes in self-managed falls prevention exercise interventions for independent older adults living in the community.. <i>BMC Geriatrics</i> , 2022 , 22, 147	4.1	
177	Embedding Physical Activity Within Community Home Support Services for Older Adults in Ireland - A Qualitative Study of Barriers and Enablers.. <i>Clinical Interventions in Aging</i> , 2022 , 17, 223-234	4	0
176	Sarcopenia and associated factors according to the EWGSOP2 criteria in older people living in nursing homes: a cross-sectional study.. <i>BMC Geriatrics</i> , 2022 , 22, 350	4.1	0
175	Fear-of-falling and associated risk factors in persons with rheumatoid arthritis: a 1 year prospective study. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 260	2.8	
174	Urinary incontinence and sedentary behaviour in nursing home residents in Osona, Catalonia: protocol for the OsoNaH project, a multicentre observational study. <i>BMJ Open</i> , 2021 , 11, e041152	3	2
173	Fall prevention interventions in primary care to reduce fractures and falls in people aged 70 years and over: the PreFIT three-arm cluster RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-114	4.4	1
172	New horizons in falls prevention and management for older adults: a global initiative. <i>Age and Ageing</i> , 2021 , 50, 1499-1507	3	12
171	Exploring osteoporosis sufferers knowledge on sedentary behaviour in the management of their disease. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2021 , 6, 36-42	1.6	
170	Associations between health-related quality of life and physical function in older adults with or at risk of mobility disability after discharge from the hospital. <i>European Geriatric Medicine</i> , 2021 , 12, 1247-1256	3	0
169	Tibial nerve stimulation compared with sham to reduce incontinence in care home residents: ELECTRIC RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-110	4.4	0
168	Interventions for reducing sedentary behaviour in community-dwelling older adults. <i>The Cochrane Library</i> , 2021 , 6, CD012784	5.2	6
167	Views and experiences of visually impaired older people and exercise instructors about the Falls Management Exercise programme: a qualitative study. <i>Disability and Rehabilitation</i> , 2021 , 43, 2561-2567 ^{2.4}	2.4	3
166	A systematic review of the physical activity levels of acutely ill older adults in Hospital At Home settings: an under-researched field. <i>European Geriatric Medicine</i> , 2021 , 12, 227-238	3	6
165	HRNN4F: HYBRID DEEP RANDOM NEURAL NETWORK FOR MULTI-CHANNEL FALL ACTIVITY DETECTION. <i>Probability in the Engineering and Informational Sciences</i> , 2021 , 35, 37-50	0.6	11
164	'Real world' effectiveness of the Falls Management Exercise (FaME) programme: an implementation study. <i>Age and Ageing</i> , 2021 , 50, 1290-1297	3	1

163	Is loneliness a predictor of the modern geriatric giants? Analysis from the survey of health, ageing, and retirement in Europe. <i>Maturitas</i> , 2021 , 144, 93-101	5	3
162	Implementation fidelity of the Falls Management Exercise Programme: a mixed methods analysis using a conceptual framework for implementation fidelity. <i>Public Health</i> , 2021 , 197, 11-18	4	0
161	Physical Function and Health-Related Quality of Life in Older Adults With or at Risk of Mobility Disability Post-discharge: 8-Month Follow-Up of a Randomized Controlled Trial. <i>Journal of Aging and Physical Activity</i> , 2021 , 1-7	1.6	
160	Health-related quality of life in home care recipients after a falls prevention intervention: a 6-month follow-up. <i>European Journal of Public Health</i> , 2020 , 30, 64-69	2.1	5
159	The COVID-19 rehabilitation pandemic. <i>Age and Ageing</i> , 2020 , 49, 696-700	3	72
158	Older adults' preferences for, adherence to and experiences of two self-management falls prevention home exercise programmes: a comparison between a digital programme and a paper booklet. <i>BMC Geriatrics</i> , 2020 , 20, 209	4.1	12
157	Effects of a resistance and balance exercise programme on physical fitness, health-related quality of life and fear of falling in older women with osteoporosis and vertebral fracture: a randomized controlled trial. <i>Osteoporosis International</i> , 2020 , 31, 1069-1078	5.3	16
156	Is urinary incontinence associated with sedentary behaviour in older women? Analysis of data from the National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2020 , 15, e0227195	3.7	9
155	A Pilot Randomised Clinical Trial of a Novel Approach to Reduce Sedentary Behaviour in Care Home Residents: Feasibility and Preliminary Effects of the GET READY Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
154	Effectiveness of a self-managed digital exercise programme to prevent falls in older community-dwelling adults: study protocol for the Safe Step randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e036194	3	8
153	Enhancing existing formal home care to improve and maintain functional status in older adults: Protocol for a feasibility study on the implementation of the Care to Move (CTM) programme in an Irish healthcare setting. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2020 , 5, 10-16	1.6	2
152	Mission (im)possible: Engaging care homes, staff and residents in research studies. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2020 , 5, 6-9	1.6	3
151	Physical fitness in older women with osteoporosis and vertebral fracture after a resistance and balance exercise programme: 3-month post-intervention follow-up of a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 471	2.8	4
150	Effects of a multicomponent high intensity exercise program on physical function and health-related quality of life in older adults with or at risk of mobility disability after discharge from hospital: a randomised controlled trial. <i>BMC Geriatrics</i> , 2020 , 20, 464	4.1	9
149	'Feet are second class citizens': exploring the perceptions of Scottish and Portuguese older adults about feet, falls and exercise- a qualitative study. <i>Journal of Foot and Ankle Research</i> , 2020 , 13, 66	3.2	
148	A Novel Functional Link Network Stacking Ensemble with Fractal Features for Multichannel Fall Detection. <i>Cognitive Computation</i> , 2020 , 12, 1024-1042	4.4	4
147	Environmental and behavioural interventions for reducing physical activity limitation and preventing falls in older people with visual impairment. <i>The Cochrane Library</i> , 2020 , 9, CD009233	5.2	8
146	Identifying the most reliable and valid bladder health screening tool: a systematic review. <i>Disability and Rehabilitation</i> , 2020 , 42, 2451-2470	2.4	1

145	Hardware/Software Co-design of Fractal Features based Fall Detection System. <i>Sensors</i> , 2020 , 20,	3.8	2
144	Co-Creating Recommendations to Redesign and Promote Strength and Balance Service Provision. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	1
143	Comparison of alternative falls data collection methods in the Prevention of Falls Injury Trial (PreFIT). <i>Journal of Clinical Epidemiology</i> , 2019 , 106, 32-40	5.7	12
142	Positive and negative well-being and objectively measured sedentary behaviour in older adults: evidence from three cohorts. <i>BMC Geriatrics</i> , 2019 , 19, 28	4.1	10
141	Framework, principles and recommendations for utilising participatory methodologies in the co-creation and evaluation of public health interventions. <i>Research Involvement and Engagement</i> , 2019 , 5, 2	4.4	84
140	Exploring purpose-designed audio-visual falls prevention messages on older people's capability and motivation to prevent falls. <i>Health and Social Care in the Community</i> , 2019 , 27, e471-e482	2.6	5
139	The effectiveness and cost-effectiveness of strength and balance Exergames to reduce falls risk for people aged 55 years and older in UK assisted living facilities: a multi-centre, cluster randomised controlled trial. <i>BMC Medicine</i> , 2019 , 17, 49	11.4	35
138	A Novel Approach to Reduce Sedentary Behaviour in Care Home Residents: The GET READY Study Utilising Service-Learning and Co-Creation. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	8
137	'Managing pieces of a personal puzzle' - Older people's experiences of self-management falls prevention exercise guided by a digital program or a booklet. <i>BMC Geriatrics</i> , 2019 , 19, 43	4.1	15
136	Cross-sectional associations between personality traits and device-based measures of step count and sedentary behaviour in older age: the Lothian Birth Cohort 1936. <i>BMC Geriatrics</i> , 2019 , 19, 302	4.1	6
135	The Footfall Programme: participant experiences of a lower limb, foot and ankle exercise intervention for falls prevention - an exploratory study. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2019 , 4, 78-90	1.6	2
134	Visually Impaired OLder people's Exercise programme for falls prevenTion (VIOLET): a feasibility study. <i>Public Health Research</i> , 2019 , 7, 1-148	1.7	4
133	Beyond #endpparalysis]tackling sedentary behaviour in health care. <i>AIMS Medical Science</i> , 2019 , 6, 67-75	0.4	8
132	An explorative study of current strategies to reduce sedentary behaviour in hospital wards. <i>AIMS Medical Science</i> , 2019 , 6, 285-295	0.4	1
131	Effects of a falls exercise intervention on strength, power, functional ability and bone in older frequent fallers: FaME (Falls Management Exercise) RCT secondary analysis. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2019 , 4, 11-19	1.6	0
130	PERCEPTIONS OF EXERGAMES FOR FALLS PREVENTION AMONG SENIORS AND THERAPISTS IN ASSISTED LIVING FACILITIES. <i>Innovation in Aging</i> , 2019 , 3, S59-S60	0.1	78
129	WiFreeze: Multiresolution Scalograms for Freezing of Gait Detection in Parkinson's Leveraging 5G Spectrum with Deep Learning. <i>Electronics (Switzerland)</i> , 2019 , 8, 1433	2.6	14
128	ELECtric Tibial nerve stimulation to Reduce Incontinence in Care homes: protocol for the ELECTRIC randomised trial. <i>Trials</i> , 2019 , 20, 723	2.8	3

127	Evaluating audio-visual falls prevention messages with community-dwelling older people using a World CafForum approach. <i>BMC Geriatrics</i> , 2019 , 19, 345	4.1	2
126	Reasonable adjustments to provide equitable and inclusive assessment, screening and treatment of osteoporosis for adults with intellectual disabilities: A feasibility study. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2019 , 32, 300-312	2.2	2
125	Podiatry interventions to prevent falls in older people: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2019 , 48, 327-336	3	17
124	Effects of a falls prevention exercise programme on health-related quality of life in older home care recipients: a randomised controlled trial. <i>Age and Ageing</i> , 2019 , 48, 213-219	3	16
123	Physical activity Implementation Study In Community-dwelling Adults (PHISICAL): study protocol. <i>Injury Prevention</i> , 2019 , 25, 453-458	3.2	4
122	What Do Older People Do When Sitting and Why? Implications for Decreasing Sedentary Behavior. <i>Gerontologist</i> , 2019 , 59, 686-697	5	20
121	Efficacy of the Otago Exercise Programme to reduce falls in community-dwelling adults aged 65-80 years old when delivered as group or individual training. <i>Journal of Advanced Nursing</i> , 2018 , 74, 1700-1711	3.1	15
120	Sedentary Behaviour and Ageing. <i>Springer Series on Epidemiology and Public Health</i> , 2018 , 319-338	0.4	1
119	The association between lower urinary tract symptoms and falls: Forming a theoretical model for a research agenda. <i>Neurourology and Urodynamics</i> , 2018 , 37, 501-509	2.3	33
118	Development and delivery of an exercise programme for falls prevention: the Prevention of Falls Injury Trial (PreFIT). <i>Physiotherapy</i> , 2018 , 104, 72-79	3	5
117	Why Older Adults Spend Time Sedentary and Break Their Sedentary Behavior: A Mixed-Methods Approach Using Life-Logging Equipment. <i>Journal of Aging and Physical Activity</i> , 2018 , 26, 259-266	1.6	7
116	A prospective cohort study measuring cost-benefit analysis of the Otago Exercise Programme in community dwelling adults with rheumatoid arthritis. <i>BMC Health Services Research</i> , 2018 , 18, 574	2.9	2
115	Reliability, minimal detectable change and responsiveness to change: Indicators to select the best method to measure sedentary behaviour in older adults in different study designs. <i>PLoS ONE</i> , 2018 , 13, e0195424	3.7	32
114	A systematic review of interventions to increase physical activity among South Asian adults. <i>Public Health</i> , 2018 , 162, 71-81	4	9
113	The epigenetic clock and objectively measured sedentary and walking behavior in older adults: the Lothian Birth Cohort 1936. <i>Clinical Epigenetics</i> , 2018 , 10, 4	7.7	18
112	Gender Perspective on Older People's Exercise Preferences and Motivators in the Context of Falls Prevention: A Qualitative Study. <i>BioMed Research International</i> , 2018 , 2018, 6865156	3	11
111	Associations of intention to undertake physical activity among community dwelling British South Asian adults aged 60 years and over: a cross-sectional study. <i>Public Health</i> , 2018 , 162, 1-8	4	3
110	Physical fitness interventions for nonambulatory stroke survivors: A mixed-methods systematic review and meta-analysis. <i>Brain and Behavior</i> , 2018 , 8, e01000	3.4	14

109	Breaking sedentary behaviour has the potential to increase/ maintain function in frail older adults. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2018 , 3, 26-31	1.6	18
108	How do muscle and bone strengthening and balance activities (MBSBA) vary across the life course, and are there particular ages where MBSBA are most important?. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2018 , 3, 74-84	1.6	5
107	Which strength and balance activities are safe and efficacious for individuals with specific challenges (osteoporosis, vertebral fractures, frailty, dementia)?: A Narrative review. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2018 , 3, 85-104	1.6	6
106	A co-created intervention with care home residents and university students following a service-learning methodology to reduce sedentary behaviour: The GET READY project protocol. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2018 , 3, 132-137	1.6	2
105	Adverse events and safety issues associated with physical activity and exercise for adults with osteoporosis and osteopenia: A systematic review of observational studies and an updated review of interventional studies. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2018 , 3, 155-178	1.6	10
104	What happened to my legs when I broke my arm?. <i>AIMS Medical Science</i> , 2018 , 5, 252-258	0.4	3
103	The Role of the Instructor in Exercise and Physical Activity Programmes for Older People 2018 , 337-357		
102	Cognitive ability does not predict objectively measured sedentary behavior: Evidence from three older cohorts. <i>Psychology and Aging</i> , 2018 , 33, 288-296	3.6	7
101	Social participation and heat-related behavior in older adults during heat waves and on other days. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2018 , 51, 543-549	2.7	1
100	Feasibility of trial procedures for a randomised controlled trial of a community based group exercise intervention for falls prevention for visually impaired older people: the VIOLET study. <i>BMC Geriatrics</i> , 2018 , 18, 307	4.1	8
99	The appeal of the Functional Fitness MOT to older adults and health professionals in an outpatient setting: a mixed-method feasibility study. <i>Clinical Interventions in Aging</i> , 2018 , 13, 1815-1829	4	3
98	Attitudes to ageing and objectively-measured sedentary and walking behaviour in older people: The Lothian Birth Cohort 1936. <i>PLoS ONE</i> , 2018 , 13, e0197357	3.7	4
97	Associations between health-related quality of life, physical function and fear of falling in older fallers receiving home care. <i>BMC Geriatrics</i> , 2018 , 18, 253	4.1	29
96	Characteristics of a protocol to collect objective physical activity/sedentary behaviour data in a large study: Seniors USP (understanding sedentary patterns). <i>Journal for the Measurement of Physical Behaviour</i> , 2018 , 1, 26-31	2.3	20
95	Age and gender stratified normative values for the International Prostate Symptom Score for adults aged 60 years and over. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2732-2739	2.3	1
94	Injuries Reported and Recorded for Adults with Intellectual Disabilities Who Live with Paid Support in Scotland: a Comparison with Scottish Adults in the General Population. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2017 , 30, 408-415	2.2	4
93	Gender perspectives on views and preferences of older people on exercise to prevent falls: a systematic mixed studies review. <i>BMC Geriatrics</i> , 2017 , 17, 58	4.1	27
92	Promotion of physical activity interventions for community dwelling older adults: A systematic review of reviews. <i>PLoS ONE</i> , 2017 , 12, e0180902	3.7	189

91	A falls prevention programme to improve quality of life, physical function and falls efficacy in older people receiving home help services: study protocol for a randomised controlled trial. <i>BMC Health Services Research</i> , 2017 , 17, 559	2.9	21
90	Sedentary time in older adults: a critical review of measurement, associations with health, and interventions. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1539	10.3	114
89	Sedentary time in older men and women: an international consensus statement and research priorities. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1526-1532	10.3	59
88	Relationships between socioeconomic position and objectively measured sedentary behaviour in older adults in three prospective cohorts. <i>BMJ Open</i> , 2017 , 7, e016436	3	12
87	TAXonomy of Self-reported Sedentary behaviour Tools (TASST) framework for development, comparison and evaluation of self-report tools: content analysis and systematic review. <i>BMJ Open</i> , 2017 , 7, e013844	3	37
86	Co-creating a tailored public health intervention to reduce older adults' sedentary behaviour. <i>Health Education Journal</i> , 2017 , 76, 595-608	1.5	17
85	Interventions for reducing sedentary behaviour in community-dwelling older adults. <i>The Cochrane Library</i> , 2017 ,	5.2	4
84	Effect of Indoor Temperature on Physical Performance in Older Adults during Days with Normal Temperature and Heat Waves. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	9
83	The Influence of Neighbourhoods and the Social Environment on Sedentary Behaviour in Older Adults in Three Prospective Cohorts. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	17
82	Experiences of older people with dementia participating in a high-intensity functional exercise program in nursing homes: "While it's tough, it's useful". <i>PLoS ONE</i> , 2017 , 12, e0188225	3.7	25
81	A feasibility study to prevent falls in older people who are sight impaired: the VIP2UK randomised controlled trial. <i>Trials</i> , 2016 , 17, 464	2.8	18
80	Frailty predicts trajectories of quality of life over time among British community-dwelling older people. <i>Quality of Life Research</i> , 2016 , 25, 1743-50	3.7	38
79	The Functional Fitness MOT Test Battery for Older Adults: Protocol for a Mixed-Method Feasibility Study. <i>JMIR Research Protocols</i> , 2016 , 5, e108	2	3
78	Acceptability of Novel Life Logging Technology to Determine Context of Sedentary Behavior in Older Adults. <i>AIMS Public Health</i> , 2016 , 3, 158-171	1.9	11
77	Modifying Older Adults' Daily Sedentary Behaviour Using an Asset-based Solution: Views from Older Adults. <i>AIMS Public Health</i> , 2016 , 3, 542-554	1.9	15
76	Reach the Person behind the Dementia - Physical Therapists' Reflections and Strategies when Composing Physical Training. <i>PLoS ONE</i> , 2016 , 11, e0166686	3.7	20
75	Reducing falls among older people in general practice: The ProAct65+ exercise intervention trial. <i>Archives of Gerontology and Geriatrics</i> , 2016 , 67, 46-54	4	32
74	Visually Impaired OLder people's Exercise programme for falls prevenTion (VIOLET): a feasibility study protocol. <i>BMJ Open</i> , 2016 , 6, e011996	3	8

73	Can the Otago falls prevention program be delivered by video? A feasibility study. <i>BMJ Open Sport and Exercise Medicine</i> , 2016 , 2, e000059	3.4	7
72	Review of how we should define (and measure) adherence in studies examining older adults' participation in exercise classes. <i>BMJ Open</i> , 2016 , 6, e011560	3	74
71	A cluster randomised controlled trial of advice, exercise or multifactorial assessment to prevent falls and fractures in community-dwelling older adults: protocol for the prevention of falls injury trial (PreFIT). <i>BMJ Open</i> , 2016 , 6, e009362	3	21
70	Exercise for reducing fear of falling in older people living in the community: Cochrane systematic review and meta-analysis. <i>Age and Ageing</i> , 2016 , 45, 345-52	3	119
69	Older Adults' Uptake and Adherence to Exercise Classes: Instructors' Perspectives. <i>Journal of Aging and Physical Activity</i> , 2016 , 24, 119-28	1.6	56
68	Randomised controlled trial of the effectiveness of community group and home-based falls prevention exercise programmes on bone health in older people: the ProAct65+ bone study. <i>Age and Ageing</i> , 2015 , 44, 573-9	3	20
67	The causes of falls: views of older people with visual impairment. <i>Health Expectations</i> , 2015 , 18, 2021-31	3.7	22
66	"Keeping Moving": factors associated with sedentary behaviour among older people recruited to an exercise promotion trial in general practice. <i>BMC Family Practice</i> , 2015 , 16, 67	2.6	20
65	Promoting exercise as part of a physiotherapy-led falls pathway service for adults with intellectual disabilities: a service evaluation. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2015 , 28, 257-64	2.2	8
64	Promoting physical activity in older people in general practice: ProAct65+ cluster randomised controlled trial. <i>British Journal of General Practice</i> , 2015 , 65, e731-8	1.6	30
63	Frailty predicts short-term incidence of future falls among British community-dwelling older people: a prospective cohort study nested within a randomised controlled trial. <i>BMC Geriatrics</i> , 2015 , 15, 155	4.1	38
62	How Sedentary are Older People? A Systematic Review of the Amount of Sedentary Behavior. <i>Journal of Aging and Physical Activity</i> , 2015 , 23, 471-87	1.6	278
61	Exploring the context of sedentary behaviour in older adults (what, where, why, when and with whom). <i>European Review of Aging and Physical Activity</i> , 2015 , 12, 4	6.5	58
60	Combined Effects of Time Spent in Physical Activity, Sedentary Behaviors and Sleep on Obesity and Cardio-Metabolic Health Markers: A Novel Compositional Data Analysis Approach. <i>PLoS ONE</i> , 2015 , 10, e0139984	3.7	439
59	Validity of simple gait-related dual-task tests in predicting falls in community-dwelling older adults. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 58-64	2.8	39
58	Associations between objectively-measured sedentary behaviour and physical activity with bone mineral density in adults and older adults, the NHANES study. <i>Bone</i> , 2014 , 64, 254-62	4.7	105
57	Effect of cold indoor environment on physical performance of older women living in the community. <i>Age and Ageing</i> , 2014 , 43, 571-5	3	28
56	Association between health-related quality of life, physical fitness, and physical activity in older adults recently discharged from hospital. <i>Journal of Aging and Physical Activity</i> , 2014 , 22, 405-13	1.6	21

55	Effect of a brief heat exposure on blood pressure and physical performance of older women living in the community-a pilot-study. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 12623-31	4.6	12
54	Exercise for reducing fear of falling in older people living in the community. <i>The Cochrane Library</i> , 2014 , CD009848	5.2	117
53	Effectiveness of general practice-based physical activity promotion for older adults: systematic review. <i>Primary Health Care Research and Development</i> , 2014 , 15, 190-201	1.6	24
52	Multiple levels of influence on older adults' attendance and adherence to community exercise classes. <i>Gerontologist, The</i> , 2014 , 54, 599-610	5	63
51	Falls prevention and the value of exercise: salient beliefs among South asian and white british older adults. <i>Clinical Nursing Research</i> , 2014 , 23, 94-110	1.7	15
50	The circumstances and impact of injuries on adults with learning disabilities. <i>British Journal of Occupational Therapy</i> , 2014 , 77, 400-409	1	7
49	The frequency of osteogenic activities and the pattern of intermittence between periods of physical activity and sedentary behaviour affects bone mineral content: the cross-sectional NHANES study. <i>BMC Public Health</i> , 2014 , 14, 4	4.1	40
48	Association between Health-Related Quality of Life, Physical Fitness, and Physical Activity in Older Adults Recently Discharged from Hospital. <i>Journal of Aging and Physical Activity</i> , 2014 , 22, 405-413	1.6	1
47	Lessons learnt during a complex, multicentre cluster randomised controlled trial: the ProAct65+ trial. <i>Trials</i> , 2013 , 14, 192	2.8	14
46	Falls prevention advice and visual feedback to those at risk of falling: study protocol for a pilot randomized controlled trial. <i>Trials</i> , 2013 , 14, 79	2.8	9
45	Environmental and behavioural interventions for reducing physical activity limitation in community-dwelling visually impaired older people. <i>The Cochrane Library</i> , 2013 , CD009233	5.2	9
44	Perceived barriers to initiating and maintaining physical activity among South Asian and White British adults in their 60s living in the United Kingdom: a qualitative study. <i>Ethnicity and Health</i> , 2013 , 18, 626-45	2.2	27
43	The test-retest reliability of gait-related dual task performance in community-dwelling fallers and non-fallers. <i>Gait and Posture</i> , 2013 , 38, 43-50	2.6	25
42	Fall incidence and outcomes of falls in a prospective study of adults with rheumatoid arthritis. <i>Arthritis Care and Research</i> , 2013 , 65, 737-44	4.7	42
41	Exploring gait-related dual task tests in community-dwelling fallers and non-faller: a pilot study. <i>Physiotherapy Theory and Practice</i> , 2013 , 29, 351-70	1.5	12
40	Older adults recently discharged from the hospital: effect of aerobic interval exercise on health-related quality of life, physical fitness, and physical activity. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1580-5	5.6	29
39	Risk factors for falls in adults with rheumatoid arthritis: a prospective study. <i>Arthritis Care and Research</i> , 2013 , 65, 1251-8	4.7	58
38	Prevalence of sedentary behavior in older adults: a systematic review. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 6645-61	4.6	209

37	Development of a consensus taxonomy of sedentary behaviors (SIT): report of Delphi Round 1. <i>PLoS ONE</i> , 2013 , 8, e82313	3.7	67
36	Are the attitudes of exercise instructors who work with older adults influenced by training and personal characteristics?. <i>Journal of Aging and Physical Activity</i> , 2012 , 20, 47-63	1.6	9
35	Attitudes and beliefs to the uptake and maintenance of physical activity among community-dwelling South Asians aged 60-70 years: a qualitative study. <i>Public Health</i> , 2012 , 126, 417-23 ⁴		35
34	The efficacy of counseling and progressive resistance home-exercises on adherence, health-related quality of life and function after discharge from a geriatric day-hospital. <i>Archives of Gerontology and Geriatrics</i> , 2012 , 55, 453-9	4	18
33	Occupational Therapy for Caregivers of People with Dementia: A Review of the United Kingdom Literature. <i>British Journal of Occupational Therapy</i> , 2012 , 75, 281-288	1	14
32	Increasing older adults' walking through primary care: results of a pilot randomized controlled trial. <i>Family Practice</i> , 2012 , 29, 633-42	1.9	77
31	Exercise for reducing fear of falling in older people living in the community 2012 ,		2
30	The quality of English-language websites offering falls-prevention advice to older members of the public and their families. <i>Health Informatics Journal</i> , 2012 , 18, 50-65	3	4
29	Exercise for improving balance in older people. <i>The Cochrane Library</i> , 2011 , CD004963	5.2	216
28	West End Walkers 65+: a randomised controlled trial of a primary care-based walking intervention for older adults: study rationale and design. <i>BMC Public Health</i> , 2011 , 11, 120	4.1	21
27	Measuring foot placement and clearance during stair descent. <i>Gait and Posture</i> , 2011 , 33, 504-6	2.6	16
26	What can we learn from patients with heart failure about exercise adherence? A systematic review of qualitative papers. <i>Health Psychology</i> , 2011 , 30, 401-10	5	62
25	Environmental and behavioural interventions for reducing physical activity limitation in community dwelling visually impaired older people 2011 ,		2
24	Cross-cultural validation of the Falls Efficacy Scale International (FES-I) in Greek community-dwelling older adults. <i>Disability and Rehabilitation</i> , 2011 , 33, 1776-84	2.4	34
23	Older Adults' Experiences and Perceptions of Dual Tasking. <i>British Journal of Occupational Therapy</i> , 2010 , 73, 405-412	1	5
22	Day-to-day variability of physical activity of older adults living in the community. <i>Journal of Aging and Physical Activity</i> , 2010 , 18, 75-86	1.6	36
21	The influence of primary health care professionals in encouraging exercise and physical activity uptake among White and South Asian older adults: experiences of young older adults. <i>Patient Education and Counseling</i> , 2010 , 78, 97-103	3.1	53
20	What do community-dwelling Caucasian and South Asian 60-70 year olds think about exercise for fall prevention?. <i>Age and Ageing</i> , 2009 , 38, 68-73	3	40

19	Do dual tasks have an added value over single tasks for balance assessment in fall prevention programs? A mini-review. <i>Gerontology</i> , 2008 , 54, 40-9	5.5	102
18	Ageing and older people 2008 , 161-223		1
17	Re: 'falls definition validation'. <i>Age and Ageing</i> , 2007 , 36, 111-2	3	5
16	Suitability of physical activity questionnaires for older adults in fall-prevention trials: a systematic review. <i>Journal of Aging and Physical Activity</i> , 2005 , 13, 461-81	1.6	44
15	Thoughts on effective falls prevention intervention on a population basis. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2005 , 13, 196-202	1.4	7
14	Tailored group exercise (Falls Management Exercise -- FaME) reduces falls in community-dwelling older frequent fallers (an RCT). <i>Age and Ageing</i> , 2005 , 34, 636-9	3	177
13	IL-6-174G/C genotype is associated with the bone mineral density response to oestrogen replacement therapy in post-menopausal women. <i>European Journal of Applied Physiology</i> , 2004 , 92, 227-34	3.4	4
12	Exercise and injury prevention in older people. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2003 , 13, 77-85	4.6	95
11	Explosive power and asymmetry in leg muscle function in frequent fallers and non-fallers aged over 65. <i>Age and Ageing</i> , 2002 , 31, 119-25	3	326
10	Angiotensin-I Converting Enzyme Genotype-Dependent Benefit from Hormone Replacement Therapy in Isometric Muscle Strength and Bone Mineral Density. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 2200-2204	5.6	32
9	Exercise for falls management: Rationale for an exercise programme aimed at reducing postural instability. <i>Physiotherapy Theory and Practice</i> , 1999 , 15, 105-120	1.5	88
8	Muscle function of women aged 65-89 years meeting two sets of health criteria. <i>Aging Clinical and Experimental Research</i> , 1997 , 9, 106-11	4.8	5
7	Training Functional Ability in Old Age. <i>Physiotherapy</i> , 1996 , 82, 159-167	3	91
6	Effects of resistance training on strength, power, and selected functional abilities of women aged 75 and older. <i>Journal of the American Geriatrics Society</i> , 1995 , 43, 1081-7	5.6	303
5	Exercise studies with elderly volunteers. <i>Age and Ageing</i> , 1994 , 23, 185-9	3	179
4	Strength, power and related functional ability of healthy people aged 65-89 years. <i>Age and Ageing</i> , 1994 , 23, 371-7	3	664
3	Treadmill walking in old age may not reproduce the real life situation. <i>Journal of the American Geriatrics Society</i> , 1993 , 41, 15-8	5.6	63
2	Implementation of the Frailty Care Bundle (FCB) to promote mobilisation, nutrition and cognitive engagement in older people in acute care settings: protocol for an implementation science study. <i>HRB Open Research</i> , 5 , 3	1.2	

- 1 A Qualitative Study of Older Adults' Experiences of Embedding Physical Activity Within Their Home Care Services in Ireland. *Journal of Multidisciplinary Healthcare*, Volume 15, 1163-1173 2.8 ○