
## Benny Chung-Ying Zee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5859905/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Interpreting the significance of changes in health-related quality-of-life scores Journal of Clinical Oncology, 1998, 16, 139-144.	0.8	2,443
2	Preoperative versus postoperative radiotherapy in soft-tissue sarcoma of the limbs: a randomised trial. Lancet, The, 2002, 359, 2235-2241.	6.3	1,340
3	Randomized Intergroup Trial of Cisplatin-Paclitaxel Versus Cisplatin-Cyclophosphamide in Women With Advanced Epithelial Ovarian Cancer: Three-Year Results. Journal of the National Cancer Institute, 2000, 92, 699-708.	3.0	864
4	Noninvasive prenatal diagnosis of fetal chromosomal aneuploidy by massively parallel genomic sequencing of DNA in maternal plasma. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 20458-20463.	3.3	809
5	Importance of timing for thoracic irradiation in the combined modality treatment of limited-stage small-cell lung cancer. The National Cancer Institute of Canada Clinical Trials Group Journal of Clinical Oncology, 1993, 11, 336-344.	0.8	698
6	Prospective Randomized Study of Intensity-Modulated Radiotherapy on Salivary Gland Function in Early-Stage Nasopharyngeal Carcinoma Patients. Journal of Clinical Oncology, 2007, 25, 4873-4879.	0.8	668
7	Frequency of hepatitis B virus reactivation in cancer patients undergoing cytotoxic chemotherapy: A prospective study of 626 patients with identification of risk factors. Journal of Medical Virology, 2000, 62, 299-307.	2.5	604
8	Late radiation morbidity following randomization to preoperative versus postoperative radiotherapy in extremity soft tissue sarcoma. Radiotherapy and Oncology, 2005, 75, 48-53.	0.3	583
9	A Randomized Phase III Study of Doxorubicin Versus Cisplatin/Interferon α-2b/Doxorubicin/Fluorouracil (PIAF) Combination Chemotherapy for Unresectable Hepatocellular Carcinoma. Journal of the National Cancer Institute, 2005, 97, 1532-1538.	3.0	567
10	Construction of the Chinese University Prognostic Index for hepatocellular carcinoma and comparison with the TNM staging system, the Okuda staging system, and the Cancer of the Liver Italian Program staging system. Cancer, 2002, 94, 1760-1769.	2.0	551
11	Treatment results for nasopharyngeal carcinoma in the modern era: The Hong Kong experience. International Journal of Radiation Oncology Biology Physics, 2005, 61, 1107-1116.	0.4	536
12	Efficacy of Adjuvant Fluorouracil and Folinic Acid in B2 Colon Cancer. Journal of Clinical Oncology, 1999, 17, 1356-1356.	0.8	531
13	Analysis of Plasma Epstein–Barr Virus DNA to Screen for Nasopharyngeal Cancer. New England Journal of Medicine, 2017, 377, 513-522.	13.9	531
14	Overview of the Randomized Trials of Radiotherapy in Ductal Carcinoma In Situ of the Breast. Journal of the National Cancer Institute Monographs, 2010, 2010, 162-177.	0.9	511
15	Randomized Phase II Trial of Concurrent Cisplatin-Radiotherapy With or Without Neoadjuvant Docetaxel and Cisplatin in Advanced Nasopharyngeal Carcinoma. Journal of Clinical Oncology, 2009, 27, 242-249.	0.8	487
16	Treatment of nasopharyngeal carcinoma with intensity-modulated radiotherapy: The Hong Kong experience. International Journal of Radiation Oncology Biology Physics, 2004, 60, 1440-1450.	0.4	484
17	Six-Month Randomized, Placebo-Controlled, Double-Blind, Pilot Clinical Trial of Curcumin in Patients With Alzheimer Disease. Journal of Clinical Psychopharmacology, 2008, 28, 110-113.	0.7	483
18	Toxicity of fluorouracil in patients with advanced colorectal cancer: effect of administration schedule and prognostic factors. Meta-Analysis Group In Cancer Journal of Clinical Oncology, 1998, 16, 3537-3541.	0.8	472

#	Article	IF	CITATIONS
19	Overall Survival After Concurrent Cisplatin-Radiotherapy Compared With Radiotherapy Alone in Locoregionally Advanced Nasopharyngeal Carcinoma. Journal of the National Cancer Institute, 2005, 97, 536-539.	3.0	449
20	Concurrent Chemotherapy-Radiotherapy Compared With Radiotherapy Alone in Locoregionally Advanced Nasopharyngeal Carcinoma: Progression-Free Survival Analysis of a Phase III Randomized Trial. Journal of Clinical Oncology, 2002, 20, 2038-2044.	0.8	443
21	Improved local control of invasive bladder cancer by concurrent cisplatin and preoperative or definitive radiation. The National Cancer Institute of Canada Clinical Trials Group Journal of Clinical Oncology, 1996, 14, 2901-2907.	0.8	433
22	Digital PCR for the molecular detection of fetal chromosomal aneuploidy. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 13116-13121.	3.3	387
23	Plasma Epstein-Barr Virus DNA and Residual Disease After Radiotherapy for Undifferentiated Nasopharyngeal Carcinoma. Journal of the National Cancer Institute, 2002, 94, 1614-1619.	3.0	384
24	Comparison of Gemcitabine Versus the Matrix Metalloproteinase Inhibitor BAY 12-9566 in Patients With Advanced or Metastatic Adenocarcinoma of the Pancreas: A Phase III Trial of the National Cancer Institute of Canada Clinical Trials Group. Journal of Clinical Oncology, 2003, 21, 3296-3302.	0.8	358
25	Psychometric properties and responsiveness of the EORTC Quality of Life Questionnaire (QLQ-C30) in patients with breast, ovarian and lung cancer. Quality of Life Research, 1994, 3, 353-364.	1.5	357
26	Plasma Epstein-Barr Viral Deoxyribonucleic Acid Quantitation Complements Tumor-Node-Metastasis Staging Prognostication in Nasopharyngeal Carcinoma. Journal of Clinical Oncology, 2006, 24, 5414-5418.	0.8	346
27	Skin thickness score in systemic sclerosis: an assessment of interobserver variability in 3 independent studies. Journal of Rheumatology, 1993, 20, 1892-6.	1.0	330
28	Enrollment of Older Patients in Cancer Treatment Trials in Canada: Why is Age a Barrier?. Journal of Clinical Oncology, 2003, 21, 1618-1623.	0.8	292
29	Comprehensive analysis of risk factors associating with Hepatitis B virus (HBV) reactivation in cancer patients undergoing cytotoxic chemotherapy. British Journal of Cancer, 2004, 90, 1306-1311.	2.9	290
30	Increased thromboembolic complications with concurrent tamoxifen and chemotherapy in a randomized trial of adjuvant therapy for women with breast cancer. National Cancer Institute of Canada Clinical Trials Group Breast Cancer Site Group Journal of Clinical Oncology, 1996, 14, 2731-2737.	0.8	274
31	Lamivudine for the Prevention of Hepatitis B Virus Reactivation in Hepatitis B s-Antigen Seropositive Cancer Patients Undergoing Cytotoxic Chemotherapy. Journal of Clinical Oncology, 2004, 22, 927-934.	0.8	255
32	Prospective, Randomized, Double-Blind, Placebo-Controlled Trial of Marimastat After Response to First-Line Chemotherapy in Patients With Small-Cell Lung Cancer: A Trial of the National Cancer Institute of Canada-Clinical Trials Group and the European Organization for Research and Treatment of Cancer. Journal of Clinical Oncology, 2002, 20, 4434-4439.	0.8	252
33	Analysis and interpretation of health-related quality-of-life data from clinical trials: basic approach of The National Cancer Institute of Canada Clinical Trials Group. European Journal of Cancer, 2005, 41, 280-287.	1.3	244
34	Function and Health Status Outcomes in a Randomized Trial Comparing Preoperative and Postoperative Radiotherapy in Extremity Soft Tissue Sarcoma. Journal of Clinical Oncology, 2002, 20, 4472-4477.	0.8	243
35	Coexpression of hypoxia-inducible factors 1alpha and 2alpha, carbonic anhydrase IX, and vascular endothelial growth factor in nasopharyngeal carcinoma and relationship to survival. Clinical Cancer Research, 2002, 8, 2595-604.	3.2	237
36	Malignancy following treatment of rheumatoid arthritis with cyclophosphamide. American Journal of Medicine, 1987, 83, 1-9.	0.6	236

#	Article	IF	CITATIONS
37	Interferon as therapy for multiple myeloma: an individual patient data overview of 24 randomized trials and 4012 patients. British Journal of Haematology, 2001, 113, 1020-1034.	1.2	207
38	Cisplatin-cyclophosphamide versus carboplatin-cyclophosphamide in advanced ovarian cancer: a randomized phase III study of the National Cancer Institute of Canada Clinical Trials Group Journal of Clinical Oncology, 1992, 10, 718-726.	0.8	203
39	Intravenous Magnesium Sulphate for Aneurysmal Subarachnoid Hemorrhage (IMASH). Stroke, 2010, 41, 921-926.	1.0	194
40	Determinants of postchemotherapy nausea and vomiting in patients with cancer. Quality of Life and Symptom Control Committees of the National Cancer Institute of Canada Clinical Trials Group Journal of Clinical Oncology, 1997, 15, 116-123.	0.8	185
41	Effect of daily etidronate on the osteolysis of multiple myeloma Journal of Clinical Oncology, 1991, 9, 1397-1402.	0.8	180
42	Effect of postchemotherapy nausea and vomiting on health-related quality of life. Supportive Care in Cancer, 1997, 5, 307-313.	1.0	176
43	Plasma Epstein–Barr viral DNA load at midpoint of radiotherapy course predicts outcome in advanced-stage nasopharyngeal carcinoma. Annals of Oncology, 2014, 25, 1204-1208.	0.6	175
44	Randomized, double-blind, placebo-controlled trial comparing the response rates of carmustine, dacarbazine, and cisplatin with and without tamoxifen in patients with metastatic melanoma. National Cancer Institute of Canada Clinical Trials Group Journal of Clinical Oncology, 1996, 14, 2083-2090.	0.8	173
45	Principal component models of knee kinematics and kinetics: Normal vs. pathological gait patterns. Human Movement Science, 1997, 16, 201-217.	0.6	169
46	Palliative Effect of Chemotherapy: Objective Tumor Response Is Associated With Symptom Improvement in Patients With Metastatic Breast Cancer. Journal of Clinical Oncology, 2000, 18, 2395-2405.	0.8	169
47	Effectiveness of telephone counselling by a pharmacist in reducing mortality in patients receiving polypharmacy: randomised controlled trial. BMJ: British Medical Journal, 2006, 333, 522.	2.4	168
48	Modification of the EORTC QLQ-C30 (version 2.0) based on content validity and reliability testing in large samples of patients with cancer. The Study Group on Quality of Life of the EORTC and the Symptom Control and Quality of Life Committees of the NCI of Canada Clinical Trials Group. Quality of Life Research, 1997, 6, 0-0.	1.5	167
49	Lung metastasis alone in nasopharyngeal carcinoma: A relatively favorable prognostic group. Cancer, 2004, 101, 300-306.	2.0	167
50	Prognostic significance of tumor angiogenesis, Ki 67, p53 oncoprotein, epidermal growth factor receptor and HER2 receptor protein expression in undifferentiated nasopharyngeal carcinoma?a prospective study. Head and Neck, 2003, 25, 864-872.	0.9	165
51	Randomized phase II study of two schedules of topotecan in previously treated patients with ovarian cancer: a National Cancer Institute of Canada Clinical Trials Group study Journal of Clinical Oncology, 1998, 16, 2233-2237.	0.8	158
52	Survival outcome of patients with nasopharyngeal carcinoma with first local failure: A study by the Hong Kong Nasopharyngeal Carcinoma Study Group. Head and Neck, 2005, 27, 397-405.	0.9	157
53	Pretherapy quantitative measurement of circulating Epstein-Barr virus DNA is predictive of posttherapy distant failure in patients with early-stage nasopharyngeal carcinoma of undifferentiated type. Cancer, 2003, 98, 288-291.	2.0	154
54	Hepatitis B reactivation in patients with hepatocellular carcinoma undergoing systemic chemotherapy. Annals of Oncology, 2004, 15, 1661-1666.	0.6	153

#	Article	IF	CITATIONS
55	Treatment of advanced Hodgkin's disease with chemotherapycomparison of MOPP/ABV hybrid regimen with alternating courses of MOPP and ABVD: a report from the National Cancer Institute of Canada clinical trials group Journal of Clinical Oncology, 1997, 15, 1638-1645.	0.8	150
56	Association of Humanâ€Leukocyteâ€Antigen Class I (B*0703) and Class II (DRB1*0301) Genotypes with Susceptibility and Resistance to the Development of Severe Acute Respiratory Syndrome. Journal of Infectious Diseases, 2004, 190, 515-518.	1.9	150
57	Analysis of Plasma Epstein-Barr Virus DNA in Nasopharyngeal Cancer After Chemoradiation to Identify High-Risk Patients for Adjuvant Chemotherapy: A Randomized Controlled Trial. Journal of Clinical Oncology, 2018, 36, 3091-3100.	0.8	147
58	A multicenter phase II trial of 3-aminopyridine-2-carboxaldehyde thiosemicarbazone (3-AP, Triapine®) and gemcitabine in advanced non-small-cell lung cancer with pharmacokinetic evaluation using peripheral blood mononuclear cells. Investigational New Drugs, 2008, 26, 169-173.	1.2	142
59	Influence of age on the treatment of limited-stage small-cell lung cancer Journal of Clinical Oncology, 1996, 14, 821-828.	0.8	134
60	Serum zinc is decreased in Alzheimer's disease and serum arsenic correlates positively with cognitive ability. BioMetals, 2010, 23, 173-179.	1.8	127
61	Curcumin effects on blood lipid profile in a 6-month human study. Pharmacological Research, 2007, 56, 509-514.	3.1	126
62	Phase II Study of Neoadjuvant Carboplatin and Paclitaxel Followed by Radiotherapy and Concurrent Cisplatin in Patients With Locoregionally Advanced Nasopharyngeal Carcinoma: Therapeutic Monitoring With Plasma Epstein-Barr Virus DNA. Journal of Clinical Oncology, 2004, 22, 3053-3060.	0.8	125
63	Randomized Study of CODE Versus Alternating CAV/EP for Extensive-Stage Small-Cell Lung Cancer: An Intergroup Study of the National Cancer Institute of Canada Clinical Trials Group and the Southwest Oncology Group. Journal of Clinical Oncology, 1999, 17, 2300-2300.	0.8	124
64	Determination of RhD Zygosity: Comparison of a Double Amplification Refractory Mutation System Approach and a Multiplex Real-Time Quantitative PCR Approach. Clinical Chemistry, 2001, 47, 667-672.	1.5	124
65	Long-term follow-up confirms a survival advantage of the paclitaxel-cisplatin regimen over the cyclophosphamide-cisplatin combination in advanced ovarian cancer. International Journal of Gynecological Cancer, 2003, 13, 144-148.	1.2	115
66	Comparison of CT and MR imaging for the detection of extranodal neoplastic spread in metastatic neck nodes. European Journal of Radiology, 2004, 52, 264-270.	1.2	114
67	Sequencing-based counting and size profiling of plasma Epstein–Barr virus DNA enhance population screening of nasopharyngeal carcinoma. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E5115-E5124.	3.3	114
68	Factors predicting response and survival in 149 patients with unresectable hepatocellular carcinoma treated by combination cisplatin, interferon-alpha, doxorubicin and 5-fluorouracil chemotherapy. Cancer, 2002, 94, 421-427.	2.0	113
69	Use of dexamethasone and granisetron in the control of delayed emesis for patients who receive highly emetogenic chemotherapy. National Cancer Institute of Canada Clinical Trials Group Journal of Clinical Oncology, 1998, 16, 1174-1178.	0.8	112
70	Primary Nasopharyngeal Carcinoma: Diagnostic Accuracy of MR Imaging versus that of Endoscopy and Endoscopic Biopsy. Radiology, 2011, 258, 531-537.	3.6	112
71	Effect of schedule and maintenance on the antiemetic efficacy of ondansetron combined with dexamethasone in acute and delayed nausea and emesis in patients receiving moderately emetogenic chemotherapy: a phase III trial by the National Cancer Institute of Canada Clinical Trials Group Journal of Clinical Oncology, 1994, 12, 1050-1057.	0.8	109
72	Assessing the Reliability of Two Toxicity Scales: Implications for Interpreting Toxicity Data. Journal of the National Cancer Institute, 1993, 85, 1138-1148.	3.0	106

#	Article	IF	CITATIONS
73	Improved Accuracy of Detection of Nasopharyngeal Carcinoma by Combined Application of Circulating Epstein–Barr Virus DNA and Anti-Epstein–Barr Viral Capsid Antigen IgA Antibody. Clinical Chemistry, 2004, 50, 339-345.	1.5	105
74	Relationship between pretreatment level of plasma Epstein-Barr virus DNA, tumor burden, and metabolic activity in advanced nasopharyngeal carcinoma. International Journal of Radiation Oncology Biology Physics, 2006, 66, 714-720.	0.4	105
75	Hemorrhagic complications in a phase II study of sunitinib in patients of nasopharyngeal carcinoma who has previously received high-dose radiation. Annals of Oncology, 2011, 22, 1280-1287.	0.6	102
76	Trabecular microstructure in the medial condyle of the proximal tibia of patients with knee osteoarthritis. Bone, 1995, 17, 27-35.	1.4	100
77	Quality of life is predictive of survival in patients with unresectable hepatocellular carcinoma. Annals of Oncology, 2006, 17, 1083-1089.	0.6	99
78	Randomized trial of interferon maintenance in multiple myeloma: a study of the National Cancer Institute of Canada Clinical Trials Group Journal of Clinical Oncology, 1995, 13, 2354-2360.	0.8	97
79	Phase III double-blind comparison of dolasetron mesylate and ondansetron and an evaluation of the additive role of dexamethasone in the prevention of acute and delayed nausea and vomiting due to moderately emetogenic chemotherapy Journal of Clinical Oncology, 1997, 15, 2966-2973.	0.8	97
80	Randomized trial of cyclophosphamide, methotrexate, and fluorouracil chemotherapy added to tamoxifen as adjuvant therapy in postmenopausal women with node-positive estrogen and/or progesterone receptor-positive breast cancer: a report of the National Cancer Institute of Canada Clinical Trials Group. Breast Cancer Site Group Journal of Clinical Oncology, 1997, 15, 2302-2311.	0.8	94
81	Intracavitary brachytherapy significantly enhances local control of early T-stage nasopharyngeal carcinoma: the existence of a dose–tumor-control relationship above conventional tumoricidal dose. International Journal of Radiation Oncology Biology Physics, 2000, 46, 445-458.	0.4	94
82	The influence of age on the delivery, tolerance, and efficacy of thoracic irradiation in the combined modality treatment of limited stage small cell lung cancer. International Journal of Radiation Oncology Biology Physics, 1999, 43, 39-45.	0.4	91
83	High hepatitis B virus (HBV) DNA viral load is an important risk factor for HBV reactivation in breast cancer patients undergoing cytotoxic chemotherapy. Journal of Viral Hepatitis, 2004, 11, 55-59.	1.0	88
84	A double-blind placebo-controlled randomized study of Chinese herbal medicine as complementary therapy for reduction of chemotherapy-induced toxicity. Annals of Oncology, 2007, 18, 768-774.	0.6	84
85	Renal vascular histology and morphometry in systemic sclerosis. a case–control autopsy study. Arthritis and Rheumatism, 1988, 31, 393-400.	6.7	83
86	Application of a New Multinomial Phase II Stopping Rule Using Response and Early Progression. Journal of Clinical Oncology, 2001, 19, 785-791.	0.8	83
87	Improved survival in patients with poor-prognosis malignant melanoma treated with adjuvant levamisole: a phase III study by the National Cancer Institute of Canada Clinical Trials Group Journal of Clinical Oncology, 1991, 9, 729-735.	0.8	82
88	Randomized Phase II Study of High-Dose Paclitaxel With or Without Amifostine in Patients With Metastatic Breast Cancer. Journal of Clinical Oncology, 1999, 17, 3038-3047.	0.8	82
89	A phase II study of patients with metastatic or locoregionally recurrent nasopharyngeal carcinoma and evaluation of plasma Epstein–Barr virus DNA as a biomarker of efficacy. Cancer Chemotherapy and Pharmacology, 2008, 62, 59-64.	1.1	82
90	The impact of <sup>18</sup> F-FDG PET/CT on assessment of nasopharyngeal carcinoma at diagnosis. British Journal of Radiology, 2008, 81, 291-298.	1.0	82

#	Article	IF	CITATIONS
91	Development of a questionnaire module to supplement the EORTC QLQ-C30 to assess quality of life in patients with hepatocellular carcinoma, the EORTC QLQ-HCC18. European Journal of Cancer, 2004, 40, 2439-2444.	1.3	79
92	Quantifying the transmission advantage associated with N501Y substitution of SARS-CoV-2 in the UK: an early data-driven analysis. Journal of Travel Medicine, 2021, 28, .	1.4	79
93	Dexamethasone for the Prophylaxis of Radiation-Induced Emesis: A National Cancer Institute of Canada Clinical Trials Group Phase III Study. Journal of Clinical Oncology, 2000, 18, 1960-1966.	0.8	78
94	Ondansetron Compared with Dexamethasone and Metoclopramide as Antiemetics in the Chemotherapy of Breast Cancer with Cyclophosphamide, Methotrexate, and Fluorouracil. New England Journal of Medicine, 1993, 328, 1081-1084.	13.9	76
95	MULTINOMIAL PHASE II CANCER TRIALS INCORPORATING RESPONSE AND EARLY PROGRESSION. Journal of Biopharmaceutical Statistics, 1999, 9, 351-363.	0.4	75
96	A randomized study of aprepitant, ondansetron and dexamethasone for chemotherapy-induced nausea and vomiting in Chinese breast cancer patients receiving moderately emetogenic chemotherapy. Breast Cancer Research and Treatment, 2009, 113, 529-535.	1.1	74
97	Effects of soy isoflavone supplementation on cognitive function in Chinese postmenopausal women. Menopause, 2007, 14, 489-499.	0.8	73
98	Short Sleep Duration Increases Metabolic Impact in Healthy Adults: A Population-Based Cohort Study. Sleep, 2017, 40, .	0.6	73
99	Satellite-based estimates of long-term exposure to fine particulate matter are associated with C-reactive protein in 30 034 Taiwanese adults. International Journal of Epidemiology, 2017, 46, 1126-1136.	0.9	73
100	Ultra-Early (within 24 Hours) Aneurysm Treatment After Subarachnoid Hemorrhage. World Neurosurgery, 2012, 77, 311-315.	0.7	71
101	Randomized study of chemotherapy and surgery versus radiotherapy for stage IIIA non-small-cell lung cancer: a National Cancer Institute of Canada Clinical Trials Group Study. British Journal of Cancer, 1998, 78, 683-685.	2.9	70
102	Dose–response relationship of nasopharyngeal carcinoma above conventional tumoricidal level: A study by the Hong Kong nasopharyngeal carcinoma study group (HKNPCSG). Radiotherapy and Oncology, 2006, 79, 27-33.	0.3	66
103	Fatigue in patients with cancer: results with National Cancer Institute of Canada Clinical Trials Group studies employing the EORTC QLQ-C30. Supportive Care in Cancer, 1997, 5, 410-413.	1.0	62
104	Trauma Patients with Multiple Extremity Injuries. Arteriosclerosis, Thrombosis, and Vascular Biology, 1998, 45, 489-494.	1.1	62
105	Escalated as Compared with Standard Doses of Doxorubicin in BACOP Therapy for Patients with Non-Hodgkin's Lymphoma. New England Journal of Medicine, 1993, 329, 1770-1776.	13.9	61
106	Quality of Life Studies in Chemotherapy-Induced Emesis. Oncology, 1996, 53, 92-95.	0.9	61
107	Benefits and limitations of implementing Chronic Care Model (CCM) in primary care programs: A systematic review. International Journal of Cardiology, 2018, 258, 279-288.	0.8	61
108	The role of the 5-HT3 antagonists ondansetron and dolasetron in the control of delayed onset nausea and vomiting in patients receiving moderately emetogenic chemotherapy. Annals of Oncology, 1997, 8, 181-185.	0.6	60

#	Article	IF	CITATIONS
109	Mammographic density in women on postmenopausal hormone replacement therapy. Surgery, 1997, 122, 669-674.	1.0	60
110	Quinolone-Based Antibacterial Chemoprophylaxis in Neutropenic Patients: Effect of Augmented Gram-Positive Activity on Infectious Morbidity. Annals of Internal Medicine, 1996, 125, 183.	2.0	59
111	Determining the Relationship Between Toxicity and Quality of Life in an Ovarian Cancer Chemotherapy Clinical Trial. Journal of Clinical Oncology, 2004, 22, 2461-2468.	0.8	59
112	Knowledge, Perceptions, and Attitudes of Hong Kong Chinese Women on Screening Mammography and Early Breast Cancer Management. Breast Journal, 2005, 11, 52-56.	0.4	58
113	Staging of Nasopharyngeal Carcinoma: Suggestions for Improving the Current UICC/AJCC Staging System11Presented in part at the 4th International UICC Symposium on Nasopharyngeal Carcinoma, Hong Kong, February 2003 Clinical Oncology, 2004, 16, 269-276.	0.6	57
114	Intravenous magnesium sulphate for aneurysmal subarachnoid hemorrhage: an updated systemic review and meta-analysis. Critical Care, 2011, 15, R52.	2.5	56
115	Multicenter phase II study of gemcitabine and oxaliplatin in advanced nasopharyngeal carcinoma—correlation with excision repair cross-complementing-1 polymorphisms. Annals of Oncology, 2009, 20, 1854-1859.	0.6	55
116	High-Dose Simvastatin for Aneurysmal Subarachnoid Hemorrhage. Stroke, 2015, 46, 382-388.	1.0	55
117	Quantitative measurement of post-irradiation neck fibrosis based on the young modulus. Cancer, 2002, 95, 656-662.	2.0	54
118	Gait assessment in unicompartmental knee arthroplasty patients: Principal component modelling of gait waveforms and clinical status. Human Movement Science, 1999, 18, 701-711.	0.6	52
119	Factors Affecting Workload of Cancer Clinical Trials: Results of a Multicenter Study of the National Cancer Institute of Canada Clinical Trials Group. Journal of Clinical Oncology, 2002, 20, 545-556.	0.8	52
120	Complementary roles of MRI and endoscopic examination in the early detection of nasopharyngeal carcinoma. Annals of Oncology, 2019, 30, 977-982.	0.6	52
121	Changes in mean trabecular orientation in the medial condyle of the proximal tibia in osteoarthritis. Calcified Tissue International, 1995, 57, 69-73.	1.5	51
122	Mammographic density changes in perimenopausal and postmenopausal women: is effect of hormone replacement therapy predictable?. Breast Cancer Research and Treatment, 2000, 59, 125-132.	1.1	51
123	Quality of Life in Ovarian Cancer Patients: Comparison of Paclitaxel Plus Cisplatin, With Cyclophosphamide Plus Cisplatin in a Randomized Study. Journal of Clinical Oncology, 2004, 22, 4595-4603.	0.8	51
124	Detection of Nasopharyngeal Carcinoma by MR Imaging: Diagnostic Accuracy of MRI Compared with Endoscopy and Endoscopic Biopsy Based on Long-Term Follow-Up. American Journal of Neuroradiology, 2015, 36, 2380-2385.	1.2	51
125	Systemic Infusion Versus Bolus Chemotherapy with 5-Fluorouracil in Measurable Metastatic Colorectal Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 1992, 15, 518-527.	0.6	50
126	Health-Related Quality of Life After Aneurysmal Subarachnoid Hemorrhage: Profile and Clinical Factors. Neurosurgery, 2011, 68, 1556-1561.	0.6	50

#	Article	IF	CITATIONS
127	Detection of Neovascularization Based on Fractal and Texture Analysis with Interaction Effects in Diabetic Retinopathy. PLoS ONE, 2013, 8, e75699.	1.1	49
128	Second primary malignancies following the treatment of early stage ovarian cancer: Update of a study by the National Cancer Institute of Canada—Clinical Trials Group (NCIC—CTG). Annals of Oncology, 2000, 11, 65-68.	0.6	48
129	Disparity of sensitivities in detection of radiation-naÃ <sup>-</sup> ve and postirradiation recurrent nasopharyngeal carcinoma of the undifferentiated type by quantitative analysis of circulating Epstein-Barr virus DNA1,2. Clinical Cancer Research, 2003, 9, 3431-4.	3.2	47
130	Inconsistency of prognostic factors for post-chemotherapy nausea and vomiting. Supportive Care in Cancer, 1994, 2, 161-166.	1.0	46
131	Modeling the impact of air, sea, and land travel restrictions supplemented by other interventions on the emergence of a new influenza pandemic virus. BMC Infectious Diseases, 2012, 12, 309.	1.3	45
132	Prospective Association between Diabetic Retinopathy and Cardiovascular Disease—A Systematic Review and Meta-analysis of Cohort Studies. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 1688-1695.	0.7	45
133	Dexamethasone improves the efficacy of granisetron in the first 24 h following high-dose cisplatin chemotherapy. Supportive Care in Cancer, 1995, 3, 307-312.	1.0	44
134	Thermography: Its relation to pathologic characteristics, vascularity, proliferation rate, and survival of patients with invasive ductal carcinoma of the breast. , 1996, 77, 1324-1328.		44
135	Prediction of outcome in cancer patients with febrile neutropenia: a prospective validation of the Multinational Association for Supportive Care in Cancer risk index in a Chinese population and comparison with the Talcott model and artificial neural network. Supportive Care in Cancer, 2011, 19, 1625-1635.	1.0	42
136	Randomized Phase II Study of the X-linked Inhibitor of Apoptosis (XIAP) Antisense AEG35156 in Combination With Sorafenib in Patients With Advanced Hepatocellular Carcinoma (HCC). American Journal of Clinical Oncology: Cancer Clinical Trials, 2016, 39, 609-613.	0.6	37
137	An Intensive Surveillance Program Detected a High Incidence of Hepatocellular Carcinoma Among Hepatitis B Virus Carriers With Abnormal Alpha-Fetoprotein Levels or Abdominal Ultrasonography Results. Journal of Clinical Oncology, 2005, 23, 8041-8047.	0.8	36
138	Determination of RhD zygosity: comparison of a double amplification refractory mutation system approach and a multiplex real-time quantitative PCR approach. Clinical Chemistry, 2001, 47, 667-72.	1.5	36
139	Completion rates in health-related quality-of-life assessment: approach of the National Cancer Institute of Canada Clinical Trials Group. , 1998, 17, 603-612.		35
140	Application of Classification Tree and Neural Network Algorithms to the Identification of Serological Liver Marker Profiles for the Diagnosis of Hepatocellular Carcinoma. Oncology, 2001, 61, 275-283.	0.9	35
141	Identifying Meteorological Drivers for the Seasonal Variations of Influenza Infections in a Subtropical City — Hong Kong. International Journal of Environmental Research and Public Health, 2015, 12, 1560-1576.	1.2	35
142	Distinguishing early-stage nasopharyngeal carcinoma from benign hyperplasia using intravoxel incoherent motion diffusion-weighted MRI. European Radiology, 2019, 29, 5627-5634.	2.3	35
143	Quality-adjusted time without symptoms or toxicity analysis of interferon maintenance in multiple myeloma Journal of Clinical Oncology, 1998, 16, 2834-2839.	0.8	33
144	Age, gender, and socioeconomic gradients in metabolic syndrome: biomarker evidence from a large sample in Taiwan, 2005–2013. Annals of Epidemiology, 2017, 27, 315-322.e2.	0.9	32

#	Article	IF	CITATIONS
145	Nasopharyngeal Cancers: Which Method Should be Used to Measure these Irregularly Shaped Tumors on Cross-Sectional Imaging?. International Journal of Radiation Oncology Biology Physics, 2007, 69, 148-154.	0.4	31
146	Effects of Kinesio tape on lower limb muscle strength, hop test, and vertical jump performances: a meta-analysis. BMC Musculoskeletal Disorders, 2019, 20, 212.	0.8	30
147	A machine learning approach for retinal images analysis as an objective screening method for children with autism spectrum disorder. EClinicalMedicine, 2020, 28, 100588.	3.2	30
148	Title is missing!. Quality of Life Research, 1998, 7, 273-278.	1.5	30
149	Retinal image analytics detects white matter hyperintensities in healthy adults. Annals of Clinical and Translational Neurology, 2019, 6, 98-105.	1.7	29
150	Clinical risk factors associated with recurrence of ischemic stroke within two years. Medicine (United States), 2020, 99, e20830.	0.4	29
151	Rapid evaluation of COVID-19 vaccine effectiveness against symptomatic infection with SARS-CoV-2 variants by analysis of genetic distance. Nature Medicine, 2022, 28, 1715-1722.	15.2	29
152	Plasma Magnesium Concentrations and Clinical Outcomes in Aneurysmal Subarachnoid Hemorrhage Patients. Stroke, 2010, 41, 1841-1844.	1.0	28
153	Superspreading and heterogeneity in transmission of SARS, MERS, and COVID-19: A systematic review. Computational and Structural Biotechnology Journal, 2021, 19, 5039-5046.	1.9	28
154	Improved local control for early T-stage nasopharyngeal carcinoma – a tale of two hospitals. Radiotherapy and Oncology, 2000, 57, 155-166.	0.3	27
155	Early Magnesium Treatment After Aneurysmal Subarachnoid Hemorrhage. Stroke, 2015, 46, 3190-3193.	1.0	27
156	Hsc70 regulates the IRES activity and serves as an antiviral target of enterovirus A71 infection. Antiviral Research, 2018, 150, 39-46.	1.9	27
157	A Phase I-II study of sequential administration of topotecan and oral etoposide (toposiomerase I and II) Tj ETQq1	1 0.78431	4 rgBT /Over
158	Is topical antimycotic treatment useful as adjuvant therapy for flexural atopic dermatitis: randomized, doubleâ€blind, controlled trial using one side of the elbow or knee as a control. International Journal of Dermatology, 2008, 47, 187-191.	0.5	26
159	Radiation-induced hypoglossal nerve palsy after definitive radiotherapy for nasopharyngeal carcinoma: Clinical predictors and dose–toxicity relationship. Radiotherapy and Oncology, 2019, 138, 93-98.	0.3	25
160	A Comparison of Wound Treatments in Nasopharyngeal Cancer Patients Receiving Radiation Therapy. Cancer Nursing, 2005, 28, 436-545.	0.7	24
161	Association of technologically assisted integrated care with clinical outcomes in type 2 diabetes in Hong Kong using the prospective JADE Program: A retrospective cohort analysis. PLoS Medicine, 2020, 17, e1003367.	3.9	24
162	Patterns of failure following loco-regional radiotherapy in the treatment of limited stage small cell lung cancer. International Journal of Radiation Oncology Biology Physics, 1994, 28, 355-362.	0.4	23

#	Article	IF	CITATIONS
163	Electroacupuncture and splinting versus splinting alone to treat carpal tunnel syndrome: a randomized controlled trial. Cmaj, 2016, 188, 867-875.	0.9	23
164	Pain Perception of the First Eye versus the Second Eye during Phacoemulsification under Local Anesthesia for Patients Going through Cataract Surgery: A Systematic Review and Meta-Analysis. Journal of Ophthalmology, 2019, 2019, 1-8.	0.6	23
165	Factors Affecting Workload of Cancer Clinical Trials: Results of a Multicenter Study of the National Cancer Institute of Canada Clinical Trials Group. Journal of Clinical Oncology, 2002, 20, 545-556.	0.8	22
166	Impact of SARS on development of childhood acute lymphoblastic leukaemia. Leukemia, 2007, 21, 1353-1356.	3.3	22
167	Association of the POU class 2 homeobox 1 gene (POU2F1) with susceptibility to Type 2 diabetes in Chinese populations. Diabetic Medicine, 2010, 27, 1443-1449.	1.2	22
168	Monitoring disease transmissibility of 2019 novel coronavirus disease in Zhejiang, China. International Journal of Infectious Diseases, 2020, 96, 128-130.	1.5	22
169	Trimetrexate: Predictors of Severe or Life-Threatening Toxic Effects. Journal of the National Cancer Institute, 1988, 80, 1318-1322.	3.0	21
170	Validation of a 3D optoelectronic motion analysis system for the wrist joint. Clinical Biomechanics, 1996, 11, 481-483.	0.5	21
171	A fast and powerful <i>W</i> -test for pairwise epistasis testing. Nucleic Acids Research, 2016, 44, e115-e115.	6.5	21
172	Identification of meteorological factors associated with human infection with avian influenza A H7N9 virus in Zhejiang Province, China. Science of the Total Environment, 2018, 644, 696-709.	3.9	21
173	Inferring the Association between the Risk of COVID-19 Case Fatality and N501Y Substitution in SARS-CoV-2. Viruses, 2021, 13, 638.	1.5	21
174	Quality of life (QOL) for breast cancer patients receiving aprepitant versus placebo for prevention of chemotherapy induced nausea and vomiting. Journal of Clinical Oncology, 2008, 26, 20549-20549.	0.8	21
175	Growth curve model analysis for quality of life data. , 1998, 17, 757-766.		20
176	Prospective validation of serum CYFRA 21-1, ?-2-microglobulin, and ferritin levels as prognostic markers in patients with nonmetastatic nasopharyngeal carcinoma undergoing radiotherapy. Cancer, 2004, 101, 776-781.	2.0	20
177	Correlation and prognostic significance of beta-galactoside alpha-2,6-sialyltransferase and serum monosialylated alpha-fetoprotein in hepatocellular carcinoma. World Journal of Gastroenterology, 2005, 11, 6701.	1.4	20
178	A phase II study of gemcitabine plus oral etoposide in the treatment of patients with advanced nonsmall cell lung carcinoma. Cancer, 2000, 89, 543-550.	2.0	18
179	A randomized phase II study of two schedules of bryostatin-1 (NSC339555) in patients with advanced malignant melanoma: A National Cancer Institute of Canada Clinical Trials Group study. Investigational New Drugs, 2002, 20, 407-412.	1.2	18
180	Planned Equivalence or Noninferiority Trials Versus Unplanned Noninferiority Claims: Are They Equal?. Journal of Clinical Oncology, 2006, 24, 1026-1028.	0.8	18

#	Article	IF	CITATIONS
181	Four pairs of gene–gene interactions associated with increased risk for type 2 diabetes (CDKN2BAS–KCNJ11), obesity (SLC2A9–IGF2BP2, FTO–APOA5), and hypertension (MC4R–IGF2BP2) in Chinese women. Meta Gene, 2014, 2, 384-391.	0.3	18
182	Mathematical modelling of the impact of treating latent tuberculosis infection in the elderly in a city with intermediate tuberculosis burden. Scientific Reports, 2019, 9, 4869.	1.6	18
183	Thermography as a predictor of prognosis in cancer of the breast. Cancer, 1991, 67, 1678-1680.	2.0	17
184	Vascularity demonstrated by doppler ultrasound and immunohistochemistry in invasive ductal carcinoma of the breast. Breast Cancer Research and Treatment, 1996, 40, 197-203.	1.1	17
185	Retinal Information is Independently Associated with Cardiovascular Disease in Patients with Type 2 diabetes. Scientific Reports, 2016, 6, 19053.	1.6	17
186	Role of laboratory variables in differentiating SARS-coronavirus from other causes of community-acquired pneumonia within the first 72Âh of hospitalization. European Journal of Clinical Microbiology and Infectious Diseases, 2006, 25, 765-772.	1.3	16
187	Cardiovascular disease risk reduction in rural China: a clustered randomized controlled trial in Zhejiang. Trials, 2013, 14, 354.	0.7	16
188	Prediction Factors of Recurrent Stroke among Chinese Adults Using Retinal Vasculature Characteristics. Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 679-685.	0.7	16
189	Phase II Randomized Study Comparing the Toxicity Profile of Gemcitabine plus Cisplatin with Gemcitabine plus Oral Etoposide in the Treatment of Advanced Non-Small Cell Lung Cancer. Oncology, 2005, 68, 485-492.	0.9	15
190	Irofulven as first line therapy in recurrent or metastatic gastric cancer: a phase II multicenter study by the Cancer Therapeutics Research Group (CTRG). Cancer Chemotherapy and Pharmacology, 2006, 59, 295-300.	1.1	15
191	Cognitive outcome in acute simvastatin treatment for aneurysmal subarachnoid hemorrhage: A propensity matched analysis. Journal of the Neurological Sciences, 2015, 358, 58-61.	0.3	15
192	Risk factors and natural history of breast cancer in younger Chinese women. World Journal of Clinical Oncology, 2014, 5, 1097.	0.9	15
193	Interpreting the transmissibility of measles in two different post periods of supplementary immunization activities in Hubei, China. Vaccine, 2017, 35, 1024-1029.	1.7	14
194	Approximate Bayesian algorithm to estimate the basic reproduction number in an influenza pandemic using arrival times of imported cases. Travel Medicine and Infectious Disease, 2018, 23, 80-86.	1.5	14
195	A multicenter randomized controlled trial (RCT) of adjuvant chemotherapy (CT) in nasopharyngeal carcinoma (NPC) with residual plasma EBV DNA (EBV DNA) following primary radiotherapy (RT) or chemoradiation (CRT) Journal of Clinical Oncology, 2017, 35, 6002-6002.	0.8	13
196	Three-dimensional metacarpophalangeal joint kinematics using two markers on the phalanx. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2001, 215, 415-419.	1.0	12
197	Monitoring the age-specificity of measles transmissions during 2009-2016 in Southern China. PLoS ONE, 2018, 13, e0205339.	1.1	12
198	Association between meteorological factors, spatiotemporal effects, and prevalence of influenza A subtype H7 in environmental samples in Zhejiang province, China. Science of the Total Environment, 2019, 663, 793-803.	3.9	12

#	Article	IF	CITATIONS
199	In silico prediction of influenza vaccine effectiveness by sequence analysis. Vaccine, 2021, 39, 1030-1034.	1.7	12
200	Differences in the case fatality risks associated with SARS-CoV-2 Delta and non-Delta variants in relation to vaccine coverage: An early ecological study in the United Kingdom. Infection, Genetics and Evolution, 2022, 97, 105162.	1.0	12
201	A randomized, double-blinded study comparing six doses of batanopride (BMY-25801) with methylprednisolone in patients receiving moderately emetogenic chemotherapy. Annals of Oncology, 1991, 2, 681-686.	0.6	11
202	A prospective study of pre-treatment cell kinetics and clinical outcome in nasopharyngeal carcinoma. Radiotherapy and Oncology, 2003, 69, 53-62.	0.3	11
203	Human Papillomavirus DNA Detection in Menstrual Blood from Patients with Cervical Intraepithelial Neoplasia and Condyloma Acuminatum. Journal of Clinical Microbiology, 2010, 48, 709-713.	1.8	11
204	Changes in pulmonary tuberculosis prevalence: evidence from the 2010 population survey in a populous province of China. BMC Infectious Diseases, 2014, 14, 21.	1.3	11
205	Interpreting the transmissibility of the avian influenza A(H7N9) infection from 2013 to 2015 in Zhejiang Province, China. Epidemiology and Infection, 2016, 144, 1584-1591.	1.0	11
206	Targeting Adults for Supplementary Immunization Activities of Measles Control in Central China: A Mathematical Modelling Study. Scientific Reports, 2018, 8, 16124.	1.6	11
207	Machine-learning method for localization of cerebral white matter hyperintensities in healthy adults based on retinal images. Brain Communications, 2021, 3, fcab124.	1.5	11
208	Virulizin® - a review of its antineoplastic activity. Expert Opinion on Investigational Drugs, 1999, 8, 1721-1735.	1.9	10
209	Factors related to sexual health in Chinese women with breast cancer in Hong Kong. Asia-Pacific Journal of Clinical Oncology, 2008, 4, 218-226.	0.7	10
210	The diminishing socioeconomic disparity in obesity in a Chinese population with rapid economic development: analysis of serial cross-sectional health survey data 2002–2010. BMC Public Health, 2015, 15, 1282.	1.2	10
211	Clinically important difference of Stroke-Specific Quality of Life Scale for aneurysmal subarachnoid hemorrhage. Journal of Clinical Neuroscience, 2016, 33, 209-212.	0.8	10
212	A statistical method utilizing information of imported cases to estimate the transmissibility for an influenza pandemic. BMC Medical Research Methodology, 2017, 17, 31.	1.4	10
213	Global cytokine/chemokine profile identifies potential progression prediction indicators in hand-foot-and-mouth disease patients with Enterovirus A71 infections. Cytokine, 2019, 123, 154765.	1.4	10
214	Quantifying the importance of the key sites on haemagglutinin in determining the selection advantage of influenza virus: Using A/H3N2 as an example. Journal of Infection, 2020, 81, 452-482.	1.7	10
215	Impact of intensity-modulated radiotherapy (IMRT) on salivary gland function in early-stage nasopharyngeal carcinoma (NPC) patients: A prospective randomized study. Journal of Clinical Oncology, 2005, 23, 5501-5501.	0.8	10
216	Segmentation and texture analysis with multimodel inference for the automatic detection of exudates in early diabetic retinopathy. Journal of Biomedical Science and Engineering, 2013, 06, 298-307.	0.2	10

#	Article	IF	CITATIONS
217	Macromolecular interstitial clearance, tumour vascularity, other prognostic factors and breast cancer survival. Breast Cancer Research and Treatment, 1997, 42, 113-120.	1.1	9
218	Can the Q-TWiST method provide information on patients' preferences without collecting preference data from the patients? Quality-Adjusted Time Without Symptoms or Toxicity Journal of Clinical Oncology, 1998, 16, 3716-3717.	0.8	9
219	Correlations between target scores and anchor ratings on a health transition questionnaire. Clinical Therapeutics, 2002, 24, 26-27.	1.1	9
220	A comparison of the incidence, duration, and degree of the neurologic toxicities of cisplatin-paclitaxel (PT) and cisplatin-cyclophosphamide (PC). International Journal of Gynecological Cancer, 2003, 13, 428-434.	1.2	9
221	Use of a least absolute shrinkage and selection operator (LASSO) model to selected ion flow tube mass spectrometry (SIFT-MS) analysis of exhaled breath to predict the efficacy of dialysis: a pilot study. Journal of Breath Research, 2016, 10, 046004.	1.5	9
222	An increasing trend of rural infections of human influenza A (H7N9) from 2013 to 2017: A retrospective analysis of patient exposure histories in Zhejiang province, China. PLoS ONE, 2018, 13, e0193052.	1.1	9
223	Modelling the association between COVID-19 transmissibility and D614G substitution in SARS-CoV-2 spike protein: using the surveillance data in California as an example. Theoretical Biology and Medical Modelling, 2021, 18, 10.	2.1	9
224	Independent association between meteorological factors, PM2.5, and seasonal influenza activity in Hangzhou, Zhejiang province, China. Influenza and Other Respiratory Viruses, 2021, 15, 513-520.	1.5	9
225	Estimating the incidence reporting rates of new influenza pandemics at an early stage using travel data from the source country. Epidemiology and Infection, 2014, 142, 955-963.	1.0	8
226	Patient Flow Evaluation with System Dynamic Model in an Emergency Department: Data Analytics on Daily Hospital Records. , 2015, , .		8
227	Stratified polygenic risk prediction model with application to CAGI bipolar disorder sequencing data. Human Mutation, 2017, 38, 1235-1239.	1.1	8
228	wtest: an integrated R package for genetic epistasis testing. BMC Medical Genomics, 2019, 12, 180.	0.7	8
229	Clinical significance of site-specific metastases in pancreatic cancer: a study based on both clinical trial and real-world data. Journal of Cancer, 2021, 12, 1715-1721.	1.2	8
230	Mortality And Morbidity of Severe Traumatic Brain Injuries; A Pediatric Intensive Care Unit Experience Over 15 Years. Bulletin of Emergency and Trauma, 2019, 7, 256-262.	0.4	8
231	Transmissibility of coronavirus disease 2019 in Chinese cities with different dynamics of imported cases. PeerJ, 2020, 8, e10350.	0.9	8
232	Assessment of image quality on color fundus retinal images using the automatic retinal image analysis. Scientific Reports, 2022, 12, .	1.6	8
233	Estimation of clinical parameters of chronic kidney disease by exhaled breath full-scan mass spectrometry data and iterative PCA with intensity screening algorithm. Journal of Breath Research, 2017, 11, 036007.	1.5	7
234	Ambient temperature and relative humidity as possible drivers of the hand, foot, and mouth disease epidemics in Zhejiang Province, China. Atmospheric Environment, 2021, 244, 117984.	1.9	7

#	Article	IF	CITATIONS
235	Estimation of stroke severity with National Institutes of Health Stroke Scale grading and retinal features. Medicine (United States), 2021, 100, e26846.	0.4	7
236	Interleukin-27 Is Differentially Associated with HIV Viral Load and CD4+ T Cell Counts in Therapy-NaÃ⁻ve HIV-Mono-Infected and HIV/HCV-Co-Infected Chinese. PLoS ONE, 2014, 9, e96792.	1.1	7
237	A Wâ€ŧest collapsing method for rareâ€variant association testing in exome sequencing data. Genetic Epidemiology, 2016, 40, 591-596.	0.6	6
238	Predicting the dominant influenza A serotype by quantifying mutation activities. International Journal of Infectious Diseases, 2020, 100, 255-257.	1.5	6
239	Dexamethasone eardrop with grommet placement vs intratympanic steroid injection for sudden sensorineural hearing loss: A randomized prospective clinical trial. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2020, 41, 102515.	0.6	6
240	Quantifying the effect of government interventions and virus mutations on transmission advantage during COVID-19 pandemic. Journal of Infection and Public Health, 2022, 15, 338-342.	1.9	6
241	Genetic evolution of Human Enterovirus A71 subgenotype C4 in Shenzhen, China, 1998–2013. Journal of Infection, 2016, 72, 731-737.	1.7	5
242	Concurrent epidemics of influenza A/H3N2 and A/H1N1pdm in Southern China: A serial cross-sectional study. Journal of Infection, 2016, 72, 369-376.	1.7	5
243	An early assessment of a case fatality risk associated with P.1 SARS-CoV-2 lineage in Brazil: an ecological study. Journal of Travel Medicine, 2021, 28, .	1.4	5
244	Detection of circulating tumor cells (CTCs) in patients with hepatocellular carcinoma (HCC). Journal of Clinical Oncology, 2007, 25, 15037-15037.	0.8	5
245	Airway disease and environmental aeroallergens in eczematics approaching adulthood. Pediatric Respirology and Critical Care Medicine, 2017, 1, 81.	0.4	5
246	Configuration space analysis of the rheumatoid wrist. Human Movement Science, 1997, 16, 309-322.	0.6	4
247	A Zoom-Focus algorithm (ZFA) to locate the optimal testing region for rare variant association tests. Bioinformatics, 2017, 33, 2330-2336.	1.8	4
248	Incorporating methylation genome information improves prediction accuracy for drug treatment responses. BMC Genetics, 2018, 19, 78.	2.7	4
249	Gene-methylation epistatic analyses via the W-test identifies enriched signals of neuronal genes in patients undergoing lipid-control treatment. BMC Proceedings, 2018, 12, 53.	1.8	4
250	Were infections in migrants associated with the resurgence of measles epidemic during 2013–2014 in southern China? A retrospective data analysis. International Journal of Infectious Diseases, 2020, 90, 77-83.	1.5	4
251	<p>Modelling the Measles Outbreak at Hong Kong International Airport in 2019: A Data-Driven Analysis on the Effects of Timely Reporting and Public Awareness</p> . Infection and Drug Resistance, 2020, Volume 13, 1851-1861.	1.1	4
252	The Discriminative Efficacy of Retinal Characteristics on Two Traditional Chinese Syndromes in Association with Ischemic Stroke. Evidence-based Complementary and Alternative Medicine, 2020, 2020, 1-8.	0.5	4

#	Article	IF	CITATIONS
253	Clinical study of diabetic peripheral neuropathy screening by retinal vascular geometric parameters. Scientific Reports, 2021, 11, 6784.	1.6	4
254	Differential Influence of Age on the Relationship between Genetic Mismatch and A(H1N1)pdm09 Vaccine Effectiveness. Viruses, 2021, 13, 619.	1.5	4
255	Long-term effectiveness of elderly health care voucher scheme strategies: a system dynamics simulation analysis. BMC Public Health, 2021, 21, 1235.	1.2	4
256	Efficacy of neoadjuvant docetaxel and cisplatin followed by concurrent cisplatin-radiotherapy in locally advanced nasopharyngeal carcinoma (NPC): A randomized phase II study. Journal of Clinical Oncology, 2007, 25, 6037-6037.	0.8	4
257	A multicenter randomized controlled trial (RCT) of adjuvant chemotherapy (CT) in nasopharyngeal carcinoma (NPC) with residual plasma EBV DNA (EBV DNA) following primary radiotherapy (RT) or chemoradiotherapy (CRT) Journal of Clinical Oncology, 2012, 30, 5511-5511.	0.8	4
258	Characterization of key amino acid substitutions and dynamics of the influenza virus H3N2 hemagglutinin. Journal of Infection, 2021, 83, 671-677.	1.7	4
259	Risk Assessment of CHD Using Retinal Images with Machine Learning Approaches for People with Cardiometabolic Disorders. Journal of Clinical Medicine, 2022, 11, 2687.	1.0	4
260	Spatiotemporal relationship between temperature and non-accidental mortality: Assessing effect modification by socioeconomic status. Science of the Total Environment, 2022, 836, 155497.	3.9	4
261	Mixed response and time-to-event endpoints for multistage single-arm phase II design. Trials, 2015, 16, 250.	0.7	3
262	Immunohistochemical Characteristics of Human Milk-fat Globule Antibodies in Predicting Chest Wall and Distant Metastasis After Mastectomy for Localized Cancer of the Breast. Annals of Surgery, 1992, 216, 560-564.	2.1	2
263	Prognostic significance of the immunohistochemical reaction to human milk fat globule antibodies in node-negative and node-positive breast cancer. Breast Cancer Research and Treatment, 1992, 21, 193-199.	1.1	2
264	A proposal for a new approach to intergroup cancer trials. European Journal of Cancer, 1995, 31, 1921-1923.	1.3	2
265	Two Screening Methods for Genetic Association Study with Application to Psoriasis Microarray Data Sets. , 2015, , .		2
266	A clustering approach to identify rare variants associated with hypertension. BMC Proceedings, 2016, 10, 153-157.	1.8	2
267	A proof-of-concept study to evaluate the efficacy and safety of BTI320 on post-prandial hyperglycaemia in Chinese subjects with pre-diabetes. BMC Endocrine Disorders, 2018, 18, 59.	0.9	2
268	Radiation-Induced Hypoglossal Nerve Palsy after Definitive Radiotherapy for Nasopharyngeal Carcinoma: Clinical Predictors and Dose-Toxicity Relationship. International Journal of Radiation Oncology Biology Physics, 2019, 105, S213.	0.4	2
269	Epidemiological changes in measles infections in southern China between 2009 and 2016: a retrospective database analysis. BMC Infectious Diseases, 2020, 20, 197.	1.3	2
270	A Bayesian method for synthesizing multiple diagnostic outcomes of COVID-19 tests. Royal Society Open Science, 2021, 8, 201867.	1.1	2

#	Article	IF	CITATIONS
271	A randomized phase II study of concurrent cisplatin-radiotherapy (RT) with or without neoadjuvant chemotherapy using docetaxel and cisplatin in advanced nasopharyngeal carcinoma (NPC). Journal of Clinical Oncology, 2005, 23, 5544-5544.	0.8	2
272	Subcutaneous amifostine for reduction of radiation xerostomia in nasopharynx cancer: A prospective randomised study. Journal of Clinical Oncology, 2005, 23, 8043-8043.	0.8	2
273	Cross Sectional Survey of Influenza Antibodies before and during the 2009 Pandemic in Shenzhen, China. PLoS ONE, 2013, 8, e53847.	1.1	2
274	Real-time quantification of the transmission advantage associated with a single mutation in pathogen genomes: a case study on the D614G substitution of SARS-CoV-2. BMC Infectious Diseases, 2021, 21, 1039.	1.3	2
275	Clustering of Socioeconomic Data in Hong Kong for Planning Better Community Health Protection. International Journal of Environmental Research and Public Health, 2021, 18, 12617.	1.2	2
276	Long term survivors from a European-Canadian trial of paclitaxel in platinum-pretreated ovarian cancer (OVCA). European Journal of Cancer, 1997, 33, S119.	1.3	1
277	Treatment of Advanced Hodgkin's Disease With Chemotherapy—Comparison of MOPP/ABV Hybrid Regimen With Alternating Courses of MOPP and ABVD. Journal of Clinical Oncology, 1997, 15, 2762-2762.	0.8	1
278	Results of a randomized phase II study of two schedules of bryostatin-I in patients with malignant melanoma: experience with the multivariate stopping rule. European Journal of Cancer, 1999, 35, S374.	1.3	1
279	Radiotherapy in soft-tissue sarcoma. Lancet, The, 2002, 360, 1989.	6.3	1
280	Adequate Lymph Node Staging Is Fundamental to Comparative Study on Resectable Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2002, 20, 2604-2605.	0.8	1
281	Development of an automatic retinal image analysis (ARIA) for screening cerebral small vessel disease in the community. Journal of the Neurological Sciences, 2017, 381, 959.	0.3	1
282	Growth curve model analysis for quality of life data. , 1998, 17, 757.		1
283	Frequency of hepatitis B virus reactivation in cancer patients undergoing cytotoxic chemotherapy: A prospective study of 626 patients with identification of risk factors. , 2000, 62, 299.		1
284	The application of wavelet-based neural network on DNA microarray data. Bioinformation, 2008, 3, 223-229.	0.2	1
285	Temporal Patterns in the Evolutionary Genetic Distance of SARS-CoV-2 during the COVID-19 Pandemic. Public Health Genomics, 2022, 25, 108-111.	0.6	1
286	Health Disparity Resulting from the Effect of Built Environment on Temperature-Related Mortality in a Subtropical Urban Setting. International Journal of Environmental Research and Public Health, 2022, 19, 8506.	1.2	1
287	·P-57 Sample size for trials where survival depends on first response rates. Contemporary Clinical Trials, 1990, 11, 301.	2.0	Ο
288	The measurement of visual analogue scale data is not a burden. Contemporary Clinical Trials, 1992, 13, 435.	2.0	0

#	Article	IF	CITATIONS
289	Immunohistochemical reaction to human milk fat globule antibodies and breast cancer differentiation. Breast Cancer Research and Treatment, 1992, 23, 71-76.	1.1	0
290	Gender and age influence baseline quality of life (QL) assessments in cancer patients. European Journal of Cancer, 1997, 33, S59.	1.3	0
291	The palliative effect of chemotherapy (CT) in metastatic breast cancer (MBC): objective tumour response is associated with symptom (Sx) improvement. European Journal of Cancer, 1999, 35, S314.	1.3	Ο
292	A comparison of the neurological toxicities of cisplatin-paclitaxel (PT) and cisplatin-cyclophosphamide (PC). European Journal of Cancer, 1999, 35, S32.	1.3	0
293	A brain cancer clinical assessment tool (BC CAT) for monitoring disease status in high-grade gliomas. European Journal of Cancer, 1999, 35, S118.	1.3	Ο
294	Radiotherapy in soft-tissue sarcoma. Lancet, The, 2002, 360, 1988.	6.3	0
295	Methodology for quality-of-life assessment: a critical appraisal. Thoracic Surgery Clinics, 2004, 14, 305-315.	0.4	0
296	P-832 Chinese herbal medicine (CHM) induces immuno-modulation in patients with advanced stage non-small lung cancer (NSCLC): A double-blind placebo-control randomized study. Lung Cancer, 2005, 49, S338-S339.	0.9	0
297	WS-02: Phase II Trials – endpoints, when to randomize. Journal of Thoracic Oncology, 2007, 2, S291.	0.5	0
298	Respone to Letter by Keller and Muroi. Stroke, 2010, 41, .	1.0	0
299	Risk-Adjusted Monitoring Method for Surgical Data: Methodology for Data Analytics (Work in) Tj ETQq1 1 0.784	1314 rgBT	/Oyerlock 10
300	Epidemiological study of hypertensive retinopathy in the primary care setting: Retrospective cross-sectional review of retinal photographs. Family Medicine and Community Health, 2016, 4, 13-21.	0.6	0
301	Biomarker analysis of randomized controlled trial (RCT) of adjuvant chemotherapy (CT) using plasma EBV DNA to identify patients (pts) at higher risk of relapse after radiotherapy (RT) or chemoradiation (CRT) in nasopharyngeal cancer (NPC). Annals of Oncology, 2017, 28, x100.	0.6	0
302	Response to: Comment on "Pain Perception of the First Eye versus the Second Eye during Phacoemulsification under Local Anesthesia for Patients Going through Cataract Surgery: A Systematic Review and Meta-Analysis― Journal of Ophthalmology, 2021, 2021, 1-2.	0.6	0
303	Quality of life as a predicting factor for survival in 235 patients with inoperable hepatocellar carcinoma (HCC). Journal of Clinical Oncology, 2005, 23, 4125-4125.	0.8	0
304	A double-blind placebo-control randomized study of the efficacy of Chinese herbal medicine (CHM) in reduction of cytotoxic chemotherapy-induced toxicity. Journal of Clinical Oncology, 2005, 23, 8157-8157.	0.8	0
305	Phase I portion of the phase I-II study of the X-linked inhibitor of apoptosis (XIAP) antisense AEG35156 in combination with sorafenib in patients with advanced hepatocellular carcinoma (HCC) Journal of Clinical Oncology, 2010, 28, e14519-e14519.	0.8	0
306	Abstract LB-254: Thymidylate synthase gene polymorphisms is negatively associated with gastric cancer survival. , 2017, , .		0