

Benny Chung-Ying Zee

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5859905/benny-chung-ying-zee-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

284
papers

25,309
citations

80
h-index

156
g-index

323
ext. papers

28,175
ext. citations

5.3
avg, IF

6.18
L-index

#	Paper	IF	Citations
284	Interpreting the significance of changes in health-related quality-of-life scores. <i>Journal of Clinical Oncology</i> , 1998 , 16, 139-44	2.2	2051
283	Preoperative versus postoperative radiotherapy in soft-tissue sarcoma of the limbs: a randomised trial. <i>Lancet, The</i> , 2002 , 359, 2235-41	4.0	1051
282	Randomized intergroup trial of cisplatin-paclitaxel versus cisplatin-cyclophosphamide in women with advanced epithelial ovarian cancer: three-year results. <i>Journal of the National Cancer Institute</i> , 2000 , 92, 699-708	9.7	733
281	Noninvasive prenatal diagnosis of fetal chromosomal aneuploidy by massively parallel genomic sequencing of DNA in maternal plasma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 20458-63	11.5	681
280	Importance of timing for thoracic irradiation in the combined modality treatment of limited-stage small-cell lung cancer. The National Cancer Institute of Canada Clinical Trials Group. <i>Journal of Clinical Oncology</i> , 1993 , 11, 336-44	2.2	575
279	Prospective randomized study of intensity-modulated radiotherapy on salivary gland function in early-stage nasopharyngeal carcinoma patients. <i>Journal of Clinical Oncology</i> , 2007 , 25, 4873-9	2.2	567
278	Frequency of hepatitis B virus reactivation in cancer patients undergoing cytotoxic chemotherapy: a prospective study of 626 patients with identification of risk factors. <i>Journal of Medical Virology</i> , 2000 , 62, 299-307	19.7	520
277	A randomized phase III study of doxorubicin versus cisplatin/interferon alpha-2b/doxorubicin/fluorouracil (PIAF) combination chemotherapy for unresectable hepatocellular carcinoma. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 1532-8	9.7	490
276	Treatment results for nasopharyngeal carcinoma in the modern era: the Hong Kong experience. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 61, 1107-16	4	468
275	Late radiation morbidity following randomization to preoperative versus postoperative radiotherapy in extremity soft tissue sarcoma. <i>Radiotherapy and Oncology</i> , 2005 , 75, 48-53	5.3	462
274	Construction of the Chinese University Prognostic Index for hepatocellular carcinoma and comparison with the TNM staging system, the Okuda staging system, and the Cancer of the Liver Italian Program staging system: a study based on 926 patients. <i>Cancer</i> , 2002 , 94, 1760-9	6.4	455
273	Efficacy of Adjuvant Fluorouracil and Folinic Acid in B2 Colon Cancer. <i>Journal of Clinical Oncology</i> , 1999 , 17, 1356-1356	2.2	453
272	Treatment of nasopharyngeal carcinoma with intensity-modulated radiotherapy: the Hong Kong experience. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 60, 1440-50	4	431
271	Toxicity of fluorouracil in patients with advanced colorectal cancer: effect of administration schedule and prognostic factors. <i>Journal of Clinical Oncology</i> , 1998 , 16, 3537-41	2.2	419
270	Randomized phase II trial of concurrent cisplatin-radiotherapy with or without neoadjuvant docetaxel and cisplatin in advanced nasopharyngeal carcinoma. <i>Journal of Clinical Oncology</i> , 2009 , 27, 242-9	2.2	405
269	Overview of the randomized trials of radiotherapy in ductal carcinoma in situ of the breast. <i>Journal of the National Cancer Institute Monographs</i> , 2010 , 2010, 162-77	4.8	394
268	Six-month randomized, placebo-controlled, double-blind, pilot clinical trial of curcumin in patients with Alzheimer disease. <i>Journal of Clinical Psychopharmacology</i> , 2008 , 28, 110-3	1.7	390

267	Concurrent chemotherapy-radiotherapy compared with radiotherapy alone in locoregionally advanced nasopharyngeal carcinoma: progression-free survival analysis of a phase III randomized trial. <i>Journal of Clinical Oncology</i> , 2002 , 20, 2038-44	2.2	382
266	Overall survival after concurrent cisplatin-radiotherapy compared with radiotherapy alone in locoregionally advanced nasopharyngeal carcinoma. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 536-9	9.7	371
265	Improved local control of invasive bladder cancer by concurrent cisplatin and preoperative or definitive radiation. The National Cancer Institute of Canada Clinical Trials Group. <i>Journal of Clinical Oncology</i> , 1996 , 14, 2901-7	2.2	357
264	Digital PCR for the molecular detection of fetal chromosomal aneuploidy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 13116-21	11.5	342
263	Analysis of Plasma Epstein-Barr Virus DNA to Screen for Nasopharyngeal Cancer. <i>New England Journal of Medicine</i> , 2017 , 377, 513-522	59.2	338
262	Comparison of gemcitabine versus the matrix metalloproteinase inhibitor BAY 12-9566 in patients with advanced or metastatic adenocarcinoma of the pancreas: a phase III trial of the National Cancer Institute of Canada Clinical Trials Group. <i>Journal of Clinical Oncology</i> , 2003 , 21, 3296-302	2.2	320
261	Plasma Epstein-Barr virus DNA and residual disease after radiotherapy for undifferentiated nasopharyngeal carcinoma. <i>Journal of the National Cancer Institute</i> , 2002 , 94, 1614-9	9.7	315
260	Psychometric properties and responsiveness of the EORTC quality of Life Questionnaire (QLQ-C30) in patients with breast, ovarian and lung cancer. <i>Quality of Life Research</i> , 1994 , 3, 353-64	3.7	311
259	Skin thickness score in systemic sclerosis: an assessment of interobserver variability in 3 independent studies. <i>Journal of Rheumatology</i> , 1993 , 20, 1892-6	4.1	297
258	Plasma Epstein-Barr viral deoxyribonucleic acid quantitation complements tumor-node-metastasis staging prognostication in nasopharyngeal carcinoma. <i>Journal of Clinical Oncology</i> , 2006 , 24, 5414-8	2.2	285
257	Enrollment of older patients in cancer treatment trials in Canada: why is age a barrier?. <i>Journal of Clinical Oncology</i> , 2003 , 21, 1618-23	2.2	258
256	Comprehensive analysis of risk factors associating with Hepatitis B virus (HBV) reactivation in cancer patients undergoing cytotoxic chemotherapy. <i>British Journal of Cancer</i> , 2004 , 90, 1306-11	8.7	252
255	Increased thromboembolic complications with concurrent tamoxifen and chemotherapy in a randomized trial of adjuvant therapy for women with breast cancer. National Cancer Institute of Canada Clinical Trials Group Breast Cancer Site Group. <i>Journal of Clinical Oncology</i> , 1996 , 14, 2731-7	2.2	239
254	Lamivudine for the prevention of hepatitis B virus reactivation in hepatitis B s-antigen seropositive cancer patients undergoing cytotoxic chemotherapy. <i>Journal of Clinical Oncology</i> , 2004 , 22, 927-34	2.2	226
253	Prospective, randomized, double-blind, placebo-controlled trial of marimastat after response to first-line chemotherapy in patients with small-cell lung cancer: a trial of the National Cancer Institute of Canada-Clinical Trials Group and the European Organization for Research and Treatment of Cancer. <i>Journal of Clinical Oncology</i> , 2002 , 20, 4434-9	2.2	214
252	Coexpression of hypoxia-inducible factors 1alpha and 2alpha, carbonic anhydrase IX, and vascular endothelial growth factor in nasopharyngeal carcinoma and relationship to survival. <i>Clinical Cancer Research</i> , 2002 , 8, 2595-604	12.9	210
251	Function and health status outcomes in a randomized trial comparing preoperative and postoperative radiotherapy in extremity soft tissue sarcoma. <i>Journal of Clinical Oncology</i> , 2002 , 20, 4472-7	2.2	205
250	Analysis and interpretation of health-related quality-of-life data from clinical trials: basic approach of The National Cancer Institute of Canada Clinical Trials Group. <i>European Journal of Cancer</i> , 2005 , 41, 280-7	7.5	204

249	Interferon as therapy for multiple myeloma: an individual patient data overview of 24 randomized trials and 4012 patients. <i>British Journal of Haematology</i> , 2001 , 113, 1020-34	4.5	186
248	Malignancy following treatment of rheumatoid arthritis with cyclophosphamide. Long-term case-control follow-up study. <i>American Journal of Medicine</i> , 1987 , 83, 1-9	2.4	185
247	Cisplatin-cyclophosphamide versus carboplatin-cyclophosphamide in advanced ovarian cancer: a randomized phase III study of the National Cancer Institute of Canada Clinical Trials Group. <i>Journal of Clinical Oncology</i> , 1992 , 10, 718-26	2.2	176
246	Determinants of postchemotherapy nausea and vomiting in patients with cancer. Quality of Life and Symptom Control Committees of the National Cancer Institute of Canada Clinical Trials Group. <i>Journal of Clinical Oncology</i> , 1997 , 15, 116-23	2.2	163
245	Intravenous magnesium sulphate for aneurysmal subarachnoid hemorrhage (IMASH): a randomized, double-blinded, placebo-controlled, multicenter phase III trial. <i>Stroke</i> , 2010 , 41, 921-6	6.7	158
244	Effect of daily etidronate on the osteolysis of multiple myeloma. <i>Journal of Clinical Oncology</i> , 1991 , 9, 1397-402	2.2	157
243	Effect of postchemotherapy nausea and vomiting on health-related quality of life. The Quality of Life and Symptom Control Committees of the National Cancer Institute of Canada Clinical Trials Group. <i>Supportive Care in Cancer</i> , 1997 , 5, 307-13	3.9	154
242	Principal component models of knee kinematics and kinetics: Normal vs. pathological gait patterns. <i>Human Movement Science</i> , 1997 , 16, 201-217	2.4	152
241	Randomized phase II study of two schedules of topotecan in previously treated patients with ovarian cancer: a National Cancer Institute of Canada Clinical Trials Group study. <i>Journal of Clinical Oncology</i> , 1998 , 16, 2233-7	2.2	149
240	Lung metastasis alone in nasopharyngeal carcinoma: a relatively favorable prognostic group. A study by the Hong Kong Nasopharyngeal Carcinoma Study Group. <i>Cancer</i> , 2004 , 101, 300-6	6.4	146
239	Prognostic significance of tumor angiogenesis, Ki 67, p53 oncoprotein, epidermal growth factor receptor and HER2 receptor protein expression in undifferentiated nasopharyngeal carcinoma--a prospective study. <i>Head and Neck</i> , 2003 , 25, 864-72	4.2	146
238	Palliative effect of chemotherapy: objective tumor response is associated with symptom improvement in patients with metastatic breast cancer. <i>Journal of Clinical Oncology</i> , 2000 , 18, 2395-405	2.2	146
237	Effectiveness of telephone counselling by a pharmacist in reducing mortality in patients receiving polypharmacy: randomised controlled trial. <i>BMJ, The</i> , 2006 , 333, 522	5.9	141
236	Plasma Epstein-Barr viral DNA load at midpoint of radiotherapy course predicts outcome in advanced-stage nasopharyngeal carcinoma. <i>Annals of Oncology</i> , 2014 , 25, 1204-8	10.3	138
235	Modification of the EORTC QLQ-C30 (version 2.0) based on content validity and reliability testing in large samples of patients with cancer. The Study Group on Quality of Life of the EORTC and the Symptom Control and Quality of Life Committees of the NCI of Canada Clinical Trials Group. <i>Quality of Life Research</i> , 1997 , 6, 103-8	3.7	138
234	Randomized, double-blind, placebo-controlled trial comparing the response rates of carmustine, dacarbazine, and cisplatin with and without tamoxifen in patients with metastatic melanoma. National Cancer Institute of Canada Clinical Trials Group. <i>Journal of Clinical Oncology</i> , 1996 , 14, 2083-90	2.2	138
233	Treatment of advanced Hodgkin's disease with chemotherapy--comparison of MOPP/ABV hybrid regimen with alternating courses of MOPP and ABVD: a report from the National Cancer Institute of Canada clinical trials group. <i>Journal of Clinical Oncology</i> , 1997 , 15, 1638-45	2.2	133
232	Hepatitis B reactivation in patients with hepatocellular carcinoma undergoing systemic chemotherapy. <i>Annals of Oncology</i> , 2004 , 15, 1661-6	10.3	132

231	Pretherapy quantitative measurement of circulating Epstein-Barr virus DNA is predictive of posttherapy distant failure in patients with early-stage nasopharyngeal carcinoma of undifferentiated type. <i>Cancer</i> , 2003 , 98, 288-91	6.4	129
230	Survival outcome of patients with nasopharyngeal carcinoma with first local failure: a study by the Hong Kong Nasopharyngeal Carcinoma Study Group. <i>Head and Neck</i> , 2005 , 27, 397-405	4.2	126
229	A multicenter phase II trial of 3-aminopyridine-2-carboxaldehyde thiosemicarbazone (3-AP, Triapine) and gemcitabine in advanced non-small-cell lung cancer with pharmacokinetic evaluation using peripheral blood mononuclear cells. <i>Investigational New Drugs</i> , 2008 , 26, 169-73	4.3	123
228	Association of human-leukocyte-antigen class I (B*0703) and class II (DRB1*0301) genotypes with susceptibility and resistance to the development of severe acute respiratory syndrome. <i>Journal of Infectious Diseases</i> , 2004 , 190, 515-8	7	120
227	Influence of age on the treatment of limited-stage small-cell lung cancer. <i>Journal of Clinical Oncology</i> , 1996 , 14, 821-8	2.2	115
226	Determination of RhD Zygosity: Comparison of a Double Amplification Refractory Mutation System Approach and a Multiplex Real-Time Quantitative PCR Approach. <i>Clinical Chemistry</i> , 2001 , 47, 667-672	5.5	109
225	Randomized study of CODE versus alternating CAV/EP for extensive-stage small-cell lung cancer: an Intergroup Study of the National Cancer Institute of Canada Clinical Trials Group and the Southwest Oncology Group. <i>Journal of Clinical Oncology</i> , 1999 , 17, 2300-8	2.2	107
224	Curcumin effects on blood lipid profile in a 6-month human study. <i>Pharmacological Research</i> , 2007 , 56, 509-14	10.2	104
223	Phase II study of neoadjuvant carboplatin and paclitaxel followed by radiotherapy and concurrent cisplatin in patients with locoregionally advanced nasopharyngeal carcinoma: therapeutic monitoring with plasma Epstein-Barr virus DNA. <i>Journal of Clinical Oncology</i> , 2004 , 22, 3053-60	2.2	103
222	Serum zinc is decreased in Alzheimer® disease and serum arsenic correlates positively with cognitive ability. <i>BioMetals</i> , 2010 , 23, 173-9	3.4	101
221	Factors predicting response and survival in 149 patients with unresectable hepatocellular carcinoma treated by combination cisplatin, interferon-alpha, doxorubicin and 5-fluorouracil chemotherapy. <i>Cancer</i> , 2002 , 94, 421-7	6.4	97
220	Comparison of CT and MR imaging for the detection of extranodal neoplastic spread in metastatic neck nodes. <i>European Journal of Radiology</i> , 2004 , 52, 264-70	4.7	97
219	Effect of schedule and maintenance on the antiemetic efficacy of ondansetron combined with dexamethasone in acute and delayed nausea and emesis in patients receiving moderately emetogenic chemotherapy: a phase III trial by the National Cancer Institute of Canada Clinical Trials Group. <i>Journal of Clinical Oncology</i> , 1994 , 12, 1050-7	2.2	96
218	Use of dexamethasone and granisetron in the control of delayed emesis for patients who receive highly emetogenic chemotherapy. National Cancer Institute of Canada Clinical Trials Group. <i>Journal of Clinical Oncology</i> , 1998 , 16, 1174-8	2.2	95
217	Long-term follow-up confirms a survival advantage of the paclitaxel-cisplatin regimen over the cyclophosphamide-cisplatin combination in advanced ovarian cancer. <i>International Journal of Gynecological Cancer</i> , 2003 , 13 Suppl 2, 144-8	3.5	93
216	Trabecular microstructure in the medial condyle of the proximal tibia of patients with knee osteoarthritis. <i>Bone</i> , 1995 , 17, 27-35	4.7	91
215	Assessing the reliability of two toxicity scales: implications for interpreting toxicity data. <i>Journal of the National Cancer Institute</i> , 1993 , 85, 1138-48	9.7	91
214	Analysis of Plasma Epstein-Barr Virus DNA in Nasopharyngeal Cancer After Chemoradiation to Identify High-Risk Patients for Adjuvant Chemotherapy: A Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2018 , JCO2018777847	2.2	90

213	Phase III double-blind comparison of dolasetron mesylate and ondansetron and an evaluation of the additive role of dexamethasone in the prevention of acute and delayed nausea and vomiting due to moderately emetogenic chemotherapy. <i>Journal of Clinical Oncology</i> , 1997 , 15, 2966-73	2.2	87
212	Improved accuracy of detection of nasopharyngeal carcinoma by combined application of circulating Epstein-Barr virus DNA and anti-Epstein-Barr viral capsid antigen IgA antibody. <i>Clinical Chemistry</i> , 2004 , 50, 339-45	5.5	86
211	Quality of life is predictive of survival in patients with unresectable hepatocellular carcinoma. <i>Annals of Oncology</i> , 2006 , 17, 1083-9	10.3	85
210	Relationship between pretreatment level of plasma Epstein-Barr virus DNA, tumor burden, and metabolic activity in advanced nasopharyngeal carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 66, 714-20	4	84
209	Intracavitary brachytherapy significantly enhances local control of early T-stage nasopharyngeal carcinoma: the existence of a dose-tumor-control relationship above conventional tumoricidal dose. <i>International Journal of Radiation Oncology Biology Physics</i> , 2000 , 46, 445-58	4	84
208	Randomized trial of interferon maintenance in multiple myeloma: a study of the National Cancer Institute of Canada Clinical Trials Group. <i>Journal of Clinical Oncology</i> , 1995 , 13, 2354-60	2.2	83
207	Primary nasopharyngeal carcinoma: diagnostic accuracy of MR imaging versus that of endoscopy and endoscopic biopsy. <i>Radiology</i> , 2011 , 258, 531-7	20.5	82
206	Randomized trial of cyclophosphamide, methotrexate, and fluorouracil chemotherapy added to tamoxifen as adjuvant therapy in postmenopausal women with node-positive estrogen and/or progesterone receptor-positive breast cancer: a report of the National Cancer Institute of Canada Clinical Trials Group. <i>Journal of Clinical Oncology</i> , 2007 , 25, 2888-94	2.2	81
205	The influence of age on the delivery, tolerance, and efficacy of thoracic irradiation in the combined modality treatment of limited stage small cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 1999 , 43, 39-45	4	81
204	Hemorrhagic complications in a phase II study of sunitinib in patients of nasopharyngeal carcinoma who has previously received high-dose radiation. <i>Annals of Oncology</i> , 2011 , 22, 1280-1287	10.3	77
203	Application of a new multinomial phase II stopping rule using response and early progression. <i>Journal of Clinical Oncology</i> , 2001 , 19, 785-91	2.2	77
202	Randomized phase II study of high-dose paclitaxel with or without amifostine in patients with metastatic breast cancer. <i>Journal of Clinical Oncology</i> , 1999 , 17, 3038-47	2.2	77
201	High hepatitis B virus (HBV) DNA viral load is an important risk factor for HBV reactivation in breast cancer patients undergoing cytotoxic chemotherapy. <i>Journal of Viral Hepatitis</i> , 2004 , 11, 55-9	3.4	75
200	Sequencing-based counting and size profiling of plasma Epstein-Barr virus DNA enhance population screening of nasopharyngeal carcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E5115-E5124	11.5	75
199	Improved survival in patients with poor-prognosis malignant melanoma treated with adjuvant levamisole: a phase III study by the National Cancer Institute of Canada Clinical Trials Group. <i>Journal of Clinical Oncology</i> , 1991 , 9, 729-35	2.2	74
198	Multinomial phase II cancer trials incorporating response and early progression. <i>Journal of Biopharmaceutical Statistics</i> , 1999 , 9, 351-63	1.3	70
197	Dexamethasone for the prophylaxis of radiation-induced emesis: a National Cancer Institute of Canada Clinical Trials Group phase III study. <i>Journal of Clinical Oncology</i> , 2000 , 18, 1960-6	2.2	68
196	The impact of 18F-FDG PET/CT on assessment of nasopharyngeal carcinoma at diagnosis. <i>British Journal of Radiology</i> , 2008 , 81, 291-8	3.4	67

195	A phase II study of patients with metastatic or locoregionally recurrent nasopharyngeal carcinoma and evaluation of plasma Epstein-Barr virus DNA as a biomarker of efficacy. <i>Cancer Chemotherapy and Pharmacology</i> , 2008 , 62, 59-64	3.5	67
194	Development of a questionnaire module to supplement the EORTC QLQ-C30 to assess quality of life in patients with hepatocellular carcinoma, the EORTC QLQ-HCC18. <i>European Journal of Cancer</i> , 2004 , 40, 2439-44	7.5	67
193	A double-blind placebo-controlled randomized study of Chinese herbal medicine as complementary therapy for reduction of chemotherapy-induced toxicity. <i>Annals of Oncology</i> , 2007 , 18, 768-74	10.3	66
192	A randomized study of aprepitant, ondansetron and dexamethasone for chemotherapy-induced nausea and vomiting in Chinese breast cancer patients receiving moderately emetogenic chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2009 , 113, 529-35	4.4	65
191	Effects of soy isoflavone supplementation on cognitive function in Chinese postmenopausal women: a double-blind, randomized, controlled trial. <i>Menopause</i> , 2007 , 14, 489-99	2.5	65
190	Renal vascular histology and morphometry in systemic sclerosis. A case-control autopsy study. <i>Arthritis and Rheumatism</i> , 1988 , 31, 393-400		63
189	Ondansetron compared with dexamethasone and metoclopramide as antiemetics in the chemotherapy of breast cancer with cyclophosphamide, methotrexate, and fluorouracil. <i>New England Journal of Medicine</i> , 1993 , 328, 1081-4	59.2	62
188	Fatigue in patients with cancer: results with National Cancer Institute of Canada Clinical Trials Group studies employing the EORTC QLQ-C30. <i>Supportive Care in Cancer</i> , 1997 , 5, 410-3	3.9	60
187	Dose-response relationship of nasopharyngeal carcinoma above conventional tumoricidal level: a study by the Hong Kong nasopharyngeal carcinoma study group (HKNPCSG). <i>Radiotherapy and Oncology</i> , 2006 , 79, 27-33	5.3	58
186	Randomized study of chemotherapy and surgery versus radiotherapy for stage IIIA non-small-cell lung cancer: a National Cancer Institute of Canada Clinical Trials Group Study. <i>British Journal of Cancer</i> , 1998 , 78, 683-5	8.7	57
185	Quality of life studies in chemotherapy-induced emesis. <i>Oncology</i> , 1996 , 53 Suppl 1, 92-5	3.6	56
184	Ultra-early (within 24 hours) aneurysm treatment after subarachnoid hemorrhage. <i>World Neurosurgery</i> , 2012 , 77, 311-5	2.1	54
183	Trauma patients with multiple extremity injuries: resource utilization and long-term outcome in relation to injury severity scores. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998 , 45, 489-94	9.4	53
182	Intravenous magnesium sulphate for aneurysmal subarachnoid hemorrhage: an updated systemic review and meta-analysis. <i>Critical Care</i> , 2011 , 15, R52	10.8	51
181	Mammographic density in women on postmenopausal hormone replacement therapy. <i>Surgery</i> , 1997 , 122, 669-73; discussion 673-4	3.6	51
180	Staging of nasopharyngeal carcinoma: suggestions for improving the current UICC/AJCC Staging System. <i>Clinical Oncology</i> , 2004 , 16, 269-76	2.8	51
179	Escalated as compared with standard doses of doxorubicin in BACOP therapy for patients with non-Hodgkin's lymphoma. <i>New England Journal of Medicine</i> , 1993 , 329, 1770-6	59.2	51
178	Quantifying the transmission advantage associated with N501Y substitution of SARS-CoV-2 in the UK: an early data-driven analysis. <i>Journal of Travel Medicine</i> , 2021 , 28,	12.9	51

177	Satellite-based estimates of long-term exposure to fine particulate matter are associated with C-reactive protein in 30 034 Taiwanese adults. <i>International Journal of Epidemiology</i> , 2017 , 46, 1126-1136	7.8	49
176	Quantitative measurement of post-irradiation neck fibrosis based on the young modulus: description of a new method and clinical results. <i>Cancer</i> , 2002 , 95, 656-62	6.4	49
175	Quinolone-based antibacterial chemoprophylaxis in neutropenic patients: effect of augmented gram-positive activity on infectious morbidity. National Cancer Institute of Canada Clinical Trials Group. <i>Annals of Internal Medicine</i> , 1996 , 125, 183-90	8	49
174	Determining the relationship between toxicity and quality of life in an ovarian cancer chemotherapy clinical trial. <i>Journal of Clinical Oncology</i> , 2004 , 22, 2461-8	2.2	48
173	Factors affecting workload of cancer clinical trials: results of a multicenter study of the National Cancer Institute of Canada Clinical Trials Group. <i>Journal of Clinical Oncology</i> , 2002 , 20, 545-56	2.2	48
172	Knowledge, perceptions, and attitudes of Hong Kong Chinese women on screening mammography and early breast cancer management. <i>Breast Journal</i> , 2005 , 11, 52-6	1.2	48
171	Changes in mean trabecular orientation in the medial condyle of the proximal tibia in osteoarthritis. <i>Calcified Tissue International</i> , 1995 , 57, 69-73	3.9	48
170	Multicenter phase II study of gemcitabine and oxaliplatin in advanced nasopharyngeal carcinoma--correlation with excision repair cross-complementing-1 polymorphisms. <i>Annals of Oncology</i> , 2009 , 20, 1854-9	10.3	47
169	The role of the 5-HT3 antagonists ondansetron and dolasetron in the control of delayed onset nausea and vomiting in patients receiving moderately emetogenic chemotherapy. <i>Annals of Oncology</i> , 1997 , 8, 181-5	10.3	47
168	Mammographic density changes in perimenopausal and postmenopausal women: is effect of hormone replacement therapy predictable?. <i>Breast Cancer Research and Treatment</i> , 2000 , 59, 125-32	4.4	46
167	Gait assessment in unicompartmental knee arthroplasty patients: Principal component modelling of gait waveforms and clinical status. <i>Human Movement Science</i> , 1999 , 18, 701-711	2.4	46
166	High-dose simvastatin for aneurysmal subarachnoid hemorrhage: multicenter randomized controlled double-blinded clinical trial. <i>Stroke</i> , 2015 , 46, 382-8	6.7	45
165	Quality of life in ovarian cancer patients: comparison of paclitaxel plus cisplatin, with cyclophosphamide plus cisplatin in a randomized study. <i>Journal of Clinical Oncology</i> , 2004 , 22, 4595-603	2.2	45
164	Health-related quality of life after aneurysmal subarachnoid hemorrhage: profile and clinical factors. <i>Neurosurgery</i> , 2011 , 68, 1556-61; discussion 1561	3.2	44
163	Second primary malignancies following the treatment of early stage ovarian cancer: update of a study by the National Cancer Institute of Canada--Clinical Trials Group (NCIC-CTG). <i>Annals of Oncology</i> , 2000 , 11, 65-8	10.3	44
162	Short Sleep Duration Increases Metabolic Impact in Healthy Adults: A Population-Based Cohort Study. <i>Sleep</i> , 2017 , 40,	1.1	43
161	Systemic infusion versus bolus chemotherapy with 5-fluorouracil in measurable metastatic colorectal cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1992 , 15, 518-23	2.7	43
160	Disparity of sensitivities in detection of radiation-naïve and postirradiation recurrent nasopharyngeal carcinoma of the undifferentiated type by quantitative analysis of circulating Epstein-Barr virus DNA1,2. <i>Clinical Cancer Research</i> , 2003 , 9, 3431-4	12.9	42

159	Inconsistency of prognostic factors for post-chemotherapy nausea and vomiting. <i>Supportive Care in Cancer</i> , 1994 , 2, 161-6	3.9	41
158	Dexamethasone improves the efficacy of granisetron in the first 24 h following high-dose cisplatin chemotherapy. <i>Supportive Care in Cancer</i> , 1995 , 3, 307-12	3.9	40
157	Detection of neovascularization based on fractal and texture analysis with interaction effects in diabetic retinopathy. <i>PLoS ONE</i> , 2013 , 8, e75699	3.7	39
156	Detection of Nasopharyngeal Carcinoma by MR Imaging: Diagnostic Accuracy of MRI Compared with Endoscopy and Endoscopic Biopsy Based on Long-Term Follow-Up. <i>American Journal of Neuroradiology</i> , 2015 , 36, 2380-5	4.4	38
155	An intensive surveillance program detected a high incidence of hepatocellular carcinoma among hepatitis B virus carriers with abnormal alpha-fetoprotein levels or abdominal ultrasonography results. <i>Journal of Clinical Oncology</i> , 2005 , 23, 8041-7	2.2	34
154	Modeling the impact of air, sea, and land travel restrictions supplemented by other interventions on the emergence of a new influenza pandemic virus. <i>BMC Infectious Diseases</i> , 2012 , 12, 309	4	33
153	Completion rates in health-related quality-of-life assessment: approach of the National Cancer Institute of Canada Clinical Trials Group. <i>Statistics in Medicine</i> , 1998 , 17, 603-12	2.3	33
152	Thermography. Its relation to pathologic characteristics, vascularity, proliferation rate, and survival of patients with invasive ductal carcinoma of the breast. <i>Cancer</i> , 1996 , 77, 1324-8	6.4	33
151	Prediction of outcome in cancer patients with febrile neutropenia: a prospective validation of the Multinational Association for Supportive Care in Cancer risk index in a Chinese population and comparison with the Talcott model and artificial neural network. <i>Supportive Care in Cancer</i> , 2011 , 19, 1625-35	3.9	32
150	Randomized Phase II Study of the X-linked Inhibitor of Apoptosis (XIAP) Antisense AEG35156 in Combination With Sorafenib in Patients With Advanced Hepatocellular Carcinoma (HCC). <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2016 , 39, 609-613	2.7	32
149	Prospective Association between Diabetic Retinopathy and Cardiovascular Disease-A Systematic Review and Meta-analysis of Cohort Studies. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016 , 25, 1688-1695	2.8	32
148	Quality-adjusted time without symptoms or toxicity analysis of interferon maintenance in multiple myeloma. <i>Journal of Clinical Oncology</i> , 1998 , 16, 2834-9	2.2	30
147	Determination of RhD zygosity: comparison of a double amplification refractory mutation system approach and a multiplex real-time quantitative PCR approach. <i>Clinical Chemistry</i> , 2001 , 47, 667-72	5.5	30
146	Complementary roles of MRI and endoscopic examination in the early detection of nasopharyngeal carcinoma. <i>Annals of Oncology</i> , 2019 , 30, 977-982	10.3	29
145	Application of classification tree and neural network algorithms to the identification of serological liver marker profiles for the diagnosis of hepatocellular carcinoma. <i>Oncology</i> , 2001 , 61, 275-83	3.6	29
144	Identifying meteorological drivers for the seasonal variations of influenza infections in a subtropical city [Hong Kong]. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 1560-76	4.6	27
143	Benefits and limitations of implementing Chronic Care Model (CCM) in primary care programs: A systematic review. <i>International Journal of Cardiology</i> , 2018 , 258, 279-288	3.2	27
142	Improved local control for early T-stage nasopharyngeal carcinoma--a tale of two hospitals. <i>Radiotherapy and Oncology</i> , 2000 , 57, 155-66	5.3	27

141	Effects of altering the time of administration and the time frame of quality of life assessments in clinical trials: an example using the EORTC QLQ-C30 in a large anti-emetic trial. <i>Quality of Life Research</i> , 1998 , 7, 273-278	3.7	27
140	Plasma magnesium concentrations and clinical outcomes in aneurysmal subarachnoid hemorrhage patients: post hoc analysis of intravenous magnesium sulphate for aneurysmal subarachnoid hemorrhage trial. <i>Stroke</i> , 2010 , 41, 1841-4	6.7	25
139	Nasopharyngeal cancers: which method should be used to measure these irregularly shaped tumors on cross-sectional imaging?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 69, 148-54	4	25
138	A Phase I-II study of sequential administration of topotecan and oral etoposide (topoisomerase I and II inhibitors) in the treatment of patients with small cell lung carcinoma. <i>Cancer</i> , 2002 , 95, 1511-9	6.4	24
137	Age, gender, and socioeconomic gradients in metabolic syndrome: biomarker evidence from a large sample in Taiwan, 2005-2013. <i>Annals of Epidemiology</i> , 2017 , 27, 315-322.e2	6.4	21
136	Distinguishing early-stage nasopharyngeal carcinoma from benign hyperplasia using intravoxel incoherent motion diffusion-weighted MRI. <i>European Radiology</i> , 2019 , 29, 5627-5634	8	21
135	Growth curve model analysis for quality of life data. <i>Statistics in Medicine</i> , 1998 , 17, 757-66	2.3	20
134	Quality of life (QOL) for breast cancer patients receiving aprepitant versus placebo for prevention of chemotherapy induced nausea and vomiting. <i>Journal of Clinical Oncology</i> , 2008 , 26, 20549-20549	2.2	20
133	A fast and powerful W-test for pairwise epistasis testing. <i>Nucleic Acids Research</i> , 2016 , 44, e115	20.1	19
132	A comparison of wound treatments in nasopharyngeal cancer patients receiving radiation therapy. <i>Cancer Nursing</i> , 2005 , 28, 436-45	2.6	19
131	Trimetrexate: predictors of severe or life-threatening toxic effects. <i>Journal of the National Cancer Institute</i> , 1988 , 80, 1318-22	9.7	19
130	Electroacupuncture and splinting versus splinting alone to treat carpal tunnel syndrome: a randomized controlled trial. <i>Cmaj</i> , 2016 , 188, 867-875	3.5	18
129	Prospective validation of serum CYFRA 21-1, beta-2-microglobulin, and ferritin levels as prognostic markers in patients with nonmetastatic nasopharyngeal carcinoma undergoing radiotherapy. <i>Cancer</i> , 2004 , 101, 776-81	6.4	18
128	Validation of a 3D optoelectronic motion analysis system for the wrist joint. <i>Clinical Biomechanics</i> , 1996 , 11, 481-483	2.2	18
127	A phase II study of gemcitabine plus oral etoposide in the treatment of patients with advanced nonsmall cell lung carcinoma. <i>Cancer</i> , 2000 , 89, 543-550	6.4	17
126	Patterns of failure following loco-regional radiotherapy in the treatment of limited stage small cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 1994 , 28, 355-62	4	17
125	Inferring the Association between the Risk of COVID-19 Case Fatality and N501Y Substitution in SARS-CoV-2. <i>Viruses</i> , 2021 , 13,	6.2	17
124	Cardiovascular disease risk reduction in rural China: a clustered randomized controlled trial in Zhejiang. <i>Trials</i> , 2013 , 14, 354	2.8	16

123	Is topical antimycotic treatment useful as adjuvant therapy for flexural atopic dermatitis: randomized, double-blind, controlled trial using one side of the elbow or knee as a control. <i>International Journal of Dermatology</i> , 2008 , 47, 187-91	1.7	16
122	Retinal image analytics detects white matter hyperintensities in healthy adults. <i>Annals of Clinical and Translational Neurology</i> , 2019 , 6, 98-105	5.3	16
121	Effects of Kinesio tape on lower limb muscle strength, hop test, and vertical jump performances: a meta-analysis. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 212	2.8	15
120	Monitoring disease transmissibility of 2019 novel coronavirus disease in Zhejiang, China. <i>International Journal of Infectious Diseases</i> , 2020 , 96, 128-130	10.5	15
119	Early Magnesium Treatment After Aneurysmal Subarachnoid Hemorrhage: Individual Patient Data Meta-Analysis. <i>Stroke</i> , 2015 , 46, 3190-3	6.7	15
118	Correlation and prognostic significance of beta-galactoside alpha-2,6-sialyltransferase and serum monosialylated alpha-fetoprotein in hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2005 , 11, 6701-6	5.6	15
117	Thermography as a predictor of prognosis in cancer of the breast. <i>Cancer</i> , 1991 , 67, 1678-80	6.4	15
116	Hsc70 regulates the IRES activity and serves as an antiviral target of enterovirus A71 infection. <i>Antiviral Research</i> , 2018 , 150, 39-46	10.8	15
115	Pain Perception of the First Eye versus the Second Eye during Phacoemulsification under Local Anesthesia for Patients Going through Cataract Surgery: A Systematic Review and Meta-Analysis. <i>Journal of Ophthalmology</i> , 2019 , 2019, 4106893	2	14
114	Four pairs of gene-gene interactions associated with increased risk for type 2 diabetes (CDKN2BAS-KCNJ11), obesity (SLC2A9-IGF2BP2, FTO-APOA5), and hypertension (MC4R-IGF2BP2) in Chinese women. <i>Meta Gene</i> , 2014 , 2, 384-91	0.7	14
113	Association of the POU class 2 homeobox 1 gene (POU2F1) with susceptibility to Type 2 diabetes in Chinese populations. <i>Diabetic Medicine</i> , 2010 , 27, 1443-9	3.5	14
112	Phase II randomized study comparing the toxicity profile of gemcitabine plus cisplatin with gemcitabine plus oral etoposide in the treatment of advanced non-small cell lung cancer. <i>Oncology</i> , 2005 , 68, 485-92	3.6	14
111	Interpreting the transmissibility of measles in two different post periods of supplementary immunization activities in Hubei, China. <i>Vaccine</i> , 2017 , 35, 1024-1029	4.1	13
110	Cognitive outcome in acute simvastatin treatment for aneurysmal subarachnoid hemorrhage: A propensity matched analysis. <i>Journal of the Neurological Sciences</i> , 2015 , 358, 58-61	3.2	13
109	Irofulven as first line therapy in recurrent or metastatic gastric cancer: a phase II multicenter study by the Cancer Therapeutics Research Group (CTRG). <i>Cancer Chemotherapy and Pharmacology</i> , 2007 , 59, 295-300	3.5	13
108	Planned equivalence or noninferiority trials versus unplanned noninferiority claims: are they equal?. <i>Journal of Clinical Oncology</i> , 2006 , 24, 1026-8	2.2	13
107	A randomized phase II study of two schedules of bryostatin-1 (NSC339555) in patients with advanced malignant melanoma: A National Cancer Institute of Canada Clinical Trials Group study. <i>Investigational New Drugs</i> , 2002 , 20, 407-12	4.3	13
106	Vascularity demonstrated by Doppler ultrasound and immunohistochemistry in invasive ductal carcinoma of the breast. <i>Breast Cancer Research and Treatment</i> , 1996 , 40, 197-203	4.4	13

105	Risk factors and natural history of breast cancer in younger Chinese women. <i>World Journal of Clinical Oncology</i> , 2014 , 5, 1097-106	2.5	13
104	Approximate Bayesian algorithm to estimate the basic reproduction number in an influenza pandemic using arrival times of imported cases. <i>Travel Medicine and Infectious Disease</i> , 2018 , 23, 80-86	8.4	12
103	Three-dimensional metacarpophalangeal joint kinematics using two markers on the phalanx. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2001 , 215, 415-9	1.7	12
102	Identification of meteorological factors associated with human infection with avian influenza A H7N9 virus in Zhejiang Province, China. <i>Science of the Total Environment</i> , 2018 , 644, 696-709	10.2	11
101	Radiation-induced hypoglossal nerve palsy after definitive radiotherapy for nasopharyngeal carcinoma: Clinical predictors and dose-toxicity relationship. <i>Radiotherapy and Oncology</i> , 2019 , 138, 93-98	5.3	11
100	Retinal Information is Independently Associated with Cardiovascular Disease in Patients with Type 2 diabetes. <i>Scientific Reports</i> , 2016 , 6, 19053	4.9	11
99	Interpreting the transmissibility of the avian influenza A(H7N9) infection from 2013 to 2015 in Zhejiang Province, China. <i>Epidemiology and Infection</i> , 2016 , 144, 1584-91	4.3	11
98	Role of laboratory variables in differentiating SARS-coronavirus from other causes of community-acquired pneumonia within the first 72 h of hospitalization. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2006 , 25, 765-72	5.3	10
97	Virulizin(R) - A review of its antineoplastic activity. <i>Expert Opinion on Investigational Drugs</i> , 1999 , 8, 1721-1735	1.35	10
96	A randomized, double-blinded study comparing six doses of batanopride (BMY-25801) with methylprednisolone in patients receiving moderately emetogenic chemotherapy. <i>Annals of Oncology</i> , 1991 , 2, 681-6	10.3	10
95	Monitoring the age-specificity of measles transmissions during 2009-2016 in Southern China. <i>PLoS ONE</i> , 2018 , 13, e0205339	3.7	10
94	Prediction Factors of Recurrent Stroke among Chinese Adults Using Retinal Vasculature Characteristics. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017 , 26, 679-685	2.8	9
93	Changes in pulmonary tuberculosis prevalence: evidence from the 2010 population survey in a populous province of China. <i>BMC Infectious Diseases</i> , 2014 , 14, 21	4	9
92	Can the Q-TWiST method provide information on patients' preferences without collecting preference data from the patients? Quality-Adjusted Time Without Symptoms or Toxicity. <i>Journal of Clinical Oncology</i> , 1998 , 16, 3716-7; author reply 3718	2.2	9
91	A comparison of the incidence, duration, and degree of the neurologic toxicities of cisplatin-paclitaxel (PT) and cisplatin-cyclophosphamide (PC). <i>International Journal of Gynecological Cancer</i> , 2003 , 13, 428-34	3.5	8
90	A prospective study of pre-treatment cell kinetics and clinical outcome in nasopharyngeal carcinoma. <i>Radiotherapy and Oncology</i> , 2003 , 69, 53-62	5.3	8
89	Factors Affecting Workload of Cancer Clinical Trials: Results of a Multicenter Study of the National Cancer Institute of Canada Clinical Trials Group. <i>Journal of Clinical Oncology</i> , 2002 , 20, 545-556	2.2	8
88	Correlations between target scores and anchor ratings on a health transition questionnaire. <i>Clinical Therapeutics</i> , 2002 , 24, 26-27	3.5	8

87	A multicenter randomized controlled trial (RCT) of adjuvant chemotherapy (CT) in nasopharyngeal carcinoma (NPC) with residual plasma EBV DNA (EBV DNA) following primary radiotherapy (RT) or chemoradiation (CRT).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 6002-6002	2.2	8
86	Mathematical modelling of the impact of treating latent tuberculosis infection in the elderly in a city with intermediate tuberculosis burden. <i>Scientific Reports</i> , 2019 , 9, 4869	4.9	7
85	Association between meteorological factors, spatiotemporal effects, and prevalence of influenza A subtype H7 in environmental samples in Zhejiang province, China. <i>Science of the Total Environment</i> , 2019 , 663, 793-803	10.2	7
84	Quantifying the importance of the key sites on haemagglutinin in determining the selection advantage of influenza virus: Using A/H3N2 as an example. <i>Journal of Infection</i> , 2020 , 81, 452-482	18.9	7
83	Human papillomavirus DNA detection in menstrual blood from patients with cervical intraepithelial neoplasia and condyloma acuminatum. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 709-13	9.7	7
82	Factors related to sexual health in Chinese women with breast cancer in Hong Kong. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2008 , 4, 218-226	1.9	7
81	Segmentation and texture analysis with multimodel inference for the automatic detection of exudates in early diabetic retinopathy. <i>Journal of Biomedical Science and Engineering</i> , 2013 , 06, 298-307	0.7	7
80	A machine learning approach for retinal images analysis as an objective screening method for children with autism spectrum disorder. <i>EClinicalMedicine</i> , 2020 , 28, 100588	11.3	7
79	Clinically important difference of Stroke-Specific Quality of Life Scale for aneurysmal subarachnoid hemorrhage. <i>Journal of Clinical Neuroscience</i> , 2016 , 33, 209-212	2.2	7
78	Targeting Adults for Supplementary Immunization Activities of Measles Control in Central China: A Mathematical Modelling Study. <i>Scientific Reports</i> , 2018 , 8, 16124	4.9	7
77	Stratified polygenic risk prediction model with application to CAGI bipolar disorder sequencing data. <i>Human Mutation</i> , 2017 , 38, 1235-1239	4.7	6
76	Clinical risk factors associated with recurrence of ischemic stroke within two years: A cohort study. <i>Medicine (United States)</i> , 2020 , 99, e20830	1.8	6
75	Use of a least absolute shrinkage and selection operator (LASSO) model to selected ion flow tube mass spectrometry (SIFT-MS) analysis of exhaled breath to predict the efficacy of dialysis: a pilot study. <i>Journal of Breath Research</i> , 2016 , 10, 046004	3.1	6
74	An increasing trend of rural infections of human influenza A (H7N9) from 2013 to 2017: A retrospective analysis of patient exposure histories in Zhejiang province, China. <i>PLoS ONE</i> , 2018 , 13, e0193052	13.7	6
73	Global cytokine/chemokine profile identifies potential progression prediction indicators in hand-foot-and-mouth disease patients with Enterovirus A71 infections. <i>Cytokine</i> , 2019 , 123, 154765	4	6
72	A statistical method utilizing information of imported cases to estimate the transmissibility for an influenza pandemic. <i>BMC Medical Research Methodology</i> , 2017 , 17, 31	4.7	6
71	The diminishing socioeconomic disparity in obesity in a Chinese population with rapid economic development: analysis of serial cross-sectional health survey data 2002-2010. <i>BMC Public Health</i> , 2015 , 15, 1282	4.1	6
70	Estimating the incidence reporting rates of new influenza pandemics at an early stage using travel data from the source country. <i>Epidemiology and Infection</i> , 2014 , 142, 955-63	4.3	6

69	Macromolecular interstitial clearance, tumour vascularity, other prognostic factors and breast cancer survival. <i>Breast Cancer Research and Treatment</i> , 1997 , 42, 113-20	4.4	6
68	Modelling the association between COVID-19 transmissibility and D614G substitution in SARS-CoV-2 spike protein: using the surveillance data in California as an example. <i>Theoretical Biology and Medical Modelling</i> , 2021 , 18, 10	2.3	6
67	wtest: an integrated R package for genetic epistasis testing. <i>BMC Medical Genomics</i> , 2019 , 12, 180	3.7	6
66	Patient Flow Evaluation with System Dynamic Model in an Emergency Department: Data Analytics on Daily Hospital Records 2015 ,		5
65	Association of technologically assisted integrated care with clinical outcomes in type 2 diabetes in Hong Kong using the prospective JADE Program: A retrospective cohort analysis. <i>PLoS Medicine</i> , 2020 , 17, e1003367	11.6	5
64	Clinical significance of site-specific metastases in pancreatic cancer: a study based on both clinical trial and real-world data. <i>Journal of Cancer</i> , 2021 , 12, 1715-1721	4.5	5
63	A W-test collapsing method for rare-variant association testing in exome sequencing data. <i>Genetic Epidemiology</i> , 2016 , 40, 591-596	2.6	4
62	Concurrent epidemics of influenza A/H3N2 and A/H1N1pdm in Southern China: A serial cross-sectional study. <i>Journal of Infection</i> , 2016 , 72, 369-76	18.9	4
61	Impact of intensity-modulated radiotherapy (IMRT) on salivary gland function in early-stage nasopharyngeal carcinoma (NPC) patients: A prospective randomized study. <i>Journal of Clinical Oncology</i> , 2005 , 23, 5501-5501	2.2	4
60	Detection of circulating tumor cells (CTCs) in patients with hepatocellular carcinoma (HCC). <i>Journal of Clinical Oncology</i> , 2007 , 25, 15037-15037	2.2	4
59	A multicenter randomized controlled trial (RCT) of adjuvant chemotherapy (CT) in nasopharyngeal carcinoma (NPC) with residual plasma EBV DNA (EBV DNA) following primary radiotherapy (RT) or chemoradiotherapy (CRT).. <i>Journal of Clinical Oncology</i> , 2012 , 30, 5511-5511	2.2	4
58	Interleukin-27 is differentially associated with HIV viral load and CD4+ T cell counts in therapy-naïve HIV-mono-infected and HIV/HCV-co-infected Chinese. <i>PLoS ONE</i> , 2014 , 9, e96792	3.7	4
57	Transmissibility of coronavirus disease 2019 in Chinese cities with different dynamics of imported cases. <i>PeerJ</i> , 2020 , 8, e10350	3.1	4
56	Predicting the dominant influenza A serotype by quantifying mutation activities. <i>International Journal of Infectious Diseases</i> , 2020 , 100, 255-257	10.5	4
55	Genetic evolution of Human Enterovirus A71 subgenotype C4 in Shenzhen, China, 1998-2013. <i>Journal of Infection</i> , 2016 , 72, 731-737	18.9	4
54	Superspreading and heterogeneity in transmission of SARS, MERS, and COVID-19: A systematic review. <i>Computational and Structural Biotechnology Journal</i> , 2021 , 19, 5039-5046	6.8	4
53	In silico prediction of influenza vaccine effectiveness by sequence analysis. <i>Vaccine</i> , 2021 , 39, 1030-1034.1		4
52	Incorporating methylation genome information improves prediction accuracy for drug treatment responses. <i>BMC Genetics</i> , 2018 , 19, 78	2.6	4

51	Gene-methylation epistatic analyses via the W-test identifies enriched signals of neuronal genes in patients undergoing lipid-control treatment. <i>BMC Proceedings</i> , 2018 , 12, 53	2.3	4
50	A Zoom-Focus algorithm (ZFA) to locate the optimal testing region for rare variant association tests. <i>Bioinformatics</i> , 2017 , 33, 2330-2336	7.2	3
49	Estimation of clinical parameters of chronic kidney disease by exhaled breath full-scan mass spectrometry data and iterative PCA with intensity screening algorithm. <i>Journal of Breath Research</i> , 2017 , 11, 036007	3.1	3
48	Configuration space analysis of the rheumatoid wrist. <i>Human Movement Science</i> , 1997 , 16, 309-322	2.4	3
47	Independent association between meteorological factors, PM2.5, and seasonal influenza activity in Hangzhou, Zhejiang province, China. <i>Influenza and Other Respiratory Viruses</i> , 2021 , 15, 513-520	5.6	3
46	Efficacy of neoadjuvant docetaxel and cisplatin followed by concurrent cisplatin-radiotherapy in locally advanced nasopharyngeal carcinoma (NPC): A randomized phase II study. <i>Journal of Clinical Oncology</i> , 2007 , 25, 6037-6037	2.2	3
45	Characterization of the evolutionary dynamics of influenza A H3N2 hemagglutinin		3
44	An early assessment of a case fatality risk associated with P.1 SARS-CoV-2 lineage in Brazil: an ecological study. <i>Journal of Travel Medicine</i> , 2021 , 28,	12.9	3
43	Machine-learning method for localization of cerebral white matter hyperintensities in healthy adults based on retinal images. <i>Brain Communications</i> , 2021 , 3, fcab124	4.5	3
42	Two Screening Methods for Genetic Association Study with Application to Psoriasis Microarray Data Sets 2015 ,		2
41	Radiation-Induced Hypoglossal Nerve Palsy after Definitive Radiotherapy for Nasopharyngeal Carcinoma: Clinical Predictors and Dose-Toxicity Relationship. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 105, S213	4	2
40	Mixed response and time-to-event endpoints for multistage single-arm phase II design. <i>Trials</i> , 2015 , 16, 250	2.8	2
39	A proposal for a new approach to intergroup cancer trials. <i>European Journal of Cancer</i> , 1995 , 31A, 1921-37.5		2
38	Immunohistochemical characteristics of human milk-fat globule antibodies in predicting chest wall and distant metastasis after mastectomy for localized cancer of the breast. <i>Annals of Surgery</i> , 1992 , 216, 560-4	7.8	2
37	Prognostic significance of the immunohistochemical reaction to human milk fat globule antibodies in node-negative and node-positive breast cancer. <i>Breast Cancer Research and Treatment</i> , 1992 , 21, 193-9.4	4.4	2
36	Subcutaneous amifostine for reduction of radiation xerostomia in nasopharynx cancer: A prospective randomised study. <i>Journal of Clinical Oncology</i> , 2005 , 23, 8043-8043	2.2	2
35	Cross sectional survey of influenza antibodies before and during the 2009 pandemic in Shenzhen, China. <i>PLoS ONE</i> , 2013 , 8, e53847	3.7	2
34	Transmissibility of coronavirus disease 2019 (COVID-19) in Chinese cities with different transmission dynamics of imported cases		2

33	Mortality And Morbidity of Severe Traumatic Brain Injuries; A Pediatric Intensive Care Unit Experience Over 15 Years. <i>Bulletin of Emergency and Trauma</i> , 2019 , 7, 256-262	1.1	2
32	Airway disease and environmental aeroallergens in eczematous approaching adulthood. <i>Pediatric Respiratory and Critical Care Medicine</i> , 2017 , 1, 81	0.1	2
31	Were infections in migrants associated with the resurgence of measles epidemic during 2013-2014 in southern China? A retrospective data analysis. <i>International Journal of Infectious Diseases</i> , 2020 , 90, 77-83	10.5	2
30	Modelling the Measles Outbreak at Hong Kong International Airport in 2019: A Data-Driven Analysis on the Effects of Timely Reporting and Public Awareness. <i>Infection and Drug Resistance</i> , 2020 , 13, 1851-1861	4.2	2
29	Differential Influence of Age on the Relationship between Genetic Mismatch and A(H1N1)pdm09 Vaccine Effectiveness. <i>Viruses</i> , 2021 , 13,	6.2	2
28	A clustering approach to identify rare variants associated with hypertension. <i>BMC Proceedings</i> , 2016 , 10, 153-157	2.3	2
27	Ambient temperature and relative humidity as possible drivers of the hand, foot, and mouth disease epidemics in Zhejiang Province, China. <i>Atmospheric Environment</i> , 2021 , 244, 117984	5.3	2
26	A Bayesian method for synthesizing multiple diagnostic outcomes of COVID-19 tests. <i>Royal Society Open Science</i> , 2021 , 8, 201867	3.3	2
25	Epidemiological changes in measles infections in southern China between 2009 and 2016: a retrospective database analysis. <i>BMC Infectious Diseases</i> , 2020 , 20, 197	4	1
24	Dexamethasone eardrop with grommet placement vs intratympanic steroid injection for sudden sensorineural hearing loss: A randomized prospective clinical trial. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2020 , 41, 102515	2.8	1
23	Adequate lymph node staging is fundamental to comparative study on resectable non-small-cell lung cancer. <i>Journal of Clinical Oncology</i> , 2002 , 20, 2604-5; author reply 2605	2.2	1
22	Radiotherapy in soft-tissue sarcoma. <i>Lancet, The</i> , 2002 , 360, 1989	4.0	1
21	A randomized phase II study of concurrent cisplatin-radiotherapy (RT) with or without neoadjuvant chemotherapy using docetaxel and cisplatin in advanced nasopharyngeal carcinoma (NPC). <i>Journal of Clinical Oncology</i> , 2005 , 23, 5544-5544	2.2	1
20	Monitoring Disease Transmissibility of 2019 Novel Coronavirus Disease in Zhejiang, China		1
19	Differences in the case fatality risks associated with SARS-CoV-2 Delta and non-Delta variants in relation to vaccine coverage: An early ecological study in the United Kingdom. <i>Infection, Genetics and Evolution</i> , 2021 , 97, 105162	4.5	1
18	Clustering of Socioeconomic Data in Hong Kong for Planning Better Community Health Protection. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
17	Application of wavelet-based neural network on DNA microarray data. <i>Bioinformatics</i> , 2008 , 3, 223-9	1.1	1
16	Clinical study of diabetic peripheral neuropathy screening by retinal vascular geometric parameters. <i>Scientific Reports</i> , 2021 , 11, 6784	4.9	1

15	Genetic mismatch explains sizable variation of COVID-19 vaccine efficacy in clinical trials		1
14	Long-term effectiveness of elderly health care voucher scheme strategies: a system dynamics simulation analysis. <i>BMC Public Health</i> , 2021 , 21, 1235	4.1	1
13	The Discriminative Efficacy of Retinal Characteristics on Two Traditional Chinese Syndromes in Association with Ischemic Stroke. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020 , 2020, 6051831	2.3	1
12	Frequency of hepatitis B virus reactivation in cancer patients undergoing cytotoxic chemotherapy: A prospective study of 626 patients with identification of risk factors 2000 , 62, 299		1
11	Quantifying the effect of government interventions and virus mutations on transmission advantage during COVID-19 pandemic.. <i>Journal of Infection and Public Health</i> , 2022 , 15, 338-342	7.4	0
10	Real-time quantification of the transmission advantage associated with a single mutation in pathogen genomes: a case study on the D614G substitution of SARS-CoV-2. <i>BMC Infectious Diseases</i> , 2021 , 21, 1039	4	0
9	A proof-of-concept study to evaluate the efficacy and safety of BT1320 on post-prandial hyperglycaemia in Chinese subjects with pre-diabetes. <i>BMC Endocrine Disorders</i> , 2018 , 18, 59	3.3	0
8	Estimation of stroke severity with National Institutes of Health Stroke Scale grading and retinal features: A cross-sectional study. <i>Medicine (United States)</i> , 2021 , 100, e26846	1.8	0
7	Risk Assessment of CHD Using Retinal Images with Machine Learning Approaches for People with Cardiometabolic Disorders. <i>Journal of Clinical Medicine</i> , 2022 , 11, 2687	5.1	0
6	Spatiotemporal relationship between temperature and non-accidental mortality: Assessing effect modification by socioeconomic status.. <i>Science of the Total Environment</i> , 2022 , 155497	10.2	0
5	Methodology for quality-of-life assessment: a critical appraisal. <i>Thoracic Surgery Clinics</i> , 2004 , 14, 305-153.1		
4	Radiotherapy in soft-tissue sarcoma. <i>Lancet, The</i> , 2002 , 360, 1988; author reply 1989	4.0	
3	Immunohistochemical reaction to human milk fat globule antibodies and breast cancer differentiation. <i>Breast Cancer Research and Treatment</i> , 1992 , 23, 71-6	4.4	
2	Epidemiological study of hypertensive retinopathy in the primary care setting: Retrospective cross-sectional review of retinal photographs. <i>Family Medicine and Community Health</i> , 2016 , 4, 13-21	4.7	
1	Response to: Comment on "Pain Perception of the First Eye versus the Second Eye during Phacoemulsification under Local Anesthesia for Patients Going through Cataract Surgery: A Systematic Review and Meta-Analysis". <i>Journal of Ophthalmology</i> , 2021 , 2021, 6834852	2	