
Silvia Daniele Rodrigues

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5860368/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effect of cranberry supplementation on toxins produced by the gut microbiota in chronic kidney disease patients: A pilot randomized placebo-controlled trial. Clinical Nutrition ESPEN, 2022, 47, 63-69.	1.2	8
2	Blocking PI3K p110β Attenuates Development of PTEN-Deficient Castration-Resistant Prostate Cancer. Molecular Cancer Research, 2022, 20, 673-685.	3.4	6
3	High-volume hemodiafiltration decreases the pre-dialysis concentrations of indoxyl sulfate and p-cresyl sulfate compared to hemodialysis: a post-hoc analysis from the HDFit randomized controlled trial. Journal of Nephrology, 2022, 35, 1449-1456.	2.0	7
4	Effect of Unripe Banana Flour on Gut-Derived Uremic Toxins in Individuals Undergoing Peritoneal Dialysis: A Randomized, Double-Blind, Placebo-Controlled, Crossover Trial. Nutrients, 2021, 13, 646.	4.1	13
5	Uremia and Inadequate Oxygen Supply Induce Eryptosis and Intracellular Hypoxia in Red Blood Cells. Cellular Physiology and Biochemistry, 2021, 55, 449-459.	1.6	7
6	Can curcumin supplementation reduce plasma levels of gut-derived uremic toxins in hemodialysis patients? A pilot randomized, double-blind, controlled study. International Urology and Nephrology, 2021, 53, 1231-1238.	1.4	26
7	Uremic toxins promote accumulation of oxidized protein and increased sensitivity to hydrogen peroxide in endothelial cells by impairing the autophagic flux. Biochemical and Biophysical Research Communications, 2020, 523, 123-129.	2.1	19
8	Influence of bowel habits on gut-derived toxins in peritoneal dialysis patients. Journal of Nephrology, 2020, 33, 1049-1057.	2.0	15
9	P1070ONLINE HIGH-VOLUME HEMODIAFILTRATION REDUCES PRE-DIALYSIS LEVELS OF INDOXYL SULFATE COMPARED TO HIGH-FLUX HEMODIALYSIS: RESULTS FROM HDFIT MULTICENTRIC RANDOMIZED CONTROLLED TRIAL. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
10	Time does matter! Acute copper exposure abolishes rhythmicity of clock gene in Danio rerio. Ecotoxicology and Environmental Safety, 2018, 155, 26-36.	6.0	17
11	Low-level arsenic causes proteotoxic stress and not oxidative stress. Toxicology and Applied Pharmacology, 2018, 341, 106-113.	2.8	49
12	Indoxyl Sulfate, a Uremic Toxin, Stimulates Reactive Oxygen Species Production and Erythrocyte Cell Death Supposedly by an Organic Anion Transporter 2 (OAT2) and NADPH Oxidase Activity-Dependent Pathways. Toxins, 2018, 10, 280.	3.4	45
13	N-acetylcysteine as a potential strategy to attenuate the oxidative stress induced by uremic serum in the vascular system. Life Sciences, 2015, 121, 110-116.	4.3	17
14	Plasma Cysteine/Cystine Reduction Potential Correlates with Plasma Creatinine Levels in Chronic Kidney Disease. Blood Purification, 2012, 34, 231-237.	1.8	55