

# Hua Lin

## List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/5861409/publications.pdf](https://exaly.com/author-pdf/5861409/publications.pdf)

Version: 2024-02-01

136  
papers

4,645  
citations

98825

36  
h-index

119536

62  
g-index

140  
all docs

140  
docs citations

140  
times ranked

6337  
citing authors

#	ARTICLE	IF	CITATIONS
1	Breaking Through the Trade-off Between Wide Band Gap and Large SHG Coefficient in Mercury-based Chalcogenides for IR Nonlinear Optical Application. <i>Small</i> , 2024, 20, .	11.2	15
2	Ga-based IR nonlinear optical materials: Synthesis, structures, and properties. <i>Coordination Chemistry Reviews</i> , 2024, 502, 215617.	19.6	14
3	Partial substitution with a significant effect: coexistence of a wide band gap and large birefringence in the oxychalcogenide $\text{AEGe}_2\text{O}_4\text{Se}$ (AE = Sr and Ba). <i>Inorganic Chemistry Frontiers</i> , 2024, 11, 1890-1898.	6.0	1
4	$\text{Ba}_{10}\text{In}_2\text{Mn}_{11}\text{Si}_3\text{O}_{12}\text{S}_{18}$ : First Hexanary Oxychalcogenide Containing an Infrequent Three-Dimensional Noncentrosymmetric Framework. <i>Inorganic Chemistry</i> , 2024, 63, 4022-4027.	4.2	0
5	Rare-earth-based chalcogenides and their derivatives: an encouraging IR nonlinear optical material candidate. <i>Chemical Science</i> , 2024, 15, 5869-5896.	7.8	3
6	The first Hg-based oxychalcogenide $\text{Sr}_2\text{HgGe}_2\text{OS}_6$ : Achieving balanced IR nonlinear optical properties through synergistic cation and anion substitution. <i>Materials Today Physics</i> , 2024, 44, 101442.	6.3	3
7	Dopamine-modified cobalt spinel nanoparticles as an active catalyst for the acidic oxygen evolution reaction. <i>Dalton Transactions</i> , 2024, 53, 9011-9020.	3.4	0
8	$\text{RbPbPS}_4$ : a promising IR nonlinear optical material achieved by lone-pair-cation-substitution-induced structure transformation. <i>Inorganic Chemistry Frontiers</i> , 2024, 11, 3744-3754.	6.0	1
9	$\frac{1}{2} \sqrt{3} a$ cross section from $\frac{1}{2} \sqrt{3} a$ . <i>Physical Review D</i> , 2024, 109, .	4.8	0
10	Recent advances and future perspectives on rare-earth-based nonlinear optical materials with $\pi$ -conjugated $[\text{XO}_3]$ (X = Al, C, N) units. <i>Coordination Chemistry Reviews</i> , 2024, 517, 216053.	19.6	0
11	$[\text{Cs}_{14}\text{Cl}][\text{Tm}_{71}\text{Se}_{110}]$ : An unusual salt-inclusion chalcogenide containing different valent Tm centers and ultralow thermal conductivity. <i>Chinese Journal of Structural Chemistry</i> , 2024, , 100397.	1.0	0
12	Realizing Excellent Infrared Nonlinear Optical Performance in Eu-Based Chalcogenides via Rational Cross Substitution Strategy. <i>ACS Applied Materials &amp; Interfaces</i> , 2024, 16, 52682-52691.	8.3	0
13	Hope for Latino immigrant youth: A longitudinal test of Snyder's Children's Hope Scale. <i>Family Relations</i> , 2023, 72, 697-718.	2.0	4
14	Simple yet extraordinary: Super-polyhedra-built 3D chalcogenide framework of $\text{Cs}_5\text{Ga}_9\text{S}_{16}$ with excellent infrared nonlinear optical performance. <i>Chinese Chemical Letters</i> , 2023, 34, 107838.	9.1	14
15	$\text{Ba}_5\text{Ga}_2\text{SiO}_4\text{S}_6$ : a Phase-Matching Nonlinear Optical Oxychalcogenide Design via Structural Regulation Originated from Heteroanion Introduction. <i>Inorganic Chemistry</i> , 2023, 62, 464-473.	4.2	15
16	Recent progress in the design of IR nonlinear optical materials by partial chemical substitution: Structural evolution and performance optimization. <i>Coordination Chemistry Reviews</i> , 2023, 481, 215059.	19.6	60
17	Rational Design of a Rare-earth Oxychalcogenide $\text{Nd}_3[\text{Ga}_3\text{O}_3\text{S}_3][\text{Ge}_2\text{O}_7]$ with Superior Infrared Nonlinear Optical Performance. <i>Small</i> , 2023, 19, .	11.2	36
18	Melilite oxychalcogenide $\text{Sr}_2\text{FeGe}_2\text{OS}_6$ : a phase-matching IR nonlinear optical material realized by isomorphous substitution. <i>Inorganic Chemistry Frontiers</i> , 2023, 10, 2030-2038.	6.0	18

#	ARTICLE	IF	CITATIONS
19	A unique [Sb <sub>6</sub> O <sub>2</sub> S <sub>13</sub> ] <sup>12+</sup> finite chain in oxychalcogenide Ba <sub>6</sub> Sb <sub>6</sub> O <sub>2</sub> S <sub>13</sub> leading to ultra-low thermal conductivity and giant birefringence. <i>Inorganic Chemistry Frontiers</i> , 2023, 10, 4425-4434.	6.0	3
20	Stereochemically active lone-pair-driven giant enhancement of birefringence from three-dimensional CsZn <sub>4</sub> Ga <sub>5</sub> Se <sub>12</sub> to two-dimensional CsZnAsSe <sub>3</sub> . <i>Inorganic Chemistry Frontiers</i> , 2023, 10, 3367-3374.	6.0	9
21	An overview of Mg-based IR nonlinear optical materials. <i>Inorganic Chemistry Frontiers</i> , 2023, 10, 5244-5257.	6.0	6
22	Heteroanion-introduction-driven birefringence enhancement in oxychalcogenide Ba <sub>3</sub> M <sup>II</sup> Ge <sub>3</sub> O <sub>2</sub> S <sub>8</sub> (M <sup>II</sup> = Mn, Tj ETQ 000 0 rgB6 /Overlock	6.0	6
23	A novel bifunctional thioarsenate based on unprecedented molecular [Cd <sub>4</sub> As <sub>8</sub> Se <sub>16</sub> (Se <sub>2</sub> ) <sub>2</sub> ] <sup>8+</sup> cluster anions. <i>Chemical Communications</i> , 2023, 59, 12124-12127.	4.2	3
24	CsCu <sub>3</sub> SbS <sub>4</sub> : rational design of a two-dimensional layered material with giant birefringence derived from Cu <sub>3</sub> SbS <sub>4</sub> . <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 478-484.	6.0	22
25	Cs <sub>3</sub> CuAs <sub>4</sub> Q <sub>8</sub> (Q = S, Se): unique two-dimensional layered inorganic thioarsenates with the lowest Cu-to-As ratio and remarkable photocurrent responses. <i>Dalton Transactions</i> , 2022, 51, 904-909.	3.4	10
26	Quaternary Noncentrosymmetric Rare-Earth Sulfides Ba <sub>4</sub> RE <sub>2</sub> Cd <sub>3</sub> S <sub>10</sub> (RE = Sm, Gd, or Tb): A Joint Experimental and Theoretical Investigation. <i>Inorganic Chemistry</i> , 2022, 61, 1797-1804.	4.2	9
27	Advancing the understanding of the resident pro-tourism behavior scale: An integration of item response theory and classical test theory. <i>Journal of Business Research</i> , 2022, 141, 113-125.	10.6	10
28	From <i>Cc</i> to <i>P</i> <sub>63</sub> <i>mc</i> : Structural Variation in La <sub>3</sub> S <sub>2</sub> Cl <sub>2</sub> [SbS <sub>3</sub> ] and La <sub>3</sub> OSCl <sub>2</sub> [SbS <sub>3</sub> ] Induced by the Isovalent Anion Substitution. <i>Crystal Growth and Design</i> , 2022, 22, 1437-1444.	3.2	10
29	LDH-derived phosphide/N-doped graphene oxide hierarchical electrocatalyst for enhanced oxygen evolution reaction. <i>CrystEngComm</i> , 2022, 24, 1189-1194.	2.4	8
30	Phase Matchability Transformation in the Infrared Nonlinear Optical Materials with Diamond-Like Frameworks. <i>Advanced Optical Materials</i> , 2022, 10, .	7.9	35
31	Enhanced Second-Harmonic-Generation Efficiency and Birefringence in Melillite Oxychalcogenides Sr <sub>2</sub> MGe <sub>2</sub> OS <sub>6</sub> (M = Mn, Zn, and Cd). <i>Chemistry of Materials</i> , 2022, 34, 3853-3861.	7.1	60
32	RbBiP <sub>2</sub> S <sub>6</sub> : A Promising IR Nonlinear Optical Material with a Giant Second-Harmonic Generation Response Designed by Aliovalent Substitution. , 2022, 4, 1264-1269.		49
33	A comprehensive review on metal chalcogenides with three-dimensional frameworks for infrared nonlinear optical applications. <i>Coordination Chemistry Reviews</i> , 2022, 470, 214706.	19.6	56
34	Interesting dimensional transition through changing cations as the trigger in multinary thioarsenates displaying variable photocurrent response and optical anisotropy. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 5820-5827.	6.0	6
35	Phase matching achieved by isomorphous substitution in IR nonlinear optical material Ba <sub>2</sub> SnSi <sub>2</sub> O <sub>7</sub> with an undiscovered [SnO <sub>4</sub> S] functional motif. <i>Materials Chemistry Frontiers</i> , 2022, 6, 3054-3061.	5.9	29
36	Rational design <i>via</i> dual-site aliovalent substitution leads to an outstanding IR nonlinear optical material with well-balanced comprehensive properties. <i>Chemical Science</i> , 2022, 13, 10725-10733.	7.8	41

#	ARTICLE	IF	CITATIONS
37	Oxychalcogenides as Promising Ultraviolet Nonlinear Optical Candidates: Experimental and Theoretical Studies of $\text{AEGeOS}_2$ (AE = Sr and Ba). <i>Inorganic Chemistry</i> , 2022, 61, 15711-15720.	4.2	14
38	Ultralow thermal conductivity in the quaternary semiconducting chalcogenide $\text{Cs}_4[\text{Ho}_{26}\text{Cd}_7\text{Se}_{48}]$ with an unprecedented closed cavity architecture. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 1049-1055.	6.0	5
39	$\text{Ba}_2\text{Ge}_2\text{Te}_5$ : a ternary NLO-active telluride with unusual one-dimensional helical chains and giant second harmonic-generation tensors. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 4838-4845.	6.0	26
40	$\text{A}_3\text{Mn}_2\text{Sb}_3\text{S}_8$ (A = K and Rb): a new type of multifunctional infrared nonlinear optical material based on unique three-dimensional open frameworks. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 2835-2843.	6.0	38
41	Quaternary Chalcogenides $\text{CdSnSX}_2$ (X = Cl or Br) with Neutral Layers: Syntheses, Structures, and Photocatalytic Properties. <i>Inorganic Chemistry</i> , 2021, 60, 3431-3438.	4.2	12
42	Structural Modulation from $\text{Cu}_3\text{PS}_4$ to $\text{Cu}_5\text{Zn}_{0.5}\text{P}_2\text{S}_8$ : Single-Site Aliovalent-Substitution-Driven Second-Harmonic-Generation Enhancement. <i>Inorganic Chemistry</i> , 2021, 60, 4357-4361.	4.2	14
43	Inorganic Chalcogenides: From Zero-Dimensional Clusters to Three-Dimensional Frameworks. , 2021, , 465-530.		3
44	Significance of TERT Genetic Alterations and Telomere Length in Hepatocellular Carcinoma. <i>Cancers</i> , 2021, 13, 2160.	3.8	17
45	MO787 USE OF THE PREVENTIVE HAEMOSTASIS IN SURGICAL COMPLICATIONS OF VASCULAR ACCESS. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.8	0
46	$\text{Rb}_2\text{CuSb}_7\text{S}_{12}$ : Quaternary Antimony-Rich Semiconductor Featuring a Three-Dimensional Open Framework and Exhibiting an Intriguing Photocurrent Response. <i>Inorganic Chemistry</i> , 2021, 60, 9263-9267.	4.2	25
47	$\text{AZn}_4\text{Ga}_5\text{Se}_{12}$ (A = K, Rb, or Cs): Infrared Nonlinear Optical Materials with Simultaneous Large Second Harmonic Generation Responses and High Laser-Induced Damage Thresholds. <i>Inorganic Chemistry</i> , 2021, 60, 10038-10046.	4.2	23
48	The Rise of Infrared Nonlinear Optical Pnictides: Advances and Outlooks. <i>Chemistry - an Asian Journal</i> , 2021, 16, 3299-3310.	3.5	23
49	Transition-metal-based chalcogenides: A rich source of infrared nonlinear optical materials. <i>Coordination Chemistry Reviews</i> , 2021, 448, 214154.	19.6	112
50	$\text{M}_2\text{As}_2\text{Q}_5$ (M = Ba, Pb; Q = S, Se): a source of infrared nonlinear optical materials with excellent overall performance activated by multiple discrete arsenate anions. <i>Journal of Materials Chemistry C</i> , 2021, 9, 1156-1163.	5.6	49
51	Recent progress in oxychalcogenides as IR nonlinear optical materials. <i>Dalton Transactions</i> , 2021, 50, 4112-4118.	3.4	54
52	Aliovalent-cation-substitution-induced structure transformation: a new path toward high-performance IR nonlinear optical materials. <i>Journal of Materials Chemistry C</i> , 2021, 9, 15407-15414.	5.6	32
53	Rational design of infrared nonlinear optical chalcogenides by chemical substitution. <i>Coordination Chemistry Reviews</i> , 2020, 406, 213150.	19.6	206
54	Immune Escape in Glioblastoma Multiforme and the Adaptation of Immunotherapies for Treatment. <i>Frontiers in Immunology</i> , 2020, 11, 582106.	4.9	61

#	ARTICLE	IF	CITATIONS
55	A new type of novel salt-inclusion chalcogenide with ultralow thermal conductivity. <i>Chemical Communications</i> , 2020, 56, 15149-15152.	4.2	10
56	Dual-centered ANCOVA: Resolving contradictory results from Lord's paradox with implications for reducing bias in longitudinal analyses. <i>Journal of Adolescence</i> , 2020, 85, 135-147.	2.6	0
57	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.8	13
58	Salt-Inclusion Chalcogenide $[\text{Ba}_4\text{Cl}_2][\text{ZnGa}_4\text{S}_{10}]$ : Rational Design of an IR Nonlinear Optical Material with Superior Comprehensive Performance Derived from $\text{AgGaS}_2$ . <i>Chemistry of Materials</i> , 2020, 32, 8012-8019.	7.1	94
59	Salt-inclusion chalcogenides: an emerging class of IR nonlinear optical materials. <i>Dalton Transactions</i> , 2020, 49, 14338-14343.	3.4	45
60	Partial Isovalent Anion Substitution to Access Remarkable Second-Harmonic Generation Response: A Generic and Effective Strategy for Design of Infrared Nonlinear Optical Materials. <i>Chemistry of Materials</i> , 2020, 32, 5890-5896.	7.1	90
61	Two new members in the quaternary $\text{CsAgAsS}$ family with different arrangements of $\text{AgS}$ and $\text{AsS}$ asymmetric building units: syntheses, structures, and theoretical studies. <i>Dalton Transactions</i> , 2020, 49, 9743-9750.	3.4	12
62	One-Dimensional Chains in Pentanary Chalcogenides $\text{A}_2\text{Ba}_3\text{Cu}_2\text{Sb}_2\text{S}_{10}$ (A = K, Rb, Cs) Displaying a Photocurrent Response. <i>Inorganic Chemistry</i> , 2020, 59, 1577-1581.	4.2	38
63	Applying a Momentary Parenting Goal-Regulation Model to Discipline Episodes with Toddlers. <i>Journal of Child and Family Studies</i> , 2020, 29, 1055-1069.	1.4	3
64	Non-centrosymmetric sulfides $\text{A}_2\text{Ba}_6\text{MnSn}_4\text{S}_{16}$ (A =) $\text{Tj ETQq0 0 0 rgBT/Overlock}$	3.4	16
65	$\text{HgCuPS}_4$ : An Exceptional Infrared Nonlinear Optical Material with Defect Diamond-like Structure. <i>Chemistry of Materials</i> , 2020, 32, 4331-4339.	7.1	110
66	Adolescent social withdrawal, parental psychological control, and parental knowledge across seven years: A developmental cascade model. <i>Journal of Adolescence</i> , 2020, 81, 124-134.	2.6	12
67	$\text{Sn}_2\text{Ga}_2\text{S}_5$ : A Polar Semiconductor with Exceptional Infrared Nonlinear Optical Properties Originating from the Combined Effect of Mixed Asymmetric Building Motifs. <i>Chemistry of Materials</i> , 2019, 31, 6268-6275.	7.1	65
68	New Software for Gluten-Free Diet Evaluation and Nutritional Education. <i>Nutrients</i> , 2019, 11, 2505.	4.2	11
69	A Comprehensive Survey of Recent Routing Protocols for Underwater Acoustic Sensor Networks. <i>Sensors</i> , 2019, 19, 4256.	4.0	37
70	Metal-Organic Frameworks Based on a Bent Triazole Dicarboxylic Acid: Magnetic Behaviors and Selective Luminescence Sensing Properties. <i>Crystal Growth and Design</i> , 2019, 19, 1057-1063.	3.2	21
71	Cobalt single-atoms anchored on porphyrinic triazine-based frameworks as bifunctional electrocatalysts for oxygen reduction and hydrogen evolution reactions. <i>Journal of Materials Chemistry A</i> , 2019, 7, 1252-1259.	10.5	161
72	A Niobium Oxyiodate Sulfate with a Strong Second-Harmonic Generation Response Built by Rational Multi-Component Design. <i>Angewandte Chemie</i> , 2019, 131, 3864-3868.	2.1	21

#	ARTICLE	IF	CITATIONS
73	A Niobium Oxyiodate Sulfate with a Strong Second-Harmonic-Generation Response Built by Rational Multi-Component Design. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 3824-3828.	14.8	84
74	An unprecedented pentanary chalcogenide with Mn atoms in two chemical environments: unique bonding characteristics and magnetic properties. <i>Chemical Communications</i> , 2019, 55, 79-82.	4.2	27
75	Mixed-Anion Inorganic Compounds: A Favorable Candidate for Infrared Nonlinear Optical Materials. <i>Crystal Growth and Design</i> , 2019, 19, 4172-4192.	3.2	110
76	Quaternary semiconductor $\text{Ba}_8\text{Zn}_4\text{Ga}_2\text{S}_{15}$ featuring unique one-dimensional chains and exhibiting desirable yellow emission. <i>Chemical Communications</i> , 2019, 55, 7942-7945.	4.2	19
77	$[(\text{Ba}_{19}\text{Cl}_4)(\text{Ga}_6\text{Si}_{12}\text{O}_{42}\text{S}_8)]$ : a Two-Dimensional Wide-Band-Gap Layered Oxysulfide with Mixed-Anion Chemical Bonding and Photocurrent Response. <i>Inorganic Chemistry</i> , 2019, 58, 6588-6592.	4.2	14
78	Impressive second harmonic generation response in a novel phase-matchable NLO-active MOF derived from achiral precursors. <i>Journal of Materials Chemistry C</i> , 2019, 7, 6217-6221.	5.6	28
79	Centric-to-acentric structure transformation induced by a stereochemically active lone pair: a new insight for design of IR nonlinear optical materials. <i>Journal of Materials Chemistry C</i> , 2019, 7, 4638-4643.	5.6	71
80	Combined experimental and theoretical investigations of $\text{Ba}_3\text{GaS}_4$ : interesting structural transformation originated from halogen substitution. <i>Dalton Transactions</i> , 2019, 48, 17588-17593.	3.4	13
81	Solid-State Preparation, Structural Characterization, Physical Properties, and Theoretical Studies of a Series of Novel Rare-Earth Metal Chalcogenides with Unprecedented Closed-Cavities. <i>Crystal Growth and Design</i> , 2019, 19, 444-452.	3.2	15
82	Unraveling the Reactivity and Selectivity of Atomically Isolated Metal-Nitrogen Sites Anchored on Porphyrinic Triazine Frameworks for Electroreduction of $\text{CO}_2$ . <i>CCS Chemistry</i> , 2019, 1, 384-395.	8.6	130
83	$\text{Sr}_5\text{ZnGa}_6\text{S}_{15}$ : a new quaternary non-centrosymmetric semiconductor with a 3D framework structure displaying excellent nonlinear optical performance. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 1458-1462.	6.0	51
84	Team dynamics within quality improvement teams: a scoping review. <i>International Journal for Quality in Health Care</i> , 2018, 30, 416-422.	2.0	18
85	Quaternary Layered Semiconductor $\text{Ba}_2\text{Cr}_4\text{GeSe}_{10}$ : Synthesis, Crystal Structure, and Thermoelectric Properties. <i>Inorganic Chemistry</i> , 2018, 57, 916-920.	4.2	6
86	Rhenium-modified porous covalent triazine framework for highly efficient photocatalytic carbon dioxide reduction in a solid-gas system. <i>Catalysis Science and Technology</i> , 2018, 8, 2224-2230.	4.2	110
87	Experimental and theoretical studies on the NLO properties of two quaternary non-centrosymmetric chalcogenides: $\text{BaAg}_2\text{GeS}_4$ and $\text{BaAg}_2\text{SnS}_4$ . <i>Dalton Transactions</i> , 2018, 47, 429-437.	3.4	60
88	Ternary Mixed-Metal $\text{Cd}_4\text{GeS}_6$ : Remarkable Nonlinear-Optical Properties Based on a Tetrahedral-Stacking Framework. <i>Inorganic Chemistry</i> , 2018, 57, 8730-8734.	4.2	30
89	Modifying Disordered Sites with Rational Cations to Regulate Band-Gaps and Second Harmonic Generation Responses Markedly: $\text{Ba}_6\text{Li}_2\text{ZnSn}_4\text{S}_{16}$ vs $\text{Ba}_6\text{Ag}_2\text{ZnSn}_4\text{S}_{16}$ vs $\text{Ba}_6\text{Li}_2\text{Sn}_4\text{S}_{16}$ . <i>Crystal Growth and Design</i> , 2018, 18, 5609-5616.	3.2	24
90	Evidence for Itinerant Carriers in an Anisotropic Narrow-Gap Semiconductor by Angle-Resolved Photoemission Spectroscopy. <i>Advanced Materials</i> , 2018, 30, 1704733.	24.3	9



#	ARTICLE	IF	CITATIONS
91	Centrosymmetric to noncentrosymmetric structural transformation of new quaternary selenides induced by isolated dimeric [Sn <sub>2</sub> Se <sub>4</sub> ] units: from Ba <sub>8</sub> Ga <sub>2</sub> Sn <sub>7</sub> Se <sub>18</sub> to Ba <sub>10</sub> Ga <sub>2</sub> Sn <sub>9</sub> Se <sub>22</sub> . RSC Advances, 2017, 7, 8082-8089.	3.7	9
92	Ba <sub>5</sub> Cu <sub>8</sub> In <sub>2</sub> S <sub>12</sub> : a quaternary semiconductor with a unique 3D copper-rich framework and ultralow thermal conductivity. Chemical Communications, 2017, 53, 2590-2593.	4.2	42
93	Tailored synthesis of nonlinear optical quaternary chalcogenides: Ba <sub>4</sub> Ge <sub>3</sub> S <sub>9</sub> Cl <sub>2</sub> , Ba <sub>4</sub> Si <sub>3</sub> Se <sub>9</sub> Cl <sub>2</sub> and Ba <sub>4</sub> Ge <sub>3</sub> Se <sub>9</sub> Cl <sub>2</sub> . Dalton Transactions, 2017, 46, 2715-2721.	3.4	44
94	Two excellent phase-matchable infrared nonlinear optical materials based on 3D diamond-like frameworks: RbGaSn <sub>2</sub> Se <sub>6</sub> and RbInSn <sub>2</sub> Se <sub>6</sub> . Dalton Transactions, 2017, 46, 7714-7721.	3.4	33
95	Noncentrosymmetric Selenides AZn <sub>4</sub> In <sub>5</sub> Se <sub>12</sub> (A=Rb, Cs): Synthesis, Characterization and Nonlinear Optical Properties. Chemistry - an Asian Journal, 2017, 12, 453-458.	3.5	41
96	Syntheses, structures, and properties of sulfides constructed by Sb <sub>4</sub> teeter-totter polyhedra: Ba <sub>3</sub> La <sub>4</sub> Ga <sub>2</sub> Sb <sub>2</sub> S <sub>15</sub> and BaLa <sub>3</sub> GaSb <sub>2</sub> S <sub>10</sub> . Inorganic Chemistry Frontiers, 2017, 4, 123-130.	6.0	11
97	Syntheses, structures, and thermoelectric properties of ternary tellurides: RECuTe <sub>2</sub> (RE = Tj ETQq1 1 0.784314 10 BT / Over 6.0 2F)	6.0	11
98	Coexistence of Strong Second Harmonic Generation Response and Wide Band Gap in AZn <sub>4</sub> Ga <sub>5</sub> S <sub>12</sub> (A=K, Rb, Cs) with 3D Diamond-like Frameworks. Chemistry - A European Journal, 2017, 23, 10407-10412.	3.9	53
99	Infrared SHG Materials CsM <sub>3</sub> Se <sub>6</sub> (M = Ga/Sn, In/Sn): Phase Matchability Controlled by Dipole Moment of the Asymmetric Building Unit. Chemistry of Materials, 2017, 29, 499-503.	7.1	92
100	Enhanced thermoelectric performance in ternary spinel Cu <sub>4</sub> Mn <sub>2</sub> Te <sub>4</sub> : the synergistic effect of tellurium deficiency and chlorine doping. Dalton Transactions, 2017, 46, 14752-14756.	3.4	11
101	Two new phases in the ternary REGa <sub>4</sub> S systems with the unique interlinkage of Ga <sub>4</sub> building units: synthesis, structure, and properties. Dalton Transactions, 2017, 46, 13731-13738.	3.4	12
102	Ba <sub>6</sub> Li <sub>2</sub> CdSn <sub>4</sub> S <sub>16</sub> : lithium substitution simultaneously enhances band gap and SHG intensity. Journal of Materials Chemistry C, 2017, 5, 7067-7074.	5.6	39
103	Syntheses and characterization of three new sulfides with large band gaps: acentric Ba <sub>4</sub> Ga <sub>4</sub> SnS <sub>12</sub> , centric Ba <sub>12</sub> Sn <sub>4</sub> S <sub>23</sub> and Ba <sub>7</sub> Sn <sub>3</sub> S <sub>13</sub> . Dalton Transactions, 2017, 46, 14771-14778.	3.4	24
104	Syntheses, structures, physical and electronic properties of quaternary semiconductors: Cs[RE <sub>9</sub> Cd <sub>4</sub> Se <sub>18</sub> ] (RE = Tb-Tm). Dalton Transactions, 2016, 45, 5775-5782.	3.4	13
105	Strong Infrared NLO Tellurides with Multifunction: CsX <sup>II</sup> <sub>4</sub> In <sub>5</sub> Te <sub>12</sub> (X <sup>II</sup> = Mn, Zn, Cd). Inorganic Chemistry, 2016, 55, 4470-4475.	4.2	47
106	AXII4XIII5Te <sub>12</sub> (A = Rb, Cs; X <sup>II</sup> = Mn, Zn, Cd; X <sup>III</sup> = Ga, In): quaternary semiconducting tellurides with very low thermal conductivities. Dalton Transactions, 2016, 45, 17606-17609.	3.4	22
107	Concerted Rattling in CsAg <sub>5</sub> Te <sub>3</sub> Leading to Ultralow Thermal Conductivity and High Thermoelectric Performance. Angewandte Chemie - International Edition, 2016, 55, 11431-11436.	14.8	157
108	Pb <sub>5</sub> Ga <sub>6</sub> ZnS <sub>15</sub> : a noncentrosymmetric framework with chains of T2-supertetrahedra. Dalton Transactions, 2016, 45, 12288-12291.	3.4	33

#	ARTICLE	IF	CITATIONS
109	The effect of indium substitution on the structure and NLO properties of Ba <sub>6</sub> Cs <sub>2</sub> Ga <sub>10</sub> Se <sub>20</sub> Cl <sub>4</sub> . Inorganic Chemistry Frontiers, 2016, 3, 952-958.	6.0	37
110	CsBi <sub>4</sub> Te <sub>6</sub> : a new facile synthetic method and mid-temperature thermoelectric performance. Dalton Transactions, 2016, 45, 11931-11934.	3.4	8
111	(Cs <sub>6</sub> Cl) <sub>6</sub> Cs <sub>3</sub> [Ga <sub>53</sub> Se <sub>96</sub> ]: A Unique Long Period-Stacking Structure of Layers Made from Ga <sub>2</sub> Se <sub>6</sub> Dimers via Cis or Trans Intralayer Linking. Inorganic Chemistry, 2016, 55, 1014-1016.	4.2	12
112	Distress and Perceived Impact on Well-Being for Low- or Intermediate-Risk and High-Risk Patients with Chronic Lymphocytic Leukemia (CLL). Blood, 2016, 128, 5970-5970.	1.4	2
113	Supercubooctahedron (Cs <sub>6</sub> Cl) <sub>2</sub> Cs <sub>5</sub> [Ga <sub>15</sub> Ge <sub>9</sub> Se <sub>48</sub> ] Exhibiting Both Cation and Anion Exchange. Chemistry - A European Journal, 2015, 21, 9809-9815.	3.9	13
114	Variabilit� des pratiques de traumatologie rachidienne parmi les chirurgien fran�sais en 2013. Revue De Chirurgie Orthopedique Et Traumatologique, 2015, 101, 5-10.	0.0	0
115	Superionic Adjustment Leading to Weakly Temperature-Dependent $\alpha$ Values in Bulk Thermoelectrics. Inorganic Chemistry, 2015, 54, 867-871.	4.2	18
116	Strongest Second Harmonic Generation in the Polar R <sub>3</sub> MTQ <sub>7</sub> Family: Atomic Distribution Induced Nonlinear Optical Cooperation. Chemistry of Materials, 2015, 27, 1876-1884.	7.1	74
117	Quaternary rare-earth selenides with closed cavities: Cs[RE <sub>9</sub> Mn <sub>4</sub> Se <sub>18</sub> ] (RE = Ho�Lu). Inorganic Chemistry Frontiers, 2015, 2, 298-305.	6.0	25
118	Syntheses, Characterization, and Optical Properties of Centrosymmetric Ba <sub>3</sub> (BS <sub>3</sub> ) <sub>1.5</sub> (MS <sub>3</sub> ) <sub>0.5</sub> and Noncentrosymmetric Ba <sub>3</sub> (BQ <sub>3</sub> )(SbQ <sub>3</sub> ). Inorganic Chemistry, 2015, 54, 4761-4767.	4.2	35
119	Strong IR NLO Material Ba <sub>4</sub> MGa <sub>4</sub> Se <sub>10</sub> Cl <sub>2</sub> : Highly Improved Laser Damage Threshold via Dual Ion Substitution Synergy. Advanced Optical Materials, 2015, 3, 957-966.	7.9	79
120	Chemical Modification and Energetically Favorable Atomic Disorder of a Layered Thermoelectric Material TmCuTe <sub>2</sub> Leading to High Performance. Chemistry - A European Journal, 2014, 20, 15401-15408.	3.9	36
121	Electron-Deficient Telluride Cs <sub>3</sub> Cu <sub>20</sub> Te <sub>13</sub> with Sodalite-Type Network: Syntheses, Structures, and Physical Properties. Inorganic Chemistry, 2014, 53, 5575-5580.	4.2	20
122	Quaternary Supertetrahedra-Layered Telluride CsMnInTe <sub>3</sub> : Why Does This Type of Chalcogenide Tilt?. Inorganic Chemistry, 2013, 52, 10726-10728.	4.2	31
123	Functionalization Based on the Substitutional Flexibility: Strong Middle IR Nonlinear Optical Selenides AX <sup>II</sup> <sub>4</sub> X <sup>III</sup> <sub>5</sub> Se <sub>12</sub> . Journal of the American Chemical Society, 2013, 135, 12914-12921.	14.6	189
124	�Pariah States�and Sanctions: The Case of Syria. Middle East Policy, 2013, 20, 27-40.	0.8	5
125	Disconnection Enhances the Second Harmonic Generation Response: Synthesis and Characterization of Ba <sub>23</sub> Ga <sub>8</sub> Sb <sub>2</sub> S <sub>38</sub> . Journal of the American Chemical Society, 2012, 134, 6058-6060.	14.6	231
126	Sulfides with Strong Nonlinear Optical Activity and Thermochromism: ACd <sub>4</sub> Ga <sub>5</sub> S <sub>12</sub> (A = K, Rb, Cs). Chemistry of Materials, 2012, 24, 3406-3414.	7.1	159



#	ARTICLE	IF	CITATIONS
127	Diverse Closed Cavities in Condensed Rare Earth Metalâ€“Chalcogenide Matrixes: Cs[Lu <sub>7</sub> Q <sub>11</sub> ] and (ClCs <sub>6</sub> )[RE <sub>21</sub> Q <sub>34</sub> ] (RE =) Tj ETQq 1 0.784314 rg3T	2.1	0
128	Syntheses, Structure, Physical Properties, and Electronic Structures of DyCuxAl <sub>12-x</sub> (4.0 â‰° x â‰° 6.0). European Journal of Inorganic Chemistry, 2011, 2011, 3978-3983.	2.2	0
129	Design and fabrication of substrates with microstructures for bio-applications through the modified optical disc process. Proceedings of SPIE, 2011, , .	1.0	0
130	ISOL yield predictions from holdup-time measurements. Nuclear Instruments & Methods in Physics Research B, 2008, 266, 4271-4274.	1.4	4
131	Co-precipitation synthesis and characterization of multiple substituted lithium manganese oxides in lithium ion batteries. Ionics, 2005, 11, 343-351.	2.5	5
132	Symmetry of Bilateral Lesions in Geographic Atrophy in Patients With Age-Related Macular Degeneration. JAMA Ophthalmology, 2002, 120, 579.	2.3	58
133	Title is missing!. Structural Chemistry, 2002, 13, 277-287.	2.0	6
134	Ag <sub>2</sub> GeS <sub>3</sub> : A Diamondâ€“Like Chalcogenide as an IR Nonlinear Optical Material with Outstanding Secondâ€“Harmonic Generation Response. Advanced Optical Materials, 0, , .	7.9	0
135	Screening Strategy Identifies an Overlooked Deepâ€“Ultraviolet Transparent Nonlinear Optical Crystal. Angewandte Chemie - International Edition, 0, , .	14.8	0
136	Screening Strategy Identifies an Overlooked Deepâ€“Ultraviolet Transparent Nonlinear Optical Crystal. Angewandte Chemie, 0, , .	2.1	0