

Siamak Daneshmand

List of Publications by Citations

Source: <https://exaly.com/author-pdf/586236/siamak-daneshmand-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

338
papers

9,628
citations

49
h-index

89
g-index

375
ext. papers

12,121
ext. citations

3.6
avg, IF

6.09
L-index

#	Paper	IF	Citations
338	Comprehensive Molecular Characterization of Muscle-Invasive Bladder Cancer. <i>Cell</i> , 2017 , 171, 540-556. e252	9.25	961
337	Diagnosis and Treatment of Non-Muscle Invasive Bladder Cancer: AUA/SUO Guideline. <i>Journal of Urology</i> , 2016 , 196, 1021-9	2.5	603
336	Gender and Bladder Cancer: A Collaborative Review of Etiology, Biology, and Outcomes. <i>European Urology</i> , 2016 , 69, 300-10	10.2	285
335	Prognosis of patients with lymph node positive prostate cancer following radical prostatectomy: long-term results. <i>Journal of Urology</i> , 2004 , 172, 2252-5	2.5	243
334	Integrated Molecular Characterization of Testicular Germ Cell Tumors. <i>Cell Reports</i> , 2018 , 23, 3392-3406	10.6	200
333	Urinary diversion after radical cystectomy for bladder cancer: options, patient selection, and outcomes. <i>BJU International</i> , 2014 , 113, 11-23	5.6	198
332	Patterns of relapse in patients with clinical stage I testicular cancer managed with active surveillance. <i>Journal of Clinical Oncology</i> , 2015 , 33, 51-7	2.2	193
331	Critical analysis of bladder sparing with trimodal therapy in muscle-invasive bladder cancer: a systematic review. <i>European Urology</i> , 2014 , 66, 120-37	10.2	190
330	Multicenter assessment of neoadjuvant chemotherapy for muscle-invasive bladder cancer. <i>European Urology</i> , 2015 , 67, 241-9	10.2	178
329	Glucose-regulated protein GRP78 is up-regulated in prostate cancer and correlates with recurrence and survival. <i>Human Pathology</i> , 2007 , 38, 1547-52	3.7	177
328	Enhanced recovery protocol after radical cystectomy for bladder cancer. <i>Journal of Urology</i> , 2014 , 192, 50-5	2.5	172
327	A systematic review of neoadjuvant and adjuvant chemotherapy for muscle-invasive bladder cancer. <i>European Urology</i> , 2012 , 62, 523-33	10.2	162
326	Robotic intracorporeal orthotopic ileal neobladder: replicating open surgical principles. <i>European Urology</i> , 2012 , 62, 891-901	10.2	144
325	Refining patient selection for neoadjuvant chemotherapy before radical cystectomy. <i>Journal of Urology</i> , 2014 , 191, 40-7	2.5	122
324	Radical cystectomy for primary neuroendocrine tumors of the bladder: the university of southern california experience. <i>Journal of Urology</i> , 2005 , 174, 93-6	2.5	119
323	EphB4 expression and biological significance in prostate cancer. <i>Cancer Research</i> , 2005 , 65, 4623-32	10.1	115
322	Endoscopic management of upper urinary tract transitional cell carcinoma: long-term experience. <i>Cancer</i> , 2003 , 98, 55-60	6.4	113

321	A critical analysis of perioperative mortality from radical cystectomy. <i>Journal of Urology</i> , 2006 , 175, 886-9; discussion 889-90	2.5	109
320	Prognostic significance of lymphovascular invasion of bladder cancer treated with radical cystectomy. <i>Journal of Urology</i> , 2005 , 174, 103-6	2.5	106
319	Active surveillance is the preferred approach to clinical stage I testicular cancer. <i>Journal of Clinical Oncology</i> , 2013 , 31, 3490-3	2.2	103
318	Androgen deprivation therapy: evidence-based management of side effects. <i>BJU International</i> , 2013 , 111, 543-8	5.6	98
317	Benign retroperitoneal schwannoma: a case series and review of the literature. <i>Urology</i> , 2003 , 62, 993-7	1.6	98
316	Lymph node dissection technique is more important than lymph node count in identifying nodal metastases in radical cystectomy patients: a comparative mapping study. <i>European Urology</i> , 2011 , 60, 946-52	10.2	97
315	Management of disseminated nonseminomatous germ cell tumors with risk-based chemotherapy followed by response-guided postchemotherapy surgery. <i>Journal of Clinical Oncology</i> , 2010 , 28, 537-42	2.2	94
314	Factors influencing post-recurrence survival in bladder cancer following radical cystectomy. <i>BJU International</i> , 2012 , 109, 846-54	5.6	82
313	Blue Light Cystoscopy with Cysview: The USC Experience. <i>Videourology (New Rochelle, N Y)</i> , 2016 , 30,	0.9	78
312	Contemporary management of postchemotherapy testis cancer. <i>European Urology</i> , 2012 , 62, 867-76	10.2	76
311	Stage-specific impact of tumor location on oncologic outcomes in patients with upper and lower tract urothelial carcinoma following radical surgery. <i>European Urology</i> , 2012 , 62, 677-84	10.2	74
310	Adjuvant atezolizumab versus observation in muscle-invasive urothelial carcinoma (IMvig010): a multicentre, open-label, randomised, phase 3 trial. <i>Lancet Oncology</i> , 2021 , 22, 525-537	21.7	73
309	A Multi-Institutional Analysis of Outcomes of Patients with Clinically Node Positive Urothelial Bladder Cancer Treated with Induction Chemotherapy and Radical Cystectomy. <i>Journal of Urology</i> , 2016 , 195, 53-9	2.5	72
308	Unaltered oncological outcomes of radical cystectomy with extended lymphadenectomy over three decades. <i>BJU International</i> , 2013 , 112, E51-8	5.6	70
307	Diagnosis and Treatment of Early Stage Testicular Cancer: AUA Guideline. <i>Journal of Urology</i> , 2019 , 202, 272-281	2.5	70
306	Urinary functional outcome following radical cystoprostatectomy and ileal neobladder reconstruction in male patients. <i>Journal of Urology</i> , 2013 , 189, 1782-8	2.5	69
305	Does presence of squamous and glandular differentiation in urothelial carcinoma of the bladder at cystectomy portend poor prognosis? An intensive case-control analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 117-27	2.8	68
304	Postoperative Pain Management after Radical Cystectomy: Comparing Traditional versus Enhanced Recovery Protocol Pathway. <i>Journal of Urology</i> , 2015 , 194, 1209-13	2.5	67

303	90-Day complication rate in patients undergoing radical cystectomy with enhanced recovery protocol: a prospective cohort study. <i>World Journal of Urology</i> , 2017 , 35, 907-911	4	66
302	The Role of Surgery in Metastatic Bladder Cancer: A Systematic Review. <i>European Urology</i> , 2018 , 73, 543-557	15.5	66
301	The association of preoperative serum albumin level and American Society of Anesthesiologists (ASA) score on early complications and survival of patients undergoing radical cystectomy for urothelial bladder cancer. <i>BJU International</i> , 2014 , 113, 887-93	5.6	65
300	Impact of histologic subtype on cancer-specific survival in patients with renal cell carcinoma and tumor thrombus. <i>European Urology</i> , 2014 , 66, 577-83	10.2	63
299	Obesity is associated with worse oncological outcomes in patients treated with radical cystectomy. <i>BJU International</i> , 2013 , 111, 249-55	5.6	61
298	A panel of three markers hyper- and hypomethylated in urine sediments accurately predicts bladder cancer recurrence. <i>Clinical Cancer Research</i> , 2014 , 20, 1978-89	12.9	60
297	Robotic Intracorporeal Orthotopic Neobladder: Urodynamic Outcomes, Urinary Function, and Health-related Quality of Life. <i>European Urology</i> , 2016 , 69, 247-53	10.2	59
296	Final Pathological Stage after Neoadjuvant Chemotherapy and Radical Cystectomy for Bladder Cancer-Does pT0 Predict Better Survival than pTa/Tis/T1?. <i>Journal of Urology</i> , 2016 , 195, 886-93	2.5	59
295	Preoperative staging of invasive bladder cancer with dynamic gadolinium-enhanced magnetic resonance imaging: results from a prospective study. <i>Urology</i> , 2012 , 80, 1313-8	1.6	58
294	Efficacy and Safety of Blue Light Flexible Cystoscopy with Hexaminolevulinate in the Surveillance of Bladder Cancer: A Phase III, Comparative, Multicenter Study. <i>Journal of Urology</i> , 2018 , 199, 1158-1165	2.5	56
293	Clinical nodal staging scores for bladder cancer: a proposal for preoperative risk assessment. <i>European Urology</i> , 2012 , 61, 237-42	10.2	54
292	Microscopic and gross extravesical extension in pathological staging of bladder cancer. <i>Journal of Urology</i> , 2004 , 171, 640-5	2.5	54
291	Adrenal myelolipoma: diagnosis and management. <i>Urology Journal</i> , 2006 , 3, 71-4	0.9	53
290	Venous thromboembolism following radical cystectomy: significant predictors, comparison of different anticoagulants and timing of events. <i>Journal of Urology</i> , 2015 , 193, 565-9	2.5	51
289	Hexaminolevulinate blue-light cystoscopy in non-muscle-invasive bladder cancer: review of the clinical evidence and consensus statement on appropriate use in the USA. <i>Nature Reviews Urology</i> , 2014 , 11, 589-96	5.5	49
288	Neoadjuvant chemotherapy with gemcitabine/cisplatin vs. methotrexate/vinblastine/doxorubicin/cisplatin for muscle-invasive urothelial carcinoma of the bladder: a retrospective analysis from the University of Southern California. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1737-43	2.8	48
287	Extranodal extension is a powerful prognostic factor in bladder cancer patients with lymph node metastasis. <i>European Urology</i> , 2013 , 64, 837-45	10.2	47
286	Practice Makes Perfect: The Rest of the Story in Testicular Cancer as a Model Curable Neoplasm. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3525-3528	2.2	45

285	Neoadjuvant Dose Dense MVAC versus Gemcitabine and Cisplatin in Patients with cT3-4aN0M0 Bladder Cancer Treated with Radical Cystectomy. <i>Journal of Urology</i> , 2018 , 199, 1452-1458	2.5	45
284	Developing a Highly Specific Biomarker for Germ Cell Malignancies: Plasma miR371 Expression Across the Germ Cell Malignancy Spectrum. <i>Journal of Clinical Oncology</i> , 2019 , 37, 3090-3098	2.2	44
283	Natural history of surgically treated bladder carcinoma with extravesical tumor extension. <i>Cancer</i> , 2003 , 98, 955-61	6.4	44
282	Blue light cystoscopy for the diagnosis of bladder cancer: Results from the US prospective multicenter registry. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 361.e1-361.e6	2.8	43
281	Incidental prostate cancer in patients with bladder urothelial carcinoma: comprehensive analysis of 1,476 radical cystoprostatectomy specimens. <i>Journal of Urology</i> , 2013 , 190, 1704-9	2.5	43
280	Molecular Characterization of Neuroendocrine-like Bladder Cancer. <i>Clinical Cancer Research</i> , 2019 , 25, 3908-3920	12.9	42
279	Effect of gender on outcomes following radical cystectomy for urothelial carcinoma of the bladder: a critical analysis of 1,994 patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 52.e1-9	2.8	42
278	Pathologic nodal staging score for bladder cancer: a decision tool for adjuvant therapy after radical cystectomy. <i>European Urology</i> , 2013 , 63, 371-8	10.2	39
277	Impact of micropapillary urothelial carcinoma variant histology on survival after radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 110-6	2.8	38
276	Discovery and validation of novel expression signature for postcystectomy recurrence in high-risk bladder cancer. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	36
275	Adjuvant surgery in testicular cancer patients undergoing postchemotherapy retroperitoneal lymph node dissection. <i>Annals of Surgical Oncology</i> , 2012 , 19, 2388-93	3.1	35
274	A precystectomy decision model to predict pathological upstaging and oncological outcomes in clinical stage T2 bladder cancer. <i>BJU International</i> , 2013 , 111, 240-8	5.6	35
273	Adherence to National Comprehensive Cancer Network Guidelines for Testicular Cancer. <i>Journal of Urology</i> , 2017 , 197, 684-689	2.5	35
272	Androgen deprivation therapy for prostate cancer: long-term safety and patient outcomes. <i>Patient Related Outcome Measures</i> , 2014 , 5, 63-70	2.9	35
271	Long-term outcomes of open radical retropubic prostatectomy for clinically localized prostate cancer in the prostate-specific antigen era. <i>Urology</i> , 2012 , 79, 626-31	1.6	35
270	Improving selection of appropriate urinary diversion following radical cystectomy for bladder cancer. <i>Expert Review of Anticancer Therapy</i> , 2011 , 11, 941-8	3.5	35
269	Outcomes of radical cystectomy with extended lymphadenectomy alone in patients with lymph node-positive bladder cancer who are unfit for or who decline adjuvant chemotherapy. <i>BJU International</i> , 2014 , 113, 554-60	5.6	34
268	Level III-IV inferior vena caval thrombectomy without cardiopulmonary bypass: long-term experience with intrapericardial control. <i>Journal of Urology</i> , 2014 , 192, 682-8	2.5	33

267	Cost Analysis of the Enhanced Recovery After Surgery Protocol in Patients Undergoing Radical Cystectomy for Bladder Cancer. <i>European Urology Focus</i> , 2016 , 2, 92-96	5.1	33
266	Urinary functional outcomes in female neobladder patients. <i>World Journal of Urology</i> , 2014 , 32, 221-8	4	32
265	New molecular markers for bladder cancer detection. <i>Current Opinion in Urology</i> , 2004 , 14, 259-64	2.8	32
264	SIU-ICUD consultation on bladder cancer: treatment of muscle-invasive bladder cancer. <i>World Journal of Urology</i> , 2019 , 37, 61-83	4	31
263	Blood- and tissue-based biomarkers for prediction of outcomes in urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 230-42	2.8	31
262	Cryptorchidism and testicular germ cell tumors: comprehensive meta-analysis reveals that association between these conditions diminished over time and is modified by clinical characteristics. <i>Frontiers in Endocrinology</i> , 2012 , 3, 182	5.7	31
261	Resection of the inferior vena cava without reconstruction for urologic malignancies. <i>Urology</i> , 2009 , 74, 1257-62	1.6	31
260	Frailty as a predictor of complications after radical cystectomy: A prospective study of various preoperative assessments. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 40-47	2.8	31
259	Blue light flexible cystoscopy with hexaminolevulinate in non-muscle-invasive bladder cancer: review of the clinical evidence and consensus statement on optimal use in the USA - update 2018. <i>Nature Reviews Urology</i> , 2019 , 16, 377-386	5.5	30
258	Randomized Trial of Studer Pouch versus T-Pouch Orthotopic Ileal Neobladder in Patients with Bladder Cancer. <i>Journal of Urology</i> , 2015 , 194, 433-9	2.5	30
257	Outcomes after urothelial recurrence in bladder cancer patients undergoing radical cystectomy. <i>Urology</i> , 2014 , 84, 1420-6	1.6	30
256	Prognostic significance of neuroendocrine expression in lymph node-positive prostate cancer. <i>Urology</i> , 2006 , 67, 1247-52	1.6	29
255	Puboprostatic Sling Repair for Treatment of Urethral Incompetence in Adult Neurogenic incontinence. <i>Journal of Urology</i> , 2003 , 169, 199-202	2.5	29
254	ENDOSCOPIC MANAGEMENT OF RENAL HEMANGIOMA. <i>Journal of Urology</i> , 2002 , 167, 488-489	2.5	29
253	Distinctive morphology of renal cell carcinomas in tuberous sclerosis. <i>International Journal of Surgical Pathology</i> , 2010 , 18, 409-18	1.2	28
252	Gastrointestinal Complications Following Radical Cystectomy Using Enhanced Recovery Protocol. <i>European Urology Focus</i> , 2018 , 4, 889-894	5.1	27
251	Reproductive organ involvement in female patients undergoing radical cystectomy for urothelial bladder cancer. <i>Journal of Urology</i> , 2012 , 188, 2134-8	2.5	27
250	Factors influencing the choice of urinary diversion in patients undergoing radical cystectomy. <i>BJU International</i> , 2010 , 106, 654-7	5.6	27

249	Incisional and Parastomal Hernia following Radical Cystectomy and Urinary Diversion: The University of Southern California Experience. <i>Journal of Urology</i> , 2016 , 196, 777-81	2.5	27
248	Incidence, Characteristics and Implications of Thromboembolic Events in Patients with Muscle Invasive Urothelial Carcinoma of the Bladder Undergoing Neoadjuvant Chemotherapy. <i>Journal of Urology</i> , 2016 , 196, 1627-1633	2.5	26
247	Critical evaluation of the American Joint Committee on Cancer TNM nodal staging system in patients with lymph node-positive disease after radical cystectomy. <i>European Urology</i> , 2012 , 62, 671-6	10.2	26
246	Paclitaxel, Ifosfamide, and Cisplatin Efficacy for First-Line Treatment of Patients With Intermediate- or Poor-Risk Germ Cell Tumors. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2478-83	2.2	25
245	Infigratinib in upper tract urothelial carcinoma versus urothelial carcinoma of the bladder and its association with comprehensive genomic profiling and/or cell-free DNA results. <i>Cancer</i> , 2020 , 126, 2597-2606	6.4	24
244	Prospective Evaluation of Continence Following Radical Cystectomy and Orthotopic Urinary Diversion Using a Validated Questionnaire. <i>Journal of Urology</i> , 2016 , 196, 1685-1691	2.5	24
243	Outcomes and prognostic factors in patients with a single lymph node metastasis at time of radical cystectomy. <i>BJU International</i> , 2013 , 111, 74-84	5.6	24
242	Prediction of Lymph Node Metastasis in Patients with Bladder Cancer Using Whole Transcriptome Gene Expression Signatures. <i>Journal of Urology</i> , 2016 , 196, 1036-41	2.5	24
241	Review of techniques to remove a Foley catheter when the balloon does not deflate. <i>Urology</i> , 2002 , 59, 127-9	1.6	23
240	Retroperitoneal Lymph Node Dissection as First-Line Treatment of Node-Positive Seminoma. <i>Clinical Genitourinary Cancer</i> , 2015 , 13, e265-e269	3.3	22
239	Cardiopulmonary Bypass has No Significant Impact on Survival in Patients Undergoing Nephrectomy and Level III-IV Inferior Vena Cava Thrombectomy: Multi-Institutional Analysis. <i>Journal of Urology</i> , 2015 , 194, 304-308	2.5	22
238	Incidence and location of lymph node metastases in patients undergoing radical cystectomy for clinical non-muscle invasive bladder cancer: results from a prospective lymph node mapping study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 24.e13-9	2.8	22
237	Continent right colon reservoir using a cutaneous appendicostomy. <i>Urology</i> , 2004 , 63, 577-80; discussion 580-1	1.6	22
236	Urinary tract infections following radical cystectomy and urinary diversion: a review of 1133 patients. <i>World Journal of Urology</i> , 2018 , 36, 775-781	4	21
235	Impact of synchronous metastasis distribution on cancer specific survival in renal cell carcinoma after radical nephrectomy with tumor thrombectomy. <i>Journal of Urology</i> , 2015 , 193, 436-42	2.5	21
234	Venous resection in urological surgery. <i>Journal of Urology</i> , 2008 , 180, 2338-42; discussion 2342	2.5	21
233	Prognosis of seminal vesicle involvement by transitional cell carcinoma of the bladder. <i>Journal of Urology</i> , 2004 , 172, 81-4	2.5	21
232	Utility and significance of ureteric frozen section analysis during radical cystectomy. <i>BJU International</i> , 2016 , 117, 463-8	5.6	20

231	Growing teratoma syndrome: clinical and radiographic characteristics. <i>International Journal of Urology</i> , 2014 , 21, 905-8	2.3	20
230	Current and recent clinical trials for perioperative systemic therapy for muscle invasive bladder cancer: a systematic review. <i>BMC Cancer</i> , 2014 , 14, 966	4.8	20
229	SWOG S1314: A randomized phase II study of co-expression extrapolation (COXEN) with neoadjuvant chemotherapy for localized, muscle-invasive bladder cancer.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 4506-4506	2.2	20
228	Transurethral Resection of Bladder Tumors: Improving Quality Through New Techniques and Technologies. <i>Current Urology Reports</i> , 2017 , 18, 34	2.9	19
227	Reporting Radical Cystectomy Outcomes Following Implementation of Enhanced Recovery After Surgery Protocols: A Systematic Review and Individual Patient Data Meta-analysis. <i>European Urology</i> , 2020 , 78, 719-730	10.2	18
226	Outcomes after radical prostatectomy for patients with clinical stages T1-T2 prostate cancer with pathologically positive lymph nodes in the prostate-specific antigen era. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1441-7	2.8	18
225	Midline Extraperitoneal Approach to Retroperitoneal Lymph Node Dissection in Testicular Cancer: Minimizing Surgical Morbidity. <i>European Urology</i> , 2017 , 72, 814-820	10.2	17
224	Optimal Trial Design for Studying Urinary Markers in Bladder Cancer: A Collaborative Review. <i>European Urology Oncology</i> , 2018 , 1, 223-230	6.7	17
223	Management of residual mass in nonseminomatous germ cell tumors following chemotherapy. <i>Therapeutic Advances in Urology</i> , 2011 , 3, 163-71	3.2	17
222	Development and external validation of nomograms predicting disease-free and cancer-specific survival after radical cystectomy. <i>World Journal of Urology</i> , 2015 , 33, 1419-28	4	16
221	Orthotopic urinary diversion. <i>Current Opinion in Urology</i> , 2015 , 25, 545-9	2.8	16
220	Gastrointestinal Complications in Patients Who Undergo Radical Cystectomy with Enhanced Recovery Protocol. <i>Current Urology Reports</i> , 2016 , 17, 50	2.9	16
219	Evaluation of Cxbladder and Adjudication of Atypical Cytology and Equivocal Cystoscopy. <i>European Urology</i> , 2019 , 76, 238-243	10.2	15
218	Precystectomy serum levels of carbohydrate antigen 19-9, carbohydrate antigen 125, and carcinoembryonic antigen: prognostic value in invasive urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 648-56	2.8	15
217	Validation of Surveillance, Epidemiology, and End Results TNM staging for testicular germ cell tumor. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 1341-6	2.8	15
216	Enhanced recovery pathway following radical cystectomy. <i>Current Opinion in Urology</i> , 2014 , 24, 135-9	2.8	15
215	Reprogramming of the human intestinal epigenome by surgical tissue transposition. <i>Genome Research</i> , 2014 , 24, 545-53	9.7	15
214	Principal component analysis based pre-cystectomy model to predict pathological stage in patients with clinical organ-confined bladder cancer. <i>BJU International</i> , 2013 , 111, E167-72	5.6	15

213	Intraoperative renal cell carcinoma tumor embolization to the right atrium: incidental diagnosis by transesophageal echocardiography. <i>Anesthesia and Analgesia</i> , 2006 , 102, 378-9	3.9	15
212	The prognostic value of the neutrophil-to-lymphocyte ratio in patients with muscle-invasive bladder cancer treated with neoadjuvant chemotherapy and radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 3.e17-3.e27	2.8	15
211	Integrated Expression of Circulating miR375 and miR371 to Identify Teratoma and Active Germ Cell Malignancy Components in Malignant Germ Cell Tumors. <i>European Urology</i> , 2021 , 79, 16-19	10.2	15
210	Role of surgical resection for refractory germ cell tumors. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 370-8	2.8	14
209	Female reproductive organ-sparing radical cystectomy: contemporary indications, techniques and outcomes. <i>Current Opinion in Urology</i> , 2015 , 25, 105-10	2.8	14
208	The association between intraoperative fluid intake and postoperative complications in patients undergoing radical cystectomy with an enhanced recovery protocol. <i>World Journal of Urology</i> , 2018 , 36, 401-407	4	14
207	Clinical Lymphadenopathy in Urothelial Cancer: A Transatlantic Collaboration on Performance of Cross-sectional Imaging and Oncologic Outcomes in Patients Treated with Radical Cystectomy Without Neoadjuvant Chemotherapy. <i>European Urology Focus</i> , 2018 , 4, 245-251	5.1	14
206	Radical cystectomy with super-extended lymphadenectomy: impact of separate vs en bloc lymph node submission on analysis and outcomes. <i>BJU International</i> , 2016 , 117, 253-9	5.6	14
205	Null association between histology of first and second primary malignancies in men with bilateral testicular germ cell tumors. <i>American Journal of Epidemiology</i> , 2013 , 178, 1240-5	3.8	14
204	Utilization of retroperitoneal lymph node dissection for testicular cancer in the United States: Results from the National Cancer Database (1998-2011). <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 487.e7-487.e11	2.8	14
203	Determining the role of cystectomy for high-grade T1 urothelial carcinoma. <i>Urologic Clinics of North America</i> , 2013 , 40, 233-47	2.9	13
202	Does increasing the nodal yield improve outcomes in patients without nodal metastasis at radical cystectomy?. <i>World Journal of Urology</i> , 2012 , 30, 807-14	4	13
201	Development and Acceptability Testing of a Patient Decision Aid for Urinary Diversion with Radical Cystectomy. <i>Journal of Urology</i> , 2019 , 202, 1001-1007	2.5	13
200	Novel Gene Expression Signature Predictive of Clinical Recurrence After Radical Prostatectomy in Early Stage Prostate Cancer Patients. <i>Prostate</i> , 2016 , 76, 1239-56	4.2	13
199	Systematic Review of Factors Associated with the Utilization of Radical Cystectomy for Bladder Cancer. <i>European Urology Oncology</i> , 2019 , 2, 119-125	6.7	13
198	Retroperitoneal Lymph Node Dissection as Primary Treatment for Metastatic Seminoma. <i>Advances in Urology</i> , 2018 , 2018, 7978958	1.6	13
197	Tolerance of Orthotopic Ileal Neobladders to Radiotherapy: A Multi-institutional Retrospective Study. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 711-716	3.3	12
196	Association of an organ transplant-based approach with a dramatic reduction in postoperative complications following radical nephrectomy and tumor thrombectomy in renal cell carcinoma. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1983-1992	3.6	12

195	Satisfaction With Testicular Prosthesis After Radical Orchiectomy. <i>Urology</i> , 2018 , 114, 128-132	1.6	12
194	Patient-reported outcomes of blue-light flexible cystoscopy with hexaminolevulinate in the surveillance of bladder cancer: results from a prospective multicentre study. <i>BJU International</i> , 2019 , 123, 35-41	5.6	12
193	Long-term outcomes of salvage radical cystectomy for recurrent urothelial carcinoma of the bladder following partial cystectomy. <i>BJU International</i> , 2013 , 111, E37-42	5.6	12
192	Application of the Yang-Monti channel in adult continent cutaneous urinary diversion. <i>Urology</i> , 2008 , 72, 828-31	1.6	12
191	Implications of micropapillary urothelial carcinoma variant on prognosis following radical cystectomy: A multi-institutional investigation. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 48-56	2.8	12
190	A Randomized Phase II Study of Coexpression Extrapolation (COXEN) with Neoadjuvant Chemotherapy for Bladder Cancer (SWOG S1314; NCT02177695). <i>Clinical Cancer Research</i> , 2021 , 27, 2435-2441 ^{12,9,12}		
189	Outcome in patients with exclusive carcinoma in situ (CIS) after radical cystectomy. <i>BJU International</i> , 2014 , 113, 65-9	5.6	11
188	Radical cystectomy with orthotopic neobladder reconstruction following prior radical prostatectomy. <i>World Journal of Urology</i> , 2012 , 30, 741-5	4	11
187	The importance of an extended lymphadenectomy in the management of high-grade invasive bladder cancer. <i>Expert Review of Anticancer Therapy</i> , 2004 , 4, 1007-16	3.5	11
186	Puboprostatic sling repair for treatment of urethral incompetence in adult neurogenic incontinence. <i>Journal of Urology</i> , 2003 , 169, 199-202	2.5	11
185	Neoadjuvant Chemotherapy in Variant Histology Bladder Cancer: Current Evidence. <i>European Urology Focus</i> , 2020 , 6, 639-641	5.1	11
184	Best Practices to Optimise Quality and Outcomes of Transurethral Resection of Bladder Tumours. <i>European Urology Oncology</i> , 2021 , 4, 12-19	6.7	11
183	Oncological Outcomes After Radical Prostatectomy for High-Risk Prostate Cancer Based on New Gleason Grouping System: A Validation Study From University of Southern California With 3,755 Cases. <i>Prostate</i> , 2017 , 77, 743-748	4.2	10
182	Association of Distance to Treatment Facility With Survival and Quality Outcomes After Radical Cystectomy: A Multi-Institutional Study. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 689-695.e2	3.3	10
181	Socioeconomic and insurance status are independent prognostic indicators of higher disease stage and worse prognosis in bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 784-790	2.8	10
180	Urinary tract infections following radical cystectomy with enhanced recovery protocol: A prospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 75.e9-75.e14	2.8	10
179	Surgical approach as a determinant factor of clinical outcome following radical cystectomy: Does Enhanced Recovery After Surgery (ERAS) level the playing field?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 765-773	2.8	10
178	Postchemotherapy Resection of Residual Mass in Nonseminomatous Germ Cell Tumor. <i>Urologic Clinics of North America</i> , 2019 , 46, 389-398	2.9	10

177	Midline extraperitoneal approach for retroperitoneal lymph node dissection for testicular germ cell tumor. <i>Urology</i> , 2012 , 80, 941-5	1.6	10
176	The management of subcentimeter residual mass in NSGCT: pcRPLND vs. observation. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 842-7	2.8	10
175	Restrictive transfusion in radical cystectomy is safe. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 528.e15-528.e21	2.8	9
174	Critical analysis of quality of life and cost-effectiveness of enhanced recovery after surgery (ERAS) for patients undergoing urologic oncology surgery: a systematic review. <i>World Journal of Urology</i> , 2020 , 1	4	9
173	Is frozen section analysis of ureteral margins at time of radical cystectomy useful?. <i>Current Urology Reports</i> , 2015 , 16, 38	2.9	9
172	Mesenteric lymphadenopathy in testicular germ cell tumor. <i>Urology</i> , 2014 , 83, e7-8	1.6	9
171	Radical cystectomy and orthotopic urinary diversion in male patients with pT4a urothelial bladder carcinoma: oncological outcomes. <i>International Journal of Urology</i> , 2013 , 20, 1229-33	2.3	9
170	Ethnic differences in neuroendocrine cell expression in normal human prostatic tissue. <i>Urology</i> , 2005 , 65, 1008-12	1.6	9
169	Primary renal carcinoid tumor. <i>Scientific World Journal, The</i> , 2004 , 4, 378-80	2.2	9
168	Colourachal fistula in an adult presenting with feculent umbilical drainage. <i>Journal of Urology</i> , 2003 , 170, 184	2.5	9
167	Renal angiomyolipoma with liposarcomatous transformation: a case report and review of the literature. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2004 , 22, 425-7	2.8	9
166	The prognostic significance of S-phase analysis in stage Ta/T1 bladder cancer. A Southwest Oncology Group Study. <i>European Urology</i> , 2000 , 37, 595-600	10.2	9
165	Assessing trends in urinary diversion after radical cystectomy for bladder cancer in the United States. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 180.e1-180.e9	2.8	9
164	SEMS trial: Result of a prospective, multi-institutional phase II clinical trial of surgery in early metastatic seminoma.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 375-375	2.2	9
163	Impact of lymph node dissection at the time of radical nephrectomy with tumor thrombectomy on oncological outcomes: Results from the International Renal Cell Carcinoma-Venous Thrombus Consortium (IRCC-VTC). <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 79.e11-79.e17	2.8	9
162	Adult genitourinary sarcoma: A population-based analysis of clinical characteristics and survival. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 334-343	2.8	8
161	Baseline Glomerular Filtration Rate and Cisplatin- Induced Renal Toxicity in Urothelial Cancer Patients. <i>Clinical Genitourinary Cancer</i> , 2017 ,	3.3	8
160	Enhanced Endoscopy in Bladder Cancer. <i>Current Urology Reports</i> , 2018 , 19, 84	2.9	8

159	Significance of perivesical lymph nodes in radical cystectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 1158-65	2.8	8
158	Use of nonabsorbable staples for urinary diversion: a step in the wrong direction. <i>Urologia Internationalis</i> , 2013 , 90, 125-9	1.9	8
157	Androgen-producing testicular germ cell tumors. <i>Journal of Clinical Oncology</i> , 2011 , 29, e634-5	2.2	8
156	Orthotopic urinary diversion in the elderly. <i>World Journal of Urology</i> , 2016 , 34, 13-8	4	7
155	Dose dense MVAC prior to radical cystectomy: a real-world experience. <i>World Journal of Urology</i> , 2017 , 35, 1729-1736	4	7
154	Role of Extraretroperitoneal Surgery in Patients with Metastatic Germ Cell Tumors. <i>Urologic Clinics of North America</i> , 2015 , 42, 369-80	2.9	7
153	Impact of sex on response to neoadjuvant chemotherapy in patients with bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 639.e1-639.e9	2.8	7
152	Endoscopic management of renal hemangioma. <i>Journal of Urology</i> , 2002 , 167, 488-9	2.5	7
151	Neoadjuvant chemotherapy plus radical cystectomy versus radical cystectomy alone in clinical T2 bladder cancer without hydronephrosis. <i>BJU International</i> , 2021 , 128, 79-87	5.6	7
150	Genetic Differences Between Bladder and Upper Urinary Tract Carcinoma: Implications for Therapy. <i>European Urology Oncology</i> , 2021 , 4, 170-179	6.7	7
149	Association between precystectomy epithelial tumor marker response to neoadjuvant chemotherapy and oncological outcomes in urothelial bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 1-11	2.8	7
148	The impact of patient-related nonmodifiable factors on perioperative outcomes following radical cystectomy with enhanced recovery protocol. <i>Therapeutic Advances in Urology</i> , 2018 , 10, 393-401	3.2	7
147	Modern Management of Testicular Cancer. <i>Cancer Treatment and Research</i> , 2018 , 175, 273-308	3.5	7
146	Assessing the Impact of Time to Cystectomy for Variant Histology of Urothelial Bladder Cancer. <i>Urology</i> , 2019 , 133, 157-163	1.6	6
145	Testicular Mesothelioma: An Analysis of Epidemiology, Patient Outcomes, and Prognostic Factors. <i>Urology</i> , 2019 , 126, 140-144	1.6	6
144	Feasibility of expert and crowd-sourced review of intraoperative video for quality improvement of intracorporeal urinary diversion during robotic radical cystectomy. <i>Canadian Urological Association Journal</i> , 2017 , 11, 331-336	1.2	6
143	A randomized phase II study of erdafitinib (ERDA) versus intravesical chemotherapy (IC) in patients with high-risk nonmuscle invasive bladder cancer (HR-NMIBC) with FGFR mutations or fusions, who recurred after Bacillus Calmette-Guérin (BCG) therapy.. <i>Journal of Clinical Oncology</i> , 2020 , 38, TPS603-TPS603	2.2	6
142	Re: Appendiceal substitution following right proximal ureter injury. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2009 , 35, 90-1	2	6

141	Effectiveness of extended pelvic lymphadenectomy in the survival of prostate cancer: a systematic review and meta-analysis. <i>Central European Journal of Urology</i> , 2018 , 71, 262-269	0.9	6
140	Hyperphosphatemia Secondary to the Selective Fibroblast Growth Factor Receptor 1-3 Inhibitor Infigratinib (BGJ398) Is Associated with Antitumor Efficacy in Fibroblast Growth Factor Receptor 3-altered Advanced/Metastatic Urothelial Carcinoma. <i>European Urology</i> , 2020 , 78, 916-924	10.2	6
139	Frailty and preoperative risk assessment before radical cystectomy. <i>Current Opinion in Urology</i> , 2019 , 29, 216-219	2.8	6
138	Factors influencing intraoperative conversion from planned orthotopic to non-orthotopic urinary diversion during radical cystectomy. <i>World Journal of Urology</i> , 2019 , 37, 1851-1855	4	6
137	Continent Cutaneous Diversion. <i>Urologic Clinics of North America</i> , 2018 , 45, 55-65	2.9	6
136	Occult Nodal Metastases in Patients Down-Staged to Nonmuscle Invasive Disease Following Neoadjuvant Chemotherapy. <i>Urology</i> , 2020 , 142, 155-160	1.6	5
135	Perioperative Outcome of Suprarenal Resection of Vena Cava Without Reconstruction in Urologic Malignancies: A Case Series and Review of the Literature. <i>Urology</i> , 2020 , 142, 146-154	1.6	5
134	Enhanced Recovery After Surgery Pathways: Role and Outcomes in the Management of Muscle Invasive Bladder Cancer. <i>Urologic Clinics of North America</i> , 2018 , 45, 229-239	2.9	5
133	Long-term cancer control after radical prostatectomy and bilateral pelvic lymph node dissection for pT3bN0M0 prostate cancer in the prostate-specific antigen era. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 85-91	2.8	5
132	Evaluation and Preservation of Fertility in Patients with Testicular Cancer. <i>Journal of Adolescent and Young Adult Oncology</i> , 2011 , 1, 25-9	2.2	5
131	Current clinical trials in renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2005 , 23, 289-92	2.8	5
130	Sarcomatoid renal cell carcinoma with massive osteosarcomatous differentiation: an unusual image in clinical urology. <i>Urology</i> , 2003 , 61, 1031-2	1.6	5
129	Circulating miR-371a-3p for the detection of low volume viable germ cell tumor: Expanded pilot data, clinical implications and future study.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 4549-4549	2.2	5
128	Assessment of Urologists Knowledge of Intraoperative Floppy Iris Syndrome. <i>Urology</i> , 2016 , 97, 40-45	1.6	5
127	Lymph node dissection in bladder cancer: Where do we stand?. <i>World Journal of Urology</i> , 2017 , 35, 527-533	4	4
126	Management of extraretroperitoneal masses in germ cell tumor. <i>Current Opinion in Urology</i> , 2019 , 29, 33-41	2.8	4
125	Biologic activity of dasatinib administered as neoadjuvant therapy preceding radical cystectomy (RC) for muscle-invasive bladder cancer (MIBC).. <i>Journal of Clinical Oncology</i> , 2014 , 32, 324-324	2.2	4
124	PROOF 302: A randomized, double-blind, placebo-controlled, phase III trial of infigratinib as adjuvant therapy in patients with invasive urothelial carcinoma harboring susceptible FGFR3 alterations.. <i>Journal of Clinical Oncology</i> , 2020 , 38, TPS5095-TPS5095	2.2	4

123	PROOF 302: A randomized, double-blind, placebo-controlled, phase III trial of infigratinib as adjuvant therapy in patients with invasive urothelial carcinoma harboring FGFR3 alterations.. <i>Journal of Clinical Oncology</i> , 2020 , 38, TPS600-TPS600	2.2	4
122	Variability in adherence to guidelines based management of nonmuscle invasive bladder cancer among Society of Urologic Oncology (SUO) members. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 796.e1-796.e6	2.8	4
121	National Practice Patterns and Overall Survival After Adjuvant Radiotherapy Following Radical Cystectomy for Urothelial Bladder Cancer in the USA, 2004-2013. <i>European Urology Oncology</i> , 2020 , 3, 343-350	6.7	4
120	A Novel DNA Methylation Signature as an Independent Prognostic Factor in Muscle-Invasive Bladder Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 614927	5.3	4
119	Continent Urinary Diversion in the Elderly. <i>Current Geriatrics Reports</i> , 2015 , 4, 1-6	1.3	3
118	Role of primary retroperitoneal lymph node dissection in stage I and low-volume metastatic germ cell tumors. <i>Current Opinion in Urology</i> , 2020 , 30, 251-257	2.8	3
117	Surgical strategies for postchemotherapy testis cancer. <i>Translational Andrology and Urology</i> , 2020 , 9, S74-S82	2.3	3
116	Association between race and oncologic outcome following radical prostatectomy for clinically organ-confined prostate cancer: a long-term follow-up study. <i>World Journal of Urology</i> , 2018 , 36, 1233-1239	4.39	3
115	Current controversies on the role of lymphadenectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 193-200	2.8	3
114	Influence of the facility caseload on the subsequent survival of men with localized prostate cancer undergoing radical prostatectomy. <i>Cancer</i> , 2019 , 125, 3853-3863	6.4	3
113	Factors influencing ICU admission and associated outcome in patients undergoing radical cystectomy with enhanced recovery pathway. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 572.e13-572.e19	2.8	3
112	Management of the Continent Cutaneous Stomal Complications. <i>Current Bladder Dysfunction Reports</i> , 2012 , 7, 294-301	0.4	3
111	Chemoresponsive liver hemangioma in a patient with a metastatic germ cell tumor. <i>Journal of Clinical Oncology</i> , 2011 , 29, e842-4	2.2	3
110	Evolving treatment paradigms for locally advanced and metastatic prostate cancer. <i>Expert Review of Anticancer Therapy</i> , 2006 , 6, 1639-51	3.5	3
109	Infigratinib in upper tract urothelial carcinoma vs urothelial carcinoma of the bladder and association with comprehensive genomic profiling/cell-free DNA results.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 4510-4510	2.2	3
108	Risk factors and natural history of parastomal hernia after radical cystectomy and ileal conduit. <i>BJU International</i> , 2021 ,	5.6	3
107	Diagnosis and Staging of Bladder Cancer. <i>Hematology/Oncology Clinics of North America</i> , 2021 , 35, 531-541	5.1	3
106	Preoperative Imaging for Clinical Staging Prior to Radical Cystectomy. <i>Current Urology Reports</i> , 2016 , 17, 62	2.9	3

105	Prospective evaluation of blue-light flexible cystoscopy with hexaminolevulinate in non-muscle-invasive bladder cancer. <i>BJU International</i> , 2021 , 127, 108-113	5.6	3
104	Discrepancies in the Recommended Management of Adrenal Incidentalomas by Various Guidelines. <i>Journal of Urology</i> , 2021 , 205, 52-59	2.5	3
103	Molecular Prognostication in Bladder Cancer. <i>Cancer Treatment and Research</i> , 2018 , 175, 165-191	3.5	3
102	Management of difficult germ-cell tumors. <i>Oncology</i> , 2006 , 20, 1565-70, 1575; discussion 1575-6	1.8	3
101	Internal audit of an enhanced recovery after surgery protocol for radical cystectomy. <i>World Journal of Urology</i> , 2020 , 38, 3131-3137	4	2
100	Zero, Some Chemotherapy Game in Early-Stage Germ Cell Tumors. <i>Journal of Clinical Oncology</i> , 2020 , 38, 2214-2215	2.2	2
99	Validating the role of ABO blood type in risk of perioperative venous thromboembolism after radical cystectomy. <i>World Journal of Urology</i> , 2019 , 37, 173-179	4	2
98	Growing Teratoma Syndrome of Testicular Origin. <i>Urology</i> , 2019 , 123, 20-23	1.6	2
97	1911 FACTORS INFLUENCING LYMPH NODE YIELD DURING RADICAL CYSTECTOMY WITH EXTENDED PELVIC LYMPHADENECTOMY: SINGLE-INSTITUTION EXPERIENCE WITH A STANDARDIZED DISSECTION TEMPLATE. <i>Journal of Urology</i> , 2012 , 187,	2.5	2
96	Short-term Change in Renal Function in Patients Undergoing Continent vs Noncontinent Urinary Diversions. <i>UroToday International Journal</i> , 2013 , 06,		2
95	Open partial nephrectomy for pediatric renovascular hypertension. <i>Scientific World Journal, The</i> , 2009 , 9, 287-90	2.2	2
94	Adenomatous polyp of the verumontanum causing bladder outlet obstruction. <i>Scientific World Journal, The</i> , 2004 , 4 Suppl 1, 89-91	2.2	2
93	Association of higher institutional volume with improved overall survival in clinical stage III testicular cancer: Results from the National Cancer Data Base (1998-2011).. <i>Journal of Clinical Oncology</i> , 2014 , 32, 4519-4519	2.2	2
92	An emerging role for immuno-nutrition in patients undergoing radical cystectomy. <i>Nature Reviews Urology</i> , 2021 ,	5.5	2
91	Safety and feasibility of urological procedures in Jehovah's Witness patients. <i>International Journal of Urology</i> , 2021 ,	2.3	2
90	Long term oncologic outcome in patients with bladder cancer after radical cystectomy: Impact of carcinoma in situ in the era of neoadjuvant chemotherapy. <i>International Urology and Nephrology</i> , 2019 , 51, 435-441	2.3	2
89	Perioperative outcomes of goal-directed versus conventional fluid therapy in radical cystectomy with enhanced recovery protocol. <i>International Urology and Nephrology</i> , 2021 , 53, 1827-1833	2.3	2
88	High-grade T1 Urothelial Carcinoma: Where Do We Stand?. <i>Current Urology Reports</i> , 2019 , 20, 79	2.9	2

87	Association of age with response to preoperative chemotherapy in patients with muscle-invasive bladder cancer. <i>World Journal of Urology</i> , 2021 , 39, 4345-4354	4	2
86	Validation of the COBRA nomogram for the prediction of cancer specific survival in patients treated with radical cystectomy for bladder cancer: An international wide cohort study. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2646-2650	3.6	2
85	Orthotopic Urinary Diversion in Men 2017 , 11-24		1
84	Detecting Invisible Bladder Cancers With Blue Light Cystoscopy. <i>Urology</i> , 2020 , 139, e8-e9	1.6	1
83	Advanced Testis Cancer. <i>European Urology Focus</i> , 2019 , 5, 710-712	5.1	1
82	The value of extended transurethral resection of bladder tumour (TURBT) in the treatment of bladder cancer. <i>BJU International</i> , 2012 , 110, E80	5.6	1
81	Renal cell carcinoma with inferior vena cava tumor thrombus and metastatic caval wall invasion. <i>Urology</i> , 2012 , 79, e6-8	1.6	1
80	Colocalcystomy for repair of ureterojejunal fistula. <i>Urology</i> , 2012 , 79, e12-4	1.6	1
79	753 AGE IS NOT A CONTRAINDICATION FOR AN ORTHOTOPIC ILEAL NEOBLADDER FOLLOWING RADICAL CYSTECTOMY. <i>Journal of Urology</i> , 2010 , 183,	2.5	1
78	1137 THE IMPACT OF INTESTINAL URINARY DIVERSION ON RENAL FUNCTION. <i>Journal of Urology</i> , 2011 , 185,	2.5	1
77	Re: Prediagnosis prostate specific antigen velocity is associated with risk of prostate cancer progression following brachytherapy and external beam radiation therapy. S. E. Eggener, K. A. Roehl, O. Yossepowitch and W. J. Catalona, <i>J Urol</i> 2006; 176: 1399-1403. <i>Journal of Urology</i> , 2007 , 177, 2396; author reply 2396-7	2.5	1
76	Long-Term Renal Function in Patients with CKD following Radical Cystectomy and Orthotopic Neobladder.. <i>BJU International</i> , 2022 ,	5.6	1
75	Prerandomization factors and utilization of neoadjuvant chemotherapy in a clinical trial of extended versus standard pelvic lymphadenectomy at the time of radical cystectomy for bladder cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 295-295	2.2	1
74	Impact of salvage surgery and radiotherapy on overall survival in patients with recurrent primary urethral cancer.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4568-4568	2.2	1
73	Incidence, characteristics, and implications of thrombo-embolic events in patients with urothelial carcinoma of the bladder undergoing neoadjuvant chemotherapy.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 393-393	2.2	1
72	Validation of plasma miR-371a-3p expression in patients with metastatic and early stage germ cell tumor.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 526-526	2.2	1
71	Infigratinib and treatment response in advanced/unresectable or metastatic urothelial carcinoma in first-line and later-line treatment settings.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 5038-5038	2.2	1
70	Role of blue-light cystoscopy in detecting invasive bladder tumours: data from a multi-institutional registry. <i>BJU International</i> , 2021 ,	5.6	1

69	Intricacies of retroperitoneal lymph node dissection for testis cancer. <i>Current Opinion in Urology</i> , 2022 , 32, 24-30	2.8	1
68	Active surveillance for low-risk prostate cancer - in pursuit of a standardized protocol. <i>Central European Journal of Urology</i> , 2020 , 73, 123-126	0.9	1
67	Stomal Complications 2017 , 121-141		1
66	Optimizing Diagnosis of Urothelial Bladder Cancer with Blue Light Cystoscopy via Recognition of False-Positive Lesions. <i>Videourology (New Rochelle, N Y)</i> , 2018 , 32,	0.9	1
65	Impact of perioperative chemotherapy on survival in patients with advanced primary urethral cancer: Results of the international collaboration on primary urethral carcinoma.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 4587-4587	2.2	1
64	Impact of Non-guideline-directed Care on Quality of Life in Testicular Cancer Survivors. <i>European Urology Focus</i> , 2021 , 7, 1137-1142	5.1	1
63	Clinical evaluation of Bladder CARE, a new epigenetic test for bladder cancer detection in urine samples. <i>Clinical Epigenetics</i> , 2021 , 13, 84	7.7	1
62	Evaluation of Bowel Function Following Radical Cystectomy and Urinary Diversion Using Two Validated Questionnaires: What Are the Effects on Quality of Life?. <i>Urology</i> , 2021 , 156, 279-284	1.6	1
61	Enhanced Endoscopy with IMAGE1 S CHROMA Improves Detection of Nonmuscle Invasive Bladder Cancer During Transurethral Resection. <i>Journal of Endourology</i> , 2021 , 35, 647-651	2.7	1
60	Feasibility and Outcomes of Orthotopic Ileal Neobladder Reconstruction Following Pelvic Irradiation. <i>Urology</i> , 2021 , 148, 198-202	1.6	1
59	Stoma complications and quality of life in patients with Indiana pouch versus appendico/neo-appendico-umbilicostomy urinary diversions. <i>World Journal of Urology</i> , 2021 , 39, 1521-1529	4.9	1
58	Comparative effectiveness of neoadjuvant chemotherapy in bladder and upper urinary tract urothelial carcinoma. <i>BJU International</i> , 2021 , 127, 528-537	5.6	1
57	Preoperative chemotherapy in clinically node positive muscle invasive bladder cancer: Radiologic variables can predict response. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 133.e1-133.e8 ¹	2.8	1
56	Vena Cavoscopy in the Assessment of Intraluminal Vena Caval Tumor Involvement. <i>Urology</i> , 2018 , 113, 105-109	1.6	1
55	The Diagnostic Performance of Cxbladder Resolve, Alone and in Combination with Other Cxbladder Tests, in the Identification and Priority Evaluation of Patients at Risk for Urothelial Carcinoma. <i>Journal of Urology</i> , 2021 , 206, 1380-1389	2.5	1
54	Identifying the Optimal Number of Neoadjuvant Chemotherapy Cycles in Patients with Muscle Invasive Bladder Cancer. <i>Journal of Urology</i> , 2022 , 207, 70-76	2.5	1
53	Perioperative complications and oncological outcomes following radical cystectomy among different racial groups: A long-term, single-center study. <i>Canadian Urological Association Journal</i> , 2020 , 14, E493-E498	1.2	0
52	Chemoradiation for Management of Locally Recurrent or Residual Bladder Cancer: A Case Series and Review of the Literature. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e473-e477	3.3	0

51	Management Trends and Outcomes of Patients Undergoing Radical Cystectomy for Urothelial Carcinoma of the Bladder: Evolution of the University of Southern California Experience over 3,347 Cases.. <i>Journal of Urology</i> , 2022 , 207, 302-313	2.5	o
50	Utility of Blue Light Cystoscopy for Post-bacillus Calmette-Guërin Bladder Cancer Recurrence Detection: Implications for Clinical Trial Recruitment and Study Comparisons. <i>Journal of Urology</i> , 2021 , 101097JU00000000000002308	2.5	o
49	Clinical stage II seminoma: management options. <i>World Journal of Urology</i> , 2021 , 1	4	o
48	Reply to Gianluca Giannarini, Vincenzo Ficarra, and Claudio Valotto Letter to the Editor re: Stephen B. Williams, Marcus G.K. Cumberbatch, Ashish M. Kamat, et al. Reporting Radical Cystectomy Outcomes Following Implementation of Enhanced Recovery After Surgery Protocols: A Systematic Review and Individual Patient Data Meta-analysis. <i>Eur Urol</i> . In press.	10.2	o
47	Disparities in male versus female oncologic outcomes following bladder preservation: A population-based cohort study. <i>Cancer Medicine</i> , 2021 , 10, 3004-3012	4.8	o
46	Enhanced recovery after cystectomy in patients with preoperative narcotic use. <i>Canadian Urological Association Journal</i> , 2021 , 15, E563-E568	1.2	o
45	Macro and microeconomics of blue light cystoscopy with CYSVIEW in non-muscle invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022 , 40, 10.e7-10.e12	2.8	o
44	Predictors of need for catheterisation and urinary retention after radical cystectomy and orthotopic neobladder in male patients. <i>BJU International</i> , 2021 , 128, 304-310	5.6	o
43	Editorial by Bendu K. Konneh, John T. Lafin and Aditya Bagrodia on pp. 341-342 of this issue: MicroRNA-371a-3p as a blood-based biomarker in testis cancer. <i>Asian Journal of Urology</i> , 2021 , 8, 400-406	2.7	o
42	Development and Validation of an Objective Scoring Tool to Evaluate Surgical Dissection: Dissection Assessment for Robotic Technique (DART). <i>Urology Practice</i> , 2021 , 8, 596-604	0.8	o
41	Association between use of ERAS protocols and complications after radical cystectomy.. <i>World Journal of Urology</i> , 2022 , 1	4	o
40	Preoperative chemotherapy for prostatic stromal invasive urothelial bladder cancer: comparison of oncological outcomes of male patients with cT4a disease undergoing radical cystectomy with or without preoperative chemotherapy. <i>Scandinavian Journal of Urology</i> , 2019 , 53, 123-128	1.6	
39	Conversion from incontinent conduit to continent cutaneous reservoir after renal transplant. <i>Urology</i> , 2013 , 81, 1086-9	1.6	
38	Editorial comment. <i>Journal of Urology</i> , 2013 , 190, 927	2.5	
37	Editorial comment. <i>Urology</i> , 2010 , 76, 1001	1.6	
36	Words of wisdom. Re: use of androgen deprivation therapy for metastatic prostate cancer in older men. <i>European Urology</i> , 2008 , 54, 1201-2	10.2	
35	Metastatic adenocarcinoma of the prostate with a testicular mass and cutaneous nodules. <i>BJU International</i> , 2003 , 92 Suppl 3, e61	5.6	
34	Reply by Authors.. <i>Journal of Urology</i> , 2022 , 207, 313	2.5	

- 33 Cell-free DNA (cfDNA) whole genome bisulfite sequencing in patients with muscle-invasive bladder cancer patient treated with cystectomy with curative intent.. *Journal of Clinical Oncology*, **2019**, 37, 359-359
- 32 Epigenomic profiling of plasma cell-free DNA (cfDNA) to predict bladder cancer recurrence after radical cystectomy.. *Journal of Clinical Oncology*, **2019**, 37, e14525-e14525 2.2
- 31 Retroperitoneal Lymph Node Dissection as an Alternative Treatment Strategy for Low Volume, Clinical Stage II Testicular Seminoma: A Survey of Patients and Providers. *Urology Practice*, **2019**, 6, 249-258
- 30 ERAS for Major Urological Procedures: Evidence Synthesis and Recommendations **2020**, 421-431
- 29 Comparison between oncological outcomes of primary versus salvage radical cystectomy for urothelial carcinoma of the bladder.. *Journal of Clinical Oncology*, **2020**, 38, 585-585 2.2
- 28 Oncological outcomes following radical cystectomy for urothelial carcinoma of the bladder with positive lymph nodes.. *Journal of Clinical Oncology*, **2020**, 38, 584-584 2.2
- 27 The Role of Lymphadenectomy in the Management of Urothelial Carcinoma of the Upper Urinary Tract **2015**, 153-178
- 26 Predicting survival after radical cystectomy: Validation of the SPARC score.. *Journal of Clinical Oncology*, **2015**, 33, 326-326 2.2
- 25 Radiosensitivity of orthotopic ileal neobladders.. *Journal of Clinical Oncology*, **2015**, 33, 350-350 2.2
- 24 Oncological outcomes in high-risk prostate cancer after radical prostatectomy based on Gleason score: USC experience with 3,755 cases.. *Journal of Clinical Oncology*, **2015**, 33, 60-60 2.2
- 23 Radical cystectomy127-143
- 22 Baseline GFR and cisplatin-induced renal toxicity in urothelial cancer patients.. *Journal of Clinical Oncology*, **2016**, 34, 380-380 2.2
- 21 Development and validation of contouring guidelines for post-cystectomy adjuvant radiation of bladder cancer.. *Journal of Clinical Oncology*, **2016**, 34, 409-409 2.2
- 20 Adjuvant chemotherapy for bladder cancer: A detailed characterization of factors precluding utilization.. *Journal of Clinical Oncology*, **2016**, 34, e16001-e16001 2.2
- 19 The opportunity cost (OC) of performing radical prostatectomy (RP) by low volume (LV) providers (Prov).. *Journal of Clinical Oncology*, **2016**, 34, 6509-6509 2.2
- 18 Outcomes in neuroendocrine bladder cancer treated with radical cystectomy.. *Journal of Clinical Oncology*, **2016**, 34, e16004-e16004 2.2
- 17 An extraperitoneal midline approach to retroperitoneal lymph node dissection to minimize bowel morbidity.. *Journal of Clinical Oncology*, **2016**, 34, e16042-e16042 2.2
- 16 Frailty as a predictor of complications in older patients undergoing radical cystectomy.. *Journal of Clinical Oncology*, **2016**, 34, e16007-e16007 2.2

15	Female cystectomy with orthotopic urinary diversion: Is fear of urethral recurrence justified? <i>Journal of Clinical Oncology</i> , 2016 , 34, e16006-e16006	2.2
14	Radical Abdominal Hysterectomy with Anterior Exenteration: Urological Perspectives 2018 , 1287-1298	
13	Clinical validation of the 7th AJCC-TNM nodal staging system in lymph node-positive patients undergoing radical cystectomy.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4588-4588	2.2
12	Mortality from other malignancies in bladder cancer survivors.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4589-4589	2.2
11	Evaluation of length, maximum Gleason score, and extension of disease at positive surgical margins during radical prostatectomy.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 98-98	2.2
10	Decreasing length of hospital stay following radical cystectomy using multimodal enhanced recovery protocol.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 313-313	2.2
9	Venothromboembolism and radical cystectomy: Prevalence of risk factors and comparison of anticoagulation use.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 339-339	2.2
8	Voiding Dysfunction After Neobladder Urinary Diversion. <i>Current Bladder Dysfunction Reports</i> , 2020 , 15, 38-43	0.4
7	EDITORIAL COMMENT. <i>Urology</i> , 2020 , 140, 120-121	1.6
6	AUTHOR REPLY. <i>Urology</i> , 2020 , 142, 154	1.6
5	Role of Ki-67, MRE11, and PD-L1 as Predictive Biomarkers for Recurrence Pattern in Muscle-invasive Bladder Cancer. <i>Anticancer Research</i> , 2021 , 41, 3851-3857	2.3
4	Radical Cystectomy 2021 , 139-175	
3	A Massive Penile Tumor. <i>Urology</i> , 2021 , 154, e5-e6	1.6
2	Vena Cava Tumor Thrombus Associated With Renal Angiomyolipoma in a Jehovah® Witness Patient. <i>Urology</i> , 2021 , 156, e86-e87	1.6
1	Re: Detection rate of CIS during TURBT following shift from PDD to NBI in a single University Hospital.. <i>Urology</i> , 2022 ,	1.6