

Siamak Daneshmand

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/586236/siamak-daneshmand-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

338
papers

9,628
citations

49
h-index

89
g-index

375
ext. papers

12,121
ext. citations

3.6
avg. IF

6.09
L-index

#	Paper	IF	Citations
338	Long-Term Renal Function in Patients with CKD following Radical Cystectomy and Orthotopic Neobladder.. <i>BJU International</i> , 2022 ,	5.6	1
337	Reply by Authors.. <i>Journal of Urology</i> , 2022 , 207, 313	2.5	
336	Management Trends and Outcomes of Patients Undergoing Radical Cystectomy for Urothelial Carcinoma of the Bladder: Evolution of the University of Southern California Experience over 3,347 Cases.. <i>Journal of Urology</i> , 2022 , 207, 302-313	2.5	0
335	Intricacies of retroperitoneal lymph node dissection for testis cancer. <i>Current Opinion in Urology</i> , 2022 , 32, 24-30	2.8	1
334	Macro and microeconomics of blue light cystoscopy with CYSVIEW [®] in non-muscle invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022 , 40, 10.e7-10.e12	2.8	0
333	Identifying the Optimal Number of Neoadjuvant Chemotherapy Cycles in Patients with Muscle Invasive Bladder Cancer. <i>Journal of Urology</i> , 2022 , 207, 70-76	2.5	1
332	Re: Detection rate of CIS during TURBT following shift from PDD to NBI in a single University Hospital.. <i>Urology</i> , 2022 ,	1.6	
331	Association between use of ERAS protocols and complications after radical cystectomy.. <i>World Journal of Urology</i> , 2022 , 1	4	0
330	Risk factors and natural history of parastomal hernia after radical cystectomy and ileal conduit. <i>BJU International</i> , 2021 ,	5.6	3
329	An emerging role for immuno-nutrition in patients undergoing radical cystectomy. <i>Nature Reviews Urology</i> , 2021 ,	5.5	2
328	Utility of Blue Light Cystoscopy for Post-bacillus Calmette-Guérin Bladder Cancer Recurrence Detection: Implications for Clinical Trial Recruitment and Study Comparisons. <i>Journal of Urology</i> , 2021 , 101097JU0000000000002308	2.5	0
327	Safety and feasibility of urological procedures in Jehovah's Witness patients. <i>International Journal of Urology</i> , 2021 ,	2.3	2
326	Role of blue-light cystoscopy in detecting invasive bladder tumours: data from a multi-institutional registry. <i>BJU International</i> , 2021 ,	5.6	1
325	Clinical stage II seminoma: management options. <i>World Journal of Urology</i> , 2021 , 1	4	0
324	Neoadjuvant chemotherapy plus radical cystectomy versus radical cystectomy alone in clinical T2 bladder cancer without hydronephrosis. <i>BJU International</i> , 2021 , 128, 79-87	5.6	7
323	Impact of Non-guideline-directed Care on Quality of Life in Testicular Cancer Survivors. <i>European Urology Focus</i> , 2021 , 7, 1137-1142	5.1	1
322	Disparities in male versus female oncologic outcomes following bladder preservation: A population-based cohort study. <i>Cancer Medicine</i> , 2021 , 10, 3004-3012	4.8	0

321	Clinical evaluation of Bladder CARE, a new epigenetic test for bladder cancer detection in urine samples. <i>Clinical Epigenetics</i> , 2021 , 13, 84	7.7	1
320	Genetic Differences Between Bladder and Upper Urinary Tract Carcinoma: Implications for Therapy. <i>European Urology Oncology</i> , 2021 , 4, 170-179	6.7	7
319	Adjuvant atezolizumab versus observation in muscle-invasive urothelial carcinoma (IMvigor010): a multicentre, open-label, randomised, phase 3 trial. <i>Lancet Oncology, The</i> , 2021 , 22, 525-537	21.7	73
318	Enhanced recovery after cystectomy in patients with preoperative narcotic use. <i>Canadian Urological Association Journal</i> , 2021 , 15, E563-E568	1.2	0
317	Evaluation of Bowel Function Following Radical Cystectomy and Urinary Diversion Using Two Validated Questionnaires: What Are the Effects on Quality of Life?. <i>Urology</i> , 2021 , 156, 279-284	1.6	1
316	Enhanced Endoscopy with IMAGE1 S CHROMA Improves Detection of Nonmuscle Invasive Bladder Cancer During Transurethral Resection. <i>Journal of Endourology</i> , 2021 , 35, 647-651	2.7	1
315	Perioperative outcomes of goal-directed versus conventional fluid therapy in radical cystectomy with enhanced recovery protocol. <i>International Urology and Nephrology</i> , 2021 , 53, 1827-1833	2.3	2
314	Diagnosis and Staging of Bladder Cancer. <i>Hematology/Oncology Clinics of North America</i> , 2021 , 35, 531-541		3
313	Role of Ki-67, MRE11, and PD-L1 as Predictive Biomarkers for Recurrence Pattern in Muscle-invasive Bladder Cancer. <i>Anticancer Research</i> , 2021 , 41, 3851-3857	2.3	
312	Integrated Expression of Circulating miR375 and miR371 to Identify Teratoma and Active Germ Cell Malignancy Components in Malignant Germ Cell Tumors. <i>European Urology</i> , 2021 , 79, 16-19	10.2	15
311	Feasibility and Outcomes of Orthotopic Ileal Neobladder Reconstruction Following Pelvic Irradiation. <i>Urology</i> , 2021 , 148, 198-202	1.6	1
310	Stoma complications and quality of life in patients with Indiana pouch versus appendico/neo-appendico-umbilicostomy urinary diversions. <i>World Journal of Urology</i> , 2021 , 39, 1521-1529		1
309	Prospective evaluation of blue-light flexible cystoscopy with hexaminolevulinate in non-muscle-invasive bladder cancer. <i>BJU International</i> , 2021 , 127, 108-113	5.6	3
308	Best Practices to Optimise Quality and Outcomes of Transurethral Resection of Bladder Tumours. <i>European Urology Oncology</i> , 2021 , 4, 12-19	6.7	11
307	Comparative effectiveness of neoadjuvant chemotherapy in bladder and upper urinary tract urothelial carcinoma. <i>BJU International</i> , 2021 , 127, 528-537	5.6	1
306	Predictors of need for catheterisation and urinary retention after radical cystectomy and orthotopic neobladder in male patients. <i>BJU International</i> , 2021 , 128, 304-310	5.6	0
305	Preoperative chemotherapy in clinically node positive muscle invasive bladder cancer: Radiologic variables can predict response. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 133.e1-133.e8	2.8	1
304	Radical Cystectomy 2021 , 139-175		

303	Discrepancies in the Recommended Management of Adrenal Incidentalomas by Various Guidelines. <i>Journal of Urology</i> , 2021 , 205, 52-59	2.5	3
302	SEMS trial: Result of a prospective, multi-institutional phase II clinical trial of surgery in early metastatic seminoma.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 375-375	2.2	9
301	A Novel DNA Methylation Signature as an Independent Prognostic Factor in Muscle-Invasive Bladder Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 614927	5.3	4
300	A Randomized Phase II Study of Coexpression Extrapolation (COXEN) with Neoadjuvant Chemotherapy for Bladder Cancer (SWOG S1314; NCT02177695). <i>Clinical Cancer Research</i> , 2021 , 27, 2435-2441 ¹²	12.9	12
299	A Massive Penile Tumor. <i>Urology</i> , 2021 , 154, e5-e6	1.6	
298	Vena Cava Tumor Thrombus Associated With Renal Angiomyolipoma in a Jehovah's Witness Patient. <i>Urology</i> , 2021 , 156, e86-e87	1.6	
297	Association of age with response to preoperative chemotherapy in patients with muscle-invasive bladder cancer. <i>World Journal of Urology</i> , 2021 , 39, 4345-4354	4	2
296	Editorial by Bendu K. Konneh, John T. Labin and Aditya Bagrodia on pp. 341-342 of this issue: MicroRNA-371a-3p as a blood-based biomarker in testis cancer. <i>Asian Journal of Urology</i> , 2021 , 8, 400-406 ⁷	2.7	0
295	The Diagnostic Performance of Cxbladder Resolve, Alone and in Combination with Other Cxbladder Tests, in the Identification and Priority Evaluation of Patients at Risk for Urothelial Carcinoma. <i>Journal of Urology</i> , 2021 , 206, 1380-1389	2.5	1
294	Development and Validation of an Objective Scoring Tool to Evaluate Surgical Dissection: Dissection Assessment for Robotic Technique (DART). <i>Urology Practice</i> , 2021 , 8, 596-604	0.8	0
293	Validation of the COBRA nomogram for the prediction of cancer specific survival in patients treated with radical cystectomy for bladder cancer: An international wide cohort study. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2646-2650	3.6	2
292	Perioperative complications and oncological outcomes following radical cystectomy among different racial groups: A long-term, single-center study. <i>Canadian Urological Association Journal</i> , 2020 , 14, E493-E498	1.2	0
291	Occult Nodal Metastases in Patients Down-Staged to Nonmuscle Invasive Disease Following Neoadjuvant Chemotherapy. <i>Urology</i> , 2020 , 142, 155-160	1.6	5
290	Infigratinib in upper tract urothelial carcinoma versus urothelial carcinoma of the bladder and its association with comprehensive genomic profiling and/or cell-free DNA results. <i>Cancer</i> , 2020 , 126, 2597-2606 ^{6,4}	6.4	24
289	Critical analysis of quality of life and cost-effectiveness of enhanced recovery after surgery (ERAS) for patients undergoing urologic oncology surgery: a systematic review. <i>World Journal of Urology</i> , 2020 , 1	4	9
288	Reporting Radical Cystectomy Outcomes Following Implementation of Enhanced Recovery After Surgery Protocols: A Systematic Review and Individual Patient Data Meta-analysis. <i>European Urology</i> , 2020 , 78, 719-730	10.2	18
287	Adult genitourinary sarcoma: A population-based analysis of clinical characteristics and survival. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 334-343	2.8	8
286	Internal audit of an enhanced recovery after surgery protocol for radical cystectomy. <i>World Journal of Urology</i> , 2020 , 38, 3131-3137	4	2

285	Detecting Invisible Bladder Cancers With Blue Light Cystoscopy. <i>Urology</i> , 2020 , 139, e8-e9	1.6	1
284	Chemoradiation for Management of Locally Recurrent or Residual Bladder Cancer: A Case Series and Review of the Literature. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e473-e477	3.3	0
283	Role of primary retroperitoneal lymph node dissection in stage I and low-volume metastatic germ cell tumors. <i>Current Opinion in Urology</i> , 2020 , 30, 251-257	2.8	3
282	Impact of sex on response to neoadjuvant chemotherapy in patients with bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 639.e1-639.e9	2.8	7
281	Surgical strategies for postchemotherapy testis cancer. <i>Translational Andrology and Urology</i> , 2020 , 9, S74-S82	2.3	3
280	Urinary tract infections following radical cystectomy with enhanced recovery protocol: A prospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 75.e9-75.e14	2.8	10
279	Perioperative Outcome of Suprarenal Resection of Vena Cava Without Reconstruction in Urologic Malignancies: A Case Series and Review of the Literature. <i>Urology</i> , 2020 , 142, 146-154	1.6	5
278	Zero, Some Chemotherapy Game in Early-Stage Germ Cell Tumors. <i>Journal of Clinical Oncology</i> , 2020 , 38, 2214-2215	2.2	2
277	Infigratinib and treatment response in advanced/unresectable or metastatic urothelial carcinoma in first-line and later-line treatment settings.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 5038-5038	2.2	1
276	PROOF 302: A randomized, double-blind, placebo-controlled, phase III trial of infigratinib as adjuvant therapy in patients with invasive urothelial carcinoma harboring susceptible FGFR3 alterations.. <i>Journal of Clinical Oncology</i> , 2020 , 38, TPS5095-TPS5095	2.2	4
275	PROOF 302: A randomized, double-blind, placebo-controlled, phase III trial of infigratinib as adjuvant therapy in patients with invasive urothelial carcinoma harboring FGFR3 alterations.. <i>Journal of Clinical Oncology</i> , 2020 , 38, TPS600-TPS600	2.2	4
274	A randomized phase II study of erdafitinib (ERDA) versus intravesical chemotherapy (IC) in patients with high-risk nonmuscle invasive bladder cancer (HR-NMIBC) with FGFR mutations or fusions, who recurred after Bacillus Calmette-Guérin (BCG) therapy.. <i>Journal of Clinical Oncology</i> , 2020 , 38, TPS603-TPS603	2.2	6
273	ERAS for Major Urological Procedures: Evidence Synthesis and Recommendations 2020 , 421-431		
272	Comparison between oncological outcomes of primary versus salvage radical cystectomy for urothelial carcinoma of the bladder.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 585-585	2.2	
271	Oncological outcomes following radical cystectomy for urothelial carcinoma of the bladder with positive lymph nodes.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 584-584	2.2	
270	Active surveillance for low-risk prostate cancer - in pursuit of a standardized protocol. <i>Central European Journal of Urology</i> , 2020 , 73, 123-126	0.9	1
269	Neoadjuvant Chemotherapy in Variant Histology Bladder Cancer: Current Evidence. <i>European Urology Focus</i> , 2020 , 6, 639-641	5.1	11
268	Variability in adherence to guidelines based management of nonmuscle invasive bladder cancer among Society of Urologic Oncology (SUO) members. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 796.e1-796.e6	2.8	4

267	The prognostic value of the neutrophil-to-lymphocyte ratio in patients with muscle-invasive bladder cancer treated with neoadjuvant chemotherapy and radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 3.e17-3.e27	2.8	15
266	Voiding Dysfunction After Neobladder Urinary Diversion. <i>Current Bladder Dysfunction Reports</i> , 2020 , 15, 38-43	0.4	
265	Hyperphosphatemia Secondary to the Selective Fibroblast Growth Factor Receptor 1-3 Inhibitor Infigratinib (BGJ398) Is Associated with Antitumor Efficacy in Fibroblast Growth Factor Receptor 3-altered Advanced/Metastatic Urothelial Carcinoma. <i>European Urology</i> , 2020 , 78, 916-924	10.2	6
264	Reply to Gianluca Giannarini, Vincenzo Ficarra, and Claudio Valotto Letter to the Editor re: Stephen B. Williams, Marcus G.K. Cumberbatch, Ashish M. Kamat, et al. Reporting Radical Cystectomy Outcomes Following Implementation of Enhanced Recovery After Surgery Protocols: A Systematic Review and Individual Patient Data Meta-analysis. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2020.05.039 . <i>European Urology</i> , 2020 , 78, e190-e191	10.2	0
263	EDITORIAL COMMENT. <i>Urology</i> , 2020 , 140, 120-121	1.6	
262	AUTHOR REPLY. <i>Urology</i> , 2020 , 142, 154	1.6	
261	National Practice Patterns and Overall Survival After Adjuvant Radiotherapy Following Radical Cystectomy for Urothelial Bladder Cancer in the USA, 2004-2013. <i>European Urology Oncology</i> , 2020 , 3, 343-350	6.7	4
260	Developing a Highly Specific Biomarker for Germ Cell Malignancies: Plasma miR371 Expression Across the Germ Cell Malignancy Spectrum. <i>Journal of Clinical Oncology</i> , 2019 , 37, 3090-3098	2.2	44
259	Assessing the Impact of Time to Cystectomy for Variant Histology of Urothelial Bladder Cancer. <i>Urology</i> , 2019 , 133, 157-163	1.6	6
258	Testicular Mesothelioma: An Analysis of Epidemiology, Patient Outcomes, and Prognostic Factors. <i>Urology</i> , 2019 , 126, 140-144	1.6	6
257	SIU-ICUD consultation on bladder cancer: treatment of muscle-invasive bladder cancer. <i>World Journal of Urology</i> , 2019 , 37, 61-83	4	31
256	Association of an organ transplant-based approach with a dramatic reduction in postoperative complications following radical nephrectomy and tumor thrombectomy in renal cell carcinoma. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1983-1992	3.6	12
255	Evaluation of Cxbladder and Adjudication of Atypical Cytology and Equivocal Cystoscopy. <i>European Urology</i> , 2019 , 76, 238-243	10.2	15
254	Preoperative chemotherapy for prostatic stromal invasive urothelial bladder cancer: comparison of oncological outcomes of male patients with cT4a disease undergoing radical cystectomy with or without preoperative chemotherapy. <i>Scandinavian Journal of Urology</i> , 2019 , 53, 123-128	1.6	
253	Socioeconomic and insurance status are independent prognostic indicators of higher disease stage and worse prognosis in bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 784-790	2.8	10
252	Blue light flexible cystoscopy with hexaminolevulinate in non-muscle-invasive bladder cancer: review of the clinical evidence and consensus statement on optimal use in the USA - update 2018. <i>Nature Reviews Urology</i> , 2019 , 16, 377-386	5.5	30
251	Management of extraretroperitoneal masses in germ cell tumor. <i>Current Opinion in Urology</i> , 2019 , 29, 33-41	2.8	4
250	Molecular Characterization of Neuroendocrine-like Bladder Cancer. <i>Clinical Cancer Research</i> , 2019 , 25, 3908-3920	12.9	42

249	Current controversies on the role of lymphadenectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 193-200	2.8	3
248	Validating the role of ABO blood type in risk of perioperative venous thromboembolism after radical cystectomy. <i>World Journal of Urology</i> , 2019 , 37, 173-179	4	2
247	Growing Teratoma Syndrome of Testicular Origin. <i>Urology</i> , 2019 , 123, 20-23	1.6	2
246	Patient-reported outcomes of blue-light flexible cystoscopy with hexaminolevulinate in the surveillance of bladder cancer: results from a prospective multicentre study. <i>BJU International</i> , 2019 , 123, 35-41	5.6	12
245	Influence of the facility caseload on the subsequent survival of men with localized prostate cancer undergoing radical prostatectomy. <i>Cancer</i> , 2019 , 125, 3853-3863	6.4	3
244	Surgical approach as a determinant factor of clinical outcome following radical cystectomy: Does Enhanced Recovery After Surgery (ERAS) level the playing field?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 765-773	2.8	10
243	Factors influencing ICU admission and associated outcome in patients undergoing radical cystectomy with enhanced recovery pathway. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 572.e13-572.e19	2.8	3
242	Postchemotherapy Resection of Residual Mass in Nonseminomatous Germ Cell Tumor. <i>Urologic Clinics of North America</i> , 2019 , 46, 389-398	2.9	10
241	Advanced Testis Cancer. <i>European Urology Focus</i> , 2019 , 5, 710-712	5.1	1
240	SWOG S1314: A randomized phase II study of co-expression extrapolation (COXEN) with neoadjuvant chemotherapy for localized, muscle-invasive bladder cancer.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 4506-4506	2.2	20
239	Infigratinib in upper tract urothelial carcinoma vs urothelial carcinoma of the bladder and association with comprehensive genomic profiling/cell-free DNA results.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 4510-4510	2.2	3
238	Validation of plasma miR-371a-3p expression in patients with metastatic and early stage germ cell tumor.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 526-526	2.2	1
237	Cell-free DNA (cfDNA) whole genome bisulfite sequencing in patients with muscle-invasive bladder cancer patient treated with cystectomy with curative intent.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 359-359	2.2	3
236	Epigenomic profiling of plasma cell-free DNA (cfDNA) to predict bladder cancer recurrence after radical cystectomy.. <i>Journal of Clinical Oncology</i> , 2019 , 37, e14525-e14525	2.2	
235	Retroperitoneal Lymph Node Dissection as an Alternative Treatment Strategy for Low Volume, Clinical Stage II Testicular Seminoma: A Survey of Patients and Providers. <i>Urology Practice</i> , 2019 , 6, 249-255	0.8	
234	Long term oncologic outcome in patients with bladder cancer after radical cystectomy: Impact of carcinoma in situ in the era of neoadjuvant chemotherapy. <i>International Urology and Nephrology</i> , 2019 , 51, 435-441	2.3	2
233	Diagnosis and Treatment of Early Stage Testicular Cancer: AUA Guideline. <i>Journal of Urology</i> , 2019 , 202, 272-281	2.5	70
232	Development and Acceptability Testing of a Patient Decision Aid for Urinary Diversion with Radical Cystectomy. <i>Journal of Urology</i> , 2019 , 202, 1001-1007	2.5	13

231	Systematic Review of Factors Associated with the Utilization of Radical Cystectomy for Bladder Cancer. <i>European Urology Oncology</i> , 2019 , 2, 119-125	6.7	13
230	High-grade T1 Urothelial Carcinoma: Where Do We Stand?. <i>Current Urology Reports</i> , 2019 , 20, 79	2.9	2
229	Frailty and preoperative risk assessment before radical cystectomy. <i>Current Opinion in Urology</i> , 2019 , 29, 216-219	2.8	6
228	Assessing trends in urinary diversion after radical cystectomy for bladder cancer in the United States. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 180.e1-180.e9	2.8	9
227	Implications of micropapillary urothelial carcinoma variant on prognosis following radical cystectomy: A multi-institutional investigation. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 48-56	2.8	12
226	Frailty as a predictor of complications after radical cystectomy: A prospective study of various preoperative assessments. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 40-47	2.8	31
225	Association between precystectomy epithelial tumor marker response to neoadjuvant chemotherapy and oncological outcomes in urothelial bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 1-11	2.8	7
224	Factors influencing intraoperative conversion from planned orthotopic to non-orthotopic urinary diversion during radical cystectomy. <i>World Journal of Urology</i> , 2019 , 37, 1851-1855	4	6
223	Enhanced Recovery After Surgery Pathways: Role and Outcomes in the Management of Muscle Invasive Bladder Cancer. <i>Urologic Clinics of North America</i> , 2018 , 45, 229-239	2.9	5
222	Urinary tract infections following radical cystectomy and urinary diversion: a review of 1133 patients. <i>World Journal of Urology</i> , 2018 , 36, 775-781	4	21
221	Efficacy and Safety of Blue Light Flexible Cystoscopy with Hexaminolevulinate in the Surveillance of Bladder Cancer: A Phase III, Comparative, Multicenter Study. <i>Journal of Urology</i> , 2018 , 199, 1158-1165	2.5	56
220	Neoadjuvant Dose Dense MVAC versus Gemcitabine and Cisplatin in Patients with cT3-4aN0M0 Bladder Cancer Treated with Radical Cystectomy. <i>Journal of Urology</i> , 2018 , 199, 1452-1458	2.5	45
219	The association between intraoperative fluid intake and postoperative complications in patients undergoing radical cystectomy with an enhanced recovery protocol. <i>World Journal of Urology</i> , 2018 , 36, 401-407	4	14
218	Satisfaction With Testicular Prosthesis After Radical Orchiectomy. <i>Urology</i> , 2018 , 114, 128-132	1.6	12
217	Association between race and oncologic outcome following radical prostatectomy for clinically organ-confined prostate cancer: a long-term follow-up study. <i>World Journal of Urology</i> , 2018 , 36, 1233-1239	4.39	3
216	Clinical Lymphadenopathy in Urothelial Cancer: A Transatlantic Collaboration on Performance of Cross-sectional Imaging and Oncologic Outcomes in Patients Treated with Radical Cystectomy Without Neoadjuvant Chemotherapy. <i>European Urology Focus</i> , 2018 , 4, 245-251	5.1	14
215	Gastrointestinal Complications Following Radical Cystectomy Using Enhanced Recovery Protocol. <i>European Urology Focus</i> , 2018 , 4, 889-894	5.1	27
214	Enhanced Endoscopy in Bladder Cancer. <i>Current Urology Reports</i> , 2018 , 19, 84	2.9	8

213	Blue light cystoscopy for the diagnosis of bladder cancer: Results from the US prospective multicenter registry. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 361.e1-361.e6	2.8	43
212	Integrated Molecular Characterization of Testicular Germ Cell Tumors. <i>Cell Reports</i> , 2018 , 23, 3392-3406	10.6	200
211	Optimal Trial Design for Studying Urinary Markers in Bladder Cancer: A Collaborative Review. <i>European Urology Oncology</i> , 2018 , 1, 223-230	6.7	17
210	Circulating miR-371a-3p for the detection of low volume viable germ cell tumor: Expanded pilot data, clinical implications and future study.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 4549-4549	2.2	5
209	Effectiveness of extended pelvic lymphadenectomy in the survival of prostate cancer: a systematic review and meta-analysis. <i>Central European Journal of Urology</i> , 2018 , 71, 262-269	0.9	6
208	Optimizing Diagnosis of Urothelial Bladder Cancer with Blue Light Cystoscopy via Recognition of False-Positive Lesions. <i>Videourology (New Rochelle, N Y)</i> , 2018 , 32,	0.9	1
207	Radical Abdominal Hysterectomy with Anterior Exenteration: Urological Perspectives 2018 , 1287-1298		
206	Vena Cavoscopy in the Assessment of Intraluminal Vena Caval Tumor Involvement. <i>Urology</i> , 2018 , 113, 105-109	1.6	1
205	Continent Cutaneous Diversion. <i>Urologic Clinics of North America</i> , 2018 , 45, 55-65	2.9	6
204	The Role of Surgery in Metastatic Bladder Cancer: A Systematic Review. <i>European Urology</i> , 2018 , 73, 543-557	6.6	66
203	Impact of lymph node dissection at the time of radical nephrectomy with tumor thrombectomy on oncological outcomes: Results from the International Renal Cell Carcinoma-Venous Thrombus Consortium (IRCC-VTC). <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 79.e11-79.e17	2.8	9
202	The impact of patient-related nonmodifiable factors on perioperative outcomes following radical cystectomy with enhanced recovery protocol. <i>Therapeutic Advances in Urology</i> , 2018 , 10, 393-401	3.2	7
201	Modern Management of Testicular Cancer. <i>Cancer Treatment and Research</i> , 2018 , 175, 273-308	3.5	7
200	Molecular Prognostication in Bladder Cancer. <i>Cancer Treatment and Research</i> , 2018 , 175, 165-191	3.5	3
199	Retroperitoneal Lymph Node Dissection as Primary Treatment for Metastatic Seminoma. <i>Advances in Urology</i> , 2018 , 2018, 7978958	1.6	13
198	Lymph node dissection in bladder cancer: Where do we stand?. <i>World Journal of Urology</i> , 2017 , 35, 527-533	5.3	4
197	Oncological Outcomes After Radical Prostatectomy for High-Risk Prostate Cancer Based on New Gleason Grouping System: A Validation Study From University of Southern California With 3,755 Cases. <i>Prostate</i> , 2017 , 77, 743-748	4.2	10
196	Transurethral Resection of Bladder Tumors: Improving Quality Through New Techniques and Technologies. <i>Current Urology Reports</i> , 2017 , 18, 34	2.9	19

195	Restrictive transfusion in radical cystectomy is safe. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 528.e15-528.e21	2.8	9
194	Dose dense MVAC prior to radical cystectomy: a real-world experience. <i>World Journal of Urology</i> , 2017 , 35, 1729-1736	4	7
193	Orthotopic Urinary Diversion in Men 2017 , 11-24		1
192	Tolerance of Orthotopic Ileal Neobladders to Radiotherapy: A Multi-institutional Retrospective Study. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 711-716	3.3	12
191	Association of Distance to Treatment Facility With Survival and Quality Outcomes After Radical Cystectomy: A Multi-Institutional Study. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 689-695.e2	3.3	10
190	Midline Extraperitoneal Approach to Retroperitoneal Lymph Node Dissection in Testicular Cancer: Minimizing Surgical Morbidity. <i>European Urology</i> , 2017 , 72, 814-820	10.2	17
189	Comprehensive Molecular Characterization of Muscle-Invasive Bladder Cancer. <i>Cell</i> , 2017 , 171, 540-556.e25	9.2	961
188	Practice Makes Perfect: The Rest of the Story in Testicular Cancer as a Model Curable Neoplasm. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3525-3528	2.2	45
187	Baseline Glomerular Filtration Rate and Cisplatin- Induced Renal Toxicity in Urothelial Cancer Patients. <i>Clinical Genitourinary Cancer</i> , 2017 ,	3.3	8
186	90-Day complication rate in patients undergoing radical cystectomy with enhanced recovery protocol: a prospective cohort study. <i>World Journal of Urology</i> , 2017 , 35, 907-911	4	66
185	Adherence to National Comprehensive Cancer Network Guidelines for Testicular Cancer. <i>Journal of Urology</i> , 2017 , 197, 684-689	2.5	35
184	Feasibility of expert and crowd-sourced review of intraoperative video for quality improvement of intracorporeal urinary diversion during robotic radical cystectomy. <i>Canadian Urological Association Journal</i> , 2017 , 11, 331-336	1.2	6
183	Stomal Complications 2017 , 121-141		1
182	Gender and Bladder Cancer: A Collaborative Review of Etiology, Biology, and Outcomes. <i>European Urology</i> , 2016 , 69, 300-10	10.2	285
181	Orthotopic urinary diversion in the elderly. <i>World Journal of Urology</i> , 2016 , 34, 13-8	4	7
180	Robotic Intracorporeal Orthotopic Neobladder: Urodynamic Outcomes, Urinary Function, and Health-related Quality of Life. <i>European Urology</i> , 2016 , 69, 247-53	10.2	59
179	A Multi-Institutional Analysis of Outcomes of Patients with Clinically Node Positive Urothelial Bladder Cancer Treated with Induction Chemotherapy and Radical Cystectomy. <i>Journal of Urology</i> , 2016 , 195, 53-9	2.5	72
178	Incidence, Characteristics and Implications of Thromboembolic Events in Patients with Muscle Invasive Urothelial Carcinoma of the Bladder Undergoing Neoadjuvant Chemotherapy. <i>Journal of Urology</i> , 2016 , 196, 1627-1633	2.5	26

177	Diagnosis and Treatment of Non-Muscle Invasive Bladder Cancer: AUA/SUO Guideline. <i>Journal of Urology</i> , 2016 , 196, 1021-9	2.5	603
176	Prospective Evaluation of Continence Following Radical Cystectomy and Orthotopic Urinary Diversion Using a Validated Questionnaire. <i>Journal of Urology</i> , 2016 , 196, 1685-1691	2.5	24
175	Radical cystectomy with super-extended lymphadenectomy: impact of separate vs en bloc lymph node submission on analysis and outcomes. <i>BJU International</i> , 2016 , 117, 253-9	5.6	14
174	Utility and significance of ureteric frozen section analysis during radical cystectomy. <i>BJU International</i> , 2016 , 117, 463-8	5.6	20
173	Final Pathological Stage after Neoadjuvant Chemotherapy and Radical Cystectomy for Bladder Cancer-Does pT0 Predict Better Survival than pTa/Tis/T1?. <i>Journal of Urology</i> , 2016 , 195, 886-93	2.5	59
172	Incidence, characteristics, and implications of thrombo-embolic events in patients with urothelial carcinoma of the bladder undergoing neoadjuvant chemotherapy.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 393-393	2.2	1
171	Baseline GFR and cisplatin-induced renal toxicity in urothelial cancer patients.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 380-380	2.2	
170	Development and validation of contouring guidelines for post-cystectomy adjuvant radiation of bladder cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 409-409	2.2	
169	Blue Light Cystoscopy with Cysview: The USC Experience. <i>Videourology (New Rochelle, N Y)</i> , 2016 , 30,	0.9	78
168	Adjuvant chemotherapy for bladder cancer: A detailed characterization of factors precluding utilization.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e16001-e16001	2.2	
167	The opportunity cost (OC) of performing radical prostatectomy (RP) by low volume (LV) providers (Prov).. <i>Journal of Clinical Oncology</i> , 2016 , 34, 6509-6509	2.2	
166	Outcomes in neuroendocrine bladder cancer treated with radical cystectomy.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e16004-e16004	2.2	
165	An extraperitoneal midline approach to retroperitoneal lymph node dissection to minimize bowel morbidity.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e16042-e16042	2.2	
164	Frailty as a predictor of complications in older patients undergoing radical cystectomy.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e16007-e16007	2.2	
163	Female cystectomy with orthotopic urinary diversion: Is fear of urethral recurrence justified?. <i>Journal of Clinical Oncology</i> , 2016 , 34, e16006-e16006	2.2	
162	Novel Gene Expression Signature Predictive of Clinical Recurrence After Radical Prostatectomy in Early Stage Prostate Cancer Patients. <i>Prostate</i> , 2016 , 76, 1239-56	4.2	13
161	Utilization of retroperitoneal lymph node dissection for testicular cancer in the United States: Results from the National Cancer Database (1998-2011). <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 487.e7-487.e11	2.8	14
160	Cost Analysis of the Enhanced Recovery After Surgery Protocol in Patients Undergoing Radical Cystectomy for Bladder Cancer. <i>European Urology Focus</i> , 2016 , 2, 92-96	5.1	33

159	Incisional and Parastomal Hernia following Radical Cystectomy and Urinary Diversion: The University of Southern California Experience. <i>Journal of Urology</i> , 2016 , 196, 777-81	2.5	27
158	Paclitaxel, Ifosfamide, and Cisplatin Efficacy for First-Line Treatment of Patients With Intermediate- or Poor-Risk Germ Cell Tumors. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2478-83	2.2	25
157	Gastrointestinal Complications in Patients Who Undergo Radical Cystectomy with Enhanced Recovery Protocol. <i>Current Urology Reports</i> , 2016 , 17, 50	2.9	16
156	Prediction of Lymph Node Metastasis in Patients with Bladder Cancer Using Whole Transcriptome Gene Expression Signatures. <i>Journal of Urology</i> , 2016 , 196, 1036-41	2.5	24
155	Assessment of Urologists Knowledge of Intraoperative Floppy Iris Syndrome. <i>Urology</i> , 2016 , 97, 40-45	1.6	5
154	Preoperative Imaging for Clinical Staging Prior to Radical Cystectomy. <i>Current Urology Reports</i> , 2016 , 17, 62	2.9	3
153	Venous thromboembolism following radical cystectomy: significant predictors, comparison of different anticoagulants and timing of events. <i>Journal of Urology</i> , 2015 , 193, 565-9	2.5	51
152	Development and external validation of nomograms predicting disease-free and cancer-specific survival after radical cystectomy. <i>World Journal of Urology</i> , 2015 , 33, 1419-28	4	16
151	Continent Urinary Diversion in the Elderly. <i>Current Geriatrics Reports</i> , 2015 , 4, 1-6	1.3	3
150	Role of Extraperitoneal Surgery in Patients with Metastatic Germ Cell Tumors. <i>Urologic Clinics of North America</i> , 2015 , 42, 369-80	2.9	7
149	Randomized Trial of Studer Pouch versus T-Pouch Orthotopic Ileal Neobladder in Patients with Bladder Cancer. <i>Journal of Urology</i> , 2015 , 194, 433-9	2.5	30
148	Role of surgical resection for refractory germ cell tumors. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 370-8	2.8	14
147	Female reproductive organ-sparing radical cystectomy: contemporary indications, techniques and outcomes. <i>Current Opinion in Urology</i> , 2015 , 25, 105-10	2.8	14
146	Retroperitoneal Lymph Node Dissection as First-Line Treatment of Node-Positive Seminoma. <i>Clinical Genitourinary Cancer</i> , 2015 , 13, e265-e269	3.3	22
145	Cardiopulmonary Bypass has No Significant Impact on Survival in Patients Undergoing Nephrectomy and Level III-IV Inferior Vena Cava Thrombectomy: Multi-Institutional Analysis. <i>Journal of Urology</i> , 2015 , 194, 304-308	2.5	22
144	Postoperative Pain Management after Radical Cystectomy: Comparing Traditional versus Enhanced Recovery Protocol Pathway. <i>Journal of Urology</i> , 2015 , 194, 1209-13	2.5	67
143	Patterns of relapse in patients with clinical stage I testicular cancer managed with active surveillance. <i>Journal of Clinical Oncology</i> , 2015 , 33, 51-7	2.2	193
142	Orthotopic urinary diversion. <i>Current Opinion in Urology</i> , 2015 , 25, 545-9	2.8	16

141	Is frozen section analysis of ureteral margins at time of radical cystectomy useful?. <i>Current Urology Reports</i> , 2015 , 16, 38	2.9	9
140	Multicenter assessment of neoadjuvant chemotherapy for muscle-invasive bladder cancer. <i>European Urology</i> , 2015 , 67, 241-9	10.2	178
139	Impact of synchronous metastasis distribution on cancer specific survival in renal cell carcinoma after radical nephrectomy with tumor thrombectomy. <i>Journal of Urology</i> , 2015 , 193, 436-42	2.5	21
138	Impact of salvage surgery and radiotherapy on overall survival in patients with recurrent primary urethral cancer.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4568-4568	2.2	1
137	The Role of Lymphadenectomy in the Management of Urothelial Carcinoma of the Upper Urinary Tract 2015 , 153-178		
136	Predicting survival after radical cystectomy: Validation of the SPARC score.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 326-326	2.2	
135	Radiosensitivity of orthotopic ileal neobladders.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 350-350	2.2	
134	Oncological outcomes in high-risk prostate cancer after radical prostatectomy based on Gleason score: USC experience with 3,755 cases.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 60-60	2.2	
133	Urinary functional outcomes in female neobladder patients. <i>World Journal of Urology</i> , 2014 , 32, 221-8	4	32
132	Incidence and location of lymph node metastases in patients undergoing radical cystectomy for clinical non-muscle invasive bladder cancer: results from a prospective lymph node mapping study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 24.e13-9	2.8	22
131	Blood- and tissue-based biomarkers for prediction of outcomes in urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 230-42	2.8	31
130	Critical analysis of bladder sparing with trimodal therapy in muscle-invasive bladder cancer: a systematic review. <i>European Urology</i> , 2014 , 66, 120-37	10.2	190
129	Impact of micropapillary urothelial carcinoma variant histology on survival after radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 110-6	2.8	38
128	Long-term cancer control after radical prostatectomy and bilateral pelvic lymph node dissection for pT3bN0M0 prostate cancer in the prostate-specific antigen era. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 85-91	2.8	5
127	Growing teratoma syndrome: clinical and radiographic characteristics. <i>International Journal of Urology</i> , 2014 , 21, 905-8	2.3	20
126	Does presence of squamous and glandular differentiation in urothelial carcinoma of the bladder at cystectomy portend poor prognosis? An intensive case-control analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 117-27	2.8	68
125	Refining patient selection for neoadjuvant chemotherapy before radical cystectomy. <i>Journal of Urology</i> , 2014 , 191, 40-7	2.5	122
124	Level III-IV inferior vena caval thrombectomy without cardiopulmonary bypass: long-term experience with intrapericardial control. <i>Journal of Urology</i> , 2014 , 192, 682-8	2.5	33

123	Precystectomy serum levels of carbohydrate antigen 19-9, carbohydrate antigen 125, and carcinoembryonic antigen: prognostic value in invasive urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 648-56	2.8	15
122	Effect of gender on outcomes following radical cystectomy for urothelial carcinoma of the bladder: a critical analysis of 1,994 patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 52.e1-9	2.8	42
121	Impact of histologic subtype on cancer-specific survival in patients with renal cell carcinoma and tumor thrombus. <i>European Urology</i> , 2014 , 66, 577-83	10.2	63
120	A panel of three markers hyper- and hypomethylated in urine sediments accurately predicts bladder cancer recurrence. <i>Clinical Cancer Research</i> , 2014 , 20, 1978-89	12.9	60
119	Validation of Surveillance, Epidemiology, and End Results TNM staging for testicular germ cell tumor. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 1341-6	2.8	15
118	Outcome in patients with exclusive carcinoma in situ (CIS) after radical cystectomy. <i>BJU International</i> , 2014 , 113, 65-9	5.6	11
117	Androgen deprivation therapy for prostate cancer: long-term safety and patient outcomes. <i>Patient Related Outcome Measures</i> , 2014 , 5, 63-70	2.9	35
116	Current and recent clinical trials for perioperative systemic therapy for muscle invasive bladder cancer: a systematic review. <i>BMC Cancer</i> , 2014 , 14, 966	4.8	20
115	Outcomes of radical cystectomy with extended lymphadenectomy alone in patients with lymph node-positive bladder cancer who are unfit for or who decline adjuvant chemotherapy. <i>BJU International</i> , 2014 , 113, 554-60	5.6	34
114	The association of preoperative serum albumin level and American Society of Anesthesiologists (ASA) score on early complications and survival of patients undergoing radical cystectomy for urothelial bladder cancer. <i>BJU International</i> , 2014 , 113, 887-93	5.6	65
113	Outcomes after urothelial recurrence in bladder cancer patients undergoing radical cystectomy. <i>Urology</i> , 2014 , 84, 1420-6	1.6	30
112	Hexaminolevulinate blue-light cystoscopy in non-muscle-invasive bladder cancer: review of the clinical evidence and consensus statement on appropriate use in the USA. <i>Nature Reviews Urology</i> , 2014 , 11, 589-96	5.5	49
111	Significance of perivesical lymph nodes in radical cystectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 1158-65	2.8	8
110	Urinary diversion after radical cystectomy for bladder cancer: options, patient selection, and outcomes. <i>BJU International</i> , 2014 , 113, 11-23	5.6	198
109	Enhanced recovery pathway following radical cystectomy. <i>Current Opinion in Urology</i> , 2014 , 24, 135-9	2.8	15
108	Discovery and validation of novel expression signature for postcystectomy recurrence in high-risk bladder cancer. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	36
107	Reprogramming of the human intestinal epigenome by surgical tissue transposition. <i>Genome Research</i> , 2014 , 24, 545-53	9.7	15
106	Mesenteric lymphadenopathy in testicular germ cell tumor. <i>Urology</i> , 2014 , 83, e7-8	1.6	9

105	Enhanced recovery protocol after radical cystectomy for bladder cancer. <i>Journal of Urology</i> , 2014 , 192, 50-5	2.5	172
104	Association of higher institutional volume with improved overall survival in clinical stage III testicular cancer: Results from the National Cancer Data Base (1998-2011).. <i>Journal of Clinical Oncology</i> , 2014 , 32, 4519-4519	2.2	2
103	Prerandomization factors and utilization of neoadjuvant chemotherapy in a clinical trial of extended versus standard pelvic lymphadenectomy at the time of radical cystectomy for bladder cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 295-295	2.2	1
102	Biologic activity of dasatinib administered as neoadjuvant therapy preceding radical cystectomy (RC) for muscle-invasive bladder cancer (MIBC).. <i>Journal of Clinical Oncology</i> , 2014 , 32, 324-324	2.2	4
101	Impact of perioperative chemotherapy on survival in patients with advanced primary urethral cancer: Results of the international collaboration on primary urethral carcinoma.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 4587-4587	2.2	1
100	Evaluation of length, maximum Gleason score, and extension of disease at positive surgical margins during radical prostatectomy.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 98-98	2.2	
99	Decreasing length of hospital stay following radical cystectomy using multimodal enhanced recovery protocol.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 313-313	2.2	
98	Venothromboembolism and radical cystectomy: Prevalence of risk factors and comparison of anticoagulation use.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 339-339	2.2	
97	Obesity is associated with worse oncological outcomes in patients treated with radical cystectomy. <i>BJU International</i> , 2013 , 111, 249-55	5.6	61
96	Outcomes and prognostic factors in patients with a single lymph node metastasis at time of radical cystectomy. <i>BJU International</i> , 2013 , 111, 74-84	5.6	24
95	Unaltered oncological outcomes of radical cystectomy with extended lymphadenectomy over three decades. <i>BJU International</i> , 2013 , 112, E51-8	5.6	70
94	Incidental prostate cancer in patients with bladder urothelial carcinoma: comprehensive analysis of 1,476 radical cystoprostatectomy specimens. <i>Journal of Urology</i> , 2013 , 190, 1704-9	2.5	43
93	Outcomes after radical prostatectomy for patients with clinical stages T1-T2 prostate cancer with pathologically positive lymph nodes in the prostate-specific antigen era. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1441-7	2.8	18
92	Androgen deprivation therapy: evidence-based management of side effects. <i>BJU International</i> , 2013 , 111, 543-8	5.6	98
91	Pathologic nodal staging score for bladder cancer: a decision tool for adjuvant therapy after radical cystectomy. <i>European Urology</i> , 2013 , 63, 371-8	10.2	39
90	A precystectomy decision model to predict pathological upstaging and oncological outcomes in clinical stage T2 bladder cancer. <i>BJU International</i> , 2013 , 111, 240-8	5.6	35
89	Long-term outcomes of salvage radical cystectomy for recurrent urothelial carcinoma of the bladder following partial cystectomy. <i>BJU International</i> , 2013 , 111, E37-42	5.6	12
88	Urinary functional outcome following radical cystoprostatectomy and ileal neobladder reconstruction in male patients. <i>Journal of Urology</i> , 2013 , 189, 1782-8	2.5	69

87	Conversion from incontinent conduit to continent cutaneous reservoir after renal transplant. <i>Urology</i> , 2013 , 81, 1086-9	1.6	
86	Determining the role of cystectomy for high-grade T1 urothelial carcinoma. <i>Urologic Clinics of North America</i> , 2013 , 40, 233-47	2.9	13
85	Extranodal extension is a powerful prognostic factor in bladder cancer patients with lymph node metastasis. <i>European Urology</i> , 2013 , 64, 837-45	10.2	47
84	Editorial comment. <i>Journal of Urology</i> , 2013 , 190, 927	2.5	
83	Neoadjuvant chemotherapy with gemcitabine/cisplatin vs. methotrexate/vinblastine/doxorubicin/cisplatin for muscle-invasive urothelial carcinoma of the bladder: a retrospective analysis from the University of Southern California. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1737-43	2.8	48
82	Active surveillance is the preferred approach to clinical stage I testicular cancer. <i>Journal of Clinical Oncology</i> , 2013 , 31, 3490-3	2.2	103
81	Principal component analysis based pre-cystectomy model to predict pathological stage in patients with clinical organ-confined bladder cancer. <i>BJU International</i> , 2013 , 111, E167-72	5.6	15
80	Use of nonabsorbable staples for urinary diversion: a step in the wrong direction. <i>Urologia Internationalis</i> , 2013 , 90, 125-9	1.9	8
79	Short-term Change in Renal Function in Patients Undergoing Continent vs Noncontinent Urinary Diversions. <i>UroToday International Journal</i> , 2013 , 06,		2
78	Null association between histology of first and second primary malignancies in men with bilateral testicular germ cell tumors. <i>American Journal of Epidemiology</i> , 2013 , 178, 1240-5	3.8	14
77	Radical cystectomy and orthotopic urinary diversion in male patients with pT4a urothelial bladder carcinoma: oncological outcomes. <i>International Journal of Urology</i> , 2013 , 20, 1229-33	2.3	9
76	Clinical nodal staging scores for bladder cancer: a proposal for preoperative risk assessment. <i>European Urology</i> , 2012 , 61, 237-42	10.2	54
75	Factors influencing post-recurrence survival in bladder cancer following radical cystectomy. <i>BJU International</i> , 2012 , 109, 846-54	5.6	82
74	The value of extended transurethral resection of bladder tumour (TURBT) in the treatment of bladder cancer. <i>BJU International</i> , 2012 , 110, E80	5.6	1
73	Adjuvant surgery in testicular cancer patients undergoing postchemotherapy retroperitoneal lymph node dissection. <i>Annals of Surgical Oncology</i> , 2012 , 19, 2388-93	3.1	35
72	Radical cystectomy with orthotopic neobladder reconstruction following prior radical prostatectomy. <i>World Journal of Urology</i> , 2012 , 30, 741-5	4	11
71	Does increasing the nodal yield improve outcomes in patients without nodal metastasis at radical cystectomy?. <i>World Journal of Urology</i> , 2012 , 30, 807-14	4	13
70	Stage-specific impact of tumor location on oncologic outcomes in patients with upper and lower tract urothelial carcinoma following radical surgery. <i>European Urology</i> , 2012 , 62, 677-84	10.2	74

69	Critical evaluation of the American Joint Committee on Cancer TNM nodal staging system in patients with lymph node-positive disease after radical cystectomy. <i>European Urology</i> , 2012 , 62, 671-6	10.2	26
68	A systematic review of neoadjuvant and adjuvant chemotherapy for muscle-invasive bladder cancer. <i>European Urology</i> , 2012 , 62, 523-33	10.2	162
67	Robotic intracorporeal orthotopic ileal neobladder: replicating open surgical principles. <i>European Urology</i> , 2012 , 62, 891-901	10.2	144
66	Contemporary management of postchemotherapy testis cancer. <i>European Urology</i> , 2012 , 62, 867-76	10.2	76
65	Preoperative staging of invasive bladder cancer with dynamic gadolinium-enhanced magnetic resonance imaging: results from a prospective study. <i>Urology</i> , 2012 , 80, 1313-8	1.6	58
64	Reproductive organ involvement in female patients undergoing radical cystectomy for urothelial bladder cancer. <i>Journal of Urology</i> , 2012 , 188, 2134-8	2.5	27
63	1911 FACTORS INFLUENCING LYMPH NODE YIELD DURING RADICAL CYSTECTOMY WITH EXTENDED PELVIC LYMPHADENECTOMY: SINGLE-INSTITUTION EXPERIENCE WITH A STANDARDIZED DISSECTION TEMPLATE. <i>Journal of Urology</i> , 2012 , 187,	2.5	2
62	Renal cell carcinoma with inferior vena cava tumor thrombus and metastatic caval wall invasion. <i>Urology</i> , 2012 , 79, e6-8	1.6	1
61	Colocalycostomy for repair of ureterojejunal fistula. <i>Urology</i> , 2012 , 79, e12-4	1.6	1
60	Long-term outcomes of open radical retropubic prostatectomy for clinically localized prostate cancer in the prostate-specific antigen era. <i>Urology</i> , 2012 , 79, 626-31	1.6	35
59	Midline extraperitoneal approach for retroperitoneal lymph node dissection for testicular germ cell tumor. <i>Urology</i> , 2012 , 80, 941-5	1.6	10
58	Management of the Continent Cutaneous Stomal Complications. <i>Current Bladder Dysfunction Reports</i> , 2012 , 7, 294-301	0.4	3
57	Cryptorchidism and testicular germ cell tumors: comprehensive meta-analysis reveals that association between these conditions diminished over time and is modified by clinical characteristics. <i>Frontiers in Endocrinology</i> , 2012 , 3, 182	5.7	31
56	Clinical validation of the 7th AJCC-TNM nodal staging system in lymph node-positive patients undergoing radical cystectomy.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4588-4588	2.2	
55	Mortality from other malignancies in bladder cancer survivors.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4589-4589	2.2	
54	The management of subcentimeter residual mass in NSGCT: pcRPLND vs. observation. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 842-7	2.8	10
53	Lymph node dissection technique is more important than lymph node count in identifying nodal metastases in radical cystectomy patients: a comparative mapping study. <i>European Urology</i> , 2011 , 60, 946-52	10.2	97
52	1137 THE IMPACT OF INTESTINAL URINARY DIVERSION ON RENAL FUNCTION. <i>Journal of Urology</i> , 2011 , 185,	2.5	1

51	Evaluation and Preservation of Fertility in Patients with Testicular Cancer. <i>Journal of Adolescent and Young Adult Oncology</i> , 2011 , 1, 25-9	2.2	5
50	Chemoresponsive liver hemangioma in a patient with a metastatic germ cell tumor. <i>Journal of Clinical Oncology</i> , 2011 , 29, e842-4	2.2	3
49	Management of residual mass in nonseminomatous germ cell tumors following chemotherapy. <i>Therapeutic Advances in Urology</i> , 2011 , 3, 163-71	3.2	17
48	Androgen-producing testicular germ cell tumors. <i>Journal of Clinical Oncology</i> , 2011 , 29, e634-5	2.2	8
47	Improving selection of appropriate urinary diversion following radical cystectomy for bladder cancer. <i>Expert Review of Anticancer Therapy</i> , 2011 , 11, 941-8	3.5	35
46	Factors influencing the choice of urinary diversion in patients undergoing radical cystectomy. <i>BJU International</i> , 2010 , 106, 654-7	5.6	27
45	Management of disseminated nonseminomatous germ cell tumors with risk-based chemotherapy followed by response-guided postchemotherapy surgery. <i>Journal of Clinical Oncology</i> , 2010 , 28, 537-42	2.2	94
44	Distinctive morphology of renal cell carcinomas in tuberous sclerosis. <i>International Journal of Surgical Pathology</i> , 2010 , 18, 409-18	1.2	28
43	753 AGE IS NOT A CONTRAINDICATION FOR AN ORTHOTOPIC ILEAL NEOBLADDER FOLLOWING RADICAL CYSTECTOMY. <i>Journal of Urology</i> , 2010 , 183,	2.5	1
42	Editorial comment. <i>Urology</i> , 2010 , 76, 1001	1.6	
41	Open partial nephrectomy for pediatric renovascular hypertension. <i>Scientific World Journal, The</i> , 2009 , 9, 287-90	2.2	2
40	Resection of the inferior vena cava without reconstruction for urologic malignancies. <i>Urology</i> , 2009 , 74, 1257-62	1.6	31
39	Re: Appendiceal substitution following right proximal ureter injury. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2009 , 35, 90-1	2	6
38	Words of wisdom. Re: use of androgen deprivation therapy for metastatic prostate cancer in older men. <i>European Urology</i> , 2008 , 54, 1201-2	10.2	
37	Venous resection in urological surgery. <i>Journal of Urology</i> , 2008 , 180, 2338-42; discussion 2342	2.5	21
36	Application of the Yang-Monti channel in adult continent cutaneous urinary diversion. <i>Urology</i> , 2008 , 72, 828-31	1.6	12
35	Re: Prediagnosis prostate specific antigen velocity is associated with risk of prostate cancer progression following brachytherapy and external beam radiation therapy. S. E. Eggener, K. A. Roehl, O. Yossepowitch and W. J. Catalona, <i>J Urol</i> 2006; 176: 1399-1403. <i>Journal of Urology</i> , 2007 , 177, 2396; author reply 2396-7	2.5	1
34	Glucose-regulated protein GRP78 is up-regulated in prostate cancer and correlates with recurrence and survival. <i>Human Pathology</i> , 2007 , 38, 1547-52	3.7	177

33	Evolving treatment paradigms for locally advanced and metastatic prostate cancer. <i>Expert Review of Anticancer Therapy</i> , 2006 , 6, 1639-51	3.5	3
32	A critical analysis of perioperative mortality from radical cystectomy. <i>Journal of Urology</i> , 2006 , 175, 886-9; discussion 889-90	2.5	109
31	Prognostic significance of neuroendocrine expression in lymph node-positive prostate cancer. <i>Urology</i> , 2006 , 67, 1247-52	1.6	29
30	Intraoperative renal cell carcinoma tumor embolization to the right atrium: incidental diagnosis by transesophageal echocardiography. <i>Anesthesia and Analgesia</i> , 2006 , 102, 378-9	3.9	15
29	Management of difficult germ-cell tumors. <i>Oncology</i> , 2006 , 20, 1565-70, 1575; discussion 1575-6	1.8	3
28	Adrenal myelolipoma: diagnosis and management. <i>Urology Journal</i> , 2006 , 3, 71-4	0.9	53
27	Prognostic significance of lymphovascular invasion of bladder cancer treated with radical cystectomy. <i>Journal of Urology</i> , 2005 , 174, 103-6	2.5	106
26	Ethnic differences in neuroendocrine cell expression in normal human prostatic tissue. <i>Urology</i> , 2005 , 65, 1008-12	1.6	9
25	Current clinical trials in renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2005 , 23, 289-92	2.8	5
24	Radical cystectomy for primary neuroendocrine tumors of the bladder: the university of southern california experience. <i>Journal of Urology</i> , 2005 , 174, 93-6	2.5	119
23	EphB4 expression and biological significance in prostate cancer. <i>Cancer Research</i> , 2005 , 65, 4623-32	10.1	115
22	Primary renal carcinoid tumor. <i>Scientific World Journal, The</i> , 2004 , 4, 378-80	2.2	9
21	Adenomatous polyp of the verumontanum causing bladder outlet obstruction. <i>Scientific World Journal, The</i> , 2004 , 4 Suppl 1, 89-91	2.2	2
20	The importance of an extended lymphadenectomy in the management of high-grade invasive bladder cancer. <i>Expert Review of Anticancer Therapy</i> , 2004 , 4, 1007-16	3.5	11
19	Prognosis of seminal vesicle involvement by transitional cell carcinoma of the bladder. <i>Journal of Urology</i> , 2004 , 172, 81-4	2.5	21
18	Prognosis of patients with lymph node positive prostate cancer following radical prostatectomy: long-term results. <i>Journal of Urology</i> , 2004 , 172, 2252-5	2.5	243
17	Microscopic and gross extravesical extension in pathological staging of bladder cancer. <i>Journal of Urology</i> , 2004 , 171, 640-5	2.5	54
16	Continent right colon reservoir using a cutaneous appendicostomy. <i>Urology</i> , 2004 , 63, 577-80; discussion 580-1	1.6	22

15	Renal angiomyolipoma with liposarcomatous transformation: a case report and review of the literature. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2004 , 22, 425-7	2.8	9
14	New molecular markers for bladder cancer detection. <i>Current Opinion in Urology</i> , 2004 , 14, 259-64	2.8	32
13	Metastatic adenocarcinoma of the prostate with a testicular mass and cutaneous nodules. <i>BJU International</i> , 2003 , 92 Suppl 3, e61	5.6	
12	Endoscopic management of upper urinary tract transitional cell carcinoma: long-term experience. <i>Cancer</i> , 2003 , 98, 55-60	6.4	113
11	Natural history of surgically treated bladder carcinoma with extravesical tumor extension. <i>Cancer</i> , 2003 , 98, 955-61	6.4	44
10	Puboprostatic Sling Repair for Treatment of Urethral Incompetence in Adult Neurogenic incontinence. <i>Journal of Urology</i> , 2003 , 169, 199-202	2.5	29
9	Colourachal fistula in an adult presenting with feculent umbilical drainage. <i>Journal of Urology</i> , 2003 , 170, 184	2.5	9
8	Sarcomatoid renal cell carcinoma with massive osteosarcomatous differentiation: an unusual image in clinical urology. <i>Urology</i> , 2003 , 61, 1031-2	1.6	5
7	Benign retroperitoneal schwannoma: a case series and review of the literature. <i>Urology</i> , 2003 , 62, 993-7	1.6	98
6	Puboprostatic sling repair for treatment of urethral incompetence in adult neurogenic incontinence. <i>Journal of Urology</i> , 2003 , 169, 199-202	2.5	11
5	ENDOSCOPIC MANAGEMENT OF RENAL HEMANGIOMA. <i>Journal of Urology</i> , 2002 , 167, 488-489	2.5	29
4	Review of techniques to remove a Foley catheter when the balloon does not deflate. <i>Urology</i> , 2002 , 59, 127-9	1.6	23
3	Endoscopic management of renal hemangioma. <i>Journal of Urology</i> , 2002 , 167, 488-9	2.5	7
2	The prognostic significance of S-phase analysis in stage Ta/T1 bladder cancer. A Southwest Oncology Group Study. <i>European Urology</i> , 2000 , 37, 595-600	10.2	9
1	Radical cystectomy127-143		