
Hui Yuan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5862786/publications.pdf Version: 2024-02-01



Ητι Υιτανι

#	Article	IF	CITATIONS
1	Homozygous familial hypercholesterolemia in China: Genetic and clinical characteristics from a real-world, multi-center, cohort study. Journal of Clinical Lipidology, 2022, 16, 306-314.	0.6	4
2	Identification of novel genes in Behcet's disease using integrated bioinformatic analysis. Immunologic Research, 2022, 70, 461-468.	1.3	3
3	Serum C1q concentration is associated with disease activity in Chinese Takayasu arteritis patients: A caseâ€control study. Health Science Reports, 2021, 4, e252.	0.6	5
4	Serum concentrations of small dense lowâ€density lipoprotein cholesterol and lipoprotein(a) are related to coronary arteriostenosis in Takayasu arteritis. Journal of Clinical Laboratory Analysis, 2021, 35, e23966.	0.9	5
5	The relationships of serum homocysteine levels and traditional lipid indicators with disease activity and coronary artery involvement in Takayasu arteritis. Immunologic Research, 2020, 68, 405-413.	1.3	6
6	Association between the BANK1 rs3733197 polymorphism and polymyositis/dermatomyositis in a Chinese Han population. Clinical Rheumatology, 2019, 38, 431-436.	1.0	4
7	Ligustrazine Protects Homocysteine-Induced Apoptosis in Human Umbilical Vein Endothelial Cells by Modulating Mitochondrial Dysfunction. Journal of Cardiovascular Translational Research, 2019, 12, 591-599.	1.1	21
8	Association of Soluble ST2 Serum Levels With Outcomes in Pediatric Dilated Cardiomyopathy. Canadian Journal of Cardiology, 2019, 35, 727-735.	0.8	14
9	Non-fasting lipids detection and their significance in pregnant women. Lipids in Health and Disease, 2019, 18, 96.	1.2	6
10	Abnormal brain activity in rats with sustained hypobaric hypoxia exposure. Chinese Medical Journal, 2019, 132, 2621-2627.	0.9	4
11	Platelets in Acute Coronary Syndrome Patients with High Platelet Reactivity after Dual Antiplatelet Therapy Exhibit Upregulation of miR-204-5p. Annals of Clinical and Laboratory Science, 2019, 49, 619-631.	0.2	7
12	Galectin-3 as a novel biomarker for disease diagnosis and a target for therapy (Review). International Journal of Molecular Medicine, 2018, 41, 599-614.	1.8	210
13	Elevated soluble ST2 concentration may involve in the progression of atrial fibrillation. Clinica Chimica Acta, 2018, 480, 138-142.	0.5	20
14	Correlation Between Extended Leukocyte Differential Count and Coronary Artery Disease. Journal of Cardiovascular Pharmacology, 2018, 71, 359-366.	0.8	2
15	Microarray profile of circular RNAs identifies hsa_circ_0014130 as a new circular RNA biomarker in non-small cell lung cancer. Scientific Reports, 2018, 8, 2878.	1.6	130
16	Circulating microRNA signature for the diagnosis of childhood dilated cardiomyopathy. Scientific Reports, 2018, 8, 724.	1.6	37
17	Association between genetic variants in the human leukocyte antigenâ€B/ <scp>MICA</scp> and Takayasu arteritis in Chinese Han population. International Journal of Rheumatic Diseases, 2018, 21, 271-277.	0.9	6
18	Magnitude of Soluble ST2 as a Novel Biomarker for Acute Aortic Dissection. Circulation, 2018, 137, 259-269.	1.6	80

Hui Yuan

#	Article	IF	CITATIONS
19	Circular RNA as a biomarker for cancer: A systematic meta‑analysis. Oncology Letters, 2018, 16, 4078-4084.	0.8	28
20	Single nucleotide polymorphisms of IL12B are associated with Takayasu arteritis in Chinese Han population. Rheumatology International, 2017, 37, 547-555.	1.5	9
21	Single nucleotide polymorphisms in the ETS1 gene are associated with idiopathic inflammatory myopathies in a northern Chinese Han population. Scientific Reports, 2017, 7, 13128.	1.6	5
22	Epidemiology and antifungal susceptibilities of yeast isolates causing invasive infections across urban Beijing, China. Future Microbiology, 2017, 12, 1075-1086.	1.0	14
23	Relationship of HLA-B*51 and HLA-B*52 alleles and TNF-α-308A/G polymorphism with susceptibility to Takayasu arteritis: a meta-analysis. Clinical Rheumatology, 2017, 36, 173-181.	1.0	14
24	Association of FCGR2A/FCGR3A variant rs2099684 with Takayasu arteritis in the Han Chinese population. Oncotarget, 2017, 8, 17239-17245.	0.8	11