

Jim van Os

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5862892/jim-van-os-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,080
papers

94,266
citations

126
h-index

282
g-index

1,270
ext. papers

109,192
ext. citations

5.6
avg, IF

8.61
L-index

#	Paper	IF	Citations
1080	Schizophrenia as a symptom of psychiatry's reluctance to enter the moral era of medicine.. <i>Schizophrenia Research</i> , 2022 , 242, 138-138	3.6	2
1079	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study.. <i>Psychological Medicine</i> , 2022 , 1-10	6.9	2
1078	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study.. <i>Schizophrenia Bulletin</i> , 2022 ,	1.3	1
1077	Ecological momentary assessment and other digital technologies for capturing daily life in mental health 2022 , 81-108		1
1076	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis.. <i>Schizophrenia Research: Cognition</i> , 2022 , 28, 100222	2.8	0
1075	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 113, 110440	5.5	0
1074	A 6-year follow-up study in a community-based population: Is neighbourhood-level social capital associated with the risk of emergence and persistence of psychotic experiences and transition to psychotic disorder?. <i>Psychological Medicine</i> , 2022 , 1-13	6.9	
1073	Mapping genomic loci implicates genes and synaptic biology in schizophrenia.. <i>Nature</i> , 2022 ,	50.4	35
1072	Be(com)ing social: Daily-life social interactions and parental bonding.. <i>Developmental Psychology</i> , 2022 , 58, 792-805	3.7	0
1071	Gender differences in the association between environment and psychosis.. <i>Schizophrenia Research</i> , 2022 , 243, 120-137	3.6	2
1070	Home alone: Social functioning as a transdiagnostic marker of mental health in youth, exploring retrospective and daily life measurements.. <i>Comprehensive Psychiatry</i> , 2022 , 115, 152309	7.3	0
1069	Early intervention service systems for youth mental health: integrating pluripotentiality, clinical staging, and transdiagnostic lessons from early psychosis.. <i>Lancet Psychiatry</i> , 2022 , 9, 413-422	23.3	1
1068	Negative life events and stress sensitivity in youth's daily life: an ecological momentary assessment study.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1	4.5	1
1067	The jumping to conclusions reasoning bias as a cognitive factor contributing to psychosis progression and persistence: findings from NEMESIS-2. <i>Psychological Medicine</i> , 2021 , 51, 1696-1703	6.9	4
1066	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 1536-1548	6.9	20
1065	Association between exposome score for schizophrenia and functioning in first-episode psychosis: results from the Athens first-episode psychosis research study. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	0
1064	Momentary Manifestations of Negative Symptoms as Predictors of Clinical Outcomes in People at High Risk for Psychosis: Experience Sampling Study. <i>JMIR Mental Health</i> , 2021 , 8, e30309	6	1

1063	Longitudinal clinical and functional outcome in distinct cognitive subgroups of first-episode psychosis: a cluster analysis. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	3
1062	Predictive Performance of Exposome Score for Schizophrenia in the General Population. <i>Schizophrenia Bulletin</i> , 2021 , 47, 277-283	1.3	7
1061	Healthcare Costs, School Performance, and Health-related Quality of Life in Adolescence Following Psychotic Experiences in Preadolescence: A Longitudinal Cohort Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 682-691	1.3	2
1060	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021 , 26, 2590-2604	15.1	7
1059	Functional Magnetic Resonance Imaging Connectivity Accurately Distinguishes Cases With Psychotic Disorders From Healthy Controls, Based on Cortical Features Associated With Brain Network Development. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 6, 1125-1134	3.4	1
1058	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2021 , 230, 104-107	3.6	5
1057	Genetic copy number variants, cognition and psychosis: a meta-analysis and a family study. <i>Molecular Psychiatry</i> , 2021 , 26, 5307-5319	15.1	5
1056	Association of the kynurenine pathway metabolites with clinical, cognitive features and IL-1 β levels in patients with schizophrenia spectrum disorder and their siblings. <i>Schizophrenia Research</i> , 2021 , 229, 27-37	3.6	4
1055	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	3
1054	Schizophrenia and the Environment: Within-Person Analyses May be Required to Yield Evidence of Unconfounded and Causal Association-The Example of Cannabis and Psychosis. <i>Schizophrenia Bulletin</i> , 2021 , 47, 594-603	1.3	4
1053	Emerging Processes Within Peer-Support Hearing Voices Groups: A Qualitative Study in the Dutch Context. <i>Frontiers in Psychiatry</i> , 2021 , 12, 647969	5	1
1052	Social Defeat, Psychotic Symptoms, and Crime in Young Caribbean Immigrants to Rotterdam. <i>Frontiers in Psychiatry</i> , 2021 , 12, 498096	5	1
1051	Prevalence of depression, anxiety and associated factors among school going adolescents in Bangladesh: Findings from a cross-sectional study. <i>PLoS ONE</i> , 2021 , 16, e0247898	3.7	6
1050	: Waiting for the Funeral of "Schizophrenia" and the Baby Shower of the Psychosis Spectrum. <i>Frontiers in Psychiatry</i> , 2021 , 12, 618842	5	1
1049	Relationship between social cognition, general cognition, and risk for suicide in individuals with a psychotic disorder. <i>Schizophrenia Research</i> , 2021 , 231, 227-236	3.6	0
1048	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1674-1684	1.3	3
1047	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1653-1662	1.3	0
1046	Estimating Aggregate Environmental Risk Score in Psychiatry: The Exposome Score for Schizophrenia. <i>Frontiers in Psychiatry</i> , 2021 , 12, 671334	5	2

1045	Prevalence and correlates of anxiety and depression in frontline healthcare workers treating people with COVID-19 in Bangladesh. <i>BMC Psychiatry</i> , 2021 , 21, 271	4.2	22
1044	Precursors of self-reported subclinical hypomania in adolescence: A longitudinal general population study. <i>PLoS ONE</i> , 2021 , 16, e0253507	3.7	0
1043	Autistic Symptoms and Social Functioning in Psychosis: A Network Approach. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	3
1042	Individualized prediction of three- and six-year outcomes of psychosis in a longitudinal multicenter study: a machine learning approach. <i>NPJ Schizophrenia</i> , 2021 , 7, 34	5.5	3
1041	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 623-633	6.9	15
1040	Understanding urbanicity: how interdisciplinary methods help to unravel the effects of the city on mental health. <i>Psychological Medicine</i> , 2021 , 51, 1099-1110	6.9	12
1039	Bullying victimization and stress sensitivity in help-seeking youth: findings from an experience sampling study. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 591-605	5.5	12
1038	Promoting a patient-centered, transdiagnostic approach to prevention of severe mental illness. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 823-824	5.5	2
1037	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021 , 89, 288-297	7.9	10
1036	A comparison of depressive symptom profiles between current major depressive disorder and schizophrenia spectrum disorder. <i>Journal of Psychiatric Research</i> , 2021 , 135, 143-151	5.2	3
1035	Posttraumatic stress disorder during the COVID-19 pandemic: Upcoming challenges in Bangladesh and preventive strategies. <i>International Journal of Social Psychiatry</i> , 2021 , 67, 205-206	8.5	21
1034	Study protocol of a randomized, double-blind, placebo-controlled, multi-center trial to treat antipsychotic-induced weight gain: the Metformin-Lifestyle in antipsychotic users (MELIA) trial. <i>BMC Psychiatry</i> , 2021 , 21, 4	4.2	2
1033	Stress reactivity as a putative mechanism linking childhood trauma with clinical outcomes in individuals at ultra-high-risk for psychosis: Findings from the EU-GEI High Risk Study. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e40	5.1	3
1032	Successful use of tapering strips for hyperbolic reduction of antidepressant dose: a cohort study. <i>Therapeutic Advances in Psychopharmacology</i> , 2021 , 11, 20451253211039327	4.9	2
1031	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , 2021 , 64, e25	6	6
1030	Symptomatic Remission Along the Clinical Psychosis Spectrum: A Historical and Conceptual Review. <i>Noropsikiyatri Arsivi</i> , 2021 , 58, S3-S6	0.6	
1029	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2021 , 1-13	6.9	6
1028	Resurrection of the Follow-Back Method to Study the Transdiagnostic Origins of Psychosis. <i>Schizophrenia Bulletin</i> , 2021 , 47, 583-585	1.3	3

1027	DNA methylation meta-analysis reveals cellular alterations in psychosis and markers of treatment-resistant schizophrenia. <i>ELife</i> , 2021 , 10,	8.9	15
1026	A Network of Psychopathological, Cognitive, and Motor Symptoms in Schizophrenia Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2021 , 47, 915-926	1.3	2
1025	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1018-1028	1.3	2
1024	Symptom-network dynamics in irritable bowel syndrome with comorbid panic disorder using electronic momentary assessment: A randomized controlled trial of escitalopram vs. placebo. <i>Journal of Psychosomatic Research</i> , 2021 , 141, 110351	4.1	2
1023	It is not enough to sing its praises: the very foundations of precision psychiatry may be scientifically unsound and require examination. <i>Psychological Medicine</i> , 2021 , 51, 1415-1417	6.9	4
1022	Network dynamics of momentary affect states and future course of psychopathology in adolescents. <i>PLoS ONE</i> , 2021 , 16, e0247458	3.7	2
1021	The Community Assessment of Psychic Experiences: Optimal cut-off scores for detecting individuals with a psychotic disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2021 , 30, e1893	4.3	1
1020	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021 , 11, 423	8.6	1
1019	Longitudinal associations between alcohol use, smoking, genetic risk scoring and symptoms of depression in the general population: a prospective 6-year cohort study.. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	0
1018	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	2
1017	Emotion regulation in response to daily negative and positive events in youth: The role of event intensity and psychopathology. <i>Behaviour Research and Therapy</i> , 2021 , 144, 103916	5.2	1
1016	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021 , 236, 69-79	3.6	0
1015	The complex and dynamic interplay between self-esteem, belongingness and physical activity in daily life: An experience sampling study in adolescence and young adulthood. <i>Mental Health and Physical Activity</i> , 2021 , 21, 100413	5	2
1014	The impact of childhood sexual trauma on intimacy and sexuality needs among people with non-affective psychosis. <i>Schizophrenia Research</i> , 2021 , 236, 97-103	3.6	1
1013	What makes the psychosis 'clinical high risk' state risky: psychosis itself or the co-presence of a non-psychotic disorder?. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e53	5.1	1
1012	The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021 , 20, 4-33	14.4	43
1011	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021 , 26, 4529-4543	15.1	7
1010	The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020 , 46, 336-344	1.3	38

1009	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	7
1008	Early warning signals in psychopathology: what do they tell?. <i>BMC Medicine</i> , 2020 , 18, 269	11.4	6
1007	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	4
1006	Association of preceding psychosis risk states and non-psychotic mental disorders with incidence of clinical psychosis in the general population: a prospective study in the NEMESIS-2 cohort. <i>World Psychiatry</i> , 2020 , 19, 199-205	14.4	31
1005	Meta-analysis of auditory P50 sensory gating in schizophrenia and bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2020 , 300, 111078	2.9	10
1004	Analysis of GWAS-Derived Schizophrenia Genes for Links to Ischemia-Hypoxia Response of the Brain. <i>Frontiers in Psychiatry</i> , 2020 , 11, 393	5	10
1003	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	13
1002	Sex differences in cognitive functioning of patients at-risk for psychosis and healthy controls: Results from the European Gene-Environment Interactions study. <i>European Psychiatry</i> , 2020 , 63, e25	6	8
1001	Polygenic liability for schizophrenia and childhood adversity influences daily-life emotion dysregulation and psychosis proneness. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 465-475	6.5	16
1000	To continue or not to continue? Antipsychotic medication maintenance versus dose-reduction/discontinuation in first episode psychosis: HAMLETT, a pragmatic multicenter single-blind randomized controlled trial. <i>Trials</i> , 2020 , 21, 147	2.8	14
999	Mental Health Service Use and Psychopharmacological Treatment Following Psychotic Experiences in Preadolescence. <i>American Journal of Psychiatry</i> , 2020 , 177, 318-326	11.9	14
998	Blended care in the treatment of subthreshold symptoms of depression and psychosis in emerging adults: A randomised controlled trial of Acceptance and Commitment Therapy in Daily-Life (ACT-DL). <i>Behaviour Research and Therapy</i> , 2020 , 128, 103592	5.2	13
997	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020 , 46, 823-833	1.3	7
996	The genetics of drug-related movement disorders, an umbrella review of meta-analyses. <i>Molecular Psychiatry</i> , 2020 , 25, 2237-2250	15.1	3
995	Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. <i>Schizophrenia Bulletin</i> , 2020 ,	1.3	2
994	Expressive deficits and amotivation as mediators of the associations between cognitive problems and functional outcomes: Results from two independent cohorts. <i>Schizophrenia Research</i> , 2020 , 218, 283-291	3.6	4
993	The EUropean Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 645-657	4.5	20
992	Evidence for an interrelated cluster of Hallucinatory experiences in the general population: an incidence study. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	3

991	Measuring resilience prospectively as the speed of affect recovery in daily life: a complex systems perspective on mental health. <i>BMC Medicine</i> , 2020 , 18, 36	11.4	11
990	Psychological responses during the COVID-19 outbreak among university students in Bangladesh. <i>PLoS ONE</i> , 2020 , 15, e0245083	3.7	62
989	Validation of the Portuguese version of the Community Assessment of Psychic Experiences and characterization of psychotic experiences in a Brazilian sample. <i>Revista Brasileira De Psiquiatria</i> , 2020 , 42, 389-397	2.6	1
988	Lower emotional complexity as a prospective predictor of psychopathology in adolescents from the general population. <i>Emotion</i> , 2020 ,	4.1	3
987	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020 , 77, 190-200	14.5	14
986	Tackling rising numbers of opioid prescriptions users. <i>Lancet Public Health, The</i> , 2020 , 5, e16	22.4	2
985	Psychotic experiences from preadolescence to adolescence: when should we be worried about adolescent risk behaviors?. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 1251-1264	5.5	8
984	Childhood trauma and coping in patients with psychotic disorders and obsessive-compulsive symptoms and in un-affected siblings. <i>Child Abuse and Neglect</i> , 2020 , 99, 104243	4.3	7
983	An ecological momentary intervention incorporating personalised feedback to improve symptoms and social functioning in schizophrenia spectrum disorders. <i>Psychiatry Research</i> , 2020 , 284, 112695	9.9	9
982	M126. THE MAIN AND INTERACTIVE EFFECTS OF ADULT STRESSFUL LIFE EVENTS WITH GENOMIC AND EXPOSOMIC LIABILITY FOR SCHIZOPHRENIA ON MENTAL AND PHYSICAL HEALTH: A PROSPECTIVE COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S183-S183	1.3	1
981	Outcome of antidepressant drug discontinuation with taperingstrips after 1-5 years. <i>Therapeutic Advances in Psychopharmacology</i> , 2020 , 10, 2045125320954609	4.9	11
980	Intelligence, educational attainment, and brain structure in those at familial high-risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2020 ,	5.9	5
979	Dr. Strangelove, or how we learned to stop worrying and love uncertainty. <i>World Psychiatry</i> , 2020 , 19, 395-396	14.4	4
978	Comparing psychotic experiences in low-and-middle-income-countries and high-income-countries with a focus on measurement invariance. <i>Psychological Medicine</i> , 2020 , 1-8	6.9	3
977	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , 2020 , 1-7	6.9	3
976	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	4
975	Do Current Measures of Polygenic Risk for Mental Disorders Contribute to Population Variance in Mental Health?. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1353-1362	1.3	9
974	Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e182	5.1	11

973	How user knowledge of psychotropic drug withdrawal resulted in the development of person-specific tapering medication. <i>Therapeutic Advances in Psychopharmacology</i> , 2020 , 10, 2045125320932452	4.9	11
972	Association of Recent Stressful Life Events With Mental and Physical Health in the Context of Genomic and Exposomic Liability for Schizophrenia. <i>JAMA Psychiatry</i> , 2020 , 77, 1296-1304	14.5	21
971	Network approach of mood and functional gastrointestinal symptom dynamics in relation to childhood trauma in patients with irritable bowel syndrome and comorbid panic disorder. <i>Journal of Psychosomatic Research</i> , 2020 , 139, 110261	4.1	3
970	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , 2020 , 1-13	6.9	2
969	Are theory of mind and bullying separately associated with later academic performance among preadolescents?. <i>British Journal of Educational Psychology</i> , 2020 , 90, 62-76	3.2	8
968	White matter microstructure and network-connectivity in emerging adults with subclinical psychotic experiences. <i>Brain Imaging and Behavior</i> , 2020 , 14, 1876-1888	4.1	0
967	Toward incorporating genetic risk scores into symptom networks of psychosis. <i>Psychological Medicine</i> , 2020 , 50, 636-643	6.9	23
966	Neural responses during extinction learning predict exposure therapy outcome in phobia: results from a randomized-controlled trial. <i>Neuropsychopharmacology</i> , 2020 , 45, 534-541	8.7	20
965	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene-environment interaction. The EUGEI study. <i>Psychological Medicine</i> , 2020 , 50, 1884-1897	6.9	17
964	Vitamin D concentration and psychotic disorder: associations with disease status, clinical variables and urbanicity. <i>Psychological Medicine</i> , 2020 , 50, 1680-1686	6.9	2
963	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020 , 46, 517-529	1.3	10
962	Trust and the city: Linking urban upbringing to neural mechanisms of trust in psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 138-149	2.6	4
961	Organization framework and preliminary findings from the Athens First-Episode Psychosis Research Study. <i>Microbial Biotechnology</i> , 2020 , 14, 343-355	3.3	5
960	S94. MUTATION-INTOLERANT GENES AND MONOGENIC DISEASE GENES IN 145 LOCI OF SCHIZOPHRENIA (SCZ) GWAS ARE LINKED TO THE ISCHEMIA-HYPOXIA RESPONSE. <i>Schizophrenia Bulletin</i> , 2019 , 45, S342-S343	1.3	78
959	O7.8. TRUST AND THE CITY LINKING URBAN UPBRINGING TO NEURAL MECHANISMS OF TRUST IN PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S182-S183	1.3	78
958	Izmir Mental Health Cohort for Gene-Environment Interaction in Psychosis (TikSch): Assessment of the Extended and Transdiagnostic Psychosis Phenotype and Analysis of Attrition in a 6-Year Follow-Up of a Community-Based Sample. <i>Frontiers in Psychiatry</i> , 2019 , 10, 554	5	1
957	Microstructural white matter network-connectivity in individuals with psychotic disorder, unaffected siblings and controls. <i>NeuroImage: Clinical</i> , 2019 , 23, 101931	5.3	0
956	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. <i>Frontiers in Psychiatry</i> , 2019 , 10, 676	5	1

955	O6.7. TESTING THE HIGH RISK AND TRANSITION FRAMEWORK IN THE GENERAL POPULATION: POPULATION-BASED MEASURES OF RISK AND TRANSITION FOR PSYCHOSIS 6-YEAR LONGITUDINAL FOLLOW-UP. <i>Schizophrenia Bulletin</i> , 2019 , 45, S178-S178	1.3	78
954	Evidence for interaction between genetic liability and childhood trauma in the development of psychotic symptoms. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 1045-1054	4.5	6
953	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019 , 86, 545-556	7.9	33
952	Identifying psychosis spectrum disorder from experience sampling data using machine learning approaches. <i>Schizophrenia Research</i> , 2019 , 209, 156-163	3.6	10
951	20.4 EXAMINING THE ASSOCIATION BETWEEN CANNABIS USE AND PSYCHOSIS ACROSS THE SPECTRA OF EXPOSURE AND PHENOTYPE. <i>Schizophrenia Bulletin</i> , 2019 , 45, S122-S123	1.3	78
950	Clinical guidelines on antidepressant withdrawal urgently need updating. <i>BMJ, The</i> , 2019 , 365, l2238	5.9	15
949	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning - Results from the EU-GEI study. <i>European Psychiatry</i> , 2019 , 59, 52-59	6	15
948	7.4 PSYCHOTIC EXPERIENCES IN CHILDHOOD AND SUBSEQUENT SUICIDAL BEHAVIOR IN ADOLESCENCE IN COPENHAGEN CHILD COHORT 2000 STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S98-S99	1.3	1
947	The impact of adverse childhood experiences on EMG reactivity: A proof of concept study. <i>PLoS ONE</i> , 2019 , 14, e0216657	3.7	1
946	Mindfulness-Based Intervention for People With Dementia and Their Partners: Results of a Mixed-Methods Study. <i>Frontiers in Aging Neuroscience</i> , 2019 , 11, 92	5.3	9
945	20.3 DNA METHYLATION PROFILING MIGHT SHED LIGHT ON THE BIOLOGY OF CANNABIS ASSOCIATED PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S122-S122	1.3	78
944	7.3 POLYGENIC RISK FOR SCHIZOPHRENIA MODERATES THE INFLUENCE OF CHILDHOOD ADVERSITY ON DAILY-LIFE EMOTIONAL DYSREGULATION AND PSYCHOSIS PRONENESS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S98-S98	1.3	1
943	Cortical patterning of abnormal morphometric similarity in psychosis is associated with brain expression of schizophrenia-related genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 9604-9609	11.5	70
942	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. <i>World Psychiatry</i> , 2019 , 18, 173-182	14.4	73
941	Longitudinal evidence for a relation between depressive symptoms and quality of life in schizophrenia using structural equation modeling. <i>Schizophrenia Research</i> , 2019 , 208, 82-89	3.6	9
940	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019 , 6, 427-436	23.3	322
939	Childhood theory of mind does not predict psychotic experiences and social functioning in a general population sample of adolescents. <i>PLoS ONE</i> , 2019 , 14, e0213165	3.7	2
938	Gene expression imputation across multiple brain regions provides insights into schizophrenia risk. <i>Nature Genetics</i> , 2019 , 51, 659-674	36.3	99

937	White noise speech illusions in the general population: The association with psychosis expression and risk factors for psychosis. <i>PLoS ONE</i> , 2019 , 14, e0211914	3.7	4
936	O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S165-S166	1.3	78
935	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S177-S178	1.3	78
934	Population-based identity-by-descent mapping combined with exome sequencing to detect rare risk variants for schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 223-231	3.5	2
933	Psychotic experiences and mood episodes predict each other bidirectionally: a 6-year follow-up study in a community-based population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 331-344	4.5	3
932	The predictive value of neural reward processing on exposure therapy outcome: Results from a randomized controlled trial. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 92, 339-346	5.5	2
931	Psychometric liability to psychosis and childhood adversities are associated with shorter telomere length: A study on schizophrenia patients, unaffected siblings, and non-clinical controls. <i>Journal of Psychiatric Research</i> , 2019 , 111, 169-185	5.2	12
930	Is BDNF-Val66Met polymorphism associated with psychotic experiences and psychotic disorder outcome? Evidence from a 6 years prospective population-based cohort study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 113-121	3.5	1
929	Evidence that the association of childhood trauma with psychosis and related psychopathology is not explained by gene-environment correlation: A monozygotic twin differences approach. <i>Schizophrenia Research</i> , 2019 , 205, 58-62	3.6	9
928	Childhood trauma- and cannabis-associated microstructural white matter changes in patients with psychotic disorder: a longitudinal family-based diffusion imaging study. <i>Psychological Medicine</i> , 2019 , 49, 628-638	6.9	4
927	Longitudinal association between motor and obsessive compulsive symptoms in patients with psychosis and their unaffected siblings. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 257-268	5.1	2
926	Evidence that self-reported psychotic experiences in children are clinically relevant. <i>Schizophrenia Research</i> , 2019 , 204, 415-416	3.6	9
925	DSM outcomes of psychotic experiences and associated risk factors: 6-year follow-up study in a community-based sample. <i>Psychological Medicine</i> , 2019 , 49, 1346-1356	6.9	13
924	Cultural differences in positive psychotic experiences assessed with the Community Assessment of Psychic Experiences-42 (CAPE-42): a comparison of student populations in the Netherlands, Nigeria and Norway. <i>BMC Psychiatry</i> , 2019 , 19, 244	4.2	12
923	Decreasing Stigmatization: Reducing the Discrepancy Between "Us" and "Them". An Intervention for Mental Health Care Professionals. <i>Frontiers in Psychiatry</i> , 2019 , 10, 243	5	6
922	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
921	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 960-965	1.3	20
920	Social functioning and subclinical psychosis in adolescence: a longitudinal general adolescent population study. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 275-282	6.5	1

919	Putting the psychotherapy spotlight back on the self-reflecting actors who make it work. <i>World Psychiatry</i> , 2019 , 18, 292-293	14.4	8
918	Reward anticipation in individuals with subclinical psychotic experiences: A functional MRI approach. <i>European Neuropsychopharmacology</i> , 2019 , 29, 1374-1385	1.2	
917	Neurobehavioural mechanisms of threat generalization moderate the link between childhood maltreatment and psychopathology in emerging adulthood. <i>Journal of Psychiatry and Neuroscience</i> , 2019 , 44, 185-194	4.5	13
916	Aggressive Behavior, Hostility, and Associated Care Needs in Patients With Psychotic Disorders: A 6-Year Follow-Up Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 934	5	5
915	TwinssCan - Gene-Environment Interaction in Psychotic and Depressive Intermediate Phenotypes: Risk and Protective Factors in a General Population Twin Sample. <i>Twin Research and Human Genetics</i> , 2019 , 22, 460-466	2.2	5
914	Differences Between Self-Reported Psychotic Experiences, Clinically Relevant Psychotic Experiences, and Attenuated Psychotic Symptoms in the General Population. <i>Frontiers in Psychiatry</i> , 2019 , 10, 782	5	12
913	Reasoning bias, working memory performance and a transdiagnostic phenotype of affective disturbances and psychotic experiences in the general population. <i>Psychological Medicine</i> , 2019 , 49, 1799-1809	6.9	10
912	The evidence-based group-level symptom-reduction model as the organizing principle for mental health care: time for change?. <i>World Psychiatry</i> , 2019 , 18, 88-96	14.4	71
911	European mental health research resources: Picture and recommendations of the ROAMER project. <i>European Neuropsychopharmacology</i> , 2019 , 29, 179-194	1.2	5
910	Development of a real-time patient-reported outcome measure for symptom assessment in patients with functional dyspepsia using the experience sampling method. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13496	4	8
909	Targeted Sequencing of 10,198 Samples Confirms Abnormalities in Neuronal Activity and Implicates Voltage-Gated Sodium Channels in Schizophrenia Pathogenesis. <i>Biological Psychiatry</i> , 2019 , 85, 554-562	7.9	21
908	The Experience Sampling Method-Evaluation of treatment effect of escitalopram in IBS with comorbid panic disorder. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13515	4	7
907	Validation of short instruments assessing parental and caregivers' perceptions on child health and development for personalized prevention. <i>Clinical Child Psychology and Psychiatry</i> , 2019 , 24, 608-630	2	2
906	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). <i>Psychological Medicine</i> , 2019 , 49, 2600-2607	6.9	5
905	From laboratory to life: associating brain reward processing with real-life motivated behaviour and symptoms of depression in non-help-seeking young adults. <i>Psychological Medicine</i> , 2019 , 49, 2441-2451	6.9	35
904	Patterns of obsessive-compulsive symptoms and social functioning in schizophrenia; a replication study. <i>Psychiatry Research</i> , 2019 , 271, 421-427	9.9	0
903	Childhood adversities and psychotic symptoms: The potential mediating or moderating role of neurocognition and social cognition. <i>Schizophrenia Research</i> , 2019 , 206, 183-193	3.6	20
902	Psychotic experiences are associated with health anxiety and functional somatic symptoms in preadolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019 , 60, 524-532	7.9	4

8901	Functional neuroimaging of associative learning and generalization in specific phobia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 89, 275-285	5.5	12
8900	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019 , 49, 1378-1391	6.9	42
899	Interaction between environmental and familial affective risk impacts psychosis admixture in states of affective dysregulation. <i>Psychological Medicine</i> , 2019 , 49, 1879-1889	6.9	22
898	Obsessive-compulsive symptoms in psychotic disorders: longitudinal associations of symptom clusters on between- and within-subject levels. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 245-255	5.1	7
897	Concordance of child self-reported psychotic experiences with interview- and observer-based psychotic experiences. <i>Microbial Biotechnology</i> , 2019 , 13, 619-626	3.3	14
896	'False-positive' self-reported psychotic experiences in the general population: an investigation of outcome, predictive factors and clinical relevance. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 532-543	5.1	17
895	Sensitivity to Peer Evaluation and Its Genetic and Environmental Determinants: Findings from a Population-Based Twin Study. <i>Child Psychiatry and Human Development</i> , 2018 , 49, 766-778	3.3	3
894	No differences in olanzapine- and risperidone-related weight gain between women and men: a meta-analysis of short- and middle-term treatment. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 110-122	6.5	3
893	Sexuality and intimacy among people with serious mental illness in hospital and community settings: a qualitative systematic review protocol. <i>JBIC Database of Systematic Reviews and Implementation Reports</i> , 2018 , 16, 324-327	1.6	2
892	Evidence that reduced gray matter volume in psychotic disorder is associated with exposure to environmental risk factors. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 271, 100-110	2.9	10
891	Risk factors and peripheral biomarkers for schizophrenia spectrum disorders: an umbrella review of meta-analyses. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 88-97	6.5	71
890	The association between psychotic experiences and traumatic life events: the role of the intention to harm. <i>Psychological Medicine</i> , 2018 , 48, 2235-2246	6.9	7
889	Higher schizotypy predicts better metabolic profile in unaffected siblings of patients with schizophrenia. <i>Psychopharmacology</i> , 2018 , 235, 1029-1039	4.7	3
888	Subjective quality of life in psychosis: Evidence for an association with real world functioning?. <i>Psychiatry Research</i> , 2018 , 261, 116-123	9.9	10
887	Evidence That Environmental and Familial Risks for Psychosis Additively Impact a Multidimensional Subthreshold Psychosis Syndrome. <i>Schizophrenia Bulletin</i> , 2018 , 44, 710-719	1.3	38
886	Steinberg and Durell (1968) revisited: increased rates of First Episode Psychosis following military induction in Greek Army Recruits. <i>Psychological Medicine</i> , 2018 , 48, 728-736	6.9	2
885	The role of cognitive functioning in the relationship between childhood trauma and a mixed phenotype of affective-anxious-psychotic symptoms in psychotic disorders. <i>Schizophrenia Research</i> , 2018 , 192, 262-268	3.6	6
884	Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the EU-GEI High Risk Study. <i>Schizophrenia Bulletin</i> , 2018 , 44, 584-592	1.3	25

883	The slow death of the concept of schizophrenia and the painful birth of the psychosis spectrum. <i>Psychological Medicine</i> , 2018 , 48, 229-244	6.9	134
882	Mindfulness-based stress reduction in middle-aged and older adults with memory complaints: a mixed-methods study. <i>Aging and Mental Health</i> , 2018 , 22, 1107-1114	3.5	15
881	A polygenic risk score analysis of psychosis endophenotypes across brain functional, structural, and cognitive domains. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018 , 177, 21-34	3.5	39
880	A state-independent network of depressive, negative and positive symptoms in male patients with schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2018 , 193, 232-239	3.6	34
879	Authors' reply: Psychosis Spectrum Disorder is a clinical diagnosis. <i>Psychological Medicine</i> , 2018 , 48, 523-524	5.2	1
878	Psychotic Experiences and Related Distress: A Cross-national Comparison and Network Analysis Based on 7141 Participants From 13 Countries. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1185-1194	1.3	23
877	Mindfulness Training for People With Dementia and Their Caregivers: Rationale, Current Research, and Future Directions. <i>Frontiers in Psychology</i> , 2018 , 9, 982	3.4	24
876	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018 , 360,	33.3	666
875	Does pain hypervigilance further impact the lack of habituation to pain in individuals with chronic pain? A cross-sectional pain ERP study. <i>Journal of Pain Research</i> , 2018 , 11, 395-405	2.9	7
874	Use of schizophrenia and bipolar disorder polygenic risk scores to identify psychotic disorders. <i>British Journal of Psychiatry</i> , 2018 , 213, 535-541	5.4	21
873	The Exposome Paradigm and the Complexities of Environmental Research in Psychiatry. <i>JAMA Psychiatry</i> , 2018 , 75, 985-986	14.5	35
872	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018 , 173, 1705-1715.e16	56.2	360
871	The interaction between cannabis use and the Val158Met polymorphism of the COMT gene in psychosis: A transdiagnostic meta - analysis. <i>PLoS ONE</i> , 2018 , 13, e0192658	3.7	13
870	Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study 2018 , 8, e019059		4
869	Can an experimental white noise task assess psychosis vulnerability in adult healthy controls?. <i>PLoS ONE</i> , 2018 , 13, e0192373	3.7	3
868	8.8 Psychosesyndroom 2018 , 375-385		
867	Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study. <i>BMJ Open</i> , 2018 , 8, e019059	3	5
866	Het bio-psycho-sociale conflict in de ziel van de psychiater 2018 , 155-169		

865	Investigating Associations Between Changes in Mobile Phone Use and Emotions Using the Experience Sampling Method: Pilot Study. <i>JMIR Formative Research</i> , 2018 , 2, e12	2.5	0
864	Functional recovery of individuals with serious mental illnesses: Development and testing of a new short instrument for routine outcome monitoring. <i>Psychiatric Rehabilitation Journal</i> , 2018 , 41, 341-350	2.4	5
863	Associations between psychosis endophenotypes across brain functional, structural, and cognitive domains. <i>Psychological Medicine</i> , 2018 , 48, 1325-1340	6.9	9
862	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018 , 75, 36-46	14.5	154
861	Stress reactivity links childhood trauma exposure to an admixture of depressive, anxiety, and psychosis symptoms. <i>Psychiatry Research</i> , 2018 , 260, 451-457	9.9	24
860	Development, content validity, and cross-cultural adaptation of a patient-reported outcome measure for real-time symptom assessment in irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13244	4	15
859	Age-related Disturbances in DNA (hydroxy)methylation in APP/PS1 Mice. <i>Translational Neuroscience</i> , 2018 , 9, 190-202	1.2	5
858	5.4 BIOLOGICAL AND EPIDEMIOLOGICAL EXAMINATION OF TRANSDIAGNOSTIC AND SPECIFIC SYMPTOM DIMENSIONS AT PSYCHOSIS ONSET: FINDINGS FROM THE EUGEI STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S7-S7	1.3	1
857	T132. ASSESSMENT OF CROSS-NATIONAL EQUIVALENCE OF THE COMMUNITY ASSESSMENT OF PSYCHIC EXPERIENCES (CAPE). <i>Schizophrenia Bulletin</i> , 2018 , 44, S166-S167	1.3	78
856	F4. LINKING LIFE EVENTS WITH NEGATIVE AFFECT AND PSYCHOTIC EXPERIENCES IN DAILY LIVES OF YOUTH: STRESS SENSITIVITY AS A PUTATIVE MECHANISM?. <i>Schizophrenia Bulletin</i> , 2018 , 44, S219-S219	1.3	78
855	Alpha7 acetylcholine receptor autoantibodies are rare in sera of patients diagnosed with schizophrenia or bipolar disorder. <i>PLoS ONE</i> , 2018 , 13, e0208412	3.7	4
854	Genetic and Environmental Influences on the Affective Regulation Network: A Prospective Experience Sampling Analysis. <i>Frontiers in Psychiatry</i> , 2018 , 9, 602	5	5
853	Need for evidence-based early intervention programmes: a public health perspective. <i>Evidence-Based Mental Health</i> , 2018 , 21, 128-130	11.1	13
852	Clinical Network Analysis in a Bipolar Patient Using an Experience Sampling Mobile Health Tool: An n=1 Study 2018 , 04,		2
851	O2.2. CHILDHOOD ADVERSITIES AND PSYCHOTIC SYMPTOMS: THE POTENTIAL MEDIATING OR MODERATING ROLE OF NEUROCOGNITION AND SOCIAL COGNITION. <i>Schizophrenia Bulletin</i> , 2018 , 44, S76-S76	1.3	0
850	T110. FIRST EPISODE PSYCHOTIC PATIENTS WITH A HISTORY OF FREQUENT CANNABIS USE EXPRESS MORE POSITIVE SYMPTOMS AT ILLNESS ONSET THAN THOSE WHO NEVER USED CANNABIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S158-S159	1.3	1
849	T115. REASONING BIAS, WORKING MEMORY PERFORMANCE, AND A TRANSDIAGNOSTIC PHENOTYPE OF AFFECTIVE DISTURBANCES AND PSYCHOTIC EXPERIENCES IN THE GENERAL POPULATION. <i>Schizophrenia Bulletin</i> , 2018 , 44, S160-S161	1.3	78
848	The Complexities of Evaluating the Exposome in Psychiatry: A Data-Driven Illustration of Challenges and Some Propositions for Amendments. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1175-1179	1.3	28

847	The Latent Taxonicity of Schizotypy in Biological Siblings of Probands With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018 , 44, 922-932	1.3	8
846	Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative. <i>Schizophrenia Bulletin</i> , 2018 , 44, S460-S467	1.3	9
845	Antidepressant tapering strips to help people come off medication more safely. <i>Psychosis</i> , 2018 , 10, 142-145	1.3	27
844	Multideskundige eCommunities als onderlegger van een Publieke GGZ. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2018 , 96, 62-67	0.2	
843	Double hits in schizophrenia. <i>Human Molecular Genetics</i> , 2018 , 27, 2755-2761	5.6	4
842	Sexual Expression and It's Determinants, in People Diagnosed with Psychotic Disorders. <i>Community Mental Health Journal</i> , 2018 , 54, 1082-1088	2.1	7
841	Differential Time Course of Microstructural White Matter in Patients With Psychotic Disorder and Individuals at Risk: A 3-Year Follow-up Study. <i>Schizophrenia Bulletin</i> , 2017 , 43, 160-170	1.3	15
840	A Transdiagnostic Network Approach to Psychosis. <i>Schizophrenia Bulletin</i> , 2017 , 43, 122-132	1.3	43
839	Prevalence of anxiety and depressive symptoms and their association with pelvic floor dysfunctions-A cross sectional cohort study at a Pelvic Care Centre. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1816-1823	2.3	25
838	Relation between psychotic symptoms, parental care and childhood trauma in severe mental disorders. <i>Psychiatry Research</i> , 2017 , 251, 78-84	9.9	19
837	A critique of the "ultra-high risk" and "transition" paradigm. <i>World Psychiatry</i> , 2017 , 16, 200-206	14.4	142
836	Evidence that polygenic risk for psychotic disorder is expressed in the domain of neurodevelopment, emotion regulation and attribution of salience. <i>Psychological Medicine</i> , 2017 , 47, 2421-2437	6.9	50
835	Evidence That the Impact of Childhood Trauma on IQ Is Substantial in Controls, Moderate in Siblings, and Absent in Patients With Psychotic Disorder. <i>Schizophrenia Bulletin</i> , 2017 , 43, 316-324	1.3	21
834	Familial liability to psychosis is a risk factor for multimorbidity in people with psychotic disorders and their unaffected siblings. <i>European Psychiatry</i> , 2017 , 45, 81-89	6	4
833	Application of network methods for understanding mental disorders: pitfalls and promise. <i>Psychological Medicine</i> , 2017 , 47, 2743-2752	6.9	57
832	Intimacy and its barriers: A qualitative exploration of intimacy and related struggles among people diagnosed with psychosis. <i>Psychosis</i> , 2017 , 9, 301-309	1.2	11
831	The experience sampling method as an mHealth tool to support self-monitoring, self-insight, and personalized health care in clinical practice. <i>Depression and Anxiety</i> , 2017 , 34, 481-493	8.4	79
830	Lifetime Prevalence and Correlates of Schizophrenia-Spectrum, Affective, and Other Non-affective Psychotic Disorders in the Chinese Adult Population. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1280-1290	1.3	38

829	Modeling the Interplay Between Psychological Processes and Adverse, Stressful Contexts and Experiences in Pathways to Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2017 , 43, 302-315	1.3	39
828	Functional urological disorders: a sensitized defence response in the bladder-gut-brain axis. <i>Nature Reviews Urology</i> , 2017 , 14, 153-163	5.5	49
827	Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. <i>International Psychogeriatrics</i> , 2017 , 29, 259-267	3.4	11
826	The 20-Year Longitudinal Trajectories of Social Functioning in Individuals With Psychotic Disorders. <i>American Journal of Psychiatry</i> , 2017 , 174, 1075-1085	11.9	131
825	Behavioral pattern separation and its link to the neural mechanisms of fear generalization. <i>Social Cognitive and Affective Neuroscience</i> , 2017 , 12, 1720-1729	4	37
824	No Evidence of Association between Childhood Urban Environment and Cortical Thinning in Psychotic Disorder. <i>PLoS ONE</i> , 2017 , 12, e0166651	3.7	9
823	White noise speech illusion and psychosis expression: An experimental investigation of psychosis liability. <i>PLoS ONE</i> , 2017 , 12, e0183695	3.7	20
822	Blink rate is associated with drug-induced parkinsonism in patients with severe mental illness, but does not meet requirements to serve as a clinical test: the Curacao extrapyramidal syndromes study XIII. <i>Journal of Negative Results in BioMedicine</i> , 2017 , 16, 15		1
821	Economic evaluation of an experience sampling method intervention in depression compared with treatment as usual using data from a randomized controlled trial. <i>BMC Psychiatry</i> , 2017 , 17, 415	4.2	10
820	The interplay of psychosis and victimisation across the life course: a prospective study in the general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1363-1374	4.5	9
819	An experience sampling study on the ecological validity of the SWN-20: Indication that subjective well-being is associated with momentary affective states above and beyond psychosis susceptibility. <i>Psychiatry Research</i> , 2017 , 258, 234-238	9.9	2
818	Subcortical brain volume differences in participants with attention deficit hyperactivity disorder in children and adults. <i>Lancet Psychiatry</i> , 2017 , 4, 437	23.3	4
817	The details of structural disconnectivity in psychotic disorder: A family-based study of non-FA diffusion weighted imaging measures. <i>Brain Research</i> , 2017 , 1671, 121-130	3.7	5
816	National funding for mental health research in Finland, France, Spain and the United Kingdom. <i>European Neuropsychopharmacology</i> , 2017 , 27, 892-899	1.2	9
815	Is sensitivity to daily stress predictive of onset or persistence of psychopathology?. <i>European Psychiatry</i> , 2017 , 45, 167-173	6	14
814	Stress sensitivity as a putative mechanism linking childhood trauma and psychopathology in youth's daily life. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 373-388	6.5	29
813	Can mindfulness-based interventions influence cognitive functioning in older adults? A review and considerations for future research. <i>Aging and Mental Health</i> , 2017 , 21, 1113-1120	3.5	35
812	Positive affect and cognitive decline: a 12-year follow-up of the Maastricht Aging Study. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 1305-1311	3.9	3

811	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. <i>Nature Genetics</i> , 2017 , 49, 27-35	36.3	530
810	Predicting Psychosis Using the Experience Sampling Method with Mobile Apps 2017 ,		7
809	Network Approach to Understanding Emotion Dynamics in Relation to Childhood Trauma and Genetic Liability to Psychopathology: Replication of a Prospective Experience Sampling Analysis. <i>Frontiers in Psychology</i> , 2017 , 8, 1908	3.4	20
808	Evidence That the Urban Environment Moderates the Level of Familial Clustering of Positive Psychotic Symptoms. <i>Schizophrenia Bulletin</i> , 2017 , 43, 325-331	1.3	12
807	Serum S100B: A proxy marker for grey and white matter status in the absence and presence of (increased risk of) psychotic disorder?. <i>PLoS ONE</i> , 2017 , 12, e0174752	3.7	1
806	Demonstrating the reliability of transdiagnostic mHealth Routine Outcome Monitoring in mental health services using experience sampling technology. <i>PLoS ONE</i> , 2017 , 12, e0186294	3.7	24
805	Risk Factors for Tremor in a Population of Patients with Severe Mental Illness: An 18-year Prospective Study in a Geographically Representative Sample (The Curacao Extrapyramidal Syndromes Study XI). <i>Tremor and Other Hyperkinetic Movements</i> , 2017 , 7, 468	2	
804	Effect of Antipsychotic Type and Dose Changes on Tardive Dyskinesia and Parkinsonism Severity in Patients With a Serious Mental Illness: The Curaçao Extrapyramidal Syndromes Study XII. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e279-e285	4.6	26
803	Psychological and Biological Validation of a Novel Digital Social Peer Evaluation Experiment (digi-SPEE). <i>Noropsikiyatri Arsivi</i> , 2017 , 54, 3-10	0.4	5
802	Real-life validation of reduced reward processing in emerging adults with depressive symptoms. <i>Journal of Abnormal Psychology</i> , 2017 , 126, 713-725	7	16
801	The Search for Environmental Mechanisms Underlying the Expression of Psychosis: Introduction. <i>Schizophrenia Bulletin</i> , 2017 , 43, 283-286	1.3	5
800	Validation of the Chinese Version of the Revised Clinical Interview Schedule: Findings from Hong Kong Mental Morbidity Survey. <i>East Asian Archives of Psychiatry</i> , 2017 , 27, 3-10	1.1	4
799	Neuroticism and facial emotion recognition in healthy adults. <i>Microbial Biotechnology</i> , 2016 , 10, 160-4	3.3	11
798	Psychotic experiences and incident suicidal ideation and behaviour: Disentangling the longitudinal associations from connected psychopathology. <i>Psychiatry Research</i> , 2016 , 245, 267-275	9.9	15
797	Exposure to environmental factors increases connectivity between symptom domains in the psychopathology network. <i>BMC Psychiatry</i> , 2016 , 16, 223	4.2	15
796	Current concepts in chronic inflammatory diseases: Interactions between microbes, cellular metabolism, and inflammation. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 47-56	11.5	26
795	Structure of the Psychotic Disorders Classification in DSM-5. <i>Focus (American Psychiatric Publishing)</i> , 2016 , 14, 366-369	1.1	3
794	The social defeat hypothesis of schizophrenia: issues of measurement and reverse causality. <i>World Psychiatry</i> , 2016 , 15, 294-295	14.4	46

793	Should psychiatrists be more cautious about the long-term prophylactic use of antipsychotics?. <i>British Journal of Psychiatry</i> , 2016 , 209, 361-365	5.4	152
792	Reduced specialized processing in psychotic disorder: a graph theoretical analysis of cerebral functional connectivity. <i>Brain and Behavior</i> , 2016 , 6, e00508	3.4	6
791	Cortical processes of speech illusions in the general population. <i>BMC Neuroscience</i> , 2016 , 17, 65	3.2	1
790	Impact of early life adversity on EMG stress reactivity of the trapezius muscle. <i>Medicine (United States)</i> , 2016 , 95, e4745	1.8	3
789	Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2016 , 42, 712-22	1.3	164
788	Disturbed Experience of Self: Psychometric Analysis of the Self-Experience Lifetime Frequency Scale (SELF). <i>Psychopathology</i> , 2016 , 49, 69-76	3.4	13
787	"Schizophrenia" does not exist. <i>BMJ, The</i> , 2016 , 352, i375	5.9	34
786	Levels of Red Blood Cell Fatty Acids in Patients With Psychosis, Their Unaffected Siblings, and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2016 , 42, 358-68	1.3	19
785	Unraveling the Relationship between Motor Symptoms, Affective States and Contextual Factors in Parkinson's Disease: A Feasibility Study of the Experience Sampling Method. <i>PLoS ONE</i> , 2016 , 11, e0151195	3.7	16
784	Psychotic Experiences and Risk of Violence Perpetration and Arrest in the General Population: A Prospective Study. <i>PLoS ONE</i> , 2016 , 11, e0159023	3.7	9
783	Differences in Facial Emotion Recognition between First Episode Psychosis, Borderline Personality Disorder and Healthy Controls. <i>PLoS ONE</i> , 2016 , 11, e0160056	3.7	17
782	An n=1 Clinical Network Analysis of Symptoms and Treatment in Psychosis. <i>PLoS ONE</i> , 2016 , 11, e0162817	3.7	43
781	Acceptance and Commitment Therapy in Daily Life Training: A Feasibility Study of an mHealth Intervention. <i>JMIR MHealth and UHealth</i> , 2016 , 4, e103	5.5	18
780	Comment on Re-Analysis of Data by Terluin, de Boer and de Vet. <i>PLoS ONE</i> , 2016 , 11, e0162329	3.7	3
779	A Psychometric Evaluation of the Danish Version of the Theory of Mind Storybook for 8-14 Year-Old Children. <i>Frontiers in Psychology</i> , 2016 , 7, 330	3.4	11
778	Longitudinal association between cognitive performance and obsessive-compulsive symptoms in patients with psychosis and unaffected siblings. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 399-409	6.5	7
777	Likelihood of mechanistic roles for dopaminergic, serotonergic and glutamatergic receptors in tardive dyskinesia: A comparison of genetic variants in two independent patient populations. <i>SAGE Open Medicine</i> , 2016 , 4, 2050312116643673	2.4	11
776	A user-developed, user run recovery programme for people with severe mental illness: A randomised control trial Trial registration: www.trialregister.nl under identifier NTR378 View all notes. <i>Psychosis</i> , 2016 , 8, 287-300	1.2	36

775	Measures of Psychosis Proneness and Genetic Risk for Schizophrenia. <i>JAMA Psychiatry</i> , 2016 , 73, 638	14.5	3
774	Course of auditory vocal hallucinations in childhood: 11-year follow-up study. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 6-15	6.5	28
773	Introducing the White Noise task in childhood: associations between speech illusions and psychosis vulnerability. <i>Psychological Medicine</i> , 2016 , 46, 2731-40	6.9	10
772	Childhood trauma, psychosis liability and social stress reactivity: a virtual reality study. <i>Psychological Medicine</i> , 2016 , 46, 3339-3348	6.9	26
771	Psychological processes underlying the association between childhood trauma and psychosis in daily life: an experience sampling study. <i>Psychological Medicine</i> , 2016 , 46, 2799-813	6.9	53
770	Use of the experience sampling method in the context of clinical trials. <i>Evidence-Based Mental Health</i> , 2016 , 19, 86-9	11.1	82
769	Environmental Social Stress, Paranoia and Psychosis Liability: A Virtual Reality Study. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1363-1371	1.3	69
768	Psychotic experiences and risk of self-injurious behaviour in the general population: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2016 , 46, 237-51	6.9	47
767	Psychotic experiences and hyper-theory-of-mind in preadolescence--a birth cohort study. <i>Psychological Medicine</i> , 2016 , 46, 87-101	6.9	23
766	A Network Approach to Environmental Impact in Psychotic Disorder: Brief Theoretical Framework. <i>Schizophrenia Bulletin</i> , 2016 , 42, 870-3	1.3	105
765	Developmental course of subclinical positive and negative psychotic symptoms and their associations with genetic risk status and impairment. <i>Schizophrenia Research</i> , 2016 , 174, 177-182	3.6	3
764	Cannabis and a lower BMI in psychosis: What is the role of AKT1?. <i>Schizophrenia Research</i> , 2016 , 176, 95-99	3.6	6
763	Childhood trauma, BDNF Val66Met and subclinical psychotic experiences. Attempt at replication in two independent samples. <i>Journal of Psychiatric Research</i> , 2016 , 83, 121-129	5.2	16
762	Psychosis as a transdiagnostic and extended phenotype in the general population. <i>World Psychiatry</i> , 2016 , 15, 118-24	14.4	269
761	Long-Term Results after Bariatric Surgery: A Patient-Centered Analysis. <i>Bariatric Surgical Patient Care</i> , 2016 , 11, 177-182	0.4	
760	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1603-1658	40	1216
759	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1659-1724	40	2431
758	Familial covariation of facial emotion recognition and IQ in schizophrenia. <i>Psychiatry Research</i> , 2016 , 246, 52-57	9.9	11

757	Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. <i>Nature Neuroscience</i> , 2015 , 18, 199-209	25.5	572
756	Remission criteria and functional outcome in patients with schizophrenia, a longitudinal study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 266-74	2.6	11
755	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1379-88	4.5	82
754	Testing Øegaard's selective migration hypothesis: a longitudinal cohort study of risk factors for non-affective psychotic disorders among prospective emigrants. <i>Psychological Medicine</i> , 2015 , 45, 727-34	6.9	25
753	Childhood abuse and neglect in relation to the presence and persistence of psychotic and depressive symptomatology. <i>Psychological Medicine</i> , 2015 , 45, 1363-77	6.9	75
752	Altered mesocorticolimbic functional connectivity in psychotic disorder: an analysis of proxy genetic and environmental effects. <i>Psychological Medicine</i> , 2015 , 45, 2157-69	6.9	6
751	DNMT3A moderates cognitive decline in subjects with mild cognitive impairment: replicated evidence from two mild cognitive impairment cohorts. <i>Epigenomics</i> , 2015 , 7, 533-7	4.4	19
750	Psychotic reactivity to daily life stress and the dopamine system: a study combining experience sampling and [18F]fallypride positron emission tomography. <i>Journal of Abnormal Psychology</i> , 2015 , 124, 27-37	7	12
749	Psychotic reactions to daily life stress and dopamine function in people with severe hearing impairment. <i>Psychological Medicine</i> , 2015 , 45, 1665-74	6.9	12
748	Psychotic experiences co-occur with sleep problems, negative affect and mental disorders in preadolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015 , 56, 558-65	7.9	53
747	Evidence that the presence of psychosis in non-psychotic disorder is environment-dependent and mediated by severity of non-psychotic psychopathology. <i>Psychological Medicine</i> , 2015 , 45, 2389-401	6.9	60
746	The impact of electroconvulsive therapy on the tryptophan-kynurenine metabolic pathway. <i>Brain, Behavior, and Immunity</i> , 2015 , 48, 48-52	16.6	35
745	Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , 2015 , 2, 1036-42	23.3	108
744	Defeat stress in rodents: From behavior to molecules. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 59, 111-40	9	144
743	Mental disorder: a public health problem stuck in an individual-level brain disease perspective?. <i>World Psychiatry</i> , 2015 , 14, 47-8	14.4	2
742	Semi-metric analysis of the functional brain network: Relationship with familial risk for psychotic disorder. <i>NeuroImage: Clinical</i> , 2015 , 9, 607-16	5.3	6
741	New data and an old puzzle: the negative association between schizophrenia and rheumatoid arthritis. <i>International Journal of Epidemiology</i> , 2015 , 44, 1706-21	7.8	43
740	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015 , 386, 2145-91	40	1203

739	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 2287-323	4.0	1776
738	Cognitive correlates of frontoparietal network connectivity 'at rest' in individuals with differential risk for psychotic disorder. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1922-32	1.2	12
737	[18F]MK-9470 PET measurement of cannabinoid CB1 receptor availability in chronic cannabis users. <i>Addiction Biology</i> , 2015 , 20, 357-67	4.6	92
736	Comparative study of clinical and neuropsychological characteristics between early-, late and very-late-onset schizophrenia-spectrum disorders. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 852-62	6.5	13
735	Theory of Mind and attachment styles in people with psychotic disorders, their siblings, and controls. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 171-80	2.6	17
734	Exploring the underlying structure of mental disorders: cross-diagnostic differences and similarities from a network perspective using both a top-down and a bottom-up approach. <i>Psychological Medicine</i> , 2015 , 45, 2375-87	6.9	101
733	Schizophrenia. <i>Nature Reviews Disease Primers</i> , 2015 , 1, 15067	51.1	432
732	Integrated medical-psychiatric outpatient care in functional gastrointestinal disorders improves outcome: a pilot study. <i>European Journal of Gastroenterology and Hepatology</i> , 2015 , 27, 721-7	2.2	17
731	The Experience Sampling Method--a new digital tool for momentary symptom assessment in IBS: an exploratory study. <i>Neurogastroenterology and Motility</i> , 2015 , 27, 1295-302	4	36
730	PWE-239 Developing a patient reported outcome measure for symptom assessment in irritable bowel syndrome by experience sampling methodoutcomeof focus groups. <i>Gut</i> , 2015 , 64, A317.1-A317	19.2	
729	Default mode network connectivity as a function of familial and environmental risk for psychotic disorder. <i>PLoS ONE</i> , 2015 , 10, e0120030	3.7	27
728	Experience sampling-based personalized feedback and positive affect: a randomized controlled trial in depressed patients. <i>PLoS ONE</i> , 2015 , 10, e0128095	3.7	31
727	The Influence of Perceived Stress on Cortical Reactivity: A Proof-Of-Principle Study. <i>PLoS ONE</i> , 2015 , 10, e0129220	3.7	16
726	Does habituation differ in chronic low back pain subjects compared to pain-free controls? A cross-sectional pain rating ERP study reanalyzed with the ERFIA multilevel method. <i>Medicine (United States)</i> , 2015 , 94, e865	1.8	10
725	High-level production of Bacillus cereus phospholipase C in Corynebacterium glutamicum. <i>Journal of Biotechnology</i> , 2015 , 216, 142-8	3.7	27
724	Effects of momentary self-monitoring on empowerment in a randomized controlled trial in patients with depression. <i>European Psychiatry</i> , 2015 , 30, 900-6	6	27
723	The CCC2000 Birth Cohort Study of Register-Based Family History of Mental Disorders and Psychotic Experiences in Offspring. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1084-94	1.3	34
722	Differential susceptibility to chronic social defeat stress relates to the number of Dnmt3a-immunoreactive neurons in the hippocampal dentate gyrus. <i>Psychoneuroendocrinology</i> , 2015 , 51, 547-56	5	22

721	Emotion processing in schizophrenia is state and trait dependent. <i>Schizophrenia Research</i> , 2015 , 161, 392-8	3.6	19
720	Maternal C-reactive protein and schizophrenia. <i>American Journal of Psychiatry</i> , 2015 , 172, 200	11.9	
719	Relevance of Five-Factor Model personality traits for obsessive-compulsive symptoms in patients with psychotic disorders and their un-affected siblings. <i>Psychiatry Research</i> , 2015 , 225, 464-70	9.9	8
718	Affective symptoms and the overactive bladder - a systematic review. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 95-108	4.1	78
717	The transdiagnostic dimension of psychosis: implications for psychiatric nosology and research. <i>Shanghai Archives of Psychiatry</i> , 2015 , 27, 82-6		7
716	The association between negative symptoms, psychotic experiences and later schizophrenia: a population-based longitudinal study. <i>PLoS ONE</i> , 2015 , 10, e0119852	3.7	27
715	Does the Brain Detect 3G Mobile Phone Radiation Peaks? An Explorative In-Depth Analysis of an Experimental Study. <i>PLoS ONE</i> , 2015 , 10, e0125390	3.7	11
714	EEG Changes Due to Experimentally Induced 3G Mobile Phone Radiation. <i>PLoS ONE</i> , 2015 , 10, e0129496	3.7	32
713	From Affective Experience to Motivated Action: Tracking Reward-Seeking and Punishment-Avoidant Behaviour in Real-Life. <i>PLoS ONE</i> , 2015 , 10, e0129722	3.7	16
712	Data Gathering Bias: Trait Vulnerability to Psychotic Symptoms?. <i>PLoS ONE</i> , 2015 , 10, e0132442	3.7	14
711	Bone Mineral Density as a Marker of Cumulative Estrogen Exposure in Psychotic Disorder: A 3 Year Follow-Up Study. <i>PLoS ONE</i> , 2015 , 10, e0136320	3.7	3
710	Treatment of Cognitive Impairment in Schizophrenia: Potential Value of Phosphodiesterase Inhibitors in Prefrontal Dysfunction. <i>Current Pharmaceutical Design</i> , 2015 , 21, 3813-28	3.3	25
709	The epigenome and postnatal environmental influences in psychotic disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 337-48	4.5	29
708	Can assertive community treatment remedy patients dropping out of treatment due to fragmented services?. <i>Community Mental Health Journal</i> , 2014 , 50, 454-9	2.1	7
707	Predicting response to cognitive therapy and interpersonal therapy, with or without antidepressant medication, for major depression: a pragmatic trial in routine practice. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 146-54	6.6	9
706	Effects of mindfulness-based cognitive therapy on self-reported suicidal ideation: results from a randomised controlled trial in patients with residual depressive symptoms. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1883-90	7.3	47
705	Biological insights from 108 schizophrenia-associated genetic loci. <i>Nature</i> , 2014 , 511, 421-7	50.4	5249
704	Factors contributing to the duration of untreated psychosis. <i>Schizophrenia Research</i> , 2014 , 158, 76-81	3.6	20

703	No association between genetic or epigenetic variation in insulin growth factors and antipsychotic-induced metabolic disturbances in a cross-sectional sample. <i>Pharmacogenomics</i> , 2014 , 15, 951-62	2.6	5
702	Evidence that childhood urban environment is associated with blunted stress reactivity across groups of patients with psychosis, relatives of patients and controls. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1579-87	4.5	8
701	The serotonin transporter 5-HTTLPR polymorphism in the association between sleep quality and affect. <i>European Neuropsychopharmacology</i> , 2014 , 24, 1086-90	1.2	11
700	Impact of variation in the BDNF gene on social stress sensitivity and the buffering impact of positive emotions: replication and extension of a gene-environment interaction. <i>European Neuropsychopharmacology</i> , 2014 , 24, 930-8	1.2	27
699	A genome-wide association analysis of a broad psychosis phenotype identifies three loci for further investigation. <i>Biological Psychiatry</i> , 2014 , 75, 386-97	7.9	36
698	Validation of a neurofeedback paradigm: manipulating frontal EEG alpha-activity and its impact on mood. <i>International Journal of Psychophysiology</i> , 2014 , 93, 116-20	2.9	33
697	Genotype-based prevention of psychosis onset and schizophrenia: a personalized approach in a target population. <i>Personalized Medicine</i> , 2014 , 11, 167-172	2.2	1
696	Does assessment type matter? A measurement invariance analysis of online and paper and pencil assessment of the Community Assessment of Psychic Experiences (CAPE). <i>PLoS ONE</i> , 2014 , 9, e84011	3.7	18
695	Evidence that a psychopathology interactome has diagnostic value, predicting clinical needs: an experience sampling study. <i>PLoS ONE</i> , 2014 , 9, e86652	3.7	30
694	Stereotype awareness, self-esteem and psychopathology in people with psychosis. <i>PLoS ONE</i> , 2014 , 9, e88586	3.7	10
693	Neurofeedback as a treatment for major depressive disorder--a pilot study. <i>PLoS ONE</i> , 2014 , 9, e91837	3.7	31
692	Brain-derived neurotrophic factor/FK506-binding protein 5 genotype by childhood trauma interactions do not impact on hippocampal volume and cognitive performance. <i>PLoS ONE</i> , 2014 , 9, e92722	3.7	15
691	How to boost positive interpretations? A meta-analysis of the effectiveness of cognitive bias modification for interpretation. <i>PLoS ONE</i> , 2014 , 9, e100925	3.7	128
690	Epigenetic genes and emotional reactivity to daily life events: a multi-step gene-environment interaction study. <i>PLoS ONE</i> , 2014 , 9, e100935	3.7	24
689	Novel evidence that attributing affectively salient signal to random noise is associated with psychosis. <i>PLoS ONE</i> , 2014 , 9, e102520	3.7	14
688	Horizon 2020 priorities in clinical mental health research: results of a consensus-based ROAMER expert survey. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 10915-39	4.6	17
687	Towards Horizon 2020: challenges and advances for clinical mental health research - outcome of an expert survey. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 1057-68	3.1	18
686	Psychopathological mechanisms linking childhood traumatic experiences to risk of psychotic symptoms: analysis of a large, representative population-based sample. <i>Schizophrenia Bulletin</i> , 2014 , 40 Suppl 2, S123-30	1.3	78

685	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
684	Lessons learned from the psychosis high-risk state: towards a general staging model of prodromal intervention. <i>Psychological Medicine</i> , 2014 , 44, 17-24	6.9	149
683	Sexual minority status and psychotic symptoms: findings from the Netherlands Mental Health Survey and Incidence Studies (NEMESIS). <i>Psychological Medicine</i> , 2014 , 44, 421-33	6.9	51
682	Therapygenetics in mindfulness-based cognitive therapy: do genes have an impact on therapy-induced change in real-life positive affective experiences?. <i>Translational Psychiatry</i> , 2014 , 4, e384	8.6	15
681	Personality compensates for impaired quality of life and social functioning in patients with psychotic disorders who experienced traumatic events. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1356-65	1.3	18
680	A therapeutic application of the experience sampling method in the treatment of depression: a randomized controlled trial. <i>World Psychiatry</i> , 2014 , 13, 68-77	14.4	144
679	Does social defeat mediate the association between childhood trauma and psychosis? Evidence from the NEMESIS-2 Study. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 467-76	6.5	53
678	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23 Suppl 1, 1-14	4.3	76
677	Positive emotions from social company in women with persisting subclinical psychosis: lessons from daily life. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 202-10	6.5	7
676	ROM van geïndividualiseerde behandeldoelen. <i>Psychopraktijk</i> , 2014 , 6, 29-32		2
675	Epigenetic effects of electroconvulsive seizures. <i>Journal of ECT</i> , 2014 , 30, 152-9	2	17
674	The immune system and electroconvulsive therapy for depression. <i>Journal of ECT</i> , 2014 , 30, 132-7	2	44
673	Time-lagged moment-to-moment interplay between negative affect and paranoia: new insights in the affective pathway to psychosis. <i>Schizophrenia Bulletin</i> , 2014 , 40, 278-86	1.3	84
672	Systematic review and collaborative recalculation of 133,693 incident cases of schizophrenia. <i>Psychological Medicine</i> , 2014 , 44, 9-16	6.9	94
671	Subclinical psychotic experiences and bipolar spectrum features in depression: association with outcome of psychotherapy. <i>Psychological Medicine</i> , 2014 , 44, 325-36	6.9	40
670	Increased release of dopamine in the striata of young adults with hearing impairment and its relevance for the social defeat hypothesis of schizophrenia. <i>JAMA Psychiatry</i> , 2014 , 71, 1364-72	14.5	44
669	Familial liability to psychosis is associated with attenuated dopamine stress signaling in ventromedial prefrontal cortex. <i>Schizophrenia Bulletin</i> , 2014 , 40, 66-77	1.3	28
668	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014 , 19, 108-14	15.1	67

667	Almost all antipsychotics result in weight gain: a meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e94112	3.7	281
666	Experimentally induced stress validated by EMG activity. <i>PLoS ONE</i> , 2014 , 9, e95215	3.7	41
665	Hyper-theory-of-mind in children with Psychotic Experiences. <i>PLoS ONE</i> , 2014 , 9, e113082	3.7	34
664	Testing an mHealth momentary assessment Routine Outcome Monitoring application: a focus on restoration of daily life positive mood states. <i>PLoS ONE</i> , 2014 , 9, e115254	3.7	24
663	The Hong Kong mental morbidity survey: background and study design. <i>East Asian Archives of Psychiatry</i> , 2014 , 24, 30-6	1.1	16
662	Attenuated psychosis syndrome in DSM-5. <i>Schizophrenia Research</i> , 2013 , 150, 31-5	3.6	122
661	COMT Val158Met genotype selectively alters prefrontal [18F]fallypride displacement and subjective feelings of stress in response to a psychosocial stress challenge. <i>PLoS ONE</i> , 2013 , 8, e65662	3.7	32
660	Antipsychotic medications and cognitive functioning in bipolar disorder: moderating effects of COMT Val108/158 Met genotype. <i>BMC Psychiatry</i> , 2013 , 13, 63	4.2	14
659	Genome-wide association analysis identifies 13 new risk loci for schizophrenia. <i>Nature Genetics</i> , 2013 , 45, 1150-9	36.3	1153
658	Bone mineral density as a marker of cumulative endogenous estrogen exposure: relationship to background genetic risk of psychotic disorder. <i>Schizophrenia Research</i> , 2013 , 143, 25-31	3.6	10
657	Molecular genetic gene-environment studies using candidate genes in schizophrenia: a systematic review. <i>Schizophrenia Research</i> , 2013 , 150, 356-65	3.6	68
656	The effect of childhood maltreatment and cannabis use on adult psychotic symptoms is modified by the COMT Val158Met polymorphism. <i>Schizophrenia Research</i> , 2013 , 150, 303-11	3.6	54
655	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013 , 45, 984-94	36.3	1628
654	Resilience in mental health: linking psychological and neurobiological perspectives. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 3-20	6.5	197
653	Catatonia in DSM-5. <i>Schizophrenia Research</i> , 2013 , 150, 26-30	3.6	125
652	Schizoaffective Disorder in the DSM-5. <i>Schizophrenia Research</i> , 2013 , 150, 21-5	3.6	83
651	Definition and description of schizophrenia in the DSM-5. <i>Schizophrenia Research</i> , 2013 , 150, 3-10	3.6	323
650	Treatment of hallucinations: A comment. <i>Psychosis</i> , 2013 , 5, 98-102	1.2	4

649	Unemployment, ethnicity and psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 202-9	6.5	16
648	Lost in transition: setting the psychosis threshold in prodromal research. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 248-52	6.5	43
647	Microstructural white matter alterations in psychotic disorder: a family-based diffusion tensor imaging study. <i>Schizophrenia Research</i> , 2013 , 146, 291-300	3.6	16
646	The clinical effectiveness of evidence-based interventions for depression: a pragmatic trial in routine practice. <i>Journal of Affective Disorders</i> , 2013 , 145, 349-55	6.6	26
645	Follow-up factor structure of schizotypy and its clinical associations in a help-seeking sample meeting ultra-high risk for psychosis criteria at baseline. <i>Comprehensive Psychiatry</i> , 2013 , 54, 173-80	7.3	26
644	Testing the estrogen hypothesis of schizophrenia: associations between cumulative estrogen exposure and cerebral structural measures. <i>Schizophrenia Research</i> , 2013 , 150, 114-20	3.6	7
643	Redeeming diagnosis in psychiatry: timing versus specificity. <i>Lancet, The</i> , 2013 , 381, 343-5	4.0	134
642	Testing the hypothesis that psychotic illness begins when subthreshold hallucinations combine with delusional ideation. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 34-47	6.5	39
641	Evidence for the early clinical relevance of hallucinatory-delusional states in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 482-93	6.5	35
640	Cannabis use and vulnerability for psychosis in early adolescence--a TRAILS study. <i>Addiction</i> , 2013 , 108, 733-40	4.6	51
639	FKBP5 as a possible moderator of the psychosis-inducing effects of childhood trauma. <i>British Journal of Psychiatry</i> , 2013 , 202, 261-8	5.4	68
638	Structure of the psychotic disorders classification in DSM-5. <i>Schizophrenia Research</i> , 2013 , 150, 11-4	3.6	125
637	Logic and justification for dimensional assessment of symptoms and related clinical phenomena in psychosis: relevance to DSM-5. <i>Schizophrenia Research</i> , 2013 , 150, 15-20	3.6	132
636	Emotional experience in negative symptoms of schizophrenia--no evidence for a generalized hedonic deficit. <i>Schizophrenia Bulletin</i> , 2013 , 39, 217-25	1.3	110
635	Schizophrenia candidate gene ERBB4: covert routes of vulnerability to psychosis detected at the population level. <i>Schizophrenia Bulletin</i> , 2013 , 39, 349-57	1.3	12
634	The forthcoming DSM-5, critical care medicine, and pediatric neuropsychiatry: which new concepts do we need?. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2013 , 25, 111-4	2.7	5
633	Evidence for the impact of the CACNA1C risk allele rs1006737 on 2-year cognitive functioning in bipolar disorder. <i>Psychiatric Genetics</i> , 2013 , 23, 41-2	2.9	14
632	GxE interaction and neurodevelopment II. Focus on adversities in paediatric depression: the moderating role of serotonin transporter. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 21-8	5.1	6

631	Novel directions for psychiatric diagnosis: from psychopathology to motor function to monitoring technology. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 289-95	5.1	8
630	Predicting the incidence of antipsychotic-induced movement disorders in long-stay patients: A prospective study. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 375-9	5.1	7
629	An updated and conservative systematic review and meta-analysis of epidemiological evidence on psychotic experiences in children and adults: on the pathway from proneness to persistence to dimensional expression across mental disorders. <i>Psychological Medicine</i> , 2013 , 43, 1133-49	6.9	677
628	Psychiatry beyond labels: introducing contextual precision diagnosis across stages of psychopathology. <i>Psychological Medicine</i> , 2013 , 43, 1563-7	6.9	19
627	Genotype by environment interaction and neurodevelopment III. Focus on the child's broader social ecology. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 125-9	5.1	1
626	Increased stress reactivity: a mechanism specifically associated with the positive symptoms of psychotic disorder. <i>Psychological Medicine</i> , 2013 , 43, 1389-400	6.9	58
625	Deconstructing the familiarity of variability in momentary negative and positive affect. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 318-27	6.5	17
624	Is psychotic disorder associated with increased levels of craving for cannabis? An Experience Sampling study. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 448-56	6.5	11
623	An incidence study of diagnosed autism-spectrum disorders among immigrants to the Netherlands. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 54-60	6.5	20
622	Dynamic association between interpersonal functioning and positive symptom dimensions of psychosis over time: a longitudinal study of healthy adolescents. <i>Schizophrenia Bulletin</i> , 2013 , 39, 179-85 ¹⁻³		19
621	To cut a short test even shorter: reliability and validity of a brief assessment of intellectual ability in schizophrenia--a control-case family study. <i>Cognitive Neuropsychiatry</i> , 2013 , 18, 574-93	2	53
620	Intrauterine environment and cognitive development in young twins. <i>Journal of Developmental Origins of Health and Disease</i> , 2013 , 4, 513-21	2.4	4
619	Childhood trauma as a cause of psychosis: linking genes, psychology, and biology. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 44-51	4.8	92
618	Day-to-day associations between subjective sleep and affect in regard to future depression in a female population-based sample. <i>British Journal of Psychiatry</i> , 2013 , 202, 407-12	5.4	64
617	Psychiatric diagnosis revisited: towards a system of staging and profiling combining nomothetic and idiographic parameters of momentary mental states. <i>PLoS ONE</i> , 2013 , 8, e59559	3.7	60
616	Depressive symptoms in Crohn's disease: relationship with immune activation and tryptophan availability. <i>PLoS ONE</i> , 2013 , 8, e60435	3.7	32
615	Delta-9-tetrahydrocannabinol-induced dopamine release as a function of psychosis risk: 18F-fallypride positron emission tomography study. <i>PLoS ONE</i> , 2013 , 8, e70378	3.7	59
614	Moment-to-moment transfer of positive emotions in daily life predicts future course of depression in both general population and patient samples. <i>PLoS ONE</i> , 2013 , 8, e75655	3.7	52

613	Evidence that transition from health to psychotic disorder can be traced to semi-ubiquitous environmental effects operating against background genetic risk. <i>PLoS ONE</i> , 2013 , 8, e76690	3.7	25
612	Introducing the event related fixed interval area (ERFIA) multilevel technique: a method to analyze the complete epoch of event-related potentials at single trial level. <i>PLoS ONE</i> , 2013 , 8, e79905	3.7	5
611	Replicated evidence of absence of association between serum S100B and (risk of) psychotic disorder. <i>PLoS ONE</i> , 2013 , 8, e82535	3.7	7
610	Autoantibodies to neurotransmitter receptors and ion channels: from neuromuscular to neuropsychiatric disorders. <i>Frontiers in Genetics</i> , 2013 , 4, 181	4.5	10
609	Altered transfer of momentary mental states (ATOMS) as the basic unit of psychosis liability in interaction with environment and emotions. <i>PLoS ONE</i> , 2013 , 8, e54653	3.7	26
608	From epidemiology to daily life: linking daily life stress reactivity to persistence of psychotic experiences in a longitudinal general population study. <i>PLoS ONE</i> , 2013 , 8, e62688	3.7	52
607	Putting a Hold on the Downward Spiral of Paranoia in the Social World: A Randomized Controlled Trial of Mindfulness-Based Cognitive Therapy in Individuals with a History of Depression. <i>PLoS ONE</i> , 2013 , 8, e66747	3.7	20
606	How does MBCT for depression work? studying cognitive and affective mediation pathways. <i>PLoS ONE</i> , 2013 , 8, e72778	3.7	54
605	Histone deacetylase 2 in the mouse hippocampus: attenuation of age-related increase by caloric restriction. <i>Current Alzheimer Research</i> , 2013 , 10, 868-76	3	37
604	Flexible Assertive Community Treatment, Severity of Symptoms and Psychiatric Health Service Use, a Real life Observational Study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2013 , 9, 202-9	3.2	31
603	The association between social phobia, social anxiety cognitions and paranoid symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 213-27	6.5	39
602	Adversity and psychosis: a 10-year prospective study investigating synergism between early and recent adversity in psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 388-99	6.5	77
601	Evidence that interactive effects of COMT and MTHFR moderate psychotic response to environmental stress. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 247-56	6.5	43
600	Epigenetic epidemiology in psychiatry: A translational neuroscience perspective. <i>Translational Neuroscience</i> , 2012 , 3,	1.2	3
599	Risk of psychiatric treatment for mood disorders and psychotic disorders among migrants and Dutch nationals in Utrecht, The Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 271-8	4.5	35
598	A time-lagged momentary assessment study on daily life physical activity and affect. <i>Health Psychology</i> , 2012 , 31, 135-44	5	116
597	Self-reported attenuated psychotic symptoms as forerunners of severe mental disorders later in life. <i>Archives of General Psychiatry</i> , 2012 , 69, 467-75		147
596	Antipsychotic drugs for prevention of relapse. <i>Lancet, The</i> , 2012 , 379, 2030-1	40	2

595	An environmental analysis of genes associated with schizophrenia: hypoxia and vascular factors as interacting elements in the neurodevelopmental model. <i>Molecular Psychiatry</i> , 2012 , 17, 1194-205	15.1	73
594	Early trauma and familial risk in the development of the extended psychosis phenotype in adolescence. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 126, 266-73	6.5	44
593	Cognitive functioning and age at onset in non-affective psychotic disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 126, 274-81	6.5	18
592	Emotion recognition in psychosis: no evidence for an association with real world social functioning. <i>Schizophrenia Research</i> , 2012 , 142, 116-21	3.6	37
591	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2197-223	4.0	5768
590	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2163-96	4.0	4971
589	S.22.03 Positive affect and recovery from depression. <i>European Neuropsychopharmacology</i> , 2012 , 22, S140	1.2	2
588	P.2.a.012 Evidence that self-reported sleep impacts on momentary affect in daily life and predicts follow-up depressive symptomatology. <i>European Neuropsychopharmacology</i> , 2012 , 22, S230-S231	1.2	
587	Genetic and environmental causes of individual differences in daily life positive affect and reward experience and its overlap with stress-sensitivity. <i>Behavior Genetics</i> , 2012 , 42, 778-86	3.2	20
586	Replication of the five-dimensional structure of positive psychotic experiences in young adulthood. <i>Psychiatry Research</i> , 2012 , 197, 353-5	9.9	23
585	Evidence for an association between tumor necrosis factor-alpha levels and lithium response. <i>Journal of Affective Disorders</i> , 2012 , 143, 148-52	6.6	32
584	Cognitive processes and attitudes in bipolar disorder: a study into personality, dysfunctional attitudes and attention bias in patients with bipolar disorder and their relatives. <i>Journal of Affective Disorders</i> , 2012 , 143, 265-8	6.6	26
583	¿Media la dopamina los efectos psicológicos del Cannabis? Revisión e integración de los hallazgos a través de disciplinas. <i>Psiquiatria Biologica</i> , 2012 , 19, 49-58	0.2	1
582	Prevention of age-related changes in hippocampal levels of 5-methylcytidine by caloric restriction. <i>Neurobiology of Aging</i> , 2012 , 33, 1672-81	5.6	57
581	Introduction: The extended psychosis phenotype--relationship with schizophrenia and with ultrahigh risk status for psychosis. <i>Schizophrenia Bulletin</i> , 2012 , 38, 227-30	1.3	134
580	Electrophysiological correlates of automatic spreading of activation in patients with psychotic disorder and first-degree relatives. <i>International Journal of Psychophysiology</i> , 2012 , 84, 102-12	2.9	7
579	Epigenetic Epidemiology of Psychiatric Disorders 2012 , 343-376		
578	Pituitary volume, stress reactivity and genetic risk for psychotic disorder. <i>Psychological Medicine</i> , 2012 , 42, 1523-33	6.9	32

577	Genetic association study of the P300 endophenotype in schizophrenia. <i>Schizophrenia Research</i> , 2012 , 141, 54-9	3.6	28
576	Plasma concentrations of soluble cytokine receptors in euthymic bipolar patients with and without subsyndromal symptoms. <i>BMC Psychiatry</i> , 2012 , 12, 158	4.2	22
575	Genetic Risk and Outcome of Psychosis (GROUP), a multi-site longitudinal cohort study focused on gene-environment interaction: objectives, sample characteristics, recruitment and assessment methods. <i>International Journal of Methods in Psychiatric Research</i> , 2012 , 21, 205-21	4.3	179
574	Epigenetic regulation of the BDNF gene: implications for psychiatric disorders. <i>Molecular Psychiatry</i> , 2012 , 17, 584-96	15.1	211
573	Cannabis use and subclinical positive psychotic experiences in early adolescence: findings from a Dutch survey. <i>Addiction</i> , 2012 , 107, 381-7	4.6	36
572	Evidence that onset of psychosis in the population reflects early hallucinatory experiences that through environmental risks and affective dysregulation become complicated by delusions. <i>Schizophrenia Bulletin</i> , 2012 , 38, 531-42	1.3	71
571	Age-related increase in levels of 5-hydroxymethylcytosine in mouse hippocampus is prevented by caloric restriction. <i>Current Alzheimer Research</i> , 2012 , 9, 536-44	3	68
570	The use of a Cumulative Needs for Care Monitor for individual treatment v. care as usual for patients diagnosed with severe mental illness, a cost-effectiveness analysis from the health care perspective. <i>Epidemiology and Psychiatric Sciences</i> , 2012 , 21, 381-92	5.1	6
569	G×E interaction and neurodevelopment I. Focus on maltreatment. <i>Epidemiology and Psychiatric Sciences</i> , 2012 , 21, 347-51	5.1	9
568	Differences in craving for cannabis between schizophrenia patients using risperidone, olanzapine or clozapine. <i>Journal of Psychopharmacology</i> , 2012 , 26, 189-95	4.6	25
567	All-cause mortality and medication risk factors in schizophrenia: a prospective cohort study. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 31-5	1.7	20
566	Testing the psychosis continuum: differential impact of genetic and nongenetic risk factors and comorbid psychopathology across the entire spectrum of psychosis. <i>Schizophrenia Bulletin</i> , 2012 , 38, 992-1002	1.3	64
565	Auditory hallucinations in childhood: associations with adversity and delusional ideation. <i>Psychological Medicine</i> , 2012 , 42, 583-93	6.9	26
564	Childhood adversities increase the risk of psychosis: a meta-analysis of patient-control, prospective- and cross-sectional cohort studies. <i>Schizophrenia Bulletin</i> , 2012 , 38, 661-71	1.3	1387
563	Daily life moment-to-moment variation in coping in people with a diagnosis of schizophrenia: state within trait psychosis. <i>Psychosis</i> , 2012 , 4, 115-125	1.2	2
562	Evidence that psychotic symptoms are prevalent in disorders of anxiety and depression, impacting on illness onset, risk, and severity--implications for diagnosis and ultra-high risk research. <i>Schizophrenia Bulletin</i> , 2012 , 38, 247-57	1.3	260
561	Self-monitoring as a familial vulnerability marker for psychosis: an analysis of patients, unaffected siblings and healthy controls. <i>Psychological Medicine</i> , 2012 , 42, 235-45	6.9	12
560	Evidence that genes for depression impact on the pathway from trauma to psychotic-like symptoms by occasioning emotional dysregulation. <i>Psychological Medicine</i> , 2012 , 42, 283-94	6.9	24

559	Do subthreshold psychotic experiences predict clinical outcomes in unselected non-help-seeking population-based samples? A systematic review and meta-analysis, enriched with new results. <i>Psychological Medicine</i> , 2012 , 42, 2239-53	6.9	254
558	Age at onset of non-affective psychosis in relation to cannabis use, other drug use and gender. <i>Psychological Medicine</i> , 2012 , 42, 1903-11	6.9	25
557	Evidence that the wider social environment moderates the association between familial liability and psychosis spectrum outcome. <i>Psychological Medicine</i> , 2012 , 42, 2499-510	6.9	24
556	Replication in two independent population-based samples that childhood maltreatment and cannabis use synergistically impact on psychosis risk. <i>Psychological Medicine</i> , 2012 , 42, 149-59	6.9	74
555	Efficacy of mindfulness-based cognitive therapy in relation to prior history of depression: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2012 , 201, 320-5	5.4	53
554	Observational evidence that urbanisation and neighbourhood deprivation are associated with escalation in chronic pharmacological pain treatment: a longitudinal population-based study in the Netherlands. <i>BMJ Open</i> , 2012 , 2,	3	6
553	Phenotypically continuous with clinical psychosis, discontinuous in need for care: evidence for an extended psychosis phenotype. <i>Schizophrenia Bulletin</i> , 2012 , 38, 231-8	1.3	63
552	The effects of FreeSurfer version, workstation type, and Macintosh operating system version on anatomical volume and cortical thickness measurements. <i>PLoS ONE</i> , 2012 , 7, e38234	3.7	234
551	A new public health genomics model for common complex diseases, with an application to common behavioral disorders. <i>Personalized Medicine</i> , 2012 , 9, 29-38	2.2	2
550	Genetic variation underlying psychosis-inducing effects of cannabis: critical review and future directions. <i>Current Pharmaceutical Design</i> , 2012 , 18, 5015-23	3.3	35
549	Symptomatic remission in psychosis and real-life functioning. <i>British Journal of Psychiatry</i> , 2012 , 201, 215-20	5.4	59
548	Candidate gene-based association study of antipsychotic-induced movement disorders in long-stay psychiatric patients: a prospective study. <i>PLoS ONE</i> , 2012 , 7, e36561	3.7	15
547	Antipsychotic-induced movement disorders in long-stay psychiatric patients and 45 tag SNPs in 7 candidate genes: a prospective study. <i>PLoS ONE</i> , 2012 , 7, e50970	3.7	20
546	Risk factors of auditory hallucinations in childhood: adversity and the formation of psychotic-like ideation. <i>European Psychiatry</i> , 2011 , 26, 1343-1343	6	
545	Evidence that better theory of mind skills in children with auditory hallucinations mitigate the risk of secondary delusion formation. <i>European Psychiatry</i> , 2011 , 26, 267-267	6	
544	Reduced cortical thickness as an outcome of differential sensitivity to environmental risks in schizophrenia. <i>Biological Psychiatry</i> , 2011 , 69, 487-94	7.9	105
543	Genome-wide association study identifies five new schizophrenia loci. <i>Nature Genetics</i> , 2011 , 43, 969-76	36.3	1508
542	Psychosocial stress is associated with in vivo dopamine release in human ventromedial prefrontal cortex: a positron emission tomography study using [¹⁸ F]fallypride. <i>NeuroImage</i> , 2011 , 58, 1081-9	7.9	83

541	Persistence and outcome of auditory hallucinations in adolescence: a longitudinal general population study of 1800 individuals. <i>Schizophrenia Research</i> , 2011 , 127, 252-6	3.6	68
540	Subclinical psychosis and depression: co-occurring phenomena that do not predict each other over time. <i>Schizophrenia Research</i> , 2011 , 130, 277-81	3.6	35
539	Non-replication of interaction between cannabis use and trauma in predicting psychosis. <i>Schizophrenia Research</i> , 2011 , 131, 262-3	3.6	19
538	Depressive symptoms following interferon- α therapy: mediated by immune-induced reductions in brain-derived neurotrophic factor?. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 247-53	5.8	41
537	FC06-03 - Course of auditory vocal hallucinations in childhood: A 5-year follow-up study. <i>European Psychiatry</i> , 2011 , 26, 1842-1842	6	
536	Auditory P300 and N100 components as intermediate phenotypes for psychotic disorder: familial liability and reliability. <i>Clinical Neurophysiology</i> , 2011 , 122, 1984-90	4.3	18
535	Caloric restriction attenuates age-related changes of DNA methyltransferase 3a in mouse hippocampus. <i>Brain, Behavior, and Immunity</i> , 2011 , 25, 616-23	16.6	72
534	Meta-analysis of MTHFR gene variants in schizophrenia, bipolar disorder and unipolar depressive disorder: evidence for a common genetic vulnerability?. <i>Brain, Behavior, and Immunity</i> , 2011 , 25, 1530-43	16.6	120
533	COMT Val158Met-stress interaction in psychosis: role of background psychosis risk. <i>CNS Neuroscience and Therapeutics</i> , 2011 , 17, 612-9	6.8	59
532	From schizophrenia metafacts to non-schizophrenia facts. <i>Schizophrenia Research</i> , 2011 , 127, 16-7	3.6	5
531	Cost of disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , 2011 , 21, 718-79	1.2	987
530	Early improvement in positive rather than negative emotion predicts remission from depression after pharmacotherapy. <i>European Neuropsychopharmacology</i> , 2011 , 21, 241-7	1.2	79
529	The size and burden of mental disorders and other disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , 2011 , 21, 655-79	1.2	2219
528	Late onset autism and anti-NMDA-receptor encephalitis. <i>Lancet, The</i> , 2011 , 378, 98	4.0	58
527	Effectively working on rehabilitation goals: 24-month outcome of a randomized controlled trial of the Boston psychiatric rehabilitation approach. <i>Canadian Journal of Psychiatry</i> , 2011 , 56, 751-60	4.8	34
526	Evidence that onset of clinical psychosis is an outcome of progressively more persistent subclinical psychotic experiences: an 8-year cohort study. <i>Schizophrenia Bulletin</i> , 2011 , 37, 84-93	1.3	274
525	Childhood trauma and increased stress sensitivity in psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 28-35	6.5	161
524	A 2-year naturalistic study on cognitive functioning in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 190-205	6.5	87

523	Can obsessions drive you mad? Longitudinal evidence that obsessive-compulsive symptoms worsen the outcome of early psychotic experiences. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 136-46	6.5	30
522	Translating assessments of the film of daily life into person-tailored feedback interventions in depression. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 402-3	6.5	35
521	Better theory-of-mind skills in children hearing voices mitigate the risk of secondary delusion formation. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 193-7	6.5	27
520	Momentary assessment technology as a tool to help patients with depression help themselves. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 262-72	6.5	85
519	Neuroticism explained? From a non-informative vulnerability marker to informative person-context interactions in the realm of daily life. <i>British Journal of Clinical Psychology</i> , 2011 , 50, 19-32	3.6	44
518	Emotions, self-esteem, and paranoid episodes: an experience sampling study. <i>British Journal of Clinical Psychology</i> , 2011 , 50, 178-95	3.6	155
517	On the utility of diagnostic instruments for pediatric delirium in critical illness: an evaluation of the Pediatric Anesthesia Emergence Delirium Scale, the Delirium Rating Scale 88, and the Delirium Rating Scale-Revised R-98. <i>Intensive Care Medicine</i> , 2011 , 37, 1331-7	14.5	66
516	Does monitoring need for care in patients diagnosed with severe mental illness impact on Psychiatric Service Use? Comparison of monitored patients with matched controls. <i>BMC Psychiatry</i> , 2011 , 11, 45	4.2	27
515	More potential in statistical analyses of event-related potentials: a mixed regression approach. <i>International Journal of Methods in Psychiatric Research</i> , 2011 , 20, e56-68	4.3	32
514	Age at onset of psychotic disorder: cannabis, BDNF Val66Met, and sex-specific models of gene-environment interaction. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 363-9	3.5	49
513	A twin study of genetic and environmental determinants of abnormal persistence of psychotic experiences in young adulthood. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 546-52	3.5	34
512	Affective dysregulation and reality distortion: a 10-year prospective study of their association and clinical relevance. <i>Schizophrenia Bulletin</i> , 2011 , 37, 561-71	1.3	106
511	The relationship between coping and subclinical psychotic experiences in adolescents from the general population--a longitudinal study. <i>Psychological Medicine</i> , 2011 , 41, 2535-46	6.9	48
510	The relationship between neurocognition and social cognition with functional outcomes in schizophrenia: a meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2011 , 35, 573-88	9	1184
509	Continued cannabis use and risk of incidence and persistence of psychotic symptoms: 10 year follow-up cohort study. <i>BMJ, The</i> , 2011 , 342, d738	5.9	193
508	Mindfulness training increases momentary positive emotions and reward experience in adults vulnerable to depression: a randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , 2011 , 79, 618-28	6.5	283
507	Should attenuated psychosis syndrome be a DSM-5 diagnosis?. <i>American Journal of Psychiatry</i> , 2011 , 168, 460-3	11.9	70
506	Childhood trauma and psychosis: a case-control and case-sibling comparison across different levels of genetic liability, psychopathology, and type of trauma. <i>American Journal of Psychiatry</i> , 2011 , 168, 1286-94	11.9	142

505	Function assertive community treatment (FACT) and psychiatric service use in patients diagnosed with severe mental illness. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 273-8	5.1	17
504	Psychotic exacerbation and emotional dampening in the daily life of patients with schizophrenia switched to aripiprazole therapy: a collection of standardized case reports. <i>Therapeutic Advances in Psychopharmacology</i> , 2011 , 1, 145-51	4.9	11
503	The structure of the extended psychosis phenotype in early adolescence--a cross-sample replication. <i>Schizophrenia Bulletin</i> , 2011 , 37, 850-60	1.3	138
502	The validity of the DSM-IV diagnostic classification system of non-affective psychoses. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011 , 45, 1061-8	2.6	25
501	Course of auditory vocal hallucinations in childhood: 5-year follow-up study. <i>British Journal of Psychiatry</i> , 2011 , 199, 296-302	5.4	74
500	Evidence for a persistent, environment-dependent and deteriorating subtype of subclinical psychotic experiences: a 6-year longitudinal general population study. <i>Psychological Medicine</i> , 2011 , 41, 2317-29	6.9	80
499	Do cannabis and urbanicity co-participate in causing psychosis? Evidence from a 10-year follow-up cohort study. <i>Psychological Medicine</i> , 2011 , 41, 2121-9	6.9	51
498	Daily cortisol, stress reactivity and psychotic experiences in individuals at above average genetic risk for psychosis. <i>Psychological Medicine</i> , 2011 , 41, 2305-15	6.9	116
497	Adolescent development of psychosis as an outcome of hearing impairment: a 10-year longitudinal study. <i>Psychological Medicine</i> , 2011 , 41, 477-85	6.9	18
496	Social world interactions: how company connects to paranoia. <i>Psychological Medicine</i> , 2011 , 41, 911-21	6.9	46
495	Genetic moderation of CO2-induced fear by 5-HTTLPR genotype. <i>Journal of Psychopharmacology</i> , 2011 , 25, 37-42	4.6	43
494	Affectively salient meaning in random noise: a task sensitive to psychosis liability. <i>Schizophrenia Bulletin</i> , 2011 , 37, 1179-86	1.3	44
493	Evidence that familial liability for psychosis is expressed as differential sensitivity to cannabis: an analysis of patient-sibling and sibling-control pairs. <i>Archives of General Psychiatry</i> , 2011 , 68, 138-47		99
492	Long-stay psychiatric patients: a prospective study revealing persistent antipsychotic-induced movement disorder. <i>PLoS ONE</i> , 2011 , 6, e25588	3.7	38
491	Identifying at-risk states beyond positive symptoms: a brief task assessing how neurocognitive impairments impact on misrepresentation of the social world through blunted emotional appraisal. <i>Revista Brasileira De Psiquiatria</i> , 2011 , 33 Suppl 2, s175-96	2.6	1
490	Emotional experience and estimates of D2 receptor occupancy in psychotic patients treated with haloperidol, risperidone, or olanzapine: an experience sampling study. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1397-404	4.6	31
489	Association Between Event-Related Potentials and Pain Ratings. <i>Journal of Psychophysiology</i> , 2011 , 25, 18-25	1	4
488	Izmir mental health survey for gene-environment interaction in psychoses (TEkSch): objectives and methodology. <i>Turk Psikiyatri Dergisi</i> , 2011 , 22, 65-76	1.3	7

487	Psychotic reactivity in borderline personality disorder. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 121, 125-34	6.5	65
486	Meeting risk with resilience: high daily life reward experience preserves mental health. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 129-38	6.5	75
485	Risk factors predicting onset and persistence of subthreshold expression of bipolar psychopathology among youth from the community. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 255-66	6.5	55
484	Evidence for a familial correlation between increased reactivity to stress and positive psychotic symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 395-404	6.5	49
483	The environment and schizophrenia. <i>Nature</i> , 2010 , 468, 203-12	50.4	1006
482	Gene-environment interaction research and transgenic mouse models of Alzheimer's disease. <i>International Journal of Alzheimer's Disease</i> , 2010 , 2010,	3.7	12
481	Incidence and persistence of tardive dyskinesia and extrapyramidal symptoms in schizophrenia. <i>Journal of Psychopharmacology</i> , 2010 , 24, 1031-5	4.6	27
480	Dyskinesia and parkinsonism in antipsychotic-naïve patients with schizophrenia, first-degree relatives and healthy controls: a meta-analysis. <i>Schizophrenia Bulletin</i> , 2010 , 36, 723-31	1.3	74
479	THE PREDICTIVE VALUE OF PAIN EVENT-RELATED POTENTIALS FOR THE CLINICAL EXPERIENCE OF PAIN. <i>Journal of Integrative Neuroscience</i> , 2010 , 09, 1-10	1.5	1
478	Extended psychosis phenotype--yes: single continuum--unlikely. <i>Psychological Medicine</i> , 2010 , 40, 1963-66	6.9	63
477	Evidence that bipolar disorder is the poor outcome fraction of a common developmental phenotype: an 8-year cohort study in young people. <i>Psychological Medicine</i> , 2010 , 40, 289-99	6.9	50
476	Prevalence and correlates of auditory vocal hallucinations in middle childhood. <i>British Journal of Psychiatry</i> , 2010 , 196, 41-6	5.4	67
475	Delinquency in context; neighbourhood and gender interactions among adolescents. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 148-158		7
474	A cognitive intermediate phenotype study confirming possible gene×early adversity interaction in psychosis outcome: A general population twin study. <i>Psychosis</i> , 2010 , 2, 1-11	1.2	15
473	DSM-5 and the Psychosis Risk Syndrome—Babylonian confusion. <i>Psychosis</i> , 2010 , 2, 100-103	1.2	9
472	Prediction of transition from common adolescent bipolar experiences to bipolar disorder: 10-year study. <i>British Journal of Psychiatry</i> , 2010 , 196, 102-8	5.4	72
471	Seeking verisimilitude in a class: a systematic review of evidence that the criterial clinical symptoms of schizophrenia are taxonic. <i>Schizophrenia Bulletin</i> , 2010 , 36, 811-29	1.3	31
470	Early expression of negative/disorganized symptoms predicting psychotic experiences and subsequent clinical psychosis: a 10-year study. <i>American Journal of Psychiatry</i> , 2010 , 167, 1075-82	11.9	118

469	ARE SOCIAL ANXIETY AND PARANOIA ASSOCIATED, AND WHICH COMES FIRST?. <i>Schizophrenia Research</i> , 2010 , 117, 317-318	3.6	
468	Evidence that the impact of hearing impairment on psychosis risk is moderated by the level of complexity of the social environment. <i>Schizophrenia Research</i> , 2010 , 122, 193-8	3.6	20
467	MTHFR and risk of metabolic syndrome in patients with schizophrenia. <i>Schizophrenia Research</i> , 2010 , 121, 193-8	3.6	75
466	Does dopamine mediate the psychosis-inducing effects of cannabis? A review and integration of findings across disciplines. <i>Schizophrenia Research</i> , 2010 , 121, 107-17	3.6	88
465	Managing complex patients on a medical psychiatric unit: an observational study of university hospital costs associated with medical service use, length of stay, and psychiatric intervention. <i>Journal of Psychosomatic Research</i> , 2010 , 68, 295-302	4.1	45
464	Epigenetic regulation in the pathophysiology of Alzheimer's disease. <i>Progress in Neurobiology</i> , 2010 , 90, 498-510	10.9	200
463	Social needs in daily life in adults with Pervasive Developmental Disorders. <i>Psychiatry Research</i> , 2010 , 179, 75-80	9.9	25
462	REVIEW: Genome-wide findings in schizophrenia and the role of gene-environment interplay. <i>CNS Neuroscience and Therapeutics</i> , 2010 , 16, e185-92	6.8	52
461	Are psychiatric diagnoses of psychosis scientific and useful? The case of schizophrenia. <i>Journal of Mental Health</i> , 2010 , 19, 305-17	2.7	44
460	MTHFR genotype and differential evolution of metabolic parameters after initiation of a second generation antipsychotic: an observational study. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 270-6	2.2	43
459	Psychosis reactivity to cannabis use in daily life: an experience sampling study. <i>British Journal of Psychiatry</i> , 2010 , 196, 447-53	5.4	83
458	Systematic reviews of categorical versus continuum models in psychosis: evidence for discontinuous subpopulations underlying a psychometric continuum. Implications for DSM-V, DSM-VI, and DSM-VII. <i>Annual Review of Clinical Psychology</i> , 2010 , 6, 391-419	20.5	200
457	The cumulative needs for care monitor: a unique monitoring system in the south of the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 475-85	4.5	47
456	Refractory agitation as a marker for pediatric delirium in very young infants at a pediatric intensive care unit. <i>Intensive Care Medicine</i> , 2010 , 36, 1982-3	14.5	27
455	Prolonged stay at the paediatric intensive care unit associated with paediatric delirium. <i>European Child and Adolescent Psychiatry</i> , 2010 , 19, 389-93	5.5	61
454	Positive and Negative Beliefs About Depressive Rumination: A Psychometric Evaluation of Two Self-Report Scales and a Test of a Clinical Metacognitive Model of Rumination and Depression. <i>Cognitive Therapy and Research</i> , 2010 , 34, 196-205	2.7	22
453	Increased left striatal dopamine transmission in unaffected siblings of schizophrenia patients in response to acute metabolic stress. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 181, 130-5	2.9	36
452	Unveiling patterns of affective responses in daily life may improve outcome prediction in depression: a momentary assessment study. <i>Journal of Affective Disorders</i> , 2010 , 124, 191-5	6.6	107

451	Does illness attribution affect treatment assignment in depression?. <i>Clinical Psychology and Psychotherapy</i> , 2010 , 17, 418-26	2.9	13
450	No major role for X-inactivation in variations of intelligence and behavioral problems at middle childhood. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1311-7	3.5	6
449	No association between MTHFR C677T or A1298C and age at onset of schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1362-3; author reply 1361	3.5	8
448	Systematic monitoring of needs for care and global outcomes in patients with severe mental illness. <i>BMC Psychiatry</i> , 2010 , 10, 36	4.2	15
447	Depressive symptoms and cognitive decline in community-dwelling older adults. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 873-9	5.6	82
446	The genetic influence on the cortical processing of experimental pain and the moderating effect of pain status. <i>PLoS ONE</i> , 2010 , 5, e13641	3.7	39
445	Neurocognitive functioning as intermediary phenotype and predictor of psychosocial functioning across the psychosis continuum: studies in schizophrenia and bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 764-74	4.6	68
444	Continua or Classes? Vexed Questions on the Latent Structure of Schizophrenia 2010 , 333-355		3
443	GeneEnvironment Interactions for Searchers: Collaboration between Epidemiology and Molecular Genetics 2010 , 19-50		1
442	The Natural History of the Course and Outcome of Schizophrenia 2010 , 51-65		2
441	Transition from stress sensitivity to a depressive state: longitudinal twin study. <i>British Journal of Psychiatry</i> , 2009 , 195, 498-503	5.4	94
440	Reduced stress-sensitivity or increased reward experience: the psychological mechanism of response to antidepressant medication. <i>Neuropsychopharmacology</i> , 2009 , 34, 923-31	8.7	96
439	Early adversity and 5-HTT/BDNF genes: new evidence of gene-environment interactions on depressive symptoms in a general population. <i>Psychological Medicine</i> , 2009 , 39, 1425-32	6.9	209
438	Does antidepressant medication in patients with hepatitis C undergoing interferon alpha treatment reduce therapeutic efficacy?. <i>Gut</i> , 2009 , 58, 145; author reply 145-6	19.2	4
437	Mechanisms of gene-environment interactions in depression: evidence that genes potentiate multiple sources of adversity. <i>Psychological Medicine</i> , 2009 , 39, 1077-86	6.9	90
436	The psychoses: cluster 3 of the proposed meta-structure for DSM-V and ICD-11. <i>Psychological Medicine</i> , 2009 , 39, 2025-42	6.9	63
435	Experience sampling research in psychopathology: opening the black box of daily life. <i>Psychological Medicine</i> , 2009 , 39, 1533-47	6.9	495
434	Neighborhood Socioeconomic and Social Factors and School Achievement in Boys and Girls. <i>Journal of Early Adolescence</i> , 2009 , 29, 285-306	1.9	10

433	Subjective experience of cognitive failures as possible risk factor for negative symptoms of psychosis in the general population. <i>Schizophrenia Bulletin</i> , 2009 , 35, 766-74	1.3	22
432	Heritability of structural brain traits an endophenotype approach to deconstruct schizophrenia. <i>International Review of Neurobiology</i> , 2009 , 89, 85-130	4.4	28
431	Gene-environment-wide interaction studies in psychiatry. <i>American Journal of Psychiatry</i> , 2009 , 166, 964-61.9	6.9	31
430	Are women better mindreaders? Sex differences in neural correlates of mentalizing detected with functional MRI. <i>BMC Neuroscience</i> , 2009 , 10, 9	3.2	58
429	A community study of psychosocial functioning and weight in young children and adolescents. <i>Pediatric Obesity</i> , 2009 , 4, 91-7		50
428	Evidence that self-reported psychotic experiences represent the transitory developmental expression of genetic liability to psychosis in the general population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 1078-84	3.5	31
427	Non-therapeutic risk factors for onset of tardive dyskinesia in schizophrenia: a meta-analysis. <i>Movement Disorders</i> , 2009 , 24, 2309-15	7	46
426	Capturing coping with symptoms in people with a diagnosis of schizophrenia: introducing the MACS-24. <i>International Journal of Methods in Psychiatric Research</i> , 2009 , 18, 4-12	4.3	6
425	Berkson's bias and the mood dimensions of bipolar disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2009 , 18, 279-86	4.3	16
424	Diagnostic considerations regarding pediatric delirium: a review and a proposal for an algorithm for pediatric intensive care units. <i>Intensive Care Medicine</i> , 2009 , 35, 1843-9	14.5	62
423	Bipolar disorder and dopamine dysfunction: an indirect approach focusing on tardive movement syndromes in a naturalistic setting. <i>BMC Psychiatry</i> , 2009 , 9, 16	4.2	12
422	Subtle gene-environment interactions driving paranoia in daily life. <i>Genes, Brain and Behavior</i> , 2009 , 8, 5-12	3.6	62
421	Does reactivity to stress cosegregate with subclinical psychosis? A general population twin study. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 45-53	6.5	65
420	COMT ValMet moderation of cannabis-induced psychosis: a momentary assessment study of 'switching on' hallucinations in the flow of daily life. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 156-60	6.5	95
419	Preface: treatment optimization in schizophrenia through active patient management - proceedings from two European consensus meetings. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 5-6	6.5	11
418	Schizophrenia treatment: content versus delivery. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 29-32	6.5	3
417	Cognition as predictor of current and follow-up depressive symptoms in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 45-52	6.5	43
416	'Salience syndrome' replaces 'schizophrenia' in DSM-V and ICD-11: psychiatry's evidence-based entry into the 21st century?. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 363-72	6.5	104

415	Murray et al. (2004) revisited: is bipolar disorder identical to schizophrenia without developmental impairment?. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 249-52	6.5	17
414	Investigating the association between neurocognition and psychosis in bipolar disorder: further evidence for the overlap with schizophrenia. <i>Bipolar Disorders</i> , 2009 , 11, 166-77	3.8	34
413	The role of dopamine D3, 5-HT2A and 5-HT2C receptor variants as pharmacogenetic determinants in tardive dyskinesia in African-Caribbean patients under chronic antipsychotic treatment: Curacao extrapyramidal syndromes study IX. <i>Journal of Psychopharmacology</i> , 2009 , 23, 652-9	4.6	39
412	Online mentalising investigated with functional MRI. <i>Neuroscience Letters</i> , 2009 , 454, 176-81	3.3	59
411	Evidence that better outcome of psychosis in women is reversed with increasing age of onset: a population-based 5-year follow-up study. <i>Schizophrenia Research</i> , 2009 , 113, 226-32	3.6	25
410	A systematic review and meta-analysis of the psychosis continuum: evidence for a psychosis proneness-persistence-impairment model of psychotic disorder. <i>Psychological Medicine</i> , 2009 , 39, 179-95	6.9	1408
409	Exploring the Causal Relationship Between Cannabis and Schizophrenia: What is the Role of Genes and Environment?. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	1
408	Are psychotic psychopathology and neurocognition orthogonal? A systematic review of their associations. <i>Psychological Bulletin</i> , 2009 , 135, 157-71	19.1	188
407	Are social phobia and paranoia related, and which comes first?. <i>Psychosis</i> , 2009 , 1, 29-38	1.2	15
406	Schizophrenia. <i>Lancet, The</i> , 2009 , 374, 635-45	40	1558
405	Does cannabis use affect treatment outcome in bipolar disorder? A longitudinal analysis. <i>Journal of Nervous and Mental Disease</i> , 2009 , 197, 35-40	1.8	74
404	Using the Stroop task to investigate the neural correlates of symptom change in schizophrenia. <i>British Journal of Psychiatry</i> , 2009 , 194, 373-4	5.4	18
403	Antipsychotic-induced tardive dyskinesia and polymorphic variations in COMT, DRD2, CYP1A2 and MnSOD genes: a meta-analysis of pharmacogenetic interactions. <i>Molecular Psychiatry</i> , 2008 , 13, 544-56	15.1	127
402	Are sexual side effects of prolactin-raising antipsychotics reducible to serum prolactin?. <i>Psychoneuroendocrinology</i> , 2008 , 33, 711-7	5	62
401	The course of tardive dystonia in Afro Caribbean patients, a population-based study: the Curacao extrapyramidal syndromes study: VII. <i>Schizophrenia Research</i> , 2008 , 98, 79-83	3.6	9
400	Evidence for a relationship between mentalising deficits and paranoia over the psychosis continuum. <i>Schizophrenia Research</i> , 2008 , 99, 103-10	3.6	62
399	Effects of acute metabolic stress on the dopaminergic and pituitary-adrenal axis activity in patients with schizophrenia, their unaffected siblings and controls. <i>Schizophrenia Research</i> , 2008 , 100, 206-11	3.6	58
398	Social cognition and neurocognition as independent domains in psychosis. <i>Schizophrenia Research</i> , 2008 , 103, 257-65	3.6	130

397	EMOTIONAL CHANGES AND PARANOIA: AN EXPERIENCE SAMPLING STUDY. <i>Schizophrenia Research</i> , 2008 , 102, 129-130	3.6	
396	VOICE HEARING IN CHILDHOOD: PREVALENCE RATES AND ASSOCIATIONS WITH OBSTETRIC COMPLICATIONS, EARLY DEVELOPMENT AND SOCIAL BEHAVIOUR. <i>Schizophrenia Research</i> , 2008 , 102, 163	3.6	
395	EMOTIONAL REACTIVITY TO STRESS IN DAILY LIFE, COGNITIVE FUNCTIONING AND THE SYMPTOMS OF PSYCHOSIS: EVIDENCE FOR A POSITIVE VERSUS NEGATIVE SYNDROME. <i>Schizophrenia Research</i> , 2008 , 102, 226	3.6	
394	NEGATIVE SYMPTOMS IN PSYCHOSIS: DO THEY REALLY EXIST?. <i>Schizophrenia Research</i> , 2008 , 102, 229	3.6	
393	AUDITORY HALLUCINATIONS IN ADOLESCENCE: A LONGITUDINAL GENERAL POPULATION STUDY. <i>Schizophrenia Research</i> , 2008 , 102, 229-230	3.6	2
392	OBSESSIVE-COMPULSIVE SYMPTOMS ARE ASSOCIATED WITH BUT DO NOT PREDICT PSYCHOTIC SYMPTOMS IN PATIENTS WITH PSYCHOSIS. <i>Schizophrenia Research</i> , 2008 , 102, 230	3.6	
391	OCD PREDICTS PSYCHOTIC SYMPTOMS IN THE GENERAL POPULATION. <i>Schizophrenia Research</i> , 2008 , 102, 230-231	3.6	
390	IS INCREASED REACTIVITY TO STRESS AN ENDOPHENOTYPE FOR PSYCHOSIS?. <i>Schizophrenia Research</i> , 2008 , 102, 179-180	3.6	
389	Gene-environment interactions in schizophrenia: review of epidemiological findings and future directions. <i>Schizophrenia Bulletin</i> , 2008 , 34, 1066-82	1.3	476
388	Rumination and worrying as possible mediators in the relation between neuroticism and symptoms of depression and anxiety in clinically depressed individuals. <i>Behaviour Research and Therapy</i> , 2008 , 46, 1283-9	5.2	194
387	Evidence that lithium protects against tardive dyskinesia: the Curaçao Extrapyramidal syndromes study VI. <i>European Neuropsychopharmacology</i> , 2008 , 18, 152-5	1.2	15
386	Evidence that the COMT Val158Met polymorphism moderates subclinical psychotic and affective symptoms in unaffected first-degree relatives of patients with schizophrenia. <i>European Psychiatry</i> , 2008 , 23, 219-22	6	8
385	Stability and treatment outcome of distinct classes of mania. <i>European Psychiatry</i> , 2008 , 23, 360-7	6	16
384	Chronic mania revisited: factors associated with treatment non-response during prospective follow-up of a large European cohort (EMBLEM). <i>World Journal of Biological Psychiatry</i> , 2008 , 9, 313-20	3.8	14
383	Cognitive performance and grey matter density in psychosis: functional relevance of a structural endophenotype. <i>Neuropsychobiology</i> , 2008 , 58, 128-37	4	8
382	Mental health care use in Parkinson's disease: a record linkage study. <i>Neuroepidemiology</i> , 2008 , 30, 71-5	5.4	5
381	Meta-analyses of cognitive functioning in euthymic bipolar patients and their first-degree relatives. <i>Psychological Medicine</i> , 2008 , 38, 771-85	6.9	518
380	The catechol-O-methyl transferase Val158Met polymorphism and experience of reward in the flow of daily life. <i>Neuropsychopharmacology</i> , 2008 , 33, 3030-6	8.7	60

379	Gene-environment interactions in schizophrenia. Introduction. <i>Schizophrenia Bulletin</i> , 2008 , 34, 1064-5	1.3	13
378	Ethnic density of neighborhoods and incidence of psychotic disorders among immigrants. <i>American Journal of Psychiatry</i> , 2008 , 165, 66-73	11.9	245
377	Mood changes after delivery: role of the serotonin transporter gene. <i>British Journal of Psychiatry</i> , 2008 , 193, 383-8	5.4	82
376	The coherence of the evidence linking cannabis with psychosis. <i>Psychological Medicine</i> , 2008 , 38, 461-2; author reply 462-4	6.9	6
375	A momentary assessment study of the reputed emotional phenotype associated with borderline personality disorder. <i>Psychological Medicine</i> , 2008 , 38, 1231-9	6.9	43
374	Cannabis use and genetic predisposition for schizophrenia: a case-control study. <i>Psychological Medicine</i> , 2008 , 38, 1251-6	6.9	31
373	Fluctuations in self-esteem and paranoia in the context of daily life. <i>Journal of Abnormal Psychology</i> , 2008 , 117, 143-53	7	164
372	The psychology of psychiatric genetics: evidence that positive emotions in females moderate genetic sensitivity to social stress associated with the BDNF Val-sup-6-sup-6Met polymorphism. <i>Journal of Abnormal Psychology</i> , 2008 , 117, 699-704	7	44
371	The influence of 5-HTTLPR and STin2 polymorphisms in the serotonin transporter gene on treatment effect of selective serotonin reuptake inhibitors in depressive patients. <i>Psychiatric Genetics</i> , 2008 , 18, 184-90	2.9	48
370	Pediatric illness severity measures predict delirium in a pediatric intensive care unit. <i>Critical Care Medicine</i> , 2008 , 36, 1933-6	1.4	54
369	Susceptibility to depression expressed as alterations in cortisol day curve: a cross-twin, cross-trait study. <i>Psychosomatic Medicine</i> , 2008 , 70, 314-8	3.7	19
368	Case registers in psychiatry: do they still have a role for research and service monitoring?. <i>Current Opinion in Psychiatry</i> , 2008 , 21, 379-84	4.9	17
367	The use of the Camberwell Assessment of Need in treatment: what unmet needs can be met?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 410-7	4.5	42
366	Is processing speed predictive of functional outcome in psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 437-44	4.5	5
365	Is an Angoff standard an indication of minimal competence of examinees or of judges?. <i>Advances in Health Sciences Education</i> , 2008 , 13, 203-11	3.7	20
364	Executive function does not predict coping with symptoms in stable patients with a diagnosis of schizophrenia. <i>BMC Psychiatry</i> , 2008 , 8, 39	4.2	6
363	A real-life observational study of the effectiveness of FACT in a Dutch mental health region. <i>BMC Psychiatry</i> , 2008 , 8, 93	4.2	31
362	Evidence that the COMT(Val158Met) polymorphism moderates sensitivity to stress in psychosis: an experience-sampling study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 10-7	3.5	90

361	The BDNF Val(66)Met x 5-HTTLPR x child adversity interaction and depressive symptoms: An attempt at replication. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 120-3	3.5	112
360	Pharmacogenetics of parkinsonism, rigidity, rest tremor, and bradykinesia in African-Caribbean inpatients: differences in association with dopamine and serotonin receptors. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 890-7	3.5	27
359	Early exposure to cannabis and risk for psychosis in young adolescents in Trinidad. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 209-13	6.5	78
358	Evidence that the Two-Way Communication Checklist identifies patient-doctor needs discordance resulting in better 6-month outcome. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 322-6	6.5	7
357	Does the concept of "sensitization" provide a plausible mechanism for the putative link between the environment and schizophrenia?. <i>Schizophrenia Bulletin</i> , 2008 , 34, 220-5	1.3	166
356	Psychiatric diagnosis as an independent risk factor for metabolic disturbances: results from a comprehensive, naturalistic screening program. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1319-27	4.6	57
355	Evidence that patients with single versus recurrent depressive episodes are differentially sensitive to treatment discontinuation: a meta-analysis of placebo-controlled randomized trials. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1423-36	4.6	89
354	Psychotic experiences in the general population: a twenty-year prospective community study. <i>Schizophrenia Research</i> , 2007 , 92, 1-14	3.6	226
353	Subclinical psychotic experiences and cognitive functioning as a bivariate phenotype for genetic studies in the general population. <i>Schizophrenia Research</i> , 2007 , 92, 24-31	3.6	32
352	Remission criteria for schizophrenia: evaluation in a large naturalistic cohort. <i>Schizophrenia Research</i> , 2007 , 92, 68-73	3.6	89
351	Mild hearing impairment and psychotic experiences in a normal aging population. <i>Schizophrenia Research</i> , 2007 , 94, 180-6	3.6	26
350	Impairment of self-monitoring: part of the endophenotypic risk for psychosis. <i>British Journal of Psychiatry</i> , 2007 , 51, s58-62	5.4	12
349	Dimensions and the psychosis phenotype. <i>International Journal of Methods in Psychiatric Research</i> , 2007 , 16 Suppl 1, S34-40	4.3	73
348	Childhood negative experiences and subclinical psychosis in adolescence: a longitudinal general population study. <i>Microbial Biotechnology</i> , 2007 , 1, 201-207	3.3	28
347	Ethnic composition of schools affects episodic heavy drinking only in ethnic-minority students. <i>Addiction</i> , 2007 , 102, 722-9	4.6	29
346	Mood in Daily Contexts: Relationship With Risk in Early Adolescence. <i>Journal of Research on Adolescence</i> , 2007 , 17, 697-722	3.2	27
345	Evidence that moment-to-moment variation in positive emotions buffer genetic risk for depression: a momentary assessment twin study. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 451-7	6.5	126
344	Cognitive alterations in groups at risk for psychosis: neutral markers of genetic risk or indicators of social disability?. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 253-62	6.5	12

343	The association between cognition and functional outcome in first-episode patients with schizophrenia: mystery resolved?. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 119-24	6.5	37
342	The dynamics of symptomatic and non-symptomatic coping with psychotic symptoms in the flow of daily life. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 71-5	6.5	19
341	The impact of subclinical psychosis on the transition from subclinical mania to bipolar disorder. <i>Journal of Affective Disorders</i> , 2007 , 98, 55-64	6.6	29
340	Instability in self-esteem and paranoia in a general population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 1-5	4.5	42
339	An observational, "real life" trial of the introduction of assertive community treatment in a geographically defined area using clinical rather than service use outcome criteria. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 125-30	4.5	31
338	The relationship between cognitive dysfunction and stress sensitivity in schizophrenia: a replication study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 284-7	4.5	10
337	Psychosis risk as a function of age at onset: a comparison between early- and late-onset psychosis in a general population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 288-94	4.5	23
336	Do symptom dimensions or categorical diagnoses best discriminate between known risk factors for psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 429-37	4.5	48
335	The social, psychopathological and consumer context of rate of symptom improvement in acute mania. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 631-8	4.5	3
334	An application of item response mixture modelling to psychosis indicators in two large community samples. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 771-9	4.5	14
333	Pediatric delirium in critical illness: phenomenology, clinical correlates and treatment response in 40 cases in the pediatric intensive care unit. <i>Intensive Care Medicine</i> , 2007 , 33, 1033-40	14.5	144
332	Pets or meds: how to tackle misery in a paediatric intensive care unit. <i>Intensive Care Medicine</i> , 2007 , 33, 1492-3	14.5	11
331	Disentangling associations between poverty at various levels of aggregation and mental health. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 3-9		16
330	Serotonin transporter polymorphisms and the occurrence of adverse events during treatment with selective serotonin reuptake inhibitors. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 137-43	2.2	48
329	Social and cognitive functioning, urbanicity and risk for schizophrenia. <i>British Journal of Psychiatry</i> , 2007 , 191, 320-4	5.4	59
328	Genetic risk of depression and stress-induced negative affect in daily life. <i>British Journal of Psychiatry</i> , 2007 , 191, 218-23	5.4	121
327	Depression: Too Much Negative Affect or Too Little Positive Affect?. <i>Twin Research and Human Genetics</i> , 2007 , 10, 19-20	2.2	16
326	COMT Val158Met moderation of stress-induced psychosis. <i>Psychological Medicine</i> , 2007 , 37, 1651-6	6.9	55

325	Verbal self-monitoring in psychosis: a non-replication. <i>Psychological Medicine</i> , 2007 , 37, 569-76	6.9	19
324	Suicide and other causes of mortality in bipolar disorder: a longitudinal study. <i>Psychological Medicine</i> , 2007 , 37, 839-47	6.9	73
323	Does normal developmental expression of psychosis combine with environmental risk to cause persistence of psychosis? A psychosis proneness-persistence model. <i>Psychological Medicine</i> , 2007 , 37, 513-27	6.9	185
322	Relationship between DHA status at birth and child problem behaviour at 7 years of age. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2007 , 76, 29-34	2.8	52
321	Worsening of psychosis in schizophrenia is longitudinally associated with tardive dyskinesia in the European Schizophrenia Outpatient Health Outcomes study. <i>Comprehensive Psychiatry</i> , 2007 , 48, 436-40	7.3	20
320	Stress-reactivity in psychosis: evidence for an affective pathway to psychosis. <i>Clinical Psychology Review</i> , 2007 , 27, 409-24	10.8	444
319	A momentary assessment study of the relationship between affective and adrenocortical stress responses in daily life. <i>Biological Psychology</i> , 2007 , 74, 60-6	3.2	138
318	Serotonergic response to stress: a protective factor against abnormal dopaminergic reactivity in schizophrenia?. <i>European Psychiatry</i> , 2007 , 22, 362-4	6	9
317	No ecological effect modification of the association between negative life experiences and later psychopathology in adolescence: A longitudinal community study in adolescents. <i>European Psychiatry</i> , 2007 , 22, 296-304	6	11
316	Cannabis use and expression of mania in the general population. <i>Journal of Affective Disorders</i> , 2006 , 95, 103-10	6.6	129
315	The wider social environment and changes in self-reported quality of life in the transition from late childhood to early adolescence: a cohort study. <i>BMC Public Health</i> , 2006 , 6, 133	4.1	25
314	Impact of psychological trauma on the development of psychotic symptoms: relationship with psychosis proneness. <i>British Journal of Psychiatry</i> , 2006 , 188, 527-33	5.4	239
313	Tardive dyskinesia in schizophrenia is associated with prolactin-related sexual disturbances. <i>Neuropsychopharmacology</i> , 2006 , 31, 1832-7	8.7	15
312	Data gathering: biased in psychosis?. <i>Schizophrenia Bulletin</i> , 2006 , 32, 341-51	1.3	153
311	Stress-related negative affectivity and genetically altered serotonin transporter function: evidence of synergism in shaping risk of depression. <i>Archives of General Psychiatry</i> , 2006 , 63, 989-96		158
310	The psychosis proneness: psychosis persistence model as an explanation for the association between urbanicity and psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2006 , 15, 252-257	5.1	13
309	Associations between delusion proneness and personality structure in non-clinical participants: comparison between young and elderly samples. <i>Psychopathology</i> , 2006 , 39, 218-26	3.4	29
308	Attribution style and psychosis: evidence for an externalizing bias in patients but not in individuals at high risk. <i>Psychological Medicine</i> , 2006 , 36, 771-8	6.9	62

307	P.3.a.031 Prospective cohort study of cannabis use, predisposition for psychosis, and psychotic symptoms in young people. <i>European Neuropsychopharmacology</i> , 2006 , 16, S381	1.2	2
306	Experience in the first four years of rapid recovery; is it safe?. <i>Injury</i> , 2006 , 37 Suppl 5, S37-40	2.5	27
305	Associations between COMTVal158Met polymorphism and cognition: direct or indirect effects?. <i>European Psychiatry</i> , 2006 , 21, 338-42	6	15
304	TC9B AFFECTIVE PROCESSES IN THE ONSET AND PERSISTENCE OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2006 , 86, S29-S30	3.6	
303	Antipsychotic-induced tardive dyskinesia and the Ser9Gly polymorphism in the DRD3 gene: a meta analysis. <i>Schizophrenia Research</i> , 2006 , 83, 185-92	3.6	122
302	Gene regulation by hypoxia and the neurodevelopmental origin of schizophrenia. <i>Schizophrenia Research</i> , 2006 , 84, 253-71	3.6	100
301	Hearing impairment and psychosis: a replication in a cohort of young adults. <i>Schizophrenia Research</i> , 2006 , 85, 266-72	3.6	22
300	Evidence that brain tissue volumes are associated with HVA reactivity to metabolic stress in schizophrenia. <i>Schizophrenia Research</i> , 2006 , 86, 45-53	3.6	19
299	Premorbid IQ as a predictor for the course of IQ in first onset patients with schizophrenia: a 10-year follow-up study. <i>Schizophrenia Research</i> , 2006 , 88, 47-54	3.6	31
298	An experimental study of catechol-o-methyltransferase Val158Met moderation of delta-9-tetrahydrocannabinol-induced effects on psychosis and cognition. <i>Neuropsychopharmacology</i> , 2006 , 31, 2748-57	8.7	261
297	Childhood trauma and emotional reactivity to daily life stress in adult frequent attenders of general practitioners. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 229-36	4.1	180
296	Lower birth weight of Dutch neonates who were in utero at the time of the 9/11 attacks. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 715-7	4.1	47
295	Evidence for instrument and family-specific variation of subclinical psychosis dimensions in the general population. <i>Journal of Abnormal Psychology</i> , 2006 , 115, 5-14	7	65
294	Mood reactivity to daily negative events in early adolescence: relationship to risk for psychopathology. <i>Developmental Psychology</i> , 2006 , 42, 543-54	3.7	64
293	Evidence that the outcome of developmental expression of psychosis is worse for adolescents growing up in an urban environment. <i>Psychological Medicine</i> , 2006 , 36, 407-15	6.9	60
292	Trends in cannabis use prior to first presentation with schizophrenia, in South-East London between 1965 and 1999. <i>Psychological Medicine</i> , 2006 , 36, 1441-6	6.9	56
291	A prospective study of the transition rates of subthreshold (hypo)mania and depression in the general population. <i>Psychological Medicine</i> , 2006 , 36, 619-27	6.9	47
290	Validation of remission criteria for schizophrenia. <i>American Journal of Psychiatry</i> , 2006 , 163, 2000-2	11.9	82

289	Evidence that early extrapyramidal symptoms predict later tardive dyskinesia: a prospective analysis of 10,000 patients in the European Schizophrenia Outpatient Health Outcomes (SOHO) study. <i>American Journal of Psychiatry</i> , 2006 , 163, 1438-40	11.9	59
288	Genes making one feel blue in the flow of daily life: a momentary assessment study of gene-stress interaction. <i>Psychosomatic Medicine</i> , 2006 , 68, 201-6	3.7	25
287	Evidence that trait-anxiety and trait-depression differentially moderate cortical processing of pain. <i>Clinical Journal of Pain</i> , 2006 , 22, 725-9	3.5	26
286	S100 and impact of ECT on depression and cognition. <i>Journal of ECT</i> , 2006 , 22, 206-12	2	23
285	Prediction of change in level of problem behavior among children of bipolar parents. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 23-30	6.5	4
284	Standardized remission criteria in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 91-5	6.5	189
283	Evidence for three distinct classes of 'typical', 'psychotic' and 'dual' mania: results from the EMBLEM study. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 112-20	6.5	64
282	Validity and reliability of the CAPE: a self-report instrument for the measurement of psychotic experiences in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 114, 55-61	6.5	330
281	Childhood victimisation and developmental expression of non-clinical delusional ideation and hallucinatory experiences: victimisation and non-clinical psychotic experiences. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 423-8	4.5	154
280	Social disadvantage and schizophrenia. A combined neighbourhood and individual-level analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 595-604	4.5	38
279	Evidence that the urban environment specifically impacts on the psychotic but not the affective dimension of bipolar disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 679-85	4.5	22
278	Incidence of tardive dyskinesia and tardive dystonia in African Caribbean patients on long-term antipsychotic treatment: the Curaçao extrapyramidal syndromes study V. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 1920-7	4.6	22
277	Size of burden of schizophrenia and psychotic disorders. <i>European Neuropsychopharmacology</i> , 2005 , 15, 399-409	1.2	406
276	Cannabis use and outcome of recent onset psychosis. <i>European Psychiatry</i> , 2005 , 20, 349-53	6	174
275	Association of mental health problems in childhood with prenatal and postnatal physical growth. <i>European Psychiatry</i> , 2005 , 20, 277-86	6	3
274	Hearing impairment and psychosis revisited. <i>Schizophrenia Research</i> , 2005 , 76, 99-103	3.6	39
273	Schizophrenia and urbanicity: a major environmental influence--conditional on genetic risk. <i>Schizophrenia Bulletin</i> , 2005 , 31, 795-9	1.3	377
272	Electronic monitoring of salivary cortisol sampling compliance in daily life. <i>Life Sciences</i> , 2005 , 76, 2431-43	4.8	126

271	Do different psychotic experiences differentially predict need for care in the general population?. <i>Comprehensive Psychiatry</i> , 2005 , 46, 192-9	7.3	47
270	Subtle fluctuations in psychotic phenomena as functional states of abnormal dopamine reactivity in individuals at risk. <i>Biological Psychiatry</i> , 2005 , 58, 105-10	7.9	80
269	Cumulative exposure to estrogen and psychosis: a peak bone mass, case-control study in first-episode psychosis. <i>Schizophrenia Research</i> , 2005 , 73, 351-5	3.6	26
268	Familial covariation of the subclinical psychosis phenotype and verbal fluency in the general population. <i>Schizophrenia Research</i> , 2005 , 74, 37-41	3.6	33
267	Dermatoglyphics and Schizophrenia: a meta-analysis and investigation of the impact of obstetric complications upon a-b ridge count. <i>Schizophrenia Research</i> , 2005 , 75, 399-404	3.6	39
266	Cognitive functioning in patients with schizophrenia and bipolar disorder: a quantitative review. <i>Schizophrenia Research</i> , 2005 , 80, 137-49	3.6	244
265	The schizophrenia envirome. <i>Current Opinion in Psychiatry</i> , 2005 , 18, 141-5	4.9	100
264	Commentary on Residential Location Papers by Whitfield et al. (2005) and Willemsen et al. (2005). <i>Twin Research and Human Genetics</i> , 2005 , 8, 318-319	2.2	3
263	Role of distress in delusion formation. <i>British Journal of Psychiatry</i> , 2005 , 48, s55-8	5.4	32
262	Development of depressed mood predicts onset of psychotic disorder in individuals who report hallucinatory experiences. <i>British Journal of Clinical Psychology</i> , 2005 , 44, 113-25	3.6	106
261	The incidence and outcome of subclinical psychotic experiences in the general population. <i>British Journal of Clinical Psychology</i> , 2005 , 44, 181-91	3.6	314
260	The environment and schizophrenia: the role of cannabis use. <i>Schizophrenia Bulletin</i> , 2005 , 31, 608-12	1.3	304
259	The impact of maternal stress on pregnancy outcome in a well-educated Caucasian population. <i>Paediatric and Perinatal Epidemiology</i> , 2005 , 19, 421-5	2.7	25
258	Cannabis-related psychosis and the gene-environment interaction: comments on Ferdinand et Al. 2005. <i>Addiction</i> , 2005 , 100, 874-5	4.6	13
257	First cannabis use: does onset shift to younger ages? Findings from 1988 to 2003 from the Dutch National School Survey on Substance Use. <i>Addiction</i> , 2005 , 100, 963-70	4.6	59
256	Are apparent associations between parental representations and psychosis risk mediated by early trauma?. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 112, 372-5	6.5	18
255	The combination of shared family environment and individual-specific developmental deviance as a cause for treated psychiatric morbidity in children. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 112, 376-84	6.5	2
254	Deconstructing the familiarity of the emotive component of psychotic experiences in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 112, 394-401	6.5	13

253	Childhood trauma, psychosis and schizophrenia: a literature review with theoretical and clinical implications. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 112, 330-50	6.5	1103
252	Early trauma may increase the risk for psychotic experiences by impacting on emotional response and perception of control. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 112, 360-6	6.5	79
251	Residential instability in socioeconomically deprived neighbourhoods, good or bad?. <i>Health and Place</i> , 2005 , 11, 121-9	4.6	22
250	Social capital and young adolescents' perceived health in different sociocultural settings. <i>Social Science and Medicine</i> , 2005 , 61, 185-98	5.1	100
249	Associations between hallucinations and personality structure in a non-clinical sample: Comparison between young and elderly samples. <i>Personality and Individual Differences</i> , 2005 , 39, 189-200	3.3	38
248	Hospital comorbidity bias and the concept of schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 817-21	4.5	13
247	Affective processes in the onset and persistence of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005 , 255, 185-9	5.1	51
246	Psychiatry in Europe. <i>British Journal of Psychiatry</i> , 2005 , 187, 92	5.4	
245	Behavioural sensitization to daily life stress in psychosis. <i>Psychological Medicine</i> , 2005 , 35, 733-41	6.9	213
244	Explaining transitions over the hypothesized psychosis continuum. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 180-6	2.6	51
243	Incidence and distribution of first-episode mania by age: results from a 35-year study. <i>Psychological Medicine</i> , 2005 , 35, 855-63	6.9	78
242	Prospective cohort study of cannabis use, predisposition for psychosis, and psychotic symptoms in young people. <i>BMJ, The</i> , 2005 , 330, 11	5.9	543
241	Bidirectional associations between depression/anxiety and bowel disease in a population based cohort. <i>Journal of Epidemiology and Community Health</i> , 2005 , 59, 434	5.1	10
240	Effect of COMT Val158Met polymorphism on the Continuous Performance Test, Identical Pairs Version: tuning rather than improving performance. <i>American Journal of Psychiatry</i> , 2005 , 162, 1752-4	11.9	67
239	Gender differences in incidence and age at onset of mania and bipolar disorder over a 35-year period in Camberwell, England. <i>American Journal of Psychiatry</i> , 2005 , 162, 257-62	11.9	112
238	Toward a world consensus on prevention of schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , 2005 , 7, 53-67	5.7	38
237	Effects of Antipsychotic Treatment on Tardive Dyskinesia. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1130-1133	4.3	45
236	Asociación de los problemas de salud mental en la infancia con el crecimiento fético prenatal y posnatal. <i>European Psychiatry (Ed Española)</i> , 2005 , 12, 396-406		

235	Effects of antipsychotic treatment on tardive dyskinesia: a 6-month evaluation of patients from the European Schizophrenia Outpatient Health Outcomes (SOHO) Study. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1130-3	4.6	12
234	Commentary on residential location papers by Whitfield et al. (2005) and Willemsen et al. (2005). <i>Twin Research and Human Genetics</i> , 2005 , 8, 318-9	2.2	1
233	Genetics of depression 2004 , 59-77		1
232	Diagnosing depression 2004 , 1-11		1
231	Life events and depression: is there a causal connection? 2004 , 38-58		2
230	Gene-Environment correlation and interaction in depression 2004 , 78-90		
229	Evaluation of the Two-Way Communication Checklist as a clinical intervention. Results of a multinational, randomised controlled trial. <i>British Journal of Psychiatry</i> , 2004 , 184, 79-83	5.4	46
228	Cannabis and psychosis. <i>British Journal of Psychiatry</i> , 2004 , 185, 352	5.4	1
227	Confirmation of synergy between urbanicity and familial liability in the causation of psychosis. <i>American Journal of Psychiatry</i> , 2004 , 161, 2312-4	11.9	130
226	Does the urban environment cause psychosis?. <i>British Journal of Psychiatry</i> , 2004 , 184, 287-8	5.4	111
225	Determinants of outcome in the pathways through care for children hearing voices. <i>International Journal of Social Welfare</i> , 2004 , 13, 208-222	1.3	19
224	Early adolescent cannabis exposure and positive and negative dimensions of psychosis. <i>Addiction</i> , 2004 , 99, 1333-41	4.6	250
223	The wider social environment and mental health service use. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 110, 119-29	6.5	28
222	Pleasurable auditory hallucinations. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 110, 273-8	6.5	47
221	Hallucinatory experiences and onset of psychotic disorder: evidence that the risk is mediated by delusion formation. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 110, 264-72	6.5	63
220	Early maternal stress and health behaviours and offspring expression of psychosis in adolescence. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 110, 356-64	6.5	43
219	Does urbanicity shift the population expression of psychosis?. <i>Journal of Psychiatric Research</i> , 2004 , 38, 613-8	5.2	63
218	Ethnic differences in first clinical presentation of bipolar disorder: results from an epidemiological study. <i>Journal of Affective Disorders</i> , 2004 , 83, 161-8	6.6	49

217	Income inequality at neighbourhood level and quality of life--a contextual analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 457-63	4.5	19
216	Is the excess risk of psychosis-like experiences in urban areas attributable to altered cognitive development?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 364-8	4.5	33
215	The association of inequality with the incidence of schizophrenia--an ecological study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 597-9	4.5	72
214	Is our concept of schizophrenia influenced by Berkson's bias?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 600-5	4.5	33
213	Childhood abuse as a risk factor for psychotic experiences. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 38-45	6.5	620
212	The role of age in the development of Schneiderian symptoms in patients with a first psychotic episode. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 264-8	6.5	17
211	Multiple dimensions of familial psychopathology affect risk of mood disorder in children of bipolar parents. <i>American Journal of Medical Genetics Part A</i> , 2004 , 127B, 35-41		17
210	Variation in catechol-o-methyltransferase val158 met genotype associated with schizotypy but not cognition: a population study in 543 young men. <i>Biological Psychiatry</i> , 2004 , 56, 510-5	7.9	123
209	The aetiological continuum of psychosis 2004 , 342-366		3
208	Association between short birth intervals and schizophrenia in the offspring. <i>Schizophrenia Research</i> , 2004 , 70, 49-56	3.6	50
207	A developmental model for similarities and dissimilarities between schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2004 , 71, 405-16	3.6	374
206	Improvements in stable patients with psychotic disorders switched from oral conventional antipsychotics therapy to long-acting risperidone. <i>International Clinical Psychopharmacology</i> , 2004 , 19, 229-32	2.2	36
205	Abnormal response to metabolic stress in schizophrenia: marker of vulnerability or acquired sensitization?. <i>Psychological Medicine</i> , 2004 , 34, 1103-11	6.9	44
204	Dimensions of depression, mania and psychosis in the general population. <i>Psychological Medicine</i> , 2004 , 34, 1177-86	6.9	78
203	Sex differences in emotional reactivity to daily life stress in psychosis. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 805-9	4.6	48
202	Psychotic features in the general population. Risk factors for what? 2004 , 54-78		4
201	Is there a role for social factors in a comprehensive development model for schizophrenia? 2004 , 224-247		2
200	Can the social environment cause schizophrenia?. <i>British Journal of Psychiatry</i> , 2003 , 182, 291-2	5.4	50

199	When does experience of psychosis result in a need for care? A prospective general population study. <i>Schizophrenia Bulletin</i> , 2003 , 29, 349-58	1.3	63
198	Do life events have their effect on psychosis by influencing the emotional reactivity to daily life stress?. <i>Psychological Medicine</i> , 2003 , 33, 327-33	6.9	76
197	The Experience Sampling Method in psychosis research. <i>Current Opinion in Psychiatry</i> , 2003 , 16, S33-S38	4.9	25
196	. <i>Current Opinion in Psychiatry</i> , 2003 , 16, 443-449	4.9	6
195	Do urbanicity and familial liability coparticipate in causing psychosis?. <i>American Journal of Psychiatry</i> , 2003 , 160, 477-82	11.9	144
194	Continuity of psychotic symptoms in the community. <i>Current Opinion in Psychiatry</i> , 2003 , 16, 443-449	4.9	26
193	Jaspers was right after all--delusions are distinct from normal beliefs. For. <i>British Journal of Psychiatry</i> , 2003 , 183, 285	5.4	10
192	Discrimination and delusional ideation. <i>British Journal of Psychiatry</i> , 2003 , 182, 71-6	5.4	213
191	Incidence of schizophrenia in south-east London between 1965 and 1997. <i>British Journal of Psychiatry</i> , 2003 , 182, 45-9	5.4	79
190	Social capital and mental health v. objective measures of health in The Netherlands. <i>British Journal of Psychiatry</i> , 2003 , 183, 174	5.4	10
189	Psychosis Research at Maastricht University, The Netherlands. <i>British Journal of Psychiatry</i> , 2003 , 183, 559-560	5.4	3
188	Suicide and attempted suicide among people of Caribbean origin with psychosis living in the UK. <i>British Journal of Psychiatry</i> , 2003 , 183, 40-4	5.4	24
187	Childhood social and early developmental factors associated with mental health service use. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 101-8	4.5	24
186	How psychotic are individuals with non-psychotic disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 149-54	4.5	126
185	Can cognitive deficits explain differential sensitivity to life events in psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 262-8	4.5	12
184	Children's mental health service use, neighbourhood socioeconomic deprivation, and social capital. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 507-14	4.5	57
183	First admissions for mood disorders in immigrants to the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 547-50	4.5	15
182	Mediators of neighbourhood socioeconomic deprivation and quality of life. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 698-706	4.5	89

181	Searching for a structural endophenotype in psychosis using computational morphometry. <i>Psychiatry Research - Neuroimaging</i> , 2003 , 122, 153-67	2.9	57
180	Children's health-related quality of life, neighbourhood socio-economic deprivation and social capital. A contextual analysis. <i>Social Science and Medicine</i> , 2003 , 57, 825-41	5.1	277
179	Self-reported psychotic experiences in the general population: a valid screening tool for DSM-III-R psychotic disorders?. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 369-77	6.5	102
178	Alterations in theory of mind in patients with schizophrenia and non-psychotic relatives. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 110-7	6.5	178
177	Emotional reactivity to daily life stress in psychosis and affective disorder: an experience sampling study. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 124-31	6.5	243
176	Cerebral tissue alterations and daily life stress experience in psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 54-9	6.5	6
175	Impact of birth weight and genetic liability on psychopathology in children of bipolar parents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2003 , 42, 1116-21	7.2	27
174	Cannabis use and dimensions of psychosis in a nonclinical population of female subjects. <i>Schizophrenia Research</i> , 2003 , 59, 77-84	3.6	81
173	Age-dependence of Schneiderian psychotic symptoms in bipolar patients. <i>Schizophrenia Research</i> , 2003 , 61, 157-62	3.6	30
172	How false are "false" positive psychotic symptoms?. <i>Schizophrenia Research</i> , 2003 , 62, 187-9	3.6	36
171	Sex differences in symptoms of psychosis in a non-selected, general population sample. <i>Schizophrenia Research</i> , 2003 , 63, 89-95	3.6	96
170	Sex differences in psychosis: normal or pathological?. <i>Schizophrenia Research</i> , 2003 , 62, 45-9	3.6	67
169	The influence of inequality on the incidence of schizophrenia [An ecological study. <i>Schizophrenia Research</i> , 2003 , 60, 33-34	3.6	42
168	Childhood abuse as a risk factor for psychotic experiences. <i>Schizophrenia Research</i> , 2003 , 60, 40	3.6	2
167	Nonreplication of the association between ab-ridge count and cerebral structural measures in schizophrenia. <i>Comprehensive Psychiatry</i> , 2003 , 44, 459-61	7.3	4
166	Is there a continuum of psychotic experiences in the general population?. <i>Epidemiology and Psychiatric Sciences</i> , 2003 , 12, 242-52	5.1	93
165	Coping defence and depression in adolescents hearing voices. <i>Journal of Mental Health</i> , 2003 , 12, 91-99	2.7	21
164	Neighbourhood socioeconomic disadvantage and behavioural problems from late childhood into early adolescence. <i>Journal of Epidemiology and Community Health</i> , 2003 , 57, 699-703	5.1	99

163	Psychosis research at Maastricht University, The Netherlands. <i>British Journal of Psychiatry</i> , 2003 , 183, 559-60	5.4	4
162	Prenatal and perinatal risk factors for schizophrenia 2002 , 74-99		
161	Urbanization, migration and risk of schizophrenia 2002 , 49-68		1
160	Temporal variation in the incidence, course and outcome of schizophrenia 2002 , 34-48		
159	Prodrome, onset and early course of schizophrenia 2002 , 124-147		0
158	The value of first-episode studies in schizophrenia 2002 , 148-166		
157	The classical genetic epidemiology of schizophrenia 2002 , 195-219		
156	Gene-Environment correlation and interaction in schizophrenia 2002 , 235-253		
155	What is the relationship between substance abuse and schizophrenia? 2002 , 317-342		8
154	Diagnosis and classification of schizophrenia: categories versus dimensions, distributions versus disease 2002 , 364-410		7
153	The implications of epidemiology for service planning in schizophrenia 2002 , 411-426		
152	Prevention of schizophrenia [not an impossible dream 2002 , 427-440		1
151	Formation of delusional ideation in adolescents hearing voices: a prospective study. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 913-20		70
150	Neuroticism and low self-esteem as risk factors for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 1-6	4.5	187
149	Does the urban environment independently increase the risk for both negative and positive features of psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 460-4	4.5	29
148	Determinants of occurrence and recovery from hallucinations in daily life. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 97-104	4.5	212
147	2-COM: an instrument to facilitate patient-professional communication in routine clinical practice. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 446-52	6.5	19
146	Evidence that three dimensions of psychosis have a distribution in the general population. <i>Psychological Medicine</i> , 2002 , 32, 347-58	6.9	615

145	Child psychopathology and lower cognitive ability: a general population twin study of the causes of association. <i>Molecular Psychiatry</i> , 2002 , 7, 368-74	15.1	14
144	Further evidence that congenital dermatoglyphic abnormalities are associated with psychosis: a twin study. <i>Schizophrenia Bulletin</i> , 2002 , 28, 697-701	1.3	15
143	Independent course of childhood auditory hallucinations: a sequential 3-year follow-up study. <i>British Journal of Psychiatry</i> , 2002 , 43, s10-8	5.4	101
142	Are cognitive impairments associated with sensitivity to stress in schizophrenia? An experience sampling study. <i>American Journal of Psychiatry</i> , 2002 , 159, 443-9	11.9	82
141	Prenatal life and post-natal psychopathology: evidence for negative gene-birth weight interaction. <i>Psychological Medicine</i> , 2002 , 32, 1165-74	6.9	42
140	Are impaired childhood motor skills a risk factor for adolescent anxiety? Results from the 1958 U.K. birth cohort and the National Child Development Study. <i>American Journal of Psychiatry</i> , 2002 , 159, 1044-6	11.9	87
139	Patients' perceptions of intensive case management. <i>Psychiatric Services</i> , 2002 , 53, 1432-7	3.3	2
138	Psychotic symptoms in non-clinical populations and the continuum of psychosis. <i>Schizophrenia Research</i> , 2002 , 54, 59-65	3.6	386
137	Evidence that ethnic group effects on psychosis risk are confounded by experience of discrimination. <i>European Psychiatry</i> , 2002 , 17, 83-84	6	2
136	Cannabis use and psychosis: a longitudinal population-based study. <i>American Journal of Epidemiology</i> , 2002 , 156, 319-27	3.8	607
135	Social and clinical consequences of cognitive deficits in early psychosis: a two-year follow-up study of first-admitted patients. <i>Schizophrenia Research</i> , 2002 , 56, 149-59	3.6	61
134	Cognitive epidemiology: psychological and social risk mechanisms for psychosis 2002 , 39-57		2
133	Chorion type and twin similarity for child psychiatric symptoms. <i>Archives of General Psychiatry</i> , 2002 , 59, 562-4		6
132	Comparison of the outcome and treatment of psychosis in people of Caribbean origin living in the UK and British Whites. Report from the UK700 trial. <i>British Journal of Psychiatry</i> , 2001 , 178, 160-5	5.4	60
131	Neuroticism, life events and mental health: evidence for person-environment correlation. <i>British Journal of Psychiatry</i> , 2001 , 40, s72-7	5.4	65
130	Clinical correlates of depression following myocardial infarction. <i>International Journal of Psychiatry in Medicine</i> , 2001 , 31, 255-64	1	14
129	Comparison of the incidence of schizophrenia in rural Dumfries and Galloway and urban Camberwell. <i>British Journal of Psychiatry</i> , 2001 , 179, 335-9	5.4	60
128	Associations between nonshared environment and child problem behaviour. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 319-23	4.5	7

127	Does socioeconomic status predict course and outcome in patients with psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 573-81	4.5	22
126	Stroke and mental health care: a record linkage study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 608-12	4.5	9
125	Neuropsychological performance of psychotic patients in community care: results from the UK700 study. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 81-91	6.5	6
124	Predictors and outcome characteristics associated with suicidal behaviour in early psychosis: a two-year follow-up of first-admitted subjects. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 103, 347-54	6.5	81
123	Maastricht Assessment of Coping Strategies (MACS-I): a brief instrument to assess coping with psychotic symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 103, 453-9	6.5	30
122	MACS-II: does coping enhance subjective control over psychotic symptoms?. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 103, 460-4	6.5	22
121	Prevalence of psychotic disorder and community level of psychotic symptoms: an urban-rural comparison. <i>Archives of General Psychiatry</i> , 2001 , 58, 663-8		392
120	Incidence of schizophrenia in ethnic minorities in London: ecological study into interactions with environment. <i>BMJ: British Medical Journal</i> , 2001 , 323, 1336-8		316
119	Emotional reactivity to daily life stress in psychosis. <i>Archives of General Psychiatry</i> , 2001 , 58, 1137-44		437
118	Is the association between duration of untreated psychosis and outcome confounded? A two year follow-up study of first-admitted patients. <i>Schizophrenia Research</i> , 2001 , 49, 231-41	3.6	120
117	A prospective twin study of birth weight discordance and child problem behavior. <i>Biological Psychiatry</i> , 2001 , 50, 593-9	7.9	60
116	Single or multiple familial cognitive risk factors in schizophrenia?. <i>American Journal of Medical Genetics Part A</i> , 2001 , 105, 183-8		60
115	High expressed emotion: marker for a caring family?. <i>Comprehensive Psychiatry</i> , 2001 , 42, 504-7	7.3	32
114	The continuity of psychotic experiences in the general population. <i>Clinical Psychology Review</i> , 2001 , 21, 1125-41	10.8	658
113	Neighbourhood level and individual level SES effects on child problem behaviour: a multilevel analysis. <i>Journal of Epidemiology and Community Health</i> , 2001 , 55, 246-50	5.1	109
112	Neuroticism as a risk factor for schizophrenia. <i>Psychological Medicine</i> , 2001 , 31, 1129-34	6.9	214
111	Further evidence of relation between prenatal famine and major affective disorder. <i>American Journal of Psychiatry</i> , 2000 , 157, 190-5	11.9	283
110	The Kraepelinian dichotomy: evidence from developmental and neuroimaging studies. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2000 , 12, 398-405	2.7	15

109	Social influences on risk for disorder and natural history. <i>Current Opinion in Psychiatry</i> , 2000 , 13, 209-213	4.9	10
108	Neighbourhood variation in incidence of schizophrenia. Evidence for person-environment interaction. <i>British Journal of Psychiatry</i> , 2000 , 176, 243-8	5.4	163
107	At Issue: Commentary on "A Default Analysis for Schizophrenia Research". <i>Schizophrenia Bulletin</i> , 2000 , 26, 163-165	1.3	3
106	Commentary on "outcome of schizophrenia in relation to brain abnormalities" by Staal et al. <i>Schizophrenia Bulletin</i> , 2000 , 26, 515-6	1.3	
105	Medication adherence in psychosis: predictors and impact on outcome. A 2-year follow-up of first-admitted subjects. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 102, 203-10	6.5	150
104	Diagnostic value of the DSM and ICD categories of psychosis: an evidence-based approach. UK700 Group. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000 , 35, 305-11	4.5	28
103	Schizophrenia is not disappearing in south-west Scotland. <i>British Journal of Psychiatry</i> , 2000 , 177, 38-41	5.4	35
102	Congenital dermatoglyphic malformations and psychosis: a twin study. <i>American Journal of Psychiatry</i> , 2000 , 157, 1511-3	11.9	26
101	Association between cerebral structural abnormalities and dermatoglyphic ridge counts in schizophrenia. <i>Comprehensive Psychiatry</i> , 2000 , 41, 380-4	7.3	17
100	Principles of practice from the European expert panel on the contemporary treatment of schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2000 , 4, 1-11	2.4	8
99	From first episode to long-term care: The need for sustained clinical commitment. <i>International Journal of Psychiatry in Clinical Practice</i> , 2000 , 4, 19-24	2.4	1
98	a-b ridge count and schizophrenia. <i>Schizophrenia Research</i> , 2000 , 46, 285-6	3.6	9
97	Strauss (1969) revisited: A psychosis continuum in the general population?. <i>Schizophrenia Research</i> , 2000 , 41, 8	3.6	15
96	Metabolic stress and cerebral grey matter in psychosis. <i>Schizophrenia Research</i> , 2000 , 41, 123	3.6	
95	Increased morbid risk for schizophrenia in families of in-patients with bipolar illness. <i>Schizophrenia Research</i> , 2000 , 42, 83-90	3.6	83
94	Developmental instability and schizotypy. <i>Schizophrenia Research</i> , 2000 , 43, 125-34	3.6	28
93	Strauss (1969) revisited: a psychosis continuum in the general population?. <i>Schizophrenia Research</i> , 2000 , 45, 11-20	3.6	656
92	SES01.01 Developmental precursors of affective illness in a general population birth cohort. <i>European Psychiatry</i> , 2000 , 15, 213s-213s	6	

91	S36.01 A Comparison of the Utility of Dimensional and Categorical Representations of Psychosis. <i>European Psychiatry</i> , 2000 , 15, 286s-286s	6	
90	S36.03 Delusions in the General Population. <i>European Psychiatry</i> , 2000 , 15, 286s-286s	6	
89	FC12.03 Recent dermatoglyphic studies in twin samples: Further evidences for an environmental risk factor in schizophrenia. <i>European Psychiatry</i> , 2000 , 15, 305s-306s	6	
88	Changes in negative symptoms and the risk of tardive dyskinesia: a longitudinal study. UK700 Group. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 101, 300-6	6.5	4
87	Suicidality and substance misuse in first-admitted subjects with psychotic disorder. <i>Acta Psychiatrica Scandinavica</i> , 1999 , 100, 389-95	6.5	61
86	Life events, ethnicity and perceptions of discrimination in patients with severe mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999 , 34, 600-8	4.5	48
85	Self-reported psychosis-like symptoms and the continuum of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999 , 34, 459-63	4.5	115
84	Tardive dyskinesia in psychosis: are women really more at risk? UK700 Group. <i>Acta Psychiatrica Scandinavica</i> , 1999 , 99, 288-93	6.5	32
83	Increased occurrence of depression in psychosis-prone subjects: a follow-up study in primary care settings. <i>Comprehensive Psychiatry</i> , 1999 , 40, 462-8	7.3	84
82	A comparison of the utility of dimensional and categorical representations of psychosis. UK700 Group. <i>Psychological Medicine</i> , 1999 , 29, 595-606	6.9	197
81	To what extent does symptomatic improvement result in better outcome in psychotic illness? UK700 Group. <i>Psychological Medicine</i> , 1999 , 29, 1183-95	6.9	31
80	Early risk factors and adult person--environment relationships in affective disorder. <i>Psychological Medicine</i> , 1999 , 29, 1055-67	6.9	118
79	Urbanization and risk for schizophrenia: does the effect operate before or around the time of illness onset?. <i>Psychological Medicine</i> , 1999 , 29, 1197-203	6.9	115
78	Prenatal Famine and the Spectrum of Psychosis. <i>Psychiatric Annals</i> , 1999 , 29, 145-150	0.5	2
77	Psychosis as an Extreme of Continuous Variation in Dimensions of Psychopathology 1999 , 59-79		12
76	Predicci3n de la duraci3n de la psicosis antes de la primera admisi3n. <i>European Psychiatry (Ed Espa3ola)</i> , 1999 , 6, 162-169		
75	Obstetric complications and familial morbid risk of psychiatric disorders. <i>American Journal of Medical Genetics Part A</i> , 1998 , 81, 29-36		49
74	Risk factors for onset and persistence of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1998 , 33, 596-605	4.5	77

73	Shared social environment and psychiatric disorder: a multilevel analysis of individual and ecological effects. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1998 , 33, 606-12	4.5	56
72	Congenital dermatoglyphic malformations in severe bipolar disorder. <i>Psychiatry Research</i> , 1998 , 78, 133-40	4.0	26
71	Is early adulthood a critical developmental stage for psychosis proneness? A survey of delusional ideation in normal subjects. <i>Schizophrenia Research</i> , 1998 , 29, 247-54	3.6	140
70	Is early adulthood a critical developmental stage for psychosis proneness? A survey of delusional ideation in normal subjects. <i>Schizophrenia Research</i> , 1998 , 29, 24	3.6	3
69	The ecogenetics of schizophrenia: a review. <i>Schizophrenia Research</i> , 1998 , 32, 127-35	3.6	78
68	Characteristics of early- and late-diagnosed schizophrenia: implications for first-episode studies. <i>Schizophrenia Research</i> , 1998 , 33, 27-34	3.6	16
67	Early antecedents of functional psychoses. <i>European Psychiatry</i> , 1998 , 13, 143s-143s	6	
66	Prediction of duration of psychosis before first admission. <i>European Psychiatry</i> , 1998 , 13, 346-52	6	61
65	Prenatal exposure to maternal stress and subsequent schizophrenia. The May 1940 invasion of The Netherlands. <i>British Journal of Psychiatry</i> , 1998 , 172, 324-6	5.4	394
64	Predictors of outcome in schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 1998 , 18, 2S-4S	1.7	48
63	A survey of delusional ideation in primary-care patients. <i>Psychological Medicine</i> , 1998 , 28, 127-34	6.9	168
62	Urbanization and psychosis: a study of 1942-1978 birth cohorts in The Netherlands. <i>Psychological Medicine</i> , 1998 , 28, 871-9	6.9	225
61	Special feature: childhood personality characteristics of schizophrenia: manifestations of, or risk factors for, the disorder?. <i>Journal of Personality Disorders</i> , 1998 , 12, 247-61	2.6	52
60	Developmental precursors of affective illness in a general population birth cohort. <i>Archives of General Psychiatry</i> , 1997 , 54, 625-31		213
59	Schizophrenia after prenatal famine. <i>Archives of General Psychiatry</i> , 1997 , 54, 577-8		4
58	Follow-up studies of schizophrenia I: Natural history and non-psychopathological predictors of outcome. <i>European Psychiatry</i> , 1997 , 12 Suppl 5, 327s-41s	6	18
57	Dermatoglyphic abnormalities in psychosis: a twin study. <i>Biological Psychiatry</i> , 1997 , 41, 624-6	7.9	12
56	Psychopathological syndromes and familial morbid risk of psychosis. <i>British Journal of Psychiatry</i> , 1997 , 170, 241-6	5.4	78

55	Early detection of schizophrenia. <i>British Journal of Psychiatry</i> , 1997 , 170, 579	5.4	7
54	Persons with intellectual disability receiving psychiatric treatment. <i>Journal of Intellectual Disability Research</i> , 1997 , 41 (Pt 6), 512-8	3.2	20
53	Tardive dyskinesia: who is at risk?. <i>Acta Psychiatrica Scandinavica</i> , 1997 , 96, 206-16	6.5	55
52	Genetic variation of the 5-HT _{2A} receptor gene and bipolar affective disorder. <i>Human Genetics</i> , 1997 , 100, 582-4	6.3	45
51	Cultural differences in pathways to care, service use and treated outcomes. <i>Current Opinion in Psychiatry</i> , 1997 , 10, 178-182	4.9	10
50	Psychiatric training in the Netherlands. <i>Psychiatric Bulletin</i> , 1997 , 21, 58-58		
49	¿Necesitamos un consenso europeo sobre el uso de medicación antipsicótica?. <i>European Psychiatry (Ed Española)</i> , 1997 , 4, 229-232		
48	Do we need a European consensus on the use of antipsychotic medication?. <i>European Psychiatry</i> , 1996 , 11, 400-2	6	3
47	Explaining sex differences in course and outcome in the functional psychoses. <i>Schizophrenia Research</i> , 1996 , 21, 161-70	3.6	22
46	Ethical issues in European psychiatry. <i>European Psychiatry</i> , 1996 , 11, 1-6	6	10
45	Allelic association analysis of the 5-HT _{2C} receptor gene in bipolar affective disorder. <i>Neuroscience Letters</i> , 1996 , 212, 65-7	3.3	60
44	Relationship of birth season to clinical features, family history, and obstetric complication in schizophrenia. <i>Psychiatry Research</i> , 1996 , 64, 11-7	9.9	22
43	Dermatoglyphic a-b ridge count as a possible marker for developmental disturbance in schizophrenia: replication in two samples. <i>Schizophrenia Research</i> , 1996 , 20, 307-14	3.6	61
42	Psychopathological syndromes in the functional psychoses: associations with course and outcome. <i>Psychological Medicine</i> , 1996 , 26, 161-76	6.9	160
41	Psychotic illness in ethnic minorities: clarification from the 1991 census. <i>Psychological Medicine</i> , 1996 , 26, 203-8	6.9	141
40	Does familiarity predispose to both emergence and persistence of psychosis? A follow-up study. <i>British Journal of Psychiatry</i> , 1996 , 168, 620-6	5.4	72
39	Life events before psychotic episodes: do clinical and social variables affect the relationship?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996 , 31, 122-8	4.5	20
38	The incidence of mania: time trends in relation to gender and ethnicity. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996 , 31, 129-36	4.5	54

37	Parasuicide in Camberwell-ethnic differences. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996 , 31, 284-7	4.5	25
36	Cuestiones Éticas en psiquiatría europea. <i>European Psychiatry (Ed Española)</i> , 1996 , 3, 320-328		
35	Increasing age is a risk factor for psychosis in the elderly. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1995 , 30, 161-4	4.5	67
34	Premorbid abnormalities in mania, schizomania, acute schizophrenia and chronic schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1995 , 30, 274-8	4.5	27
33	Maternal exposure to influenza and risk of schizophrenia: a 22 year study from The Netherlands. <i>Journal of Psychiatric Research</i> , 1995 , 29, 435-45	5.2	34
32	Discrepancies on prescribing antipsychotics. <i>British Journal of Psychiatry</i> , 1995 , 166, 263-4	5.4	4
31	Home-based versus in/out-patient care for people with serious mental illness. <i>British Journal of Psychiatry</i> , 1995 , 166, 543-4	5.4	
30	Increased intracerebral cerebrospinal fluid spaces predict unemployment and negative symptoms in psychotic illness. A prospective study. <i>British Journal of Psychiatry</i> , 1995 , 166, 750-8	5.4	36
29	Insight and psychotic illness. Cross-sectional and longitudinal associations. <i>British Journal of Psychiatry</i> , 1995 , 167, 621-8	5.4	164
28	5HT2A receptor gene and bipolar affective disorder. <i>Lancet, The</i> , 1995 , 346, 969	4.0	31
27	Gender, psychopathology, and development: from puberty to early adulthood. <i>Schizophrenia Research</i> , 1995 , 14, 105-12	3.6	36
26	Minor physical anomalies in psychoses: associations with clinical and putative aetiological variables. <i>Schizophrenia Research</i> , 1995 , 18, 9-20	3.6	84
25	An association study of a neurotrophin-3 (NT-3) gene polymorphism with schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1995 , 92, 425-8	6.5	29
24	Psychosis with good prognosis in Afro-Caribbean people now living in the United Kingdom. <i>BMJ: British Medical Journal</i> , 1995 , 311, 1325-8		82
23	Community psychiatric nurse teams. <i>British Journal of Psychiatry</i> , 1994 , 165, 839-40	5.4	
22	The feasibility of a psychiatric common market: British and Continental approaches to postgraduate psychiatric training. <i>Psychiatric Bulletin</i> , 1994 , 18, 193-195		2
21	The influence of life events on the subsequent course of psychotic illness. A prospective follow-up of the Camberwell Collaborative Psychosis Study. <i>Psychological Medicine</i> , 1994 , 24, 503-13	6.9	54
20	Cerebral ventricle dimensions as risk factors for schizophrenia and affective psychosis: an epidemiological approach to analysis. <i>Psychological Medicine</i> , 1994 , 24, 995-1011	6.9	75

19	Caring for mentally ill people. <i>BMJ: British Medical Journal</i> , 1994 , 309, 1218-21		7
18	European Union government legislation affecting psychiatric practice. <i>Psychiatric Bulletin</i> , 1994 , 18, 390-394		1
17	Puberty and the onset of psychosis. <i>Schizophrenia Research</i> , 1993 , 10, 7-14	3.6	67
16	Schizophrenia sans frontieres: concepts of schizophrenia among French and British psychiatrists. <i>BMJ: British Medical Journal</i> , 1993 , 307, 489-92		28
15	No association between RFLPs at the porphobilinogen deaminase gene and schizophrenia. <i>Human Genetics</i> , 1992 , 90, 131-2	6.3	12
14	Dosimetry of cytostatics in hyperthermic regional isolated perfusion. <i>Cancer</i> , 1985 , 55, 698-701	6.4	21
13	Which cannabis users develop psychosis?137-143		
12	Adult adversity: do early environment and genotype create lasting vulnerabilities for adult social adversity in psychosis?127-142		3
11	Research methods in psychiatry53-67		
10	Environmental vulnerability and geneticEnvironmental interactions47-60		2
9	Jumping To Conclusions, General Intelligence, And Psychosis Liability: Findings From The Multi-Centre EU-GEI Case-Control Study		1
8	Large-scale analysis of DNA methylation identifies cellular alterations in blood from psychosis patients and molecular biomarkers of treatment-resistant schizophrenia		1
7	Cortical patterning of abnormal morphometric similarity in psychosis is associated with brain expression of schizophrenia related genes		3
6	Interaction between polygenic liability for schizophrenia and childhood adversity influences daily-life emotional dysregulation and psychosis proneness		1
5	The independent and combined influence of schizophrenia polygenic risk score and heavy cannabis use on risk for psychotic disorder: A case-control analysis from the EUGEI study.		2
4	Examining GeneEnvironment Interplay in Psychiatric Disorders53-71		
3	Preschool Social Participation, the Impact of Early Life Stress and Parental Health. <i>Child Care in Practice</i> ,1-18	0.9	
2	Context v. algorithm: evidence that a transdiagnostic framework of contextual clinical characterization is of more clinical value than categorical diagnosis. <i>Psychological Medicine</i> ,1-9	6.9	1

1	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> , 1-9	6.9	1
---	---	-----	---