

# Bridget S Wade

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5863223/publications.pdf>

Version: 2024-02-01

83

papers

5,330

citations

145106

33

h-index

104191

69

g-index

98

all docs

98

docs citations

98

times ranked

4333

citing authors

#	ARTICLE	IF	CITATIONS
1	Late Neogene evolution of modern deep-dwelling plankton. <i>Biogeosciences</i> , 2022, 19, 743-762.	1.3	11
2	Temperature controls carbon cycling and biological evolution in the ocean twilight zone. <i>Science</i> , 2021, 371, 1148-1152.	6.0	41
3	The evolution of Eocene planktonic foraminifera <i>&lt; i&gt;Dentoglobigerina&lt;/i&gt;</i> . <i>Journal of Systematic Palaeontology</i> , 2021, 19, 333-376.	0.6	2
4	Temperature Gradients Across the Pacific Ocean During the Middle Miocene. <i>Paleoceanography and Paleoclimatology</i> , 2021, 36, e2020PA003924.	1.3	8
5	Proposal for the Global Boundary Stratotype Section and Point (GSSP) for the Priabonian Stage (Eocene) at the Alano section (Italy). <i>Episodes</i> , 2021, 44, 151-173.	0.8	9
6	Upper Eocene planktonic foraminifera from northern Saudi Arabia: implications for stratigraphic ranges. <i>Journal of Micropalaeontology</i> , 2021, 40, 145-161.	1.3	1
7	North Atlantic marine biogenic silica accumulation through the early to middle Paleogene: implications for ocean circulation and silicate weathering feedback. <i>Climate of the Past</i> , 2021, 17, 1937-1954.	1.3	6
8	Dextral to sinistral coiling switch in planktic foraminifer Morozovella during the Early Eocene Climatic Optimum. <i>Global and Planetary Change</i> , 2021, 206, 103634.	1.6	1
9	Systematic taxonomy of middle Miocene <i>&lt; i&gt;Sphaeroidinellopsis&lt;/i&gt;</i> (planktonic foraminifera). <i>Journal of Systematic Palaeontology</i> , 2021, 19, 953-968.	0.6	4
10	Impact of the East African Rift System on the routing of the deep-water drainage network offshore Tanzania, western Indian Ocean. <i>Basin Research</i> , 2020, 32, 789-803.	1.3	13
11	A review of the importance of the Caribbean region in Oligo-Miocene low latitude planktonic foraminiferal biostratigraphy and the implications for modern biogeochronological schemes. <i>Earth-Science Reviews</i> , 2020, 202, 102968.	4.0	16
12	Evolution of deep-sea sediments across the Paleocene-Eocene and Eocene-Oligocene boundaries. <i>Earth-Science Reviews</i> , 2020, 211, 103403.	4.0	15
13	Large-scale mass wasting in the western Indian Ocean constrains onset of East African rifting. <i>Nature Communications</i> , 2020, 11, 3456.	5.8	9
14	Rethinking the chronology of early Paleogene sediments in the western North Atlantic using diatom biostratigraphy. <i>Marine Geology</i> , 2020, 424, 106168.	0.9	13
15	Demise of the Planktic Foraminifer Genus Morozovella during the Early Eocene Climatic Optimum: New Records from ODP Site 1258 (Demerara Rise, Western Equatorial Atlantic) and Site 1263 (Walvis) Tj ETQq1 1 00784314ngBT / Over		
16	Early Paleogene biosiliceous sedimentation in the Atlantic Ocean: Testing the inorganic origin hypothesis for Paleocene and Eocene chert and porcellanite. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 556, 109896.	1.0	10
17	Eocene to Oligocene high paleolatitude neritic record of Oi-1 glaciation in the Otway Basin southeast Australia. <i>Global and Planetary Change</i> , 2020, 191, 103218.	1.6	8
18	The DeepMIP contribution to PMIP4: methodologies for selection, compilation and analysis of latest Paleocene and early Eocene climate proxy data, incorporating version 0.1 of the DeepMIP database. <i>Geoscientific Model Development</i> , 2019, 12, 3149-3206.	1.3	131

#	ARTICLE	IF	CITATIONS
19	Endless Forams: >34,000 Modern Planktonic Foraminiferal Images for Taxonomic Training and Automated Species Recognition Using Convolutional Neural Networks. <i>Paleoceanography and Paleoclimatology</i> , 2019, 34, 1157-1177.	1.3	61
20	Systematic taxonomy of the <i>Trilobatus sacculifer</i> plexus and descendant <i>Globigerinoidesella fistulosa</i> (planktonic foraminifera). <i>Journal of Systematic Palaeontology</i> , 2019, 17, 1989-2030.	0.6	24
21	Quantitative organic-walled dinoflagellate cyst stratigraphy across the Eocene-Oligocene Transition in the Gulf of Mexico: A record of climate- and sea level change during the onset of Antarctic glaciation. <i>Newsletters on Stratigraphy</i> , 2019, 52, 131-154.	0.5	9
22	Future-proofing the Cenozoic macroperforate planktonic foraminifera phylogeny of Aze & others (2011). <i>PLoS ONE</i> , 2018, 13, e0204625.	1.1	9
23	Astronomical tunings of the Oligocene–Miocene transition from Pacific Ocean Site U1334 and implications for the carbon cycle. <i>Climate of the Past</i> , 2018, 14, 255-270.	1.3	19
24	Factors affecting consistency and accuracy in identifying modern macroperforate planktonic foraminifera. <i>Journal of Micropalaeontology</i> , 2018, 37, 431-443.	1.3	13
25	Integrated stratigraphy of the Priabonian (upper Eocene) Urtsadzor section, Armenia. <i>Newsletters on Stratigraphy</i> , 2017, 50, 269-295.	0.5	16
26	Planktic foraminiferal response to early Eocene carbon cycle perturbations in the southeast Atlantic Ocean (ODP Site 1263). <i>Global and Planetary Change</i> , 2017, 158, 119-133.	1.6	24
27	Did Photosymbiont Bleaching Lead to the Demise of Planktic Foraminifer <i>Morozovella</i> at the Early Eocene Climatic Optimum?. <i>Paleoceanography</i> , 2017, 32, 1115-1136.	3.0	16
28	The extinction of Chiloguembelina cubensis in the Pacific Ocean: implications for defining the base of the Chattian (upper Oligocene). <i>Newsletters on Stratigraphy</i> , 2017, 50, 311-339.	0.5	7
29	The DeepMIP contribution to PMIP4: experimental design for model simulations of the EECO, PETM, and pre-PETM (version 1.0). <i>Geoscientific Model Development</i> , 2017, 10, 889-901.	1.3	90
30	Muted calcareous nannoplankton response at the Middle/Late Eocene Turnover event in the western North Atlantic Ocean. <i>Newsletters on Stratigraphy</i> , 2017, 50, 297-309.	0.5	12
31	Sub-series and sub-epochs are informal units and should continue to be omitted from the International Chronostratigraphic Chart. <i>Episodes</i> , 2017, 40, 5-7.	0.8	4
32	Revisiting carbonate chemistry controls on planktic foraminifera Mg / $\delta^{13}\text{C}_{\text{A}}$ : implications for sea surface temperature and hydrology shifts over the Paleocene–Eocene Thermal Maximum and Eocene–Oligocene transition. <i>Climate of the Past</i> , 2016, 12, 819-835.	1.3	70
33	Giantism in Oligocene planktonic foraminifera <i>Paragloborotalia opima</i> : Morphometric constraints from the equatorial Pacific Ocean. <i>Newsletters on Stratigraphy</i> , 2016, 49, 421-444.	0.5	8
34	Global change across the Oligocene-Miocene transition: High-resolution stable isotope records from IODP Site U1334 (equatorial Pacific Ocean). <i>Paleoceanography</i> , 2016, 31, 81-97.	3.0	46
35	Fossil and Genetic Evidence for the Polyphyletic Nature of the Planktonic Foraminifera "Globigerinoides", and Description of the New Genus <i>Trilobatus</i> . <i>PLoS ONE</i> , 2015, 10, e0128108.	1.1	103
36	Oligocene Planktonic Foraminiferal Biostratigraphy: Current State of the Art and New Calibrations. <i>Springer Geology</i> , 2014, , 149-151.	0.2	0

#	ARTICLE	IF	CITATIONS
37	Paleoenvironmental conditions for the development of calcareous nannofossil acme during the late Miocene in the eastern equatorial Pacific. <i>Paleoceanography</i> , 2014, 29, 210-222.	3.0	14
38	Can uncertainties in sea ice albedo reconcile patterns of data-model discord for the Pliocene and 20th/21st centuries?. <i>Geophysical Research Letters</i> , 2014, 41, 2011-2018.	1.5	9
39	Equatorial Pacific productivity changes near the Eocene-Oligocene boundary. <i>Paleoceanography</i> , 2014, 29, 825-844.	3.0	27
40	Middle Miocene to Pleistocene Planktonic Foraminiferal Biostratigraphy in the Eastern Equatorial Pacific Ocean. <i>Paleontological Research</i> , 2013, 17, 91-109.	0.5	13
41	Paleogeographic controls on the onset of the Antarctic circumpolar current. <i>Geophysical Research Letters</i> , 2013, 40, 5199-5204.	1.5	55
42	SYSTEMATIC TAXONOMY OF EARLY-MIDDLE MIocene PLANKTONIC FORAMINIFERA FROM THE EQUATORIAL PACIFIC OCEAN: INTEGRATED OCEAN DRILLING PROGRAM, SITE U1338. <i>Journal of Foraminiferal Research</i> , 2013, 43, 374-405.	0.1	22
43	Warm ocean processes and carbon cycling in the Eocene. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2013, 371, 20130099.	1.6	58
44	Identifying anagenesis and cladogenesis in the fossil record. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E2946.	3.3	11
45	Integrated biomagnetochronology for the Palaeogene of ODP Hole 647A: implications for correlating palaeoceanographic events from high to low latitudes. <i>Geological Society Special Publication</i> , 2013, 373, 29-78.	0.8	13
46	A near-field sea level record of East Antarctic Ice Sheet instability from 32 to 27 Myr. <i>Paleoceanography</i> , 2013, 28, 1-13.	3.0	36
47	Multiproxy record of abrupt sea-surface cooling across the Eocene-Oligocene transition in the Gulf of Mexico. <i>Geology</i> , 2012, 40, 159-162.	2.0	78
48	Successive extinctions of muricate planktonic foraminifera ( <i>Morozovelloides</i> and <i>Acarinina</i> ) as a candidate for marking the base Priabonian. <i>Newsletters on Stratigraphy</i> , 2012, 45, 245-262.	0.5	20
49	A Cenozoic record of the equatorial Pacific carbonate compensation depth. <i>Nature</i> , 2012, 488, 609-614.	13.7	342
50	Radiolarian magnetobiochronology and faunal turnover across the middle/late Eocene boundary at Ocean Drilling Program Site 1052 in the western North Atlantic Ocean. <i>Marine Micropaleontology</i> , 2012, 88-89, 41-53.	0.5	15
51	Impact of Antarctic Circumpolar Current Development on Late Paleogene Ocean Structure. <i>Science</i> , 2011, 332, 1076-1079.	6.0	130
52	A phylogeny of Cenozoic macroperforate planktonic foraminifera from fossil data. <i>Biological Reviews</i> , 2011, 86, 900-927.	4.7	191
53	Review and revision of Cenozoic tropical planktonic foraminiferal biostratigraphy and calibration to the geomagnetic polarity and astronomical time scale. <i>Earth-Science Reviews</i> , 2011, 104, 111-142.	4.0	747
54	TAXONOMY AND STABLE ISOTOPE PALEOECOLOGY OF WELL-PRESERVED PLANKTONIC FORAMINIFERA FROM THE UPPERMOST OLIGOCENE OF TRINIDAD. <i>Journal of Foraminiferal Research</i> , 2009, 39, 191-217.	0.1	47

#	ARTICLE	IF	CITATIONS
55	Atmospheric carbon dioxide through the Eocene–Oligocene climate transition. <i>Nature</i> , 2009, 461, 1110-1113.	13.7	365
56	Investigation of pre-extinction dwarfing in Cenozoic planktonic foraminifera. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 284, 39-46.	1.0	42
57	Environmental change in the subtropics during the late middle Eocene greenhouse and global implications. <i>Geochemistry, Geophysics, Geosystems</i> , 2009, 10, .	1.0	7
58	Integrated sequence stratigraphy of the postimpact sediments from the Eyreville core holes, Chesapeake Bay impact structure inner basin., 2009, , .		9
59	Climate threshold at the Eocene-Oligocene transition: Antarctic ice sheet influence on ocean circulation. , 2009, , .		43
60	The Eocene-Oligocene sedimentary record in the Chesapeake Bay impact structure: Implications for climate and sea-level changes on the western Atlantic margin. , 2009, , .		2
61	Symbiont bleaching in fossil planktonic foraminifera. <i>Evolutionary Ecology</i> , 2008, 22, 253-265.	0.5	48
62	Stepwise transition from the Eocene greenhouse to the Oligocene icehouse. <i>Nature Geoscience</i> , 2008, 1, 329-334.	5.4	233
63	Planktonic foraminiferal turnover, diversity fluctuations and geochemical signals across the Eocene/Oligocene boundary in Tanzania. <i>Marine Micropaleontology</i> , 2008, 68, 244-255.	0.5	87
64	Eocene-Oligocene global climate and sea-level changes: St. Stephens Quarry, Alabama. <i>Bulletin of the Geological Society of America</i> , 2008, 120, 34-53.	1.6	131
65	Major shifts in calcareous phytoplankton assemblages through the Eocene–Oligocene transition of Tanzania and their implications for low-latitude primary production. <i>Paleoceanography</i> , 2008, 23, .	3.0	71
66	Extinction and environmental change across the Eocene-Oligocene boundary in Tanzania. <i>Geology</i> , 2008, 36, 179.	2.0	140
67	A Paleogene calcareous microfossil Konservat-Lagerstatte from the Kilwa Group of coastal Tanzania. <i>Bulletin of the Geological Society of America</i> , 2008, 120, 3-12.	1.6	60
68	Stable warm tropical climate through the Eocene Epoch: COMMENT and REPLY: REPLY. <i>Geology</i> , 2007, 35, e153-e153.	2.0	2
69	Stable warm tropical climate through the Eocene Epoch. <i>Geology</i> , 2007, 35, 211.	2.0	335
70	The biostratigraphy and paleobiology of Oligocene planktonic foraminifera from the equatorial Pacific Ocean (ODP Site 1218). <i>Marine Micropaleontology</i> , 2007, 62, 167-179.	0.5	36
71	The Heartbeat of the Oligocene Climate System. <i>Science</i> , 2006, 314, 1894-1898.	6.0	530
72	Calcareous nannofossils in extreme environments: The Messinian Salinity Crisis, Polemi Basin, Cyprus. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2006, 233, 271-286.	1.0	106

#	ARTICLE	IF	CITATIONS
73	Stratigraphy and sedimentology of the Upper Cretaceous to Paleogene Kilwa Group, southern coastal Tanzania. <i>Journal of African Earth Sciences</i> , 2006, 45, 431-466.	0.9	77
74	Planktonic foraminiferal biostratigraphy and mechanisms in the extinction of Morozovella in the late middle Eocene. <i>Marine Micropaleontology</i> , 2004, 51, 23-38.	0.5	72
75	Oligocene climate dynamics. <i>Paleoceanography</i> , 2004, 19, n/a-n/a.	3.0	168
76	Middle Eocene regional climate instability: Evidence from the western North Atlantic. <i>Geology</i> , 2002, 30, 1011.	2.0	40
77	Orbitally forced climate change in late mid-Eocene time at Blake Nose (Leg 171B): evidence from stable isotopes in foraminifera. <i>Geological Society Special Publication</i> , 2001, 183, 273-291.	0.8	7
78	Upwelling in the late middle Eocene at Blake Nose?. <i>Gff</i> , 2000, 122, 174-175.	0.4	3
79	Data report: Miocene planktonic foraminifers Dentoglobigerina and Globoquadrina from IODP Sites U1489 and U1490, Expedition 363. <i>Proceedings of the International Ocean Discovery Program</i> , 0, ., .	0.0	1
80	Chesapeake Bay Impact Structure Deep Drilling Project Completes Coring. <i>Scientific Drilling</i> , 0, 3, 34-37.	1.0	5
81	The test size and abundance variations in planktonic foraminifera Chiloguembelina cubensis and C. ototara as response to climatic events in the Oligocene. <i>Rendiconti Online Societa Geologica Italiana</i> , 0, 31, 103-104.	0.3	0
82	Quantitative ocean temperatures from foraminifera Mg/Ca over the Eocene-Oligocene transition. <i>Rendiconti Online Societa Geologica Italiana</i> , 0, 31, 71-72.	0.3	0
83	Geochemical signals in Eocene planktonic foraminifera. <i>Rendiconti Online Societa Geologica Italiana</i> , 0, 31, 27-28.	0.3	0