

Guangjun Wen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5863611/guangjun-wen-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102
papers

920
citations

15
h-index

26
g-index

155
ext. papers

1,229
ext. citations

3.1
avg, IF

4.64
L-index

#	Paper	IF	Citations
102	Polarization conversion of metasurface for the application of wide band low-profile circular polarization slot antenna. <i>Applied Physics Letters</i> , 2016 , 109, 054101	3.4	83
101	Analysis of metamaterial absorber in normal and oblique incidence by using interference theory. <i>AIP Advances</i> , 2013 , 3, 102118	1.5	64
100	Integrated Data and Energy Communication Network: A Comprehensive Survey. <i>IEEE Communications Surveys and Tutorials</i> , 2018 , 20, 3169-3219	37.1	57
99	A Compact Broadband Cross-Shaped Circularly Polarized Planar Monopole Antenna With a Ground Plane Extension. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018 , 17, 335-338	3.8	45
98	An Effective Frame Breaking Policy for Dynamic Framed Slotted Aloha in RFID. <i>IEEE Communications Letters</i> , 2016 , 20, 692-695	3.8	39
97	A Novel Four-Way Ka-Band Spatial Power Combiner Based on HMSIW. <i>IEEE Microwave and Wireless Components Letters</i> , 2008 , 18, 515-517	2.6	39
96	A Wideband Conformal End-Fire Antenna Array Mounted on a Large Conducting Cylinder. <i>IEEE Transactions on Antennas and Propagation</i> , 2013 , 61, 4857-4861	4.9	33
95	Single-/dual-band metamaterial absorber based on cross-circular-loop resonator with shorted stubs. <i>Applied Physics A: Materials Science and Processing</i> , 2012 , 108, 329-335	2.6	33
94	An integrated low phase noise radiation-pressure-driven optomechanical oscillator chipset. <i>Scientific Reports</i> , 2014 , 4, 6842	4.9	31
93	. <i>IEEE Journal of Solid-State Circuits</i> , 2019 , 54, 428-440	5.5	30
92	Dual-Band Negative Permittivity Metamaterial Based on Cross Circular Loop Resonator With Shorting Stubs. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2012 , 11, 803-806	3.8	29
91	Compact Wideband CPW-Fed Meandered-Slot Antenna With Slotted Y-Shaped Central Element for Wi-Fi, WiMAX, and 5G Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2018 , 66, 7395-7399	4.9	23
90	A New RFID Anti-collision Algorithm Based on the Q-Ary Search Scheme. <i>Chinese Journal of Electronics</i> , 2015 , 24, 679-683	0.9	18
89	A Compact Broadband Circularly Polarized Slot Antenna With Two Linked Rectangular Slots and an Inverted-F Feed Line. <i>IEEE Transactions on Antennas and Propagation</i> , 2018 , 66, 7374-7377	4.9	17
88	6.8mW 15dBm IIP3 CMOS common-gate LNA employing post-linearisation technique. <i>Electronics Letters</i> , 2014 , 50, 149-151	1.1	16
87	Antenna Array Synthesis for RFID-Based Electronic Toll Collection. <i>IEEE Transactions on Antennas and Propagation</i> , 2018 , 66, 4596-4605	4.9	14
86	A Compact High-Efficiency Watt-Level Microwave Rectifier With a Novel Harmonic Termination Network. <i>IEEE Microwave and Wireless Components Letters</i> , 2019 , 29, 418-420	2.6	14

85	. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2019 , 66, 1342-1354	3.9	14
84	Phase Masking and Time-Frequency Chaotic Encryption for DFMA-PON. <i>IEEE Photonics Journal</i> , 2018 , 10, 1-9	1.8	13
83	Clustering the Wireless Sensor Networks: A Meta-Heuristic Approach. <i>IEEE Access</i> , 2020 , 8, 214551-214564	3.5	13
82	A Highly Linear Wideband CMOS LNTA Employing Noise/Distortion Cancellation and Gain Compensation. <i>Circuits, Systems, and Signal Processing</i> , 2017 , 36, 474-494	2.2	12
81	Switching scheme with 98.4% switching energy reduction and high accuracy for SAR ADCs. <i>Analog Integrated Circuits and Signal Processing</i> , 2017 , 90, 681-686	1.2	12
80	Compact and high-selectivity microstrip bandpass filter using two-stage twist-modified asymmetric split-ring resonators. <i>Electronics Letters</i> , 2015 , 51, 635-637	1.1	12
79	A High-Efficiency Inverse Class-F Microwave Rectifier for Wireless Power Transmission. <i>IEEE Microwave and Wireless Components Letters</i> , 2019 , 29, 725-728	2.6	12
78	Compact Crossed Dipole Antenna With Meandered Series Power Divider for UHF RFID Tag and Handheld Reader Devices. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 4195-4199	4.9	11
77	Compact microstrip triplexer based on twist-modified asymmetric split-ring resonators. <i>Electronics Letters</i> , 2014 , 50, 1712-1713	1.1	11
76	Video Stream Groupcast Optimization in WLAN 2010 ,		11
75	Experimental Demonstration of Microwave Two-Dimensional Airy Beam Generation Based on Single-Layer Metasurface. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 7507-7516	4.9	10
74	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 69, 916-925	4.1	10
73	A Circularly Polarized Antenna Array with Gain Enhancement for Long-Range UHF RFID Systems. <i>Electronics (Switzerland)</i> , 2019 , 8, 400	2.6	9
72	Electromagnetic Metasurfaces and Reconfigurable Metasurfaces: A Review. <i>Frontiers in Physics</i> , 2021 , 8,	3.9	9
71	Sequentially Rotated Circular Antenna Array With Curved PIFA and Series Feed Network. <i>IEEE Transactions on Antennas and Propagation</i> , 2018 , 66, 5849-5858	4.9	9
70	Systematical analysis for the mixed couplings of two adjacent modified split ring resonators and the application to compact microstrip bandpass filters. <i>AIP Advances</i> , 2014 , 4, 107119	1.5	8
69	A novel approach to design microwave medium of negative refractive index and simulation verification. <i>Science Bulletin</i> , 2007 , 52, 433-439		8
68	Wideband Low Axial Ratio and High-Gain Sequentially Rotated Antenna Array. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018 , 17, 2264-2268	3.8	8

67	Design of a Microstrip Series Power Divider for Sequentially Rotated Nonuniform Antenna Array. <i>International Journal of Antennas and Propagation</i> , 2017 , 2017, 1-8	1.2	7
66	A CPW-fed broadband quasi-Yagi antenna with low cross-polarization performance. <i>AEU - International Journal of Electronics and Communications</i> , 2018 , 83, 188-192	2.8	7
65	A 4 dBm IP1dB 20.8 dBm UP3 wideband complementary SF feedback LNTA with derivative superposition method 2016 ,		7
64	Second-order DAC MES for SAR ADCs. <i>Electronics Letters</i> , 2017 , 53, 1570-1572	1.1	6
63	Low-Cost Air Gap Metasurface Structure for High Absorption Efficiency Energy Harvesting. <i>International Journal of Antennas and Propagation</i> , 2019 , 2019, 1-8	1.2	6
62	Screw Relaxing Detection With UHF RFID Tag. <i>IEEE Access</i> , 2020 , 8, 78553-78564	3.5	6
61	Synchronization in air-slot photonic crystal optomechanical oscillators. <i>Applied Physics Letters</i> , 2017 , 110, 111107	3.4	5
60	Low Profile Metal Tolerant UHF RFID Tag With Lumped Elements For Post-Manufacturing Frequency Tuning. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	5
59	Dynamics Analysis of a Pair of Ring Resonators in Liquid Media. <i>Physical Review Applied</i> , 2018 , 10,	4.3	5
58	Propagation range enhancement of truncated airy beam with antenna array at microwave frequencies 2018 ,		4
57	Growth and characterization of indium phosphide nanowires on transparent conductive ZnO:Al films. <i>Journal of Materials Science: Materials in Electronics</i> , 2014 , 25, 4444-4449	2.1	4
56	A Modified High Order FDTD Method Based on Wave Equation. <i>IEEE Microwave and Wireless Components Letters</i> , 2007 , 17, 316-318	2.6	4
55	Wideband SIW H-plane dual-ridged end-fire antenna for conformal application. <i>Microwave and Optical Technology Letters</i> , 2017 , 59, 286-292	1.2	3
54	Communication area synthesis for next generation highway ETC systems 2016 ,		3
53	QoS guarantees of multiuser video streaming over wireless links: Delay constraint and packet priority drop. <i>China Communications</i> , 2013 , 10, 133-144	3	3
52	A low-frequency chip-scale optomechanical oscillator with 58 kHz mechanical stiffening and more than 100-order stable harmonics. <i>Scientific Reports</i> , 2017 , 7, 4383	4.9	3
51	A Low-Power Edge Detection Technique for Sensor Wake-Up Applications. <i>Journal of Circuits, Systems and Computers</i> , 2015 , 24, 1550157	0.9	3
50	. <i>IEEE Access</i> , 2020 , 8, 189163-189178	3.5	3

49	A wide-band cavity-backed slot antenna for end-fire radiation. <i>Microwave and Optical Technology Letters</i> , 2016 , 58, 193-196	1.2	3
48	Wideband transition between rectangular waveguide and microstrip using asymmetric fin line probe. <i>Electronics Letters</i> , 2017 , 53, 490-492	1.1	2
47	38-GHz SIW filter based on the stepped-impedance face-to-face E-shaped DGSs for 5G application. <i>Microwave and Optical Technology Letters</i> , 2019 , 61, 1500-1504	1.2	2
46	An all-CMOS self-compensated relaxation oscillator. <i>Analog Integrated Circuits and Signal Processing</i> , 2015 , 82, 241-249	1.2	2
45	An indoor FMCW localization system with the application of the extended Kalman filter 2018 ,		2
44	Design and radiation mechanism analysis of a multi-usage ultra-high frequency radio frequency identification tag antenna. <i>IET Microwaves, Antennas and Propagation</i> , 2019 , 13, 1989-1996	1.6	2
43	Wideband cavity-backed log-periodic-slot end-fire antenna with vertical polarization for conformal application. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2017 , 27, e21067	1.5	2
42	Design of wideband conformal end-fire antenna array on a large conducting cylinder 2012 ,		2
41	Multiband Negative Permittivity Metamaterials and Absorbers. <i>Advances in OptoElectronics</i> , 2013 , 2013, 1-7	0.5	2
40	A Novel Coupler Based on HMSIW. <i>IEICE Transactions on Electronics</i> , 2010 , E93-C, 205-207	0.4	2
39	CPEH: A Clustering Protocol for the Energy Harvesting Wireless Sensor Networks. <i>Wireless Communications and Mobile Computing</i> , 2021 , 2021, 1-14	1.9	2
38	Microwave Airy Beam Generation With Microstrip Patch Antenna Array. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 2290-2301	4.9	2
37	. <i>IEEE Internet of Things Journal</i> , 2021 , 8, 9244-9256	10.7	2
36	Wide-band CPW-fed slot antenna with parasitic directors for end-fire radiation. <i>IET Microwaves, Antennas and Propagation</i> , 2016 , 10, 1734-1739	1.6	2
35	Planar antenna array design considerations for RFID electronic toll collection system 2016 ,		2
34	High Efficiency Electromagnetic Energy Harvesting with Metasurface 2018 ,		2
33	Compact UHF RFID Tag Antenna for Application of Domestic Animals Management 2018 ,		2
32	Cable Current Detection With Passive RF Sensing Tags. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 1-1	8.9	2

31	Experimental investigations of wave-DSRR interactions in liquid-phase media. <i>Applied Physics Letters</i> , 2019 , 114, 144101	3.4	1
30	Design Techniques for Ultra-Low Voltage Comparator Circuits. <i>Journal of Circuits, Systems and Computers</i> , 2015 , 24, 1550013	0.9	1
29	A 255nW 138kHz RC oscillator for ultra-low power applications 2016 ,		1
28	Compact CP antenna based on resonant quadrifilar spiral structure for UHF RFID handheld reader 2017 ,		1
27	Comparison among different feed network topologies for sequential rotated antenna array 2017 ,		1
26	A low power CMOS voltage reference generator with temperature and process compensation. <i>Analog Integrated Circuits and Signal Processing</i> , 2014 , 81, 313-324	1.2	1
25	A Novel Spatial Power Combiner Amplifier Based on SIW/HMSIW. <i>IEICE Transactions on Electronics</i> , 2009 , E92-C, 1098-1101	0.4	1
24	A Novel Balanced Amplifier Based on HMSIW Coupler. <i>Frequenz</i> , 2012 , 66,	0.6	1
23	Left handed metamaterial with $\epsilon = -1$ and $\mu = 1$ and some applications 2009 ,		1
22	Comments on "subwavelength focusing using a negative-refractive-index transmission line". <i>IEEE Antennas and Wireless Propagation Letters</i> , 2007 , 6, 659-660	3.8	1
21	Intermittent Magnetic Field Monitoring System Based on Passive RFID Sensor Tags. <i>IEEE Sensors Journal</i> , 2022 , 22, 819-831	4	1
20	A Time-Efficient Protocol for Unknown Tag Identification in Large-Scale RFID Systems. <i>IEEE Internet of Things Journal</i> , 2021 , 1-1	10.7	1
19	Optimization of Large Antenna Arrays for Radiative Wireless Power Transfer 2020 ,		1
18	Compact and High Efficiency Rectifier Design based on Microstrip Coupled Transmission Line for Energy Harvesting 2020 ,		1
17	Fast and Automatic RF Design Based on MATLAB-HFSS Control Applied on Magnetic Absorber with Metasurface 2019 ,		1
16	CPW slot antenna with Y-shaped central monopole and matching arms. <i>International Journal of Microwave and Wireless Technologies</i> , 2018 , 10, 1166-1174	0.8	1
15	Design of Discrete Apertures for High Efficiency Wireless Power Transfer. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	1
14	Multihop Distance-Bounding for Improving Security and Efficiency of Ad-Hoc Networks. <i>IEEE Internet of Things Journal</i> , 2019 , 6, 5312-5323	10.7	0

13	Linear optimization of antenna array for radiation pattern defined on a planar surface. <i>Journal of Electromagnetic Waves and Applications</i> , 2018 , 32, 2030-2045	1.3	○
12	Simulation for Propagation of High-Power Microwave With Repeated Monopulses in Soil. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019 , 18, 1308-1311	3.8	○
11	A Novel Spatial Power Combining Amplifier Based on Quasi-Yagi Antenna. <i>IEICE Transactions on Electronics</i> , 2010 , E93-C, 416-419	0.4	○
10	Performance of non-orthogonal multiple access: analysis using compute-and-forward cooperative relaying in 5G networks. <i>IET Communications</i> , 2020 , 14, 3058-3064	1.3	○
9	A Novel Wideband Spatial Power Combining Amplifier Based on Turnstile-Junction Waveguide Divider/Combiner. <i>IEICE Transactions on Electronics</i> , 2011 , E94-C, 1479-1482	0.4	○
8	Circular multi-usage RFID tag antenna with coding ability for chipless application. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2020 , 30, e22432	1.5	○
7	Dual Orthogonal Port Stacked Patch Antenna With Vertical Pins For Simultaneous Transmit And Receive Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	○
6	An Efficient Information Sampling Method for Multi-Category RFID Systems. <i>IEEE Wireless Communications Letters</i> , 2021 , 10, 2056-2060	5.9	○
5	A Nonlinear Rectifying Diode Model for Low and High Power Levels in Microwave Regime. <i>IEEE Microwave and Wireless Components Letters</i> , 2021 , 1-4	2.6	
4	A Novel TRNG Based on Traditional ADC Nonlinear Effect and Chaotic Map for IoT Security and Anticollision. <i>Security and Communication Networks</i> , 2021 , 2021, 1-16	1.9	
3	Optimal Contention Window Adjustment for Asymmetry Traffic in Erroneous Channels over IEEE802.11 WLANs. <i>IEICE Transactions on Communications</i> , 2013 , E96.B, 1149-1157	0.5	
2	Focus Beam Synthesis With Circular Antenna Array Based on Radial Waveguide Feed Network. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021 , 20, 748-752	3.8	
1	A True Random Number Generator Based on ADC Random Interval Sampling. <i>Communications in Computer and Information Science</i> , 2022 , 705-714	0.3	