

# Youngbin Baek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5865614/publications.pdf>

Version: 2024-02-01

33  
papers

1,752  
citations

361045

20  
h-index

395343

33  
g-index

33  
all docs

33  
docs citations

33  
times ranked

2491  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Impurities from Sugar Excipient on Filtrate Flux during Ultrafiltration and Diafiltration Process. <i>Membranes</i> , 2021, 11, 775.	1.4	2
2	Relationships among Permeability, Membrane Roughness, and Eukaryote Inhabitation during Submerged Gravity-Driven Membrane (GDM) Filtration. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 8111.	1.3	6
3	Relationship between surface hydrophobicity and flux for membrane separation. <i>RSC Advances</i> , 2020, 10, 40043-40046.	1.7	7
4	Evaluation of long-term stability in capacitive deionization using activated carbon electrodes coated with ion exchange polymers. <i>Korean Journal of Chemical Engineering</i> , 2020, 37, 1199-1205.	1.2	8
5	Stereospecific interactions between histidine and monoclonal antibodies. <i>Biotechnology and Bioengineering</i> , 2019, 116, 2632-2639.	1.7	6
6	Mass Balance Model with Donnan Equilibrium Accurately Describes Unusual pH and Excipient Profiles during Diafiltration of Monoclonal Antibodies. <i>Biotechnology Journal</i> , 2019, 14, 1800517.	1.8	17
7	Intermolecular interactions in highly concentrated formulations of recombinant therapeutic proteins. <i>Current Opinion in Biotechnology</i> , 2018, 53, 59-64.	3.3	24
8	Development of a Hydrodynamic Cleaning Cycle for Ultrafiltration/Diafiltration Processes Used for Monoclonal Antibody Formulation. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 16110-16115.	1.8	4
9	Ultrafiltration behavior of an Fc-fusion protein: Filtrate flux data and modeling. <i>Journal of Membrane Science</i> , 2017, 528, 171-177.	4.1	15
10	Effects of Histidine and Sucrose on the Biophysical Properties of a Monoclonal Antibody. <i>Pharmaceutical Research</i> , 2017, 34, 629-639.	1.7	28
11	Ultrafiltration behavior of monoclonal antibodies and Fc-fusion proteins: Effects of physical properties. <i>Biotechnology and Bioengineering</i> , 2017, 114, 2057-2065.	1.7	31
12	pH variations during diafiltration due to buffer nonidealities. <i>Biotechnology Progress</i> , 2017, 33, 1555-1560.	1.3	9
13	Evaluation of carbon nanotube-polyamide thin-film nanocomposite reverse osmosis membrane: Surface properties, performance characteristics and fouling behavior. <i>Journal of Industrial and Engineering Chemistry</i> , 2017, 56, 327-334.	2.9	50
14	A high-performance and fouling resistant thin-film composite membrane prepared via coating TiO <sub>2</sub> nanoparticles by sol-gel-derived spray method for PRO applications. <i>Desalination</i> , 2016, 397, 157-164.	4.0	38
15	A Carbonaceous Membrane based on a Polymer of Intrinsic Microporosity (PIM-1) for Water Treatment. <i>Scientific Reports</i> , 2016, 6, 36078.	1.6	39
16	Autonomous Graphene Vessel for Suctioning and Storing Liquid Body of Spilled Oil. <i>Scientific Reports</i> , 2016, 6, 22339.	1.6	23
17	Improvement of vertically aligned carbon nanotube membranes: desalination potential, flux enhancement and scale-up. <i>Desalination and Water Treatment</i> , 2016, 57, 28133-28140.	1.0	15
18	Evaluation of thin-film nanocomposite RO membranes using TiO <sub>2</sub> nanotubes and TiO <sub>2</sub> nanoparticles: a comparative study. <i>Desalination and Water Treatment</i> , 2016, 57, 24674-24681.	1.0	6

#	ARTICLE	IF	CITATIONS
19	Carbon nanotube-bonded graphene hybrid aerogels and their application to water purification. <i>Nanoscale</i> , 2015, 7, 6782-6789.	2.8	77
20	A carbon nanotube wall membrane for water treatment. <i>Nature Communications</i> , 2015, 6, 7109.	5.8	178
21	High performance and antifouling vertically aligned carbon nanotube membrane for water purification. <i>Journal of Membrane Science</i> , 2014, 460, 171-177.	4.1	142
22	Fouling and rejection behavior of carbon nanotube membranes. <i>Desalination</i> , 2014, 343, 180-186.	4.0	34
23	The improvement of antibiofouling properties of a reverse osmosis membrane by oxidized CNTs. <i>RSC Advances</i> , 2014, 4, 32802.	1.7	74
24	Electroconductive Feed Spacer as a Tool for Biofouling Control in a Membrane System for Water Treatment. <i>Environmental Science and Technology Letters</i> , 2014, 1, 179-184.	3.9	37
25	High-Performance Reverse Osmosis CNT/Polyamide Nanocomposite Membrane by Controlled Interfacial Interactions. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 2819-2829.	4.0	261
26	Biofouling occurrence process and its control in the forward osmosis. <i>Desalination</i> , 2013, 325, 30-36.	4.0	101
27	Experimental analysis of transport characteristics for vertically aligned carbon nanotube membranes. <i>Desalination and Water Treatment</i> , 2013, 51, 5349-5354.	1.0	4
28	New disinfectant to control biofouling of polyamide reverse osmosis membrane. <i>Journal of Membrane Science</i> , 2013, 427, 30-36.	4.1	30
29	Measuring hydrophilicity of RO membranes by contact angles via sessile drop and captive bubble method: A comparative study. <i>Desalination</i> , 2012, 303, 23-28.	4.0	132
30	Feasibility of supercritical CO <sub>2</sub> treatment for controlling biofouling in the reverse osmosis process. <i>Biofouling</i> , 2012, 28, 627-633.	0.8	6
31	Carbon nanotube-based membranes: Fabrication and application to desalination. <i>Journal of Industrial and Engineering Chemistry</i> , 2012, 18, 1551-1559.	2.9	165
32	Effect of surface properties of reverse osmosis membranes on biofouling occurrence under filtration conditions. <i>Journal of Membrane Science</i> , 2011, 382, 91-99.	4.1	71
33	Evaluation of surface properties of reverse osmosis membranes on the initial biofouling stages under no filtration condition. <i>Journal of Membrane Science</i> , 2010, 351, 112-122.	4.1	112