

# Karl Sward

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5867769/karl-sward-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108  
papers

6,258  
citations

29  
h-index

78  
g-index

111  
ext. papers

7,095  
ext. citations

4.8  
avg, IF

4.7  
L-index

#	Paper	IF	Citations
108	The antimicrobial peptide LL-37 triggers release of apoptosis-inducing factor and shows direct effects on mitochondria.. <i>Biochemistry and Biophysics Reports</i> , <b>2022</b> , 29, 101192	2.2	0
107	YAP and TAZ in Vascular Smooth Muscle Confer Protection Against Hypertensive Vasculopathy.. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2022</b> , ATVBaha121317365	9.4	0
106	Cell Type Dependent Suppression of Inflammatory Mediators by Myocardin Related Transcription Factors. <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 732564	4.6	1
105	NG2/CSPG4, CD146/MCAM and VAP1/AOC3 are regulated by myocardin-related transcription factors in smooth muscle cells. <i>Scientific Reports</i> , <b>2021</b> , 11, 5955	4.9	1
104	MRTFA overexpression promotes conversion of human coronary artery smooth muscle cells into lipid-laden foam cells. <i>Vascular Pharmacology</i> , <b>2021</b> , 138, 106837	5.9	1
103	Ligand-Independent G Protein-Coupled Estrogen Receptor/G Protein-Coupled Receptor 30 Activity: Lack of Receptor-Dependent Effects of G-1 and 17-Estradiol. <i>Molecular Pharmacology</i> , <b>2021</b> , 100, 271-282	4.3	0
102	Inducible Deletion of YAP and TAZ in Adult Mouse Smooth Muscle Causes Rapid and Lethal Colonic Pseudo-Obstruction. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , <b>2021</b> , 11, 623-637	7.9	4
101	Extracellular-Matrix-Reinforced Bioinks for 3D Bioprinting Human Tissue. <i>Advanced Materials</i> , <b>2021</b> , 33, e2005476	24	47
100	New Kids on the Block: The Emerging Role of YAP/TAZ in Vascular Cell Mechanotransduction. <i>Cardiac and Vascular Biology</i> , <b>2021</b> , 69-96	0.2	
99	Glucosylceramide synthase deficiency in the heart compromises $\beta$ -adrenergic receptor trafficking. <i>European Heart Journal</i> , <b>2021</b> , 42, 4481-4492	9.5	5
98	Regulation of the Muscarinic M Receptor by Myocardin-Related Transcription Factors. <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 710968	4.6	2
97	Pressurized carbon dioxide as a potential tool for decellularization of pulmonary arteries for transplant purposes. <i>Scientific Reports</i> , <b>2020</b> , 10, 4031	4.9	14
96	Antagonistic relationship between the unfolded protein response and myocardin-driven transcription in smooth muscle. <i>Journal of Cellular Physiology</i> , <b>2020</b> , 235, 7370-7382	7	5
95	Human host defense peptide LL-37 facilitates double-stranded RNA pro-inflammatory signaling through up-regulation of TLR3 expression in vascular smooth muscle cells. <i>Inflammation Research</i> , <b>2020</b> , 69, 579-588	7.2	1
94	A hypothesis for insulin resistance in primary human adipocytes involving MRTF-A and suppression of PPAR $\alpha$ . <i>Biochemical and Biophysical Research Communications</i> , <b>2020</b> , 533, 64-69	3.4	0
93	Identification of the intermediate filament protein synemin/SYNM as a target of myocardin family coactivators. <i>American Journal of Physiology - Cell Physiology</i> , <b>2019</b> , 317, C1128-C1142	5.4	10
92	Localization and Regulation of Polymeric Ig Receptor in Healthy and Diseased Human Kidney. <i>American Journal of Pathology</i> , <b>2019</b> , 189, 1933-1944	5.8	8

91	Myocardin-Dependent Kv1.5 Channel Expression Prevents Phenotypic Modulation of Human Vessels in Organ Culture. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2019</b> , 39, e273-e286	9.4	6
90	Thrombospondin-4 mediates cardiovascular remodelling in angiotensin II-induced hypertension. <i>Cardiovascular Pathology</i> , <b>2018</b> , 35, 12-19	3.8	6
89	Array profiling reveals contribution of Cthrc1 to growth of the denervated rat urinary bladder. <i>American Journal of Physiology - Renal Physiology</i> , <b>2018</b> , 314, F893-F905	4.3	4
88	Expression of endothelin type B receptors (EDNRB) on smooth muscle cells is controlled by ternary complex factors and the actin cytoskeleton. <i>FASEB Journal</i> , <b>2018</b> , 32, 1b283	0.9	
87	Loss of Vascular Myogenic Tone in miR-143/145 Knockout Mice Is Associated With Hypertension-Induced Vascular Lesions in Small Mesenteric Arteries. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2018</b> , 38, 414-424	9.4	21
86	Expression of endothelin type B receptors (EDNRB) on smooth muscle cells is controlled by MKL2, ternary complex factors, and actin dynamics. <i>American Journal of Physiology - Cell Physiology</i> , <b>2018</b> , 315, C873-C884	5.4	4
85	Nexilin/NEXN controls actin polymerization in smooth muscle and is regulated by myocardin family coactivators and YAP. <i>Scientific Reports</i> , <b>2018</b> , 8, 13025	4.9	9
84	Dietary rose hip exerts antiatherosclerotic effects and increases nitric oxide-mediated dilation in ApoE-null mice. <i>Journal of Nutritional Biochemistry</i> , <b>2017</b> , 44, 52-59	6.3	10
83	Hypertension reduces soluble guanylyl cyclase expression in the mouse aorta via the Notch signaling pathway. <i>Scientific Reports</i> , <b>2017</b> , 7, 1334	4.9	31
82	Neurite outgrowth in cultured mouse pelvic ganglia - Effects of neurotrophins and bladder tissue. <i>Autonomic Neuroscience: Basic and Clinical</i> , <b>2017</b> , 205, 41-49	2.4	6
81	Cavin-3 (PRKCDBP) deficiency reduces the density of caveolae in smooth muscle. <i>Cell and Tissue Research</i> , <b>2017</b> , 368, 591-602	4.2	5
80	Regulation of microRNA expression in vascular smooth muscle by MRTF-A and actin polymerization. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , <b>2017</b> , 1864, 1088-1098	4.9	12
79	Injury induced expression of caveolar proteins in human kidney tubules - role of megakaryoblastic leukemia 1. <i>BMC Nephrology</i> , <b>2017</b> , 18, 320	2.7	3
78	MicroRNA-Dependent Control of Serotonin-Induced Pulmonary Arterial Contraction. <i>Journal of Vascular Research</i> , <b>2017</b> , 54, 246-256	1.9	5
77	Rosiglitazone drives cavin-2/SDPR expression in adipocytes in a CEBP $\beta$ -dependent manner. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173412	3.7	9
76	Similar regulatory mechanisms of caveolins and cavins by myocardin family coactivators in arterial and bladder smooth muscle. <i>PLoS ONE</i> , <b>2017</b> , 12, e0176759	3.7	7
75	Assessing the contribution of thrombospondin-4 induction and ATF6 $\beta$ activation to endoplasmic reticulum expansion and phenotypic modulation in bladder outlet obstruction. <i>Scientific Reports</i> , <b>2016</b> , 6, 32449	4.9	8
74	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , <b>2016</b> , 12, 1-222	10.2	3838

73	Elevated Glucose Levels Promote Contractile and Cytoskeletal Gene Expression in Vascular Smooth Muscle via Rho/Protein Kinase C and Actin Polymerization. <i>Journal of Biological Chemistry</i> , <b>2016</b> , 291, 3552-68	5.4	39
72	A Small Molecule Pyrazolo[3,4-d]Pyrimidinone Inhibitor of Zipper-Interacting Protein Kinase Suppresses Calcium Sensitization of Vascular Smooth Muscle. <i>Molecular Pharmacology</i> , <b>2016</b> , 89, 105-174	3	12
71	CD14 Is a Co-Receptor for TLR4 in the S100A9-Induced Pro-Inflammatory Response in Monocytes. <i>PLoS ONE</i> , <b>2016</b> , 11, e0156377	3.7	31
70	Inhibition of Polyamine Uptake Potentiates the Anti-Proliferative Effect of Polyamine Synthesis Inhibition and Preserves the Contractile Phenotype of Vascular Smooth Muscle Cells. <i>Journal of Cellular Physiology</i> , <b>2016</b> , 231, 1334-42	7	18
69	Thrombospondin-4 knockout in hypertension protects small-artery endothelial function but induces aortic aneurysms. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2016</b> , 310, H1486-93	5.2	12
68	Emerging roles of the myocardin family of proteins in lipid and glucose metabolism. <i>Journal of Physiology</i> , <b>2016</b> , 594, 4741-52	3.9	25
67	MicroRNAs in Bladder Outlet Obstruction: Relationship to Growth and Matrix Remodelling. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2016</b> , 119 Suppl 3, 5-17	3.1	11
66	Non-uniform changes in membrane receptors in the rat urinary bladder following outlet obstruction. <i>European Journal of Pharmacology</i> , <b>2015</b> , 762, 82-8	5.3	7
65	Regulation of smooth muscle dystrophin and synaptopodin 2 expression by actin polymerization and vascular injury. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2015</b> , 35, 1489-97	9.4	27
64	ApoA-I Milano stimulates lipolysis in adipose cells independently of cAMP/PKA activation. <i>Journal of Lipid Research</i> , <b>2015</b> , 56, 2248-59	6.3	18
63	Detrusor induction of miR-132/212 following bladder outlet obstruction: association with MeCP2 repression and cell viability. <i>PLoS ONE</i> , <b>2015</b> , 10, e0116784	3.7	18
62	Myocardin Family Members Drive Formation of Caveolae. <i>PLoS ONE</i> , <b>2015</b> , 10, e0133931	3.7	28
61	Gene Expression and MicroRNA Expression Analysis in Small Arteries of Spontaneously Hypertensive Rats. Evidence for ER Stress. <i>PLoS ONE</i> , <b>2015</b> , 10, e0137027	3.7	20
60	Vasopressin-induced mouse urethral contraction is modulated by caveolin-1. <i>European Journal of Pharmacology</i> , <b>2015</b> , 750, 59-65	5.3	1
59	The ATP Receptors P2X7 and P2X4 Modulate High Glucose and Palmitate-Induced Inflammatory Responses in Endothelial Cells. <i>PLoS ONE</i> , <b>2015</b> , 10, e0125111	3.7	36
58	Induction of angiotensin-converting enzyme after miR-143/145 deletion is critical for impaired smooth muscle contractility. <i>American Journal of Physiology - Cell Physiology</i> , <b>2014</b> , 307, C1093-101	5.4	29
57	Bitter taste receptor agonists mediate relaxation of human and rodent vascular smooth muscle. <i>European Journal of Pharmacology</i> , <b>2014</b> , 740, 302-11	5.3	39
56	Expression of microRNAs is essential for arterial myogenic tone and pressure-induced activation of the PI3-kinase/Akt pathway. <i>Cardiovascular Research</i> , <b>2014</b> , 101, 288-96	9.9	15

55	HIF-mediated metabolic switching in bladder outlet obstruction mitigates the relaxing effect of mitochondrial inhibition. <i>Laboratory Investigation</i> , <b>2014</b> , 94, 557-68	5.9	18
54	Vascular smooth muscle cell proliferation depends on caveolin-1-regulated polyamine uptake. <i>Bioscience Reports</i> , <b>2014</b> , 34, e00153	4.1	10
53	Inhibition of polyamine formation antagonizes vascular smooth muscle cell proliferation and preserves the contractile phenotype. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2014</b> , 115, 379-88	3.1	3
52	Arterial dysfunction but maintained systemic blood pressure in cavin-1-deficient mice. <i>PLoS ONE</i> , <b>2014</b> , 9, e92428	3.7	26
51	Late onset vascular dysfunction in the R6/1 model of Huntington's disease. <i>European Journal of Pharmacology</i> , <b>2013</b> , 698, 345-53	5.3	12
50	Diverse effects of oats on cholesterol metabolism in C57BL/6 mice correlate with expression of hepatic bile acid-producing enzymes. <i>European Journal of Nutrition</i> , <b>2013</b> , 52, 1755-69	5.2	32
49	Regulation of vascular smooth muscle mechanotransduction by microRNAs and L-type calcium channels. <i>Communicative and Integrative Biology</i> , <b>2013</b> , 6, e22278	1.7	15
48	Targeting smooth muscle microRNAs for therapeutic benefit in vascular disease. <i>Pharmacological Research</i> , <b>2013</b> , 75, 28-36	10.2	45
47	Elevated pulmonary arterial pressure and altered expression of Ddah1 and Arg1 in mice lacking cavin-1/PTRF. <i>Physiological Reports</i> , <b>2013</b> , 1, e00008	2.6	26
46	Mir-29 repression in bladder outlet obstruction contributes to matrix remodeling and altered stiffness. <i>PLoS ONE</i> , <b>2013</b> , 8, e82308	3.7	32
45	Stretch-sensitive down-regulation of the miR-144/451 cluster in vascular smooth muscle and its role in AMP-activated protein kinase signaling. <i>PLoS ONE</i> , <b>2013</b> , 8, e65135	3.7	30
44	Characterization of smooth muscle microRNA and mRNA genes that are regulated by actin polymerization. <i>FASEB Journal</i> , <b>2013</b> , 27, 922.7	0.9	
43	Vascular function in cavin-1-deficient mice: role of arginase 1 and dimethylarginine dimethylaminohydrolase 1. <i>FASEB Journal</i> , <b>2013</b> , 27, 1195.6	0.9	
42	Smooth muscle microRNAs play a crucial role in regulation of myogenic tone in small mesenteric arteries. <i>FASEB Journal</i> , <b>2013</b> , 27, 922.4	0.9	
41	Smooth muscle microRNAs regulate serotonin-induced contraction in pulmonary and systemic arteries. <i>FASEB Journal</i> , <b>2013</b> , 27, 1196.1	0.9	
40	Association of muscarinic M <sub>3</sub> receptors and Kir6.1 with caveolae in human detrusor muscle. <i>European Journal of Pharmacology</i> , <b>2012</b> , 683, 238-45	5.3	7
39	Impaired contractility and detrusor hypertrophy in cavin-1-deficient mice. <i>European Journal of Pharmacology</i> , <b>2012</b> , 689, 179-85	5.3	22
38	Deletion of Dicer in smooth muscle affects voiding pattern and reduces detrusor contractility and neuroeffector transmission. <i>PLoS ONE</i> , <b>2012</b> , 7, e35882	3.7	26

37	MicroRNAs are essential for stretch-induced vascular smooth muscle contractile differentiation via microRNA (miR)-145-dependent expression of L-type calcium channels. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 19199-206	5.4	54
36	Cavin1 deficiency results in abnormal vascular function in mice. <i>FASEB Journal</i> , <b>2012</b> , 26, 832.11	0.9	
35	Substrain-specific cholesterol-lowering effects of oats in mice: - Clues for mechanism of action?. <i>FASEB Journal</i> , <b>2012</b> , 26, 969.7	0.9	
34	Dicer-deletion in the detrusor reduces contractility and expression of L-type Ca <sup>2+</sup> channels. <i>FASEB Journal</i> , <b>2012</b> , 26, 1140.8	0.9	
33	Reduced detrusor contractility in cavin-1 deficient mice. <i>FASEB Journal</i> , <b>2012</b> , 26, 1140.9	0.9	
32	Biomechanical properties and innervation of the female caveolin-1-deficient detrusor. <i>British Journal of Pharmacology</i> , <b>2011</b> , 162, 1156-70	8.6	26
31	Association of M3 muscarinic receptors and Kir6.1 with human detrusor caveolae. <i>FASEB Journal</i> , <b>2011</b> , 25, lb511	0.9	
30	The role of miRNAs in bladder contractility. <i>FASEB Journal</i> , <b>2011</b> , 25, lb589	0.9	
29	Effects of oats on plasma cholesterol and lipoproteins in C57BL/6 mice are substrain specific. <i>British Journal of Nutrition</i> , <b>2010</b> , 103, 513-21	3.6	21
28	Human urinary bladder smooth muscle is dependent on membrane cholesterol for cholinergic activation. <i>European Journal of Pharmacology</i> , <b>2010</b> , 634, 142-8	5.3	13
27	Biochemical and functional correlates of an increased membrane density of caveolae in hypertrophic rat urinary bladder. <i>European Journal of Pharmacology</i> , <b>2010</b> , 649, 362-8	5.3	12
26	Impaired nerve-mediated relaxation of penile tissue from caveolin-1 deficient mice. <i>European Journal of Pharmacology</i> , <b>2009</b> , 602, 399-405	5.3	11
25	Differential dependence of stretch and shear stress signaling on caveolin-1 in the vascular wall. <i>American Journal of Physiology - Cell Physiology</i> , <b>2008</b> , 294, C271-9	5.4	39
24	Melatonin restores impaired contractility in aged guinea pig urinary bladder. <i>Journal of Pineal Research</i> , <b>2008</b> , 44, 416-25	10.4	45
23	Disproportionally low clearance of macromolecules from the plasma to the peritoneal cavity in a mouse model of peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , <b>2007</b> , 22, 88-95	4.3	49
22	Arterial remodeling and plasma volume expansion in caveolin-1-deficient mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2007</b> , 293, R1222-31	3.2	46
21	Effect of melatonin on age associated changes in Guinea pig bladder function. <i>Journal of Urology</i> , <b>2007</b> , 177, 1558-61	2.5	25
20	Inhibition of Ca <sup>2+</sup> -calcineurin/Nuclear Factor of Activated T-cells (NFAT) signaling reduces the expression of TRPC1 but not TRPC6 in vascular smooth muscle. <i>FASEB Journal</i> , <b>2007</b> , 21, A1243	0.9	2

19	Plasma membrane cyclic nucleotide phosphodiesterase 3B (PDE3B) is associated with caveolae in primary adipocytes. <i>Cellular Signalling</i> , <b>2006</b> , 18, 1713-21	4.9	41
18	Increased Rho activation and PKC-mediated smooth muscle contractility in the absence of caveolin-1. <i>American Journal of Physiology - Cell Physiology</i> , <b>2006</b> , 291, C1326-35	5.4	38
17	ATP depletion and cell death in the neonatal lamb ductus arteriosus. <i>Pediatric Research</i> , <b>2005</b> , 57, 801-5	3.2	17
16	Caveolae-associated signalling in smooth muscle. <i>Canadian Journal of Physiology and Pharmacology</i> , <b>2004</b> , 82, 289-99	2.4	56
15	Ablation of SM22alpha decreases contractility and actin contents of mouse vascular smooth muscle. <i>FEBS Letters</i> , <b>2004</b> , 562, 141-6	3.8	41
14	Stretch-induced contractile differentiation of vascular smooth muscle: sensitivity to actin polymerization inhibitors. <i>American Journal of Physiology - Cell Physiology</i> , <b>2003</b> , 284, C1387-96	5.4	79
13	The role of RhoA and Rho-associated kinase in vascular smooth muscle contraction. <i>Current Hypertension Reports</i> , <b>2003</b> , 5, 66-72	4.7	132
12	Lovastatin induces relaxation and inhibits L-type Ca(2+) current in the rat basilar artery. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2003</b> , 93, 128-34		30
11	Cholesterol depletion impairs vascular reactivity to endothelin-1 by reducing store-operated Ca2+ entry dependent on TRPC1. <i>Circulation Research</i> , <b>2003</b> , 93, 839-47	15.7	179
10	Cholesterol dependence of vascular ERK1/2 activation and growth in response to stretch: role of endothelin-1. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2003</b> , 23, 1528-34	9.4	56
9	Effects of oxygen tension on energetics of cultured vascular smooth muscle. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2002</b> , 283, H110-7	5.2	7
8	An assay to evaluate the long-term effects of inflammatory mediators on murine airway smooth muscle: evidence that TNFalpha up-regulates 5-HT(2A)-mediated contraction. <i>British Journal of Pharmacology</i> , <b>2002</b> , 137, 971-82	8.6	62
7	Cholesterol depletion disrupts caveolae and differentially impairs agonist-induced arterial contraction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2002</b> , 22, 1267-72	9.4	145
6	Influence of mitochondrial inhibition on global and local [Ca(2+)](i) in rat tail artery. <i>Circulation Research</i> , <b>2002</b> , 90, 792-9	15.7	46
5	Inhibition of Rho-associated kinase blocks agonist-induced Ca2+ sensitization of myosin phosphorylation and force in guinea-pig ileum. <i>Journal of Physiology</i> , <b>2000</b> , 522 Pt 1, 33-49	3.9	171
4	The involvement of protein kinase C in myosin phosphorylation and force development in rat tail arterial smooth muscle. <i>Biochemical Journal</i> , <b>2000</b> , 352, 573-582	3.8	12
3	Effects of polyamine synthesis inhibition on polyamines, growth and mechanical properties in hypertrophic rat urinary bladder. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>1998</b> , 82, 287-94		
2	Long-term regulation of contractility and calcium current in smooth muscle. <i>American Journal of Physiology - Cell Physiology</i> , <b>1997</b> , 273, C1714-20	5.4	20

- 1 Effect of glibenclamide on membrane response to metabolic inhibition in smooth muscle of rat portal vein. *Journal of Vascular Research*, **1994**, 31, 82-91

1.9 7