Breda Cullen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5869830/breda-cullen-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28 76 2,911 53 g-index h-index citations papers 98 4.86 3,876 5.6 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
76	Supporting People with Acquired Brain Injury to Use a Reminding App; Narrow-deep vs. Broad-shallow User Interfaces. <i>ACM Transactions on Accessible Computing</i> , 2022 , 15, 1-23	2.7	O
75	Brain imaging factors associated with progression of subcortical hyperintensities in CADASIL over 2-year follow-up. <i>European Journal of Neurology</i> , 2021 , 28, 220-228	6	2
74	Using graphic modelling to identify modifiable mediators of the association between area-based deprivation at birth and offspring unemployment. <i>PLoS ONE</i> , 2021 , 16, e0249258	3.7	
73	Living alone, loneliness and lack of emotional support as predictors of suicide and self-harm: A nine-year follow up of the UK Biobank cohort. <i>Journal of Affective Disorders</i> , 2021 , 279, 316-323	6.6	10
72	Brain imaging of executive function with the computerised multiple elements test. <i>Brain Imaging and Behavior</i> , 2021 , 15, 2317-2329	4.1	1
71	Phenotypic and genetic associations between anhedonia and brain structure in UK Biobank. <i>Translational Psychiatry</i> , 2021 , 11, 395	8.6	2
70	The association between C-reactive protein, mood disorder, and cognitive function in UK Biobank. <i>European Psychiatry</i> , 2021 , 64, e14	6	7
69	Mental health in UK Biobank - development, implementation and results from an online questionnaire completed by 157 366 participants: a reanalysis. <i>BJPsych Open</i> , 2020 , 6, e18	5	76
68	Cognitive impairment in Parkinsons disease is multifactorial: A neuropsychological study. <i>Acta Neurologica Scandinavica</i> , 2020 , 141, 500-508	3.8	8
67	Efficacy and cultural adaptations of narrative exposure therapy for trauma-related outcomes in refugees/asylum-seekers: A systematic review and meta-analysis. <i>Journal of Behavioral and Cognitive Therapy</i> , 2020 , 30, 301-314	1.6	4
66	Designing ApplTree: usable scheduling software for people with cognitive impairments. <i>Disability and Rehabilitation: Assistive Technology</i> , 2020 , 1-11	1.8	3
65	The genomic basis of mood instability: identification of 46 loci in 363,705 UK Biobank participants, genetic correlation with psychiatric disorders, and association with gene expression and function. <i>Molecular Psychiatry</i> , 2020 , 25, 3091-3099	15.1	17
64	Measuring the effects of listening for leisure on outcome after stroke (MELLO): A pilot randomized controlled trial of mindful music listening. <i>International Journal of Stroke</i> , 2020 , 15, 149-158	6.3	9
63	Association between APOE e4 and white matter hyperintensity volume, but not total brain volume or white matter integrity. <i>Brain Imaging and Behavior</i> , 2020 , 14, 1468-1476	4.1	29
62	Technology to encourage meaningful activities following brain injury. <i>Disability and Rehabilitation:</i> Assistive Technology, 2020 , 15, 453-466	1.8	7
61	Mental health in UK Biobank: development, implementation and results from an online questionnaire completed by 157 366 participants - RETRACTED. <i>BJPsych Open</i> , 2019 , 5, e56	5	2
60	The associations between self-reported depression, self-reported chronic inflammatory conditions and cognitive abilities in UK Biobank. <i>European Psychiatry</i> , 2019 , 60, 63-70	6	6

(2018-2019)

59	Genetic variation in CADM2 as a link between psychological traits and obesity. <i>Scientific Reports</i> , 2019 , 9, 7339	4.9	18
58	Understanding cognitive impairment in mood disorders: mediation analyses in the UK Biobank cohort. <i>British Journal of Psychiatry</i> , 2019 , 215, 683-690	5.4	2
57	Neuropathology of dementia in patients with Parkinson's disease: a systematic review of autopsy studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019 , 90, 1234-1243	5.5	37
56	Indicators of mental disorders in UK Biobank-A comparison of approaches. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1796	4.3	31
55	Identification of novel genome-wide associations for suicidality in UK Biobank, genetic correlation with psychiatric disorders and polygenic association with completed suicide. <i>EBioMedicine</i> , 2019 , 41, 517-525	8.8	44
54	Novel genome-wide associations for anhedonia, genetic correlation with psychiatric disorders, and polygenic association with brain structure. <i>Translational Psychiatry</i> , 2019 , 9, 327	8.6	28
53	The use of a smartwatch as a prompting device for people with acquired brain injury: a single case experimental design study. <i>Neuropsychological Rehabilitation</i> , 2019 , 29, 513-533	3.1	12
52	Positive PsychoTherapy in ABI Rehab (PoPsTAR): A pilot randomised controlled trial. Neuropsychological Rehabilitation, 2018 , 28, 17-33	3.1	42
51	Mental health in UK Biobank: development, implementation and results from an online questionnaire completed by 157 366 participants. <i>BJPsych Open</i> , 2018 , 4, 83-90	5	61
50	Genome-wide analysis of self-reported risk-taking behaviour and cross-disorder genetic correlations in the UK Biobank cohort. <i>Translational Psychiatry</i> , 2018 , 8, 39	8.6	32
49	Seasonality of depressive symptoms in women but not in men: A cross-sectional study in the UK Biobank cohort. <i>Journal of Affective Disorders</i> , 2018 , 229, 296-305	6.6	18
48	Post-traumatic growth in adult survivors of brain injury: a qualitative study of participants completing a pilot trial of brief positive psychotherapy. <i>Disability and Rehabilitation</i> , 2018 , 40, 655-659	2.4	17
47	Vasoreactivity in CADASIL: Comparison to structural MRI and neuropsychology. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018 , 38, 1085-1095	7.3	18
46	ParticipantsSexperiences of music, mindful music, and audiobook listening interventions for people recovering from stroke. <i>Annals of the New York Academy of Sciences</i> , 2018 , 1423, 349	6.5	9
45	Cross-sectional and longitudinal analyses of outdoor air pollution exposure and cognitive function in UK Biobank. <i>Scientific Reports</i> , 2018 , 8, 12089	4.9	30
44	Genome-Wide Association Study of Circadian Rhythmicity in 71,500 UK Biobank Participants and Polygenic Association with Mood Instability. <i>EBioMedicine</i> , 2018 , 35, 279-287	8.8	30
43	Genetics of self-reported risk-taking behaviour, trans-ethnic consistency and relevance to brain gene expression. <i>Translational Psychiatry</i> , 2018 , 8, 178	8.6	20
42	Association of disrupted circadian rhythmicity with mood disorders, subjective wellbeing, and cognitive function: a cross-sectional study of 91 105 participants from the UK Biobank. <i>Lancet Psychiatry,the</i> , 2018 , 5, 507-514	23.3	134

41	Technological memory aid use by people with acquired brain injury. <i>Neuropsychological Rehabilitation</i> , 2017 , 27, 919-936	3.1	28
40	ForgetMeNot 2017,		9
39	The &ognitive footprintSof psychiatric and neurological conditions: cross-sectional study in the UK Biobank cohort. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 593-605	6.5	11
38	Genome-wide analysis in UK Biobank identifies four loci associated with mood instability and genetic correlation with major depressive disorder, anxiety disorder and schizophrenia. <i>Translational Psychiatry</i> , 2017 , 7, 1264	8.6	45
37	Prevalence and correlates of cognitive impairment in euthymic adults with bipolar disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2016 , 205, 165-181	6.6	111
36	A Comparison of Posttraumatic Growth After Acquired Brain Injury or Myocardial Infarction. <i>Journal of Loss and Trauma</i> , 2016 , 21, 589-600	3.9	8
35	Predictors of 6-month and 3-year outcomes after psychological intervention for psychogenic non epileptic seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016 , 36, 22-26	3.2	22
34	Shared genetic aetiology between cognitive functions and physical and mental health in UK Biobank (N=112 151) and 24 GWAS consortia. <i>Molecular Psychiatry</i> , 2016 , 21, 1624-1632	15.1	257
33	Towards Validation of a New Computerised Test of Goal Neglect: Preliminary Evidence from Clinical and Neuroimaging Pilot Studies. <i>PLoS ONE</i> , 2016 , 11, e0148127	3.7	3
32	Cognitive Test Scores in UK Biobank: Data Reduction in 480,416 Participants and Longitudinal Stability in 20,346 Participants. <i>PLoS ONE</i> , 2016 , 11, e0154222	3.7	95
31	Cardiometabolic disease and features of depression and bipolar disorder: population-based, cross-sectional study. <i>British Journal of Psychiatry</i> , 2016 , 208, 343-51	5.4	23
30	Genome-wide association study of cognitive functions and educational attainment in UK Biobank (N=112 151). <i>Molecular Psychiatry</i> , 2016 , 21, 758-67	15.1	221
29	Resting state connectivity and cognitive performance in adults with cerebral autosomal-dominant arteriopathy with subcortical infarcts and leukoencephalopathy. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2016 , 36, 981-91	7.3	10
28	Genome-wide analysis of over 106 000 individuals identifies 9 neuroticism-associated loci. <i>Molecular Psychiatry</i> , 2016 , 21, 749-57	15.1	175
27	Alzheimer disease genetic risk factor APOE e4 and cognitive abilities in 111,739 UK Biobank participants. <i>Age and Ageing</i> , 2016 , 45, 511-7	3	25
26	Pleiotropy between neuroticism and physical and mental health: findings from 108 038 men and women in UK Biobank. <i>Translational Psychiatry</i> , 2016 , 6, e791	8.6	105
25	Cognitive function and lifetime features of depression and bipolar disorder in a large population sample: Cross-sectional study of 143,828 UK Biobank participants. <i>European Psychiatry</i> , 2015 , 30, 950-8	6	28
24	Ethnic differences in the association between depression and chronic pain: cross sectional results from UK Biobank. <i>BMC Family Practice</i> , 2015 , 16, 128	2.6	10

23	Issues influencing the Uptake of Smartphone Reminder apps for People with Acquired Brain Injury 2015 ,		7
22	The efficacy of cognitive prosthetic technology for people with memory impairments: a systematic review and meta-analysis. <i>Neuropsychological Rehabilitation</i> , 2014 , 24, 419-44	3.1	82
21	Gender differences in the association between adiposity and probable major depression: a cross-sectional study of 140,564 UK Biobank participants. <i>BMC Psychiatry</i> , 2014 , 14, 153	4.2	21
20	Heaviness, health and happiness: a cross-sectional study of 163066 UK Biobank participants. Journal of Epidemiology and Community Health, 2014 , 68, 340-8	5.1	21
19	Neuropsychology of memory function: a guide for clinicians. <i>Social Care and Neurodisability</i> , 2014 , 5, 91	-101	O
18	Chronic multisite pain in major depression and bipolar disorder: cross-sectional study of 149,611 participants in UK Biobank. <i>BMC Psychiatry</i> , 2014 , 14, 350	4.2	58
17	Prevalence and characteristics of probable major depression and bipolar disorder within UK biobank: cross-sectional study of 172,751 participants. <i>PLoS ONE</i> , 2013 , 8, e75362	3.7	184
16	Neuropsychological predictors of powered wheelchair use: a prospective follow-up study. <i>Clinical Rehabilitation</i> , 2008 , 22, 836-46	3.3	16
15	Apolipoprotein E promoter polymorphisms (-491A/T and -427T/C) and Alzheimer's disease: no evidence of association in the Irish population. <i>Irish Journal of Medical Science</i> , 2008 , 177, 29-33	1.9	5
14	Do extrapyramidal features in Alzheimer patients treated with acetylcholinesterase inhibitors predict disease progression?. <i>Aging and Mental Health</i> , 2007 , 11, 451-6	3.5	4
13	A review of screening tests for cognitive impairment. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007 , 78, 790-9	5.5	332
12	Screening for dementia in an Irish community sample using MMSE: a comparison of norm-adjusted versus fixed cut-points. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 371-6	3.9	71
11	Repetitive behaviour in Alzheimer's disease: description, correlates and functions. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 686-93	3.9	34
10	Age and gender in the phenomenology of depression. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 589-96	6.5	10
9	Risk factors for and prediction of falls in an acute aged care psychiatry unit. <i>Australasian Journal on Ageing</i> , 2004 , 23, 48-51	1.5	4
8	Long-term outcome of late-onset schizophrenia: 5-year follow-up study. <i>British Journal of Psychiatry</i> , 2003 , 183, 213-9	5.4	74
7	Is there association between APOE e4 genotype and structural brain ageing phenotypes, and does that association increase in older age in UK Biobank? (N = 8,395)		1
6	Carotid intima-media thickness in UK Biobank: Identification of novel genome-wide loci, sex-specific effects and genetic correlations with obesity and glucometabolic traits		1

5	Mental Health in UK Biobank Revised Development, implementation and results from an online questionnaire completed by 157,366 participants	2
4	Living alone, loneliness and lack of emotional support as predictors of suicide and self-harm: a nine-year follow up of the UK Biobank cohort	1
3	The genomic basis of mood instability: identification of 46 loci in 363,705 UK Biobank participants, genetic correlation with psychiatric disorders, and association with gene expression and function	1
2	Novel genome-wide associations for anhedonia, genetic correlation with psychiatric disorders, and polygenic association with brain structure	1
1	Genome-wide analysis of self-reported risk-taking behaviour and cross-disorder genetic correlations in the UK Biobank cohort	2