

# Stephen R Pye

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5871404/publications.pdf>

Version: 2024-02-01

76  
papers

6,501  
citations

87723

38  
h-index

76769

74  
g-index

77  
all docs

77  
docs citations

77  
times ranked

7594  
citing authors

#	ARTICLE	IF	CITATIONS
1	Erectile dysfunction predicts mortality in middle-aged and older men independent of their sex steroid status. <i>Age and Ageing</i> , 2022, 51, .	0.7	11
2	Assumptions made when preparing drug exposure data for analysis have an impact on results: unreported step in pharmacoepidemiology studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 781-788.	0.9	39
3	Genetic Determinants of Circulating Estrogen Levels and Evidence of a Causal Effect of Estradiol on Bone Density in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 991-1004.	1.8	60
4	Elevated luteinizing hormone despite normal testosterone levels in older men—natural history, risk factors and clinical features. <i>Clinical Endocrinology</i> , 2018, 88, 479-490.	1.2	26
5	Ethnic differences in male reproductive hormones and relationships with adiposity and insulin resistance in older men. <i>Clinical Endocrinology</i> , 2017, 86, 660-668.	1.2	8
6	Associations of muscle force, power, cross-sectional muscle area and bone geometry in older UK men. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017, 8, 598-606.	2.9	28
7	Low Free Testosterone Is Associated with Hypogonadal Signs and Symptoms in Men with Normal Total Testosterone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2647-2657.	1.8	129
8	Frailty and bone health in European men. <i>Age and Ageing</i> , 2016, 46, 635-641.	0.7	19
9	The androgen receptor gene CAG repeat in relation to 4-year changes in androgen-sensitive endpoints in community-dwelling older European men. <i>European Journal of Endocrinology</i> , 2016, 175, 583-593.	1.9	11
10	Natural history, risk factors and clinical features of primary hypogonadism in ageing men: Longitudinal Data from the European Male Ageing Study. <i>Clinical Endocrinology</i> , 2016, 85, 891-901.	1.2	31
11	Low vitamin D and the risk of developing chronic widespread pain: results from the European male ageing study. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 32.	0.8	25
12	Chronic widespread pain is associated with worsening frailty in European men. <i>Age and Ageing</i> , 2016, 45, 268-274.	0.7	63
13	Influenza and Pneumococcal Vaccination Uptake in Patients with Rheumatoid Arthritis Treated with Immunosuppressive Therapy in the UK: A Retrospective Cohort Study Using Data from the Clinical Practice Research Datalink. <i>PLoS ONE</i> , 2016, 11, e0153848.	1.1	46
14	Associations Between Sex Steroids and the Development of Metabolic Syndrome: A Longitudinal Study in European Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1396-1404.	1.8	97
15	Low heel ultrasound parameters predict mortality in men: results from the European Male Ageing Study (EMAS). <i>Age and Ageing</i> , 2015, 44, 801-807.	0.7	4
16	Endocrine determinants of incident sarcopenia in middle-aged and elderly European men. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2015, 6, 242-252.	2.9	68
17	Bone turnover markers predict hip bone loss in elderly European men: results of the European Male Ageing Study (EMAS). <i>Osteoporosis International</i> , 2015, 26, 617-627.	1.3	12
18	Low Prolactin Is Associated with Sexual Dysfunction and Psychological or Metabolic Disturbances in Middle-Aged and Elderly Men: The European Male Aging Study (EMAS). <i>Journal of Sexual Medicine</i> , 2014, 11, 240-253.	0.3	63

#	ARTICLE	IF	CITATIONS
19	Genetic determinants of heel bone properties: genome-wide association meta-analysis and replication in the GEPOS/GENOMOS consortium. <i>Human Molecular Genetics</i> , 2014, 23, 3054-3068.	1.4	90
20	Late-Onset Hypogonadism and Mortality in Aging Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 1357-1366.	1.8	184
21	Association of 25-hydroxyvitamin D, 1,25-dihydroxyvitamin D and parathyroid hormone with mortality among middle-aged and older European men. <i>Age and Ageing</i> , 2014, 43, 528-535.	0.7	19
22	Sarcopenia and its relationship with bone mineral density in middle-aged and elderly European men. <i>Osteoporosis International</i> , 2013, 24, 87-98.	1.3	236
23	The ability of three different models of frailty to predict all-cause mortality: Results from the European Male Aging Study (EMAS). <i>Archives of Gerontology and Geriatrics</i> , 2013, 57, 360-368.	1.4	121
24	Active Vitamin D (1,25-Dihydroxyvitamin D) and Bone Health in Middle-Aged and Elderly Men: The European Male Aging Study (EMAS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 995-1005.	1.8	61
25	Age-associated changes in hypothalamic-pituitary-testicular function in middle-aged and older men are modified by weight change and lifestyle factors: longitudinal results from the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2013, 168, 445-455.	1.9	316
26	Comparisons of Immunoassay and Mass Spectrometry Measurements of Serum Estradiol Levels and Their Influence on Clinical Association Studies in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E1097-E1102.	1.8	58
27	Frailty and Sexual Health in Older European Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 837-844.	1.7	32
28	The association of frailty with serum 25-hydroxyvitamin D and parathyroid hormone levels in older European men. <i>Age and Ageing</i> , 2013, 42, 352-359.	0.7	74
29	Cohort Profile: The European Male Ageing Study. <i>International Journal of Epidemiology</i> , 2013, 42, 391-401.	0.9	41
30	Characteristics of Androgen Deficiency in Late-Onset Hypogonadism: Results from the European Male Aging Study (EMAS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1508-1516.	1.8	258
31	Association of hypogonadism with vitamin D status: the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2012, 166, 77-85.	1.9	166
32	Influence of Inflammatory Polyarthritis on Quantitative Heel Ultrasound Measurements. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 133.	0.8	1
33	Musculoskeletal Frailty: A Geriatric Syndrome at the Core of Fracture Occurrence in Older Age. <i>Calcified Tissue International</i> , 2012, 91, 161-177.	1.5	78
34	Polymorphisms in Genes Involved in the NF- $\kappa$ B Signalling Pathway Are Associated with Bone Mineral Density, Geometry and Turnover in Men. <i>PLoS ONE</i> , 2011, 6, e28031.	1.1	19
35	Influence of age and sex steroids on bone density and geometry in middle-aged and elderly European men. <i>Osteoporosis International</i> , 2011, 22, 1513-1523.	1.3	46
36	Influence of Insulin-Like Growth Factor Binding Protein (IGFBP)-1 and IGFBP-3 on Bone Health: Results from the European Male Ageing Study. <i>Calcified Tissue International</i> , 2011, 88, 503-510.	1.5	22

#	ARTICLE	IF	CITATIONS
37	Influence of Polymorphisms in the RANKL/RANK/OPG Signaling Pathway on Volumetric Bone Mineral Density and Bone Geometry at the Forearm in Men. <i>Calcified Tissue International</i> , 2011, 89, 446-455.	1.5	16
38	A validation of the first genome-wide association study of calcaneus ultrasound parameters in the European Male Ageing Study. <i>BMC Medical Genetics</i> , 2011, 12, 19.	2.1	10
39	Bone Health in Adult Men and Women with a History of Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2011, 38, 1689-1693.	1.0	29
40	Influence of bone remodelling rate on quantitative ultrasound parameters at the calcaneus and DXA BMDa of the hip and spine in middle-aged and elderly European men: the European Male Ageing Study (EMAS). <i>European Journal of Endocrinology</i> , 2011, 165, 977-986.	1.9	28
41	Genetic Determinants of Serum Testosterone Concentrations in Men. <i>PLoS Genetics</i> , 2011, 7, e1002313.	1.5	178
42	The ESR1 (6q25) Locus Is Associated with Calcaneal Ultrasound Parameters and Radial Volumetric Bone Mineral Density in European Men. <i>PLoS ONE</i> , 2011, 6, e22037.	1.1	9
43	Influence of Lifestyle Factors on Quantitative Heel Ultrasound Measurements in Middle-Aged and Elderly Men. <i>Calcified Tissue International</i> , 2010, 86, 211-219.	1.5	24
44	Gonadal sex steroid status and bone health in middle-aged and elderly European men. <i>Osteoporosis International</i> , 2010, 21, 1331-1339.	1.3	37
45	Influence of arthritis and non-arthritis related factors on areal bone mineral density (BMDa) in women with longstanding inflammatory polyarthritis: a primary care based inception cohort. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 106.	0.8	2
46	Genetic variation in the RANKL/RANK/OPG signaling pathway is associated with bone turnover and bone mineral density in men. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 1830-1838.	3.1	55
47	Endogenous hormones, androgen receptor CAG repeat length and fluid cognition in middle-aged and older men: results from the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2010, 162, 1155-1164.	1.9	25
48	Disease activity and severity in early inflammatory arthritis predict hand cortical bone loss. <i>Rheumatology</i> , 2010, 49, 1943-1948.	0.9	23
49	Musculoskeletal pain is associated with very low levels of vitamin D in men: results from the European Male Ageing Study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1448-1452.	0.5	86
50	Effect of Polymorphisms in Selected Genes Involved in Pituitary-Testicular Function on Reproductive Hormones and Phenotype in Aging Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1898-1908.	1.8	37
51	Identification of Late-Onset Hypogonadism in Middle-Aged and Elderly Men. <i>New England Journal of Medicine</i> , 2010, 363, 123-135.	13.9	1,274
52	Influence of lifestyle factors on quantitative heel ultrasound measurements in middle-aged and elderly men. <i>Calcified Tissue International</i> , 2010, 86, 211-9.	1.5	2
53	Increased Estrogen Rather Than Decreased Androgen Action Is Associated with Longer Androgen Receptor CAG Repeats. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 277-284.	1.8	125
54	Investigating the determinants of international differences in the prevalence of chronic widespread pain: evidence from the European Male Ageing Study. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 690-695.	0.5	41

#	ARTICLE	IF	CITATIONS
55	Perturbed Insulin-like Growth Factor-1 (IGF-1) and IGF Binding Protein-3 Are Not Associated with Chronic Widespread Pain in Men: Results from the European Male Ageing Study. <i>Journal of Rheumatology</i> , 2009, 36, 2523-2530.	1.0	3
56	The European Male Ageing Study (EMAS): design, methods and recruitment. <i>Journal of Developmental and Physical Disabilities</i> , 2009, 32, 11-24.	3.6	137
57	Genetic Variation in Sex Hormone Genes Influences Heel Ultrasound Parameters in Middle-Aged and Elderly Men: Results From the European Male Aging Study (EMAS). <i>Journal of Bone and Mineral Research</i> , 2009, 24, 314-323.	3.1	21
58	Childhood Fractures Do Not Predict Future Fractures: Results From the European Prospective Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 1314-1318.	3.1	25
59	Genetic aspects in the gender-specific aging of men. <i>Journal of Men's Health</i> , 2008, 5, A3-A3.	0.1	0
60	Hypothalamic-Pituitary-Testicular Axis Disruptions in Older Men Are Differentially Linked to Age and Modifiable Risk Factors: The European Male Aging Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2737-2745.	1.8	790
61	Influence of weight, body mass index and lifestyle factors on radiographic features of lumbar disc degeneration. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 426-427.	0.5	43
62	Lumbar disc degeneration: association between osteophytes, end-plate sclerosis and disc space narrowing. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 330-333.	0.5	71
63	Vitamin D status and bone mass in UK South Asian women. <i>Bone</i> , 2007, 40, 200-204.	1.4	72
64	Re: Vitamin D status and bone mass in UK South Asian women. <i>Bone</i> , 2007, 40, 1183.	1.4	0
65	Forearm bone geometry and mineral content in UK women of European and South-Asian origin. <i>Bone</i> , 2007, 41, 117-121.	1.4	20
66	Radiographic features of lumbar disc degeneration and bone mineral density in men and women. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 234-238.	0.5	87
67	Differences in peak bone mass in women of European and South Asian origin can be explained by differences in body size. <i>Osteoporosis International</i> , 2005, 16, 1254-1262.	1.3	38
68	Low grip strength is associated with bone mineral density and vertebral fracture in women. <i>Rheumatology</i> , 2005, 44, 642-646.	0.9	100
69	Occurrence and risk factors for falls in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1602-1604.	0.5	89
70	Low BMD is less predictive than reported falls for future limb fractures in women across Europe: results from the European Prospective Osteoporosis Study. <i>Bone</i> , 2005, 36, 387-398.	1.4	88
71	Radiographic features of lumbar disc degeneration and self-reported back pain. <i>Journal of Rheumatology</i> , 2004, 31, 753-8.	1.0	89
72	Frequency and causes of osteoporosis in men. <i>British Journal of Rheumatology</i> , 2003, 42, 811-812.	2.5	12

#	ARTICLE	IF	CITATIONS
73	Letter to the editor. Bone, 2002, 30, 649-650.	1.4	13
74	Falls explain between-center differences in the incidence of limb fracture across Europe. Bone, 2002, 31, 712-717.	1.4	47
75	Incidence of Limb Fracture across Europe: Results from the European Prospective Osteoporosis Study (EPOS). Osteoporosis International, 2002, 13, 565-571.	1.3	191
76	072.â€fThe Association Between Oral Glucocorticoid Therapy and Mortality in Patients with Rheumatoid Arthritis: A Retrospective Cohort Study. Rheumatology, 0, , .	0.9	0