

Axel Garcia y Garcia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5871528/publications.pdf>

Version: 2024-02-01

75
papers

1,486
citations

331670

21
h-index

345221

36
g-index

75
all docs

75
docs citations

75
times ranked

1729
citing authors

#	ARTICLE	IF	CITATIONS
1	In-season weather data provide reliable yield estimates of maize and soybean in the US central Corn Belt. <i>International Journal of Biometeorology</i> , 2021, 65, 489-502.	3.0	9
2	Phosphorus fertilization and enhanced efficiency products effects on sugarbeet. <i>Industrial Crops and Products</i> , 2021, 171, 113887.	5.2	5
3	Relay and sequential cropping corn with winter oilseed crops in northern climates. <i>Nutrient Cycling in Agroecosystems</i> , 2020, 116, 195-203.	2.2	6
4	Long-Term Evidence Shows that Crop-Rotation Diversification Increases Agricultural Resilience to Adverse Growing Conditions in North America. <i>One Earth</i> , 2020, 2, 284-293.	6.8	219
5	Growth, water productivity, nutritive value, and physiology responses of silage corn to water stress. <i>Agronomy Journal</i> , 2020, 112, 1625-1635.	1.8	5
6	Towards sustainable maize production in the U.S. upper Midwest with interseeded cover crops. <i>PLoS ONE</i> , 2020, 15, e0231032.	2.5	18
7	Cover crop potential of winter oilseed crops in the Northern U.S. Corn Belt. <i>Archives of Agronomy and Soil Science</i> , 2019, 65, 1845-1859.	2.6	7
8	Improving Site-Specific Maize Yield Estimation by Integrating Satellite Multispectral Data into a Crop Model. <i>Agronomy</i> , 2019, 9, 719.	3.0	8
9	Enhanced Growth Rate and Reduced Water Demand of Crop Due to Climate Change in the Eastern Mediterranean Region. <i>The Anthropocene: Politik - Economics - Society - Science</i> , 2019, , 269-293.	0.2	4
10	Correction to: Enhanced Growth Rate and Reduced Water Demand of Crop Due to Climate Change in the Eastern Mediterranean Region. <i>The Anthropocene: Politik - Economics - Society - Science</i> , 2019, , C1-C1.	0.2	0
11	Effect of Irrigation and Nitrogen Fertilization Strategies on Silage Corn Grown in Semi-Arid Conditions. <i>Agronomy</i> , 2018, 8, 208.	3.0	20
12	<i>Sensitivity of CSM-CERES-Maize model to soil available water and impact on rainfed maize grown in the Brazilian Cerrado</i>. , 2018, , .		0
13	Deficit irrigation: a viable option for sustainable confection sunflower (<i>Helianthus annuus</i> L.) production in the semi-arid US. <i>Irrigation Science</i> , 2018, 36, 319-328.	2.8	3
14	Evaluation of Silage Corn Yield Gap: An Approach for Sustainable Production in the Semi-Arid Region of USA. <i>Sustainability</i> , 2018, 10, 2523.	3.2	7
15	Soil Water Content and Crop Water Use in Contrasting Cropping Systems. <i>Transactions of the ASABE</i> , 2018, 61, 75-86.	1.1	7
16	<i>Impact of Climate Change on Maize Grown in the Brazilian Cerrado</i>. , 2018, , .		3
17	Response of confection sunflower (<i>Helianthus annuus</i> L.) grown in a semi-arid environment to planting date and early termination of irrigation. <i>Journal of Agronomy and Crop Science</i> , 2017, 203, 301-308.	3.5	7
18	Grass<i> Legume Seed Mass Ratios and Nitrogen Rates Affect Forage Accumulation, Nutritive Value, and Profitability. <i>Crop Science</i> , 2017, 57, 2852-2864.	1.8	18

#	ARTICLE	IF	CITATIONS
19	Strategies to Enhance the Productivity of Rainfed Off-Season Maize. , 2016, , .		0
20	Response of Corn for Silage to Water in a Semi-Arid Environment. , 2016, , .		0
21	Soil Water Availability and Water Use of Crops from Contrasting Cropping Systems. , 2016, , .		1
22	Response of Tropical Maize to Supplemental Irrigation Strategies. , 2016, , .		0
23	Evaluating Agronomic Responses of Camelina to Seeding Date under Rainfed Conditions. Agronomy Journal, 2016, 108, 349-357.	1.8	36
24	Managing Harvest Time to Control Pod Shattering in Oilseed Camelina. Agronomy Journal, 2016, 108, 656-661.	1.8	19
25	Influence of nitrogen and sulfur application on camelina performance under dryland conditions. Industrial Crops and Products, 2015, 70, 253-259.	5.2	34
26	Effects of Cropping Practices on Water-Use and Water Productivity of Dryland Winter Wheat in the High Plains Ecoregion of Wyoming. Journal of Crop Improvement, 2015, 29, 491-517.	1.7	6
27	Photoperiod sensitivity of local millet and sorghum varieties in West Africa. Njas - Wageningen Journal of Life Sciences, 2014, 68, 29-39.	7.7	20
28	An Alternative Approach to the Actual Brazilian Maize Crop Zoning. Revista Brasileira De Milho E Sorgo, 2014, 13, 347-363.	0.2	3
29	Water and heat stress: the effect on the growth and yield of maize and the impacts on irrigation water. WIT Transactions on Ecology and the Environment, 2014, , .	0.0	1
30	Application of the CSM-CERES-Rice model for evaluation of plant density and irrigation management of transplanted rice for an irrigated semiarid environment. Irrigation Science, 2013, 31, 491-506.	2.8	46
31	The ENSO effect on peanut yield as influenced by planting date and soil type. Agricultural Systems, 2013, 121, 1-8.	6.1	17
32	Yield and Nitrate Leaching in a Rainfed Maize Crop Using Swine Manure and Mineral Fertilizer as Nitrogen Sources. , 2013, , .		1
33	Effect of atmospheric water vapor on photosynthesis, transpiration and canopy conductance: A case study in corn. Plant, Soil and Environment, 2013, 59, 549-555.	2.2	19
34	An Alternative Approach to the Actual Brazilian Maize Crop Zoning. , 2013, , .		0
35	Cotton yields as influenced by ENSO at different planting dates and spatial aggregation levels. Agricultural Systems, 2012, 111, 45-52.	6.1	32
36	Estimating irrigation water use for maize in the Southeastern USA: A modeling approach. Agricultural Water Management, 2012, 107, 104-111.	5.6	32

#	ARTICLE	IF	CITATIONS
37	Crop Water Stress Index and Non-Stressed Baseline of Corn Grown in the State of Wyoming, US. , 2012, , ,		1
38	EFFECT OF LIMING ON THE NUTRITIONAL CONDITIONS AND YIELD OF ALFALFA GROWN IN TROPICAL CONDITIONS. Journal of Plant Nutrition, 2011, 34, 1107-1119.	1.9	30
39	A Real-Time Gridded Crop Model for Assessing Spatial Drought Stress on Crops in the Southeastern United States. Journal of Applied Meteorology and Climatology, 2011, 50, 1459-1475.	1.5	17
40	Soil Fertility, Mineral Nitrogen, and Microbial Biomass in Upland Soils of the Central Amazon under Different Plant Covers. Communications in Soil Science and Plant Analysis, 2011, 42, 694-705.	1.4	16
41	Parameterizing soil and weather inputs for crop simulation models using the VEMAP database. Agriculture, Ecosystems and Environment, 2010, 135, 111-118.	5.3	10
42	ENSO-based climate variability affects water use efficiency of rainfed cotton grown in the southeastern USA. Agriculture, Ecosystems and Environment, 2010, 139, 629-635.	5.3	21
43	Simulating the production potential and net energy yield of maize-ethanol in the southeastern USA. European Journal of Agronomy, 2010, 32, 272-279.	4.1	16
44	Reduction in greenhouse gas emissions due to the use of bio-ethanol from wheat grain and straw produced in the south-eastern USA. Journal of Agricultural Science, 2010, 148, 511-527.	1.3	10
45	Response of soybean genotypes to different irrigation regimes in a humid region of the southeastern USA. Agricultural Water Management, 2010, 97, 981-987.	5.6	36
46	Interactive effects of elevated [CO ₂] and temperature on growth and development of a short- and long-season peanut cultivar. Climatic Change, 2009, 93, 389-406.	3.6	44
47	Net energy value of maize ethanol as a response to different climate and soil conditions in the southeastern USA. Biomass and Bioenergy, 2009, 33, 1055-1064.	5.7	24
48	Maize ethanol feedstock production and net energy value as affected by climate variability and crop management practices. Agricultural Systems, 2009, 100, 11-21.	6.1	56
49	Water use and water use efficiency of sweet corn under different weather conditions and soil moisture regimes. Agricultural Water Management, 2009, 96, 1369-1376.	5.6	39
50	Impact of Planting Date and Hybrid on Early Growth of Sweet Corn. Agronomy Journal, 2009, 101, 193-200.	1.8	10
51	Effect of high temperature on photosynthesis and transpiration of sweet corn (Zea mays L. var.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 1.7 32		
52	Impact of generated solar radiation on simulated crop growth and yield. Ecological Modelling, 2008, 210, 312-326.	2.5	41
53	Alternative Crop Insurance Indexes. Journal of Agricultural & Applied Economics, 2008, 40, 223-237.	1.4	18
54	Determination of Cultivar Coefficients for the CSM-CROPGRO-Peanut Model Using Variety Trial Data. Transactions of the ASABE, 2008, 51, 1471-1481.	1.1	7

#	ARTICLE	IF	CITATIONS
55	Characterizing the Seasonal Variation of Temperature and Moisture of Containerized Crops Media. , 2008, , .		0
56	Relation between Air and Media Temperature of Containerized Nursery Crops. , 2008, , .		0
57	Alternative Crop Insurance Indexes. Journal of Agricultural & Applied Economics, 2008, 40, 223-237.	1.4	1
58	Irrigation water use estimates based on crop simulation models and kriging. Agricultural Water Management, 2007, 89, 199-207.	5.6	32
59	Development of an ENSO-based irrigation decision support tool for peanut production in the southeastern US. Computers and Electronics in Agriculture, 2007, 55, 28-35.	7.7	42
60	Climate-Based Agricultural Risk Management Tools for Florida, Georgia and Alabama, USA. , 2007, , 273-278.		2
61	Analysis of the Inter-Annual Variation of Peanut Yield in Georgia Using a Dynamic Crop Simulation Model. Transactions of the ASABE, 2006, 49, 2005-2015.	1.1	14
62	AgClimate: A climate forecast information system for agricultural risk management in the southeastern USA. Computers and Electronics in Agriculture, 2006, 53, 13-27.	7.7	134
63	Analyzing Long-term Historical Peanut Yield in Georgia with a Crop Simulation Model: the Southeast Climate Consortium Experience. , 2005, , 1.		0
64	Using Thermal Units for Estimating Critical Period of Weed Competition in Off-Season Maize Crop. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2005, 40, 1-11.	1.5	3
65	Evaluation of an improved daily solar radiation generator for the southeastern USA. Climate Research, 2005, 29, 91-102.	1.1	34
66	Container Temperature and Moisture for Estimating Evapotranspiration of Nursery Crops. , 2004, , .		1
67	Simulating Peanut Yield and Irrigation Applications with the CSM-CROPGRO-Peanut Model. , 2004, , .		0
68	Logistic rice model for dry matter and nutrient uptake. Scientia Agricola, 2003, 60, 481-488.	1.2	11
69	Seletividade de herbicidas para a cultura de milho (Zea mays) aplicados em diferentes estádios fenológicos da cultura. Planta Daninha, 2003, 21, 413-419.	0.5	10
70	Produtividade do Panicum maximum cv. Mombaça irrigado, sob pastejo rotacionado. Scientia Agricola, 2002, 59, 427-433.	1.2	24
71	Equações para a estimativa do Índice de Área foliar do cafeeiro. Pesquisa Agropecuária Brasileira, 2002, 37, 769-773.	0.9	83
72	Estimativa do volume máximo de calda para aplicação foliar de produtos químicos na cultura de milho. Scientia Agricola, 2000, 57, 283-288.	1.2	4

#	ARTICLE	IF	CITATIONS
73	Temperatura do ar, rendimento de grãos de milho e caracterização fenológica associada à soma calórica. Scientia Agricola, 2000, 57, 377-383.	1.2	24
74	Balance hídrico cíclico y secuencial: estimación de almacenamiento de agua en el suelo. Scientia Agricola, 1999, 56, 537-546.	1.2	6
75	Peanut Irrigation Management Using Climate-Based Information. , 0, , .		0