

Anders Eklund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5871609/publications.pdf>

Version: 2024-02-01

73
papers

2,803
citations

218381

26
h-index

189595

50
g-index

87
all docs

87
docs citations

87
times ranked

2964
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | HLA-DR Predicts the Prognosis in Scandinavian Patients with Pulmonary Sarcoidosis. American Journal of Respiratory and Critical Care Medicine, 1997, 156, 1601-1605. | 2.5 | 250 |
| 2 | L fngren's Syndrome. American Journal of Respiratory and Critical Care Medicine, 2009, 179, 307-312. | 2.5 | 207 |
| 3 | Sarcoidosis incidence and prevalence: a nationwide register-based assessment in Sweden. European Respiratory Journal, 2016, 48, 1690-1699. | 3.1 | 176 |
| 4 | The lung microbiota in early rheumatoid arthritis and autoimmunity. Microbiome, 2016, 4, 60. | 4.9 | 158 |
| 5 | Antibacterial Components in Bronchoalveolar Lavage Fluid from Healthy Individuals and Sarcoidosis Patients. American Journal of Respiratory and Critical Care Medicine, 1999, 160, 283-290. | 2.5 | 154 |
| 6 | Restricted V 2.3 gene usage by CD4+ T lymphocytes in bronchoalveolar lavage fluid from sarcoidosis patients correlates with HLA-DR3. European Journal of Immunology, 1992, 22, 129-135. | 1.6 | 138 |
| 7 | Shared immunological targets in the lungs and joints of patients with rheumatoid arthritis: identification and validation. Annals of the Rheumatic Diseases, 2015, 74, 1772-1777. | 0.5 | 112 |
| 8 | Identification of Immune-Relevant Factors Conferring Sarcoidosis Genetic Risk. American Journal of Respiratory and Critical Care Medicine, 2015, 192, 727-736. | 2.5 | 94 |
| 9 | Signs of immune activation and local inflammation are present in the bronchial tissue of patients with untreated early rheumatoid arthritis. Annals of the Rheumatic Diseases, 2016, 75, 1722-1727. | 0.5 | 93 |
| 10 | High-Density Genetic Mapping Identifies New Susceptibility Variants in Sarcoidosis Phenotypes and Shows Genomic-driven Phenotypic Differences. American Journal of Respiratory and Critical Care Medicine, 2016, 193, 1008-1022. | 2.5 | 68 |
| 11 | In Situ Humoral Immunity to Vimentin in HLA-DRB1*03+ Patients With Pulmonary Sarcoidosis. Frontiers in Immunology, 2018, 9, 1516. | 2.2 | 68 |
| 12 | T-cell receptor  HLA-DRB1 associations suggest specific antigens in pulmonary sarcoidosis. European Respiratory Journal, 2016, 47, 898-909. | 3.1 | 65 |
| 13 | Highly Activated T-Cell Receptor AV2S3+CD4+Lung T-Cell Expansions in Pulmonary Sarcoidosis. American Journal of Respiratory and Critical Care Medicine, 2001, 163, 1540-1545. | 2.5 | 64 |
| 14 | Expanded lung T-bet⁺ROR 3T⁺ CD4⁺ T-cells in sarcoidosis patients with a favourable disease phenotype. European Respiratory Journal, 2016, 48, 484-494. | 3.1 | 64 |
| 15 | Pulmonary Extracellular Vesicles as Mediators of Local and Systemic Inflammation. Frontiers in Cell and Developmental Biology, 2017, 5, 39. | 1.8 | 61 |
| 16 | Sarcoidosis mortality in Sweden: a population-based cohort study. European Respiratory Journal, 2018, 51, 1701815. | 3.1 | 59 |
| 17 | An Immobiline DryStrip application method enabling high-capacity two-dimensional gel electrophoresis. Electrophoresis, 2000, 21, 3649-3656. | 1.3 | 54 |
| 18 | Elevated Exhaled Nitric Oxide in Allergen-Provoked Asthma Is Associated with Airway Epithelial iNOS. PLoS ONE, 2014, 9, e90018. | 1.1 | 51 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Familial aggregation and heritability of sarcoidosis: a Swedish nested case-control study. <i>European Respiratory Journal</i> , 2018, 52, 1800385. | 3.1 | 51 |
| 20 | Lung function and precipitating antibodies in low exposed wood trimmers in Sweden. <i>American Journal of Industrial Medicine</i> , 1992, 21, 549-559. | 1.0 | 46 |
| 21 | Approach for Identifying Human Leukocyte Antigen (HLA)-DR Bound Peptides from Scarce Clinical Samples. <i>Molecular and Cellular Proteomics</i> , 2016, 15, 3017-3029. | 2.5 | 46 |
| 22 | Detection and identification of human bronchoalveolar lavage proteins using narrow-range immobilized pH gradient DryStrip and the paper bridge sample application method. <i>Electrophoresis</i> , 2001, 22, 1851-1860. | 1.3 | 45 |
| 23 | Moving target: shifting the focus to pulmonary sarcoidosis as an autoimmune spectrum disorder. <i>European Respiratory Journal</i> , 2019, 54, 1802153. | 3.1 | 44 |
| 24 | Pulmonary sarcoidosis is associated with exosomal vitamin D-binding protein and inflammatory molecules. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 1186-1194. | 1.5 | 39 |
| 25 | A Gene-Environment Interaction Between Smoking and Gene polymorphisms Provides a High Risk of Two Subgroups of Sarcoidosis. <i>Scientific Reports</i> , 2019, 9, 18633. | 1.6 | 34 |
| 26 | Controlled short-time terpene exposure induces an increase of the macrophages and the mast cells in bronchoalveolar lavage fluid. <i>American Journal of Industrial Medicine</i> , 1993, 23, 793-799. | 1.0 | 33 |
| 27 | SNP Variants in Major Histocompatibility Complex Are Associated with Sarcoidosis Susceptibility: A Joint Analysis in Four European Populations. <i>Frontiers in Immunology</i> , 2017, 8, 422. | 2.2 | 31 |
| 28 | Work ability before and after sarcoidosis diagnosis in Sweden. <i>Respiratory Medicine</i> , 2018, 144, S7-S12. | 1.3 | 27 |
| 29 | Risk of first and recurrent serious infection in sarcoidosis: a Swedish register-based cohort study. <i>European Respiratory Journal</i> , 2020, 56, 2000767. | 3.1 | 26 |
| 30 | Monocytes in sarcoidosis are potent TNF producers and predict disease outcome. <i>European Respiratory Journal</i> , 2021, 58, 2003468. | 3.1 | 23 |
| 31 | Bronchoalveolar lavage findings in firefighters. , 1997, 32, 332-336. | | 22 |
| 32 | Mass Cytometry Identifies Distinct Lung CD4+ T Cell Patterns in Löfgren's Syndrome and Non-Löfgren's Syndrome Sarcoidosis. <i>Frontiers in Immunology</i> , 2017, 8, 1130. | 2.2 | 22 |
| 33 | Shared \hat{I}^2 TCR Usage in Lungs of Sarcoidosis Patients with Löfgren's Syndrome. <i>Journal of Immunology</i> , 2017, 199, 2279-2290. | 0.4 | 20 |
| 34 | Sarcoidosis exosomes stimulate monocytes to produce pro-inflammatory cytokines and CCL2. <i>Scientific Reports</i> , 2020, 10, 15328. | 1.6 | 19 |
| 35 | T-cell activation and HLA-regulated response to smoking in the deep airways of patients with multiple sclerosis. <i>Clinical Immunology</i> , 2016, 169, 114-120. | 1.4 | 17 |
| 36 | Type 2 diabetes risk in sarcoidosis patients untreated and treated with corticosteroids. <i>ERJ Open Research</i> , 2021, 7, 00028-2021. | 1.1 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Association between number and type of different ACPA fine specificities with lung abnormalities in early, untreated rheumatoid arthritis. <i>RMD Open</i> , 2020, 6, e001278. | 1.8 | 16 |
| 38 | Infection risk in sarcoidosis patients treated with methotrexate compared to azathioprine: A retrospective "target trial" emulated with Swedish real-world data. <i>Respirology</i> , 2021, 26, 452-460. | 1.3 | 16 |
| 39 | Acute exposure to swine dust causes airway inflammation and bronchial hyperresponsiveness. <i>American Journal of Industrial Medicine</i> , 1994, 25, 57-58. | 1.0 | 15 |
| 40 | Enhanced CD8+ cytolytic T cell responses in the peripheral circulation of patients with sarcoidosis and non-Årfgren's disease. <i>Respiratory Medicine</i> , 2018, 138, S38-S44. | 1.3 | 15 |
| 41 | Mapping mononuclear phagocytes in blood, lungs, and lymph nodes of sarcoidosis patients. <i>Journal of Leukocyte Biology</i> , 2019, 105, 797-807. | 1.5 | 15 |
| 42 | Is the Pi^F allele of Î±1₁-antitrypsin associated with pulmonary disease?. <i>Clinical Genetics</i> , 1984, 25, 491-495. | 1.0 | 13 |
| 43 | Sarcoidosis diagnosis and treatment in Sweden: A register-based assessment of variations by region and calendar period. <i>Respiratory Medicine</i> , 2020, 161, 105846. | 1.3 | 13 |
| 44 | Risk and predictors of heart failure in sarcoidosis in a population-based cohort study from Sweden. <i>Heart</i> , 2022, 108, 467-473. | 1.2 | 13 |
| 45 | Differences in disease presentation between men and women with sarcoidosis: A cohort study. <i>Respiratory Medicine</i> , 2022, 191, 106688. | 1.3 | 13 |
| 46 | Secretory anti-citrullinated protein antibodies in serum associate with lung involvement in early rheumatoid arthritis. <i>Rheumatology</i> , 2020, 59, 852-859. | 0.9 | 12 |
| 47 | Are infectious diseases risk factors for sarcoidosis or a result of reverse causation? Findings from a population-based nested case-control study. <i>European Journal of Epidemiology</i> , 2020, 35, 1087-1097. | 2.5 | 12 |
| 48 | HLA-DRB1 alleles associate with hypercalcemia in sarcoidosis. <i>Respiratory Medicine</i> , 2021, 187, 106537. | 1.3 | 11 |
| 49 | Subpopulations of cells from bronchoalveolar lavage can predict prognosis in sarcoidosis. <i>European Respiratory Journal</i> , 2020, 55, 1901450. | 3.1 | 10 |
| 50 | High-intensity resistance training in newly diagnosed sarcoidosis- an exploratory study of effects on lung function, muscle strength, fatigue, dyspnea, health-related quality of life and lung immune cells. <i>European Clinical Respiratory Journal</i> , 2020, 7, 1730137. | 0.7 | 10 |
| 51 | Positive Predictive Value of Sarcoidosis Identified in an Administrative Healthcare Registry: A Validation Study. <i>Epidemiology</i> , 2021, 32, 444-447. | 1.2 | 10 |
| 52 | Elevated levels of FN1 and CCL2 in bronchoalveolar lavage fluid from sarcoidosis patients. <i>Respiratory Research</i> , 2016, 17, 69. | 1.4 | 9 |
| 53 | Common variants of T-cells contribute differently to phenotypic variation in sarcoidosis. <i>Scientific Reports</i> , 2017, 7, 5623. | 1.6 | 9 |
| 54 | Altered Fc galactosylation in IgG4 is a potential serum marker for chronic lung disease. <i>ERJ Open Research</i> , 2018, 4, 00033-2018. | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | SpotLight Proteomicsâ€™ A IgG-Enrichment Phenotype Profiling Approach with Clinical Implications. International Journal of Molecular Sciences, 2019, 20, 2157. | 1.8 | 9 |
| 56 | Pulmonary and blood dendritic cells from sarcoidosis patients more potently induce IFNÎ³-producing Th1 cells compared with monocytes. Journal of Leukocyte Biology, 2022, 111, 857-866. | 1.5 | 9 |
| 57 | Maternal and infant outcomes in sarcoidosis pregnancy: a Swedish population-based cohort study of first births. Respiratory Research, 2020, 21, 225. | 1.4 | 8 |
| 58 | Lung CD4+ VÎ±2.3+ T-cells in sarcoidosis cohorts with LÃ¶fgrenâ€™s syndrome. Respiratory Research, 2020, 21, 61. | 1.4 | 8 |
| 59 | Aetiology, pathogenesis and treatment of sarcoidosis. Journal of Internal Medicine, 2003, 253, 2-3. | 2.7 | 7 |
| 60 | Identification of shared citrullinated immunological targets in the lungs and joints of patients with rheumatoid arthritis. Annals of the Rheumatic Diseases, 2012, 71, A19.1-A19. | 0.5 | 6 |
| 61 | Reduced expression of peroxisome proliferator-activated receptor alpha in BAL and blood T cells of non-LÃ¶fgrenâ€™s sarcoidosis patients. Journal of Inflammation, 2015, 12, 28. | 1.5 | 6 |
| 62 | Risk of acute myocardial infarction in sarcoidosis: A population-based cohort study from Sweden. Respiratory Medicine, 2021, 188, 106624. | 1.3 | 6 |
| 63 | Soluble epoxide hydrolase derived lipid mediators are elevated in bronchoalveolar lavage fluid from patients with sarcoidosis: a cross-sectional study. Respiratory Research, 2018, 19, 236. | 1.4 | 4 |
| 64 | Bronchoalveolar lavage fluid cell subsets associate with the disease course in LÃ¶fgren's and non-LÃ¶fgren's sarcoidosis patients. Respiratory Medicine, 2021, 186, 106521. | 1.3 | 4 |
| 65 | Diagnostic approach for cardiac involvement in sarcoidosis. Sarcoidosis Vasculitis and Diffuse Lung Diseases, 2019, 36, 11-17. | 0.2 | 4 |
| 66 | Phenotypic and HLA-DRB1 allele characterization of Swedish cardiac sarcoidosis patients. International Journal of Cardiology, 2022, , . | 0.8 | 4 |
| 67 | Improved recovery of cells elutriated from bronchoalveolar lavage fluid. Scandinavian Journal of Clinical and Laboratory Investigation, 1989, 49, 595-596. | 0.6 | 2 |
| 68 | A1.1â€¦ Characterisation of lung inflammation and identification of shared citrullinated targets in the lungs and joints of early rheumatoid arthritis. Annals of the Rheumatic Diseases, 2014, 73, A4.2-A5. | 0.5 | 2 |
| 69 | Distinctive Regulatory T Cells and Altered Cytokine Profile Locally in the Airways of Young Smokers with Normal Lung Function. PLoS ONE, 2016, 11, e0164751. | 1.1 | 2 |
| 70 | Carbon monoxide levels in exhaled breath as a measure of recent smoking status. Clinical Respiratory Journal, 2011, 5, 8-9. | 0.6 | 1 |
| 71 | Correspondence for â€œClinical epidemiology of familial sarcoidosis: A systematic literature reviewâ€• Respiratory Medicine, 2019, 160, 105696. | 1.3 | 1 |
| 72 | Effects of infliximab on lung and circulating natural killer cells, CD56+ T cells and B cells in sarcoidosis. BMJ Open Respiratory Research, 2021, 8, e000933. | 1.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | A1.4â€¦Early Signs of Subclinical Inflammation and Local Antibody Production in Early Rheumatoid Lungs. Annals of the Rheumatic Diseases, 2013, 72, A2.1-A2. | 0.5 | 0 |