

Francesco Montorsi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5873342/francesco-montorsi-publications-by-citations.pdf>

Version: 2024-04-14

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

786
papers

28,801
citations

80
h-index

148
g-index

875
ext. papers

34,939
ext. citations

5.7
avg. IF

6.97
L-index

#	Paper	IF	Citations
786	Effect of dutasteride on the risk of prostate cancer. <i>New England Journal of Medicine</i> , 2010 , 362, 1192-2003	9.2	834
785	Guidelines on male sexual dysfunction: erectile dysfunction and premature ejaculation. <i>European Urology</i> , 2010 , 57, 804-14	10.2	722
784	Systematic review and meta-analysis of studies reporting urinary continence recovery after robot-assisted radical prostatectomy. <i>European Urology</i> , 2012 , 62, 405-17	10.2	715
783	Retropubic, laparoscopic, and robot-assisted radical prostatectomy: a systematic review and cumulative analysis of comparative studies. <i>European Urology</i> , 2009 , 55, 1037-63	10.2	686
782	Renal cancer. <i>Lancet, The</i> , 2016 , 387, 894-906	40	508
781	Systematic review and meta-analysis of studies reporting potency rates after robot-assisted radical prostatectomy. <i>European Urology</i> , 2012 , 62, 418-30	10.2	494
780	The effects of combination therapy with dutasteride and tamsulosin on clinical outcomes in men with symptomatic benign prostatic hyperplasia: 4-year results from the CombAT study. <i>European Urology</i> , 2010 , 57, 123-31	10.2	451
779	Updated nomogram predicting lymph node invasion in patients with prostate cancer undergoing extended pelvic lymph node dissection: the essential importance of percentage of positive cores. <i>European Urology</i> , 2012 , 61, 480-7	10.2	425
778	Meta-analysis of functional outcomes and complications following transurethral procedures for lower urinary tract symptoms resulting from benign prostatic enlargement. <i>European Urology</i> , 2010 , 58, 384-97	10.2	419
777	RECOVERY OF SPONTANEOUS ERECTILE FUNCTION AFTER NERVE-SPARING RADICAL RETROPUBIC PROSTATECTOMY WITH AND WITHOUT EARLY INTRACAVERNOUS INJECTIONS OF ALPROSTADIL: RESULTS OF A PROSPECTIVE, RANDOMIZED TRIAL. <i>Journal of Urology</i> , 1997 , 158, 1408-1410	2.5	411
776	Erectile dysfunction prevalence, time of onset and association with risk factors in 300 consecutive patients with acute chest pain and angiographically documented coronary artery disease. <i>European Urology</i> , 2003 , 44, 360-4; discussion 364-5	10.2	401
775	The Premature Ejaculation Prevalence and Attitudes (PEPA) survey: prevalence, comorbidities, and professional help-seeking. <i>European Urology</i> , 2007 , 51, 816-23; discussion 824	10.2	383
774	Pelvic lymph node dissection in prostate cancer. <i>European Urology</i> , 2009 , 55, 1251-65	10.2	356
773	Systematic review and meta-analysis of studies reporting oncologic outcome after robot-assisted radical prostatectomy. <i>European Urology</i> , 2012 , 62, 382-404	10.2	334
772	A critical analysis of the current knowledge of surgical anatomy related to optimization of cancer control and preservation of continence and erection in candidates for radical prostatectomy. <i>European Urology</i> , 2010 , 57, 179-92	10.2	328
771	Systematic review and meta-analysis of perioperative outcomes and complications after robot-assisted radical prostatectomy. <i>European Urology</i> , 2012 , 62, 431-52	10.2	300
770	Association between erectile dysfunction and coronary artery disease. Role of coronary clinical presentation and extent of coronary vessels involvement: the COBRA trial. <i>European Heart Journal</i> , 2006 , 27, 2632-9	9.5	297

769	Effect of nightly versus on-demand vardenafil on recovery of erectile function in men following bilateral nerve-sparing radical prostatectomy. <i>European Urology</i> , 2008 , 54, 924-31	10.2	277
768	Assessing the impact of ischaemia time during partial nephrectomy. <i>European Urology</i> , 2009 , 56, 625-34	10.2	275
767	A systematic review of the association between erectile dysfunction and cardiovascular disease. <i>European Urology</i> , 2014 , 65, 968-78	10.2	267
766	Complications and other surgical outcomes associated with extended pelvic lymphadenectomy in men with localized prostate cancer. <i>European Urology</i> , 2006 , 50, 1006-13	10.2	266
765	Pembrolizumab as Neoadjuvant Therapy Before Radical Cystectomy in Patients With Muscle-Invasive Urothelial Bladder Carcinoma (PURE-01): An Open-Label, Single-Arm, Phase II Study. <i>Journal of Clinical Oncology</i> , 2018 , 36, 3353-3360	2.2	265
764	Holmium laser enucleation of the prostate versus open prostatectomy for prostates >70 g: 24-month follow-up. <i>European Urology</i> , 2006 , 50, 563-8	10.2	264
763	Sexual dysfunction is common in women with lower urinary tract symptoms and urinary incontinence: results of a cross-sectional study. <i>European Urology</i> , 2004 , 45, 642-8; discussion 648	10.2	258
762	Dynamics of male sexual arousal: distinct components of brain activation revealed by fMRI. <i>NeuroImage</i> , 2005 , 26, 1086-96	7.9	252
761	Holmium laser enucleation versus transurethral resection of the prostate: results from a 2-center, prospective, randomized trial in patients with obstructive benign prostatic hyperplasia. <i>Journal of Urology</i> , 2004 , 172, 1926-9	2.5	239
760	Summary of the recommendations on sexual dysfunctions in men. <i>Journal of Sexual Medicine</i> , 2010 , 7, 3572-88	1.1	231
759	Is erectile dysfunction the "tip of the iceberg" of a systemic vascular disorder?. <i>European Urology</i> , 2003 , 44, 352-4	10.2	228
758	Two positive nodes represent a significant cut-off value for cancer specific survival in patients with node positive prostate cancer. A new proposal based on a two-institution experience on 703 consecutive N+ patients treated with radical prostatectomy, extended pelvic lymph node dissection, and androgen deprivation therapy. <i>European Urology</i> , 2006 , 50, 214-20	10.2	213
757	The effects of dutasteride, tamsulosin and combination therapy on lower urinary tract symptoms in men with benign prostatic hyperplasia and prostatic enlargement: 2-year results from the CombAT study. <i>Journal of Urology</i> , 2008 , 179, 616-21; discussion 621	2.5	208
756	Best practices in robot-assisted radical prostatectomy: recommendations of the Pasadena Consensus Panel. <i>European Urology</i> , 2012 , 62, 368-81	10.2	206
755	EAU Guidelines on erectile dysfunction: an update. <i>European Urology</i> , 2006 , 49, 806-15	10.2	204
754	The artery size hypothesis: a macrovascular link between erectile dysfunction and coronary artery disease. <i>American Journal of Cardiology</i> , 2005 , 96, 19M-23M	3	201
753	Silodosin therapy for lower urinary tract symptoms in men with suspected benign prostatic hyperplasia: results of an international, randomized, double-blind, placebo- and active-controlled clinical trial performed in Europe. <i>European Urology</i> , 2011 , 59, 342-52	10.2	194
752	A 4-year update on the safety of sildenafil citrate (Viagra). <i>Urology</i> , 2002 , 60, 67-90	1.6	188

751	Impact of adjuvant radiotherapy on survival of patients with node-positive prostate cancer. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3939-47	2.2	184
750	Tadalafil in the treatment of erectile dysfunction following bilateral nerve sparing radical retropubic prostatectomy: a randomized, double-blind, placebo controlled trial. <i>Journal of Urology</i> , 2004 , 172, 1036-41	2.5	176
749	Impact of the Site of Metastases on Survival in Patients with Metastatic Prostate Cancer. <i>European Urology</i> , 2015 , 68, 325-34	10.2	175
748	Prognostic impact of the 2009 UICC/AJCC TNM staging system for renal cell carcinoma with venous extension. <i>European Urology</i> , 2011 , 59, 120-7	10.2	167
747	Effects of tadalafil treatment on erectile function recovery following bilateral nerve-sparing radical prostatectomy: a randomised placebo-controlled study (REACTT). <i>European Urology</i> , 2014 , 65, 587-96	10.2	166
746	Association between erectile dysfunction and coronary artery disease: Matching the right target with the right test in the right patient. <i>European Urology</i> , 2006 , 50, 721-31	10.2	166
745	Pelvic/retroperitoneal salvage lymph node dissection for patients treated with radical prostatectomy with biochemical recurrence and nodal recurrence detected by [11C]choline positron emission tomography/computed tomography. <i>European Urology</i> , 2011 , 60, 935-43	10.2	163
744	AMS three-piece inflatable implants for erectile dysfunction: a long-term multi-institutional study in 200 consecutive patients. <i>European Urology</i> , 2000 , 37, 50-5	10.2	161
743	Long-term outcomes of salvage lymph node dissection for clinically recurrent prostate cancer: results of a single-institution series with a minimum follow-up of 5 years. <i>European Urology</i> , 2015 , 67, 299-309	10.2	158
742	The role of chronic prostatic inflammation in the pathogenesis and progression of benign prostatic hyperplasia (BPH). <i>BJU International</i> , 2013 , 112, 432-41	5.6	156
741	Combination of adjuvant hormonal and radiation therapy significantly prolongs survival of patients with pT2-4 pN+ prostate cancer: results of a matched analysis. <i>European Urology</i> , 2011 , 59, 832-40	10.2	141
740	Comparative effectiveness of robot-assisted and open radical prostatectomy in the postdissemination era. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1419-26	2.2	140
739	Long-term follow-up of patients with prostate cancer and nodal metastases treated by pelvic lymphadenectomy and radical prostatectomy: the positive impact of adjuvant radiotherapy. <i>European Urology</i> , 2009 , 55, 1003-11	10.2	138
738	Laparoscopic cryoablation of solid renal masses: intermediate term followup. <i>Journal of Urology</i> , 2004 , 172, 1267-70	2.5	138
737	More extensive pelvic lymph node dissection improves survival in patients with node-positive prostate cancer. <i>European Urology</i> , 2015 , 67, 212-9	10.2	134
736	Stratification of high-risk prostate cancer into prognostic categories: a European multi-institutional study. <i>European Urology</i> , 2015 , 67, 157-164	10.2	133
735	Nephron-sparing techniques independently decrease the risk of cardiovascular events relative to radical nephrectomy in patients with a T1a-T1b renal mass and normal preoperative renal function. <i>European Urology</i> , 2015 , 67, 683-9	10.2	133
734	Efficacy and safety of fixed-dose oral sildenafil in the treatment of erectile dysfunction of various etiologies. <i>Urology</i> , 1999 , 53, 1011-8	1.6	133

733	Critical assessment of ideal nodal yield at pelvic lymphadenectomy to accurately diagnose prostate cancer nodal metastasis in patients undergoing radical retropubic prostatectomy. <i>Urology</i> , 2007 , 69, 147-51	1.6	131
732	Impact on sexual function of holmium laser enucleation versus transurethral resection of the prostate: results of a prospective, 2-center, randomized trial. <i>Journal of Urology</i> , 2006 , 175, 1817-21	2.5	129
731	Phosphodiesterase type 5 inhibitors in postprostatectomy erectile dysfunction: a critical analysis of the basic science rationale and clinical application. <i>European Urology</i> , 2009 , 55, 334-47	10.2	124
730	Sildenafil citrate for treatment of erectile dysfunction in men with type 1 diabetes: results of a randomized controlled trial. <i>Diabetes Care</i> , 2003 , 26, 279-84	14.6	124
729	Updated Results of PURE-01 with Preliminary Activity of Neoadjuvant Pembrolizumab in Patients with Muscle-invasive Bladder Carcinoma with Variant Histologies. <i>European Urology</i> , 2020 , 77, 439-446	10.2	119
728	Improving the preservation of the urethral sphincter and neurovascular bundles during open radical retropubic prostatectomy. <i>European Urology</i> , 2005 , 48, 938-45	10.2	118
727	Prevalence of premature ejaculation: a global and regional perspective. <i>Journal of Sexual Medicine</i> , 2005 , 2 Suppl 2, 96-102	1.1	117
726	Consensus Statement of the European Urology Association and the European Urogynaecological Association on the Use of Implanted Materials for Treating Pelvic Organ Prolapse and Stress Urinary Incontinence. <i>European Urology</i> , 2017 , 72, 424-431	10.2	114
725	Prevention and management of postprostatectomy sexual dysfunctions part 2: recovery and preservation of erectile function, sexual desire, and orgasmic function. <i>European Urology</i> , 2012 , 62, 273-86	10.2	110
724	Early detection of prostate cancer: European Association of Urology recommendation. <i>European Urology</i> , 2013 , 64, 347-54	10.2	106
723	Prevention and management of postprostatectomy sexual dysfunctions. Part 1: choosing the right patient at the right time for the right surgery. <i>European Urology</i> , 2012 , 62, 261-72	10.2	105
722	Long-term safety and tolerability of tadalafil in the treatment of erectile dysfunction. <i>European Urology</i> , 2004 , 45, 339-44; discussion 344-5	10.2	105
721	Current and future strategies for preventing and managing erectile dysfunction following radical prostatectomy. <i>European Urology</i> , 2004 , 45, 123-33	10.2	104
720	High-risk prostate cancer: from definition to contemporary management. <i>European Urology</i> , 2012 , 61, 1096-106	10.2	101
719	The Microbiome of the Prostate Tumor Microenvironment. <i>European Urology</i> , 2017 , 72, 625-631	10.2	100
718	A Multi-institutional Analysis of Perioperative Outcomes in 106 Men Who Underwent Radical Prostatectomy for Distant Metastatic Prostate Cancer at Presentation. <i>European Urology</i> , 2016 , 69, 788-94	10.2	99
717	Identifying optimal candidates for local treatment of the primary tumor among patients diagnosed with metastatic prostate cancer: a SEER-based study. <i>European Urology</i> , 2015 , 67, 3-6	10.2	95
716	Sildenafil taken at bedtime significantly increases nocturnal erections: results of a placebo-controlled study. <i>Urology</i> , 2000 , 56, 906-11	1.6	95

715	Identifying the best candidate for radical prostatectomy among patients with high-risk prostate cancer. <i>European Urology</i> , 2012 , 61, 584-92	10.2	94
714	Development and Internal Validation of a Novel Model to Identify the Candidates for Extended Pelvic Lymph Node Dissection in Prostate Cancer. <i>European Urology</i> , 2017 , 72, 632-640	10.2	93
713	A Novel Nomogram to Identify Candidates for Extended Pelvic Lymph Node Dissection Among Patients with Clinically Localized Prostate Cancer Diagnosed with Magnetic Resonance Imaging-targeted and Systematic Biopsies. <i>European Urology</i> , 2019 , 75, 506-514	10.2	91
712	Downsides of robot-assisted laparoscopic radical prostatectomy: limitations and complications. <i>European Urology</i> , 2010 , 57, 735-46	10.2	90
711	Patient-partner satisfaction with semirigid penile prostheses for Peyronie's disease: a 5-year followup study. <i>Journal of Urology</i> , 1993 , 150, 1819-21	2.5	89
710	Radical prostatectomy after previous prostate surgery: clinical and functional outcomes. <i>Journal of Urology</i> , 2006 , 176, 2459-63; discussion 2463	2.5	86
709	Predicting erectile function recovery after bilateral nerve sparing radical prostatectomy: a proposal of a novel preoperative risk stratification. <i>Journal of Sexual Medicine</i> , 2010 , 7, 2521-31	1.1	85
708	Holmium laser enucleation versus open prostatectomy for benign prostatic hyperplasia: an inpatient cost analysis. <i>Urology</i> , 2006 , 68, 302-6	1.6	85
707	Common grounds for erectile dysfunction and coronary artery disease. <i>Current Opinion in Urology</i> , 2004 , 14, 361-5	2.8	81
706	One patient out of four with newly diagnosed erectile dysfunction is a young man--worrisome picture from the everyday clinical practice. <i>Journal of Sexual Medicine</i> , 2013 , 10, 1833-41	1.1	79
705	Holmium laser enucleation versus transurethral resection of the prostate: results from a 2-center prospective randomized trial in patients with obstructive benign prostatic hyperplasia. <i>Journal of Urology</i> , 2008 , 179, S87-90	2.5	79
704	Assessing the Optimal Timing for Early Salvage Radiation Therapy in Patients with Prostate-specific Antigen Rise After Radical Prostatectomy. <i>European Urology</i> , 2016 , 69, 728-733	10.2	78
703	An open-label, multicentre, randomized, crossover study comparing sildenafil citrate and tadalafil for treating erectile dysfunction in men naïve to phosphodiesterase 5 inhibitor therapy. <i>BJU International</i> , 2005 , 96, 1323-32	5.6	78
702	Natural history of surgically treated high-risk prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 163.e7-13	2.8	77
701	Sildenafil in erectile dysfunction: a critical review. <i>Current Medical Research and Opinion</i> , 2003 , 19, 241-62.5	2.5	77
700	Benign Prostatic Hyperplasia and Its Aetiologies. <i>European Urology Supplements</i> , 2009 , 8, 865-871	0.9	75
699	Efficacy of sildenafil citrate in men with erectile dysfunction following radical prostatectomy: a systematic review of clinical data. <i>Journal of Sexual Medicine</i> , 2005 , 2, 658-67	1.1	75
698	Pharmacological management of erectile dysfunction. <i>BJU International</i> , 2003 , 91, 446-54	5.6	74

697	Outcomes of Robot-assisted Partial Nephrectomy for Clinical T2 Renal Tumors: A Multicenter Analysis (ROSULA Collaborative Group). <i>European Urology</i> , 2018 , 74, 226-232	10.2	73
696	Active Surveillance for Low-risk Prostate Cancer: The European Association of Urology Position in 2018. <i>European Urology</i> , 2018 , 74, 357-368	10.2	72
695	Current Standard Technique for Modern Flexible Ureteroscopy: Tips and Tricks. <i>European Urology</i> , 2016 , 70, 188-194	10.2	72
694	Infertility as a proxy of general male health: results of a cross-sectional survey. <i>Fertility and Sterility</i> , 2015 , 104, 48-55	4.8	71
693	CURRENTLY USED CRITERIA FOR ACTIVE SURVEILLANCE IN MEN WITH LOW RISK PROSTATE CANCER. AN ANALYSIS OF PATHOLOGICAL FEATURES. <i>Journal of Urology</i> , 2008 , 179, 152-152	2.5	71
692	Higher-than-expected severe (Grade 3-4) late urinary toxicity after postprostatectomy hypofractionated radiotherapy: a single-institution analysis of 1176 patients. <i>European Urology</i> , 2014 , 66, 1024-30	10.2	70
691	Acceptance of and discontinuation rate from erectile dysfunction oral treatment in patients following bilateral nerve-sparing radical prostatectomy. <i>European Urology</i> , 2008 , 53, 564-70	10.2	70
690	BXL628, a novel vitamin D3 analog arrests prostate growth in patients with benign prostatic hyperplasia: a randomized clinical trial. <i>European Urology</i> , 2006 , 49, 82-6	10.2	70
689	Is erectile dysfunction a reliable proxy of general male health status? The case for the International Index of Erectile Function-Erectile Function domain. <i>Journal of Sexual Medicine</i> , 2012 , 9, 2708-15	1.1	69
688	Impact of adjuvant radiation therapy on urinary continence recovery after radical prostatectomy. <i>European Urology</i> , 2014 , 65, 546-51	10.2	68
687	Systematic review of combination drug therapy for non-neurogenic male lower urinary tract symptoms. <i>European Urology</i> , 2013 , 64, 228-43	10.2	67
686	Impact of Molecular Subtyping and Immune Infiltration on Pathological Response and Outcome Following Neoadjuvant Pembrolizumab in Muscle-invasive Bladder Cancer. <i>European Urology</i> , 2020 , 77, 701-710	10.2	66
685	The impact of androgen-deprivation therapy (ADT) on the risk of cardiovascular (CV) events in patients with non-metastatic prostate cancer: a population-based study. <i>BJU International</i> , 2014 , 114, E82-E89	5.6	66
684	The efficacy and safety of flexible-dose vardenafil (levitra) in a broad population of European men. <i>European Urology</i> , 2004 , 45, 634-41; discussion 641	10.2	66
683	Systematic review of methods for reporting combined outcomes after radical prostatectomy and proposal of a novel system: the survival, continence, and potency (SCP) classification. <i>European Urology</i> , 2012 , 61, 541-8	10.2	65
682	Long-term cancer control outcomes in patients with clinically high-risk prostate cancer treated with robot-assisted radical prostatectomy: results from a multi-institutional study of 1100 patients. <i>European Urology</i> , 2015 , 68, 497-505	10.2	63
681	Baseline potency in candidates for bilateral nerve-sparing radical retropubic prostatectomy. <i>European Urology</i> , 2006 , 50, 360-5	10.2	63
680	Assessing the Burden of Nondeferrable Major Uro-oncologic Surgery to Guide Prioritisation Strategies During the COVID-19 Pandemic: Insights From Three Italian High-volume Referral Centres. <i>European Urology</i> , 2020 , 78, 11-15	10.2	62

679	Long-term Impact of Adjuvant Versus Early Salvage Radiation Therapy in pT3N0 Prostate Cancer Patients Treated with Radical Prostatectomy: Results from a Multi-institutional Series. <i>European Urology</i> , 2017 , 71, 886-893	10.2	61
678	Predicting survival of patients with node-positive prostate cancer following multimodal treatment. <i>European Urology</i> , 2014 , 65, 554-62	10.2	61
677	Long-term biochemical recurrence rates after robot-assisted radical prostatectomy: analysis of a single-center series of patients with a minimum follow-up of 5 years. <i>Urology</i> , 2012 , 79, 133-8	1.6	60
676	Post-radical prostatectomy pharmacological penile rehabilitation: practice patterns among the international society for sexual medicine practitioners. <i>Journal of Sexual Medicine</i> , 2009 , 6, 2032-8	1.1	60
675	Holmium laser enucleation versus transurethral resection of the prostate. Are histological findings comparable?. <i>Journal of Urology</i> , 2004 , 171, 1203-6	2.5	60
674	Long non-coding RNAs as novel therapeutic targets in cancer. <i>Pharmacological Research</i> , 2016 , 110, 131-138		60
673	Identifying the Optimal Candidate for Salvage Lymph Node Dissection for Nodal Recurrence of Prostate Cancer: Results from a Large, Multi-institutional Analysis. <i>European Urology</i> , 2019 , 75, 176-183	10.2	60
672	PD-L1 Expression and CD8 T-cell Infiltrate are Associated with Clinical Progression in Patients with Node-positive Prostate Cancer. <i>European Urology Focus</i> , 2019 , 5, 192-196	5.1	60
671	Patterns and predictors of recurrence after open radical cystectomy for bladder cancer: a comprehensive review of the literature. <i>World Journal of Urology</i> , 2018 , 36, 157-170	4	60
670	Survival Outcomes of Men with Lymph Node-positive Prostate Cancer After Radical Prostatectomy: A Comparative Analysis of Different Postoperative Management Strategies. <i>European Urology</i> , 2018 , 73, 890-896	10.2	59
669	Testosterone Therapy in Men With Prostate Cancer. <i>European Urology</i> , 2016 , 69, 894-903	10.2	59
668	Urodynamics after TURP and HoLEP in urodynamically obstructed patients: are there any differences at 1 year of follow-up?. <i>Urology</i> , 2006 , 67, 1193-8	1.6	59
667	Lymphatic spread of nodal metastases in high-risk prostate cancer: The ascending pathway from the pelvis to the retroperitoneum. <i>Prostate</i> , 2012 , 72, 186-92	4.2	58
666	Effectiveness and safety of laparoscopic adrenalectomy. <i>Journal of Urology</i> , 1994 , 152, 1375-8	2.5	57
665	Radical Prostatectomy in Men with Oligometastatic Prostate Cancer: Results of a Single-institution Series with Long-term Follow-up. <i>European Urology</i> , 2017 , 72, 289-292	10.2	56
664	Preserved postoperative penile size correlates well with maintained erectile function after bilateral nerve-sparing radical retropubic prostatectomy. <i>European Urology</i> , 2007 , 52, 702-7	10.2	56
663	Vestibular flap urethroplasty for strictures of the female urethra. Impact on symptoms and flow patterns. <i>Urologia Internationalis</i> , 2002 , 69, 12-6	1.9	56
662	Development and internal validation of a side-specific, multiparametric magnetic resonance imaging-based nomogram for the prediction of extracapsular extension of prostate cancer. <i>BJU International</i> , 2018 , 122, 1025-1033	5.6	54

661	Prediction of functional outcomes after nerve-sparing radical prostatectomy: results of conditional survival analyses. <i>European Urology</i> , 2012 , 62, 42-52	10.2	54
660	Conditional survival after radical nephroureterectomy for upper tract carcinoma. <i>European Urology</i> , 2015 , 67, 803-12	10.2	54
659	Utility of [11C]choline PET/CT in guiding lesion-targeted salvage therapies in patients with prostate cancer recurrence localized to a single lymph node at imaging: results from a pathologically validated series. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 38.e9-16	2.8	54
658	The Learning Curve for Robot-assisted Partial Nephrectomy: Impact of Surgical Experience on Perioperative Outcomes. <i>European Urology</i> , 2019 , 75, 253-256	10.2	54
657	Serum sex steroids depict a nonlinear u-shaped association with high-risk prostate cancer at radical prostatectomy. <i>Clinical Cancer Research</i> , 2012 , 18, 3648-57	12.9	53
656	Treatment of the Primary Tumor in Metastatic Prostate Cancer: Current Concepts and Future Perspectives. <i>European Urology</i> , 2016 , 69, 775-87	10.2	52
655	Below Safety Limits, Every Unit of Glomerular Filtration Rate Counts: Assessing the Relationship Between Renal Function and Cancer-specific Mortality in Renal Cell Carcinoma. <i>European Urology</i> , 2018 , 74, 661-667	10.2	52
654	The effect of neoadjuvant chemotherapy on perioperative outcomes in patients who have bladder cancer treated with radical cystectomy: a population-based study. <i>European Urology</i> , 2014 , 66, 561-8	10.2	52
653	Prognostic Value of the Cell Cycle Progression Score in Patients with Prostate Cancer: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2016 , 69, 107-15	10.2	51
652	Structured Population-based Prostate-specific Antigen Screening for Prostate Cancer: The European Association of Urology Position in 2019. <i>European Urology</i> , 2019 , 76, 142-150	10.2	51
651	Extent of lymph node dissection at nephrectomy affects cancer-specific survival and metastatic progression in specific sub-categories of patients with renal cell carcinoma (RCC). <i>BJU International</i> , 2014 , 114, 210-5	5.6	51
650	Robot-assisted Radical Prostatectomy and Extended Pelvic Lymph Node Dissection in Patients with Locally-advanced Prostate Cancer. <i>European Urology</i> , 2017 , 71, 249-256	10.2	50
649	Prognostic significance of lymph node invasion in patients with metastatic renal cell carcinoma: a population-based perspective. <i>Cancer</i> , 2009 , 115, 5680-7	6.4	49
648	Brain activation patterns during video sexual stimulation following the administration of apomorphine: results of a placebo-controlled study. <i>European Urology</i> , 2003 , 43, 405-11	10.2	48
647	Multiparametric Magnetic Resonance Imaging as a Noninvasive Assessment of Tumor Response to Neoadjuvant Pembrolizumab in Muscle-invasive Bladder Cancer: Preliminary Findings from the PURE-01 Study. <i>European Urology</i> , 2020 , 77, 636-643	10.2	48
646	Medium-term oncological outcomes in a large cohort of men treated with either focal or hemi-ablation using high-intensity focused ultrasonography for primary localized prostate cancer. <i>BJU International</i> , 2019 , 124, 431-440	5.6	48
645	A Contemporary Prostate Biopsy Risk Calculator Based on Multiple Heterogeneous Cohorts. <i>European Urology</i> , 2018 , 74, 197-203	10.2	48
644	The effects of dutasteride or tamsulosin alone and in combination on storage and voiding symptoms in men with lower urinary tract symptoms (LUTS) and benign prostatic hyperplasia (BPH): 4-year data from the Combination of Avodart and Tamsulosin (CombAT) study. <i>BJU International</i> , 2011 , 107, 1426-31	5.6	47

643	Lessons learned from the International Renal Cell Carcinoma-Venous Thrombus Consortium (IRCC-VTC). <i>Current Urology Reports</i> , 2014 , 15, 404	2.9	46
642	Earliest time to onset of action leading to successful intercourse with vardenafil determined in an at-home setting: a randomized, double-blind, placebo-controlled trial. <i>Journal of Sexual Medicine</i> , 2004 , 1, 168-78	1.1	46
641	Incidence and effect of variant histology on oncological outcomes in patients with bladder cancer treated with radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 335-341 ^{2,8}	2.8	45
640	Lymph node count threshold for optimal pelvic lymph node staging in prostate cancer. <i>International Journal of Urology</i> , 2012 , 19, 645-51	2.3	45
639	Dorsal onlay graft urethroplasty using penile skin or buccal mucosa for repair of bulbar urethral stricture: results of a prospective single center study. <i>European Urology</i> , 2005 , 48, 1013-7	10.2	45
638	Radical prostatectomy for incidental (stage T1a-T1b) prostate cancer: analysis of predictors for residual disease and biochemical recurrence. <i>European Urology</i> , 2008 , 54, 118-25	10.2	43
637	Impact of Acute Kidney Injury and Its Duration on Long-term Renal Function After Partial Nephrectomy. <i>European Urology</i> , 2019 , 76, 398-403	10.2	42
636	Apomorphine-induced brain modulation during sexual stimulation: a new look at central phenomena related to erectile dysfunction. <i>International Journal of Impotence Research</i> , 2003 , 15, 203-9 ^{2,3}	2.3	42
635	Patterns of Clinical Recurrence of Node-positive Prostate Cancer and Impact on Long-term Survival. <i>European Urology</i> , 2015 , 68, 777-84	10.2	41
634	Adjuvant chemotherapy after radical nephroureterectomy does not improve survival in patients with upper tract urothelial carcinoma: a joint study by the European Association of Urology-Young Academic Urologists and the Upper Tract Urothelial Carcinoma Collaboration. <i>BJU International</i> , 2018 , 121, 252-259	5.6	41
633	Robot-assisted Surgery for Benign Ureteral Strictures: Experience and Outcomes from Four Tertiary Care Institutions. <i>European Urology</i> , 2017 , 71, 945-951	10.2	41
632	Impact of Early Salvage Radiation Therapy in Patients with Persistently Elevated or Rising Prostate-specific Antigen After Radical Prostatectomy. <i>European Urology</i> , 2018 , 73, 436-444	10.2	41
631	General versus spinal anesthesia in patients undergoing radical retropubic prostatectomy: results of a prospective, randomized study. <i>Urology</i> , 2004 , 64, 95-100	1.6	40
630	Drug Insight: oral phosphodiesterase type 5 inhibitors for erectile dysfunction. <i>Nature Reviews Urology</i> , 2005 , 2, 239-47		40
629	The Impact of Experience on the Risk of Surgical Margins and Biochemical Recurrence after Robot-Assisted Radical Prostatectomy: A Learning Curve Study. <i>Journal of Urology</i> , 2019 , 202, 108-113	2.5	40
628	Elective Nephron Sparing Surgery Decreases Other Cause Mortality Relative to Radical Nephrectomy Only in Specific Subgroups of Patients with Renal Cell Carcinoma. <i>Journal of Urology</i> , 2016 , 196, 1008-13	2.5	40
627	Testicular microbiome in azoospermic men-first evidence of the impact of an altered microenvironment. <i>Human Reproduction</i> , 2018 , 33, 1212-1217	5.7	40
626	Early Postoperative Radiotherapy is Associated with Worse Functional Outcomes in Patients with Prostate Cancer. <i>Journal of Urology</i> , 2017 , 197, 669-675	2.5	39

625	EAU policy on live surgery events. <i>European Urology</i> , 2014 , 66, 87-97	10.2	39
624	Long-term oncologic outcomes of laparoscopic renal cryoablation as primary treatment for small renal masses. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 22.e1-22.e9	2.8	38
623	Efficacy and Safety of Hexanic Lipidosterolic Extract of <i>Serenoa repens</i> (Permixon) in the Treatment of Lower Urinary Tract Symptoms Due to Benign Prostatic Hyperplasia: Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>European Urology Focus</i> , 2016 , 2, 553-561	5.1	38
622	The Role of Prostate-specific Antigen Persistence After Radical Prostatectomy for the Prediction of Clinical Progression and Cancer-specific Mortality in Node-positive Prostate Cancer Patients. <i>European Urology</i> , 2016 , 69, 1142-8	10.2	38
621	Indication for and extension of pelvic lymph node dissection during robot-assisted radical prostatectomy: an analysis of five European institutions. <i>European Urology</i> , 2014 , 66, 635-43	10.2	38
620	Metabolic syndrome and benign prostatic hyperplasia: evidence of a potential relationship, hypothesized etiology, and prevention. <i>Korean Journal of Urology</i> , 2011 , 52, 507-16		38
619	Is seminal vesicle ablation mandatory for all patients undergoing radical prostatectomy? A multivariate analysis on 1283 patients. <i>European Urology</i> , 2004 , 46, 42-9	10.2	38
618	Testosterone and sleep-related erections: an overview*. <i>Journal of Sexual Medicine</i> , 2005 , 2, 771-84	1.1	38
617	Surgical Safety of Radical Cystectomy and Pelvic Lymph Node Dissection Following Neoadjuvant Pembrolizumab in Patients with Bladder Cancer: Prospective Assessment of Perioperative Outcomes from the PURE-01 Trial. <i>European Urology</i> , 2020 , 77, 576-580	10.2	38
616	The Key Combined Value of Multiparametric Magnetic Resonance Imaging, and Magnetic Resonance Imaging-targeted and Concomitant Systematic Biopsies for the Prediction of Adverse Pathological Features in Prostate Cancer Patients Undergoing Radical Prostatectomy. <i>European Urology</i> , 2020 , 77, 733-741	10.2	38
615	The ERUS Curriculum for Robot-assisted Partial Nephrectomy: Structure Definition and Pilot Clinical Validation. <i>European Urology</i> , 2019 , 75, 1023-1031	10.2	37
614	Holmium laser enucleation of the prostate and holmium laser ablation of the prostate: indications and outcome. <i>Current Opinion in Urology</i> , 2009 , 19, 38-43	2.8	37
613	Not All Multiparametric Magnetic Resonance Imaging-targeted Biopsies Are Equal: The Impact of the Type of Approach and Operator Expertise on the Detection of Clinically Significant Prostate Cancer. <i>European Urology Oncology</i> , 2018 , 1, 120-128	6.7	37
612	High-risk human papillomavirus in semen is associated with poor sperm progressive motility and a high sperm DNA fragmentation index in infertile men. <i>Human Reproduction</i> , 2019 , 34, 209-217	5.7	36
611	Prediction of Complications Following Partial Nephrectomy: Implications for Ablative Techniques Candidates. <i>European Urology</i> , 2016 , 69, 676-682	10.2	35
610	Seminal plasma of men with severe asthenozoospermia contain exosomes that affect spermatozoa motility and capacitation. <i>Fertility and Sterility</i> , 2019 , 111, 897-908.e2	4.8	35
609	The safety of phosphodiesterase type 5 inhibitors for erectile dysfunction. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 141-52	4.1	35
608	Vardenafil can improve continence recovery after bilateral nerve sparing prostatectomy: results of a randomized, double blind, placebo-controlled pilot study. <i>Journal of Sexual Medicine</i> , 2010 , 7, 234-43	1.1	35

607	Severely low testosterone in males with COVID-19: A case-control study. <i>Andrology</i> , 2021 , 9, 1043-1052	4.2	35
606	Postprostatectomy Erectile Dysfunction: A Review. <i>World Journal of Men's Health</i> , 2016 , 34, 73-88	6.8	35
605	The role of prostatic inflammation in the development and progression of benign and malignant diseases. <i>Current Opinion in Urology</i> , 2017 , 27, 99-106	2.8	34
604	Early repeated ureteroscopy within 6-8 weeks after a primary endoscopic treatment in patients with upper tract urothelial cell carcinoma: preliminary findings. <i>World Journal of Urology</i> , 2016 , 34, 1201-4	4	34
603	Adipose-derived Stem Cells Counteract Urethral Stricture Formation in Rats. <i>European Urology</i> , 2016 , 70, 1032-1041	10.2	34
602	Heavy cigarette smoking and alcohol consumption are associated with impaired sperm parameters in primary infertile men. <i>Asian Journal of Andrology</i> , 2019 , 21, 478-485	2.8	34
601	SWITCHING FROM INTRACAVERNOUS PROSTAGLANDIN E1 INJECTIONS TO ORAL SILDENAFIL CITRATE IN PATIENTS WITH ERECTILE DYSFUNCTION: RESULTS OF A MULTICENTER EUROPEAN STUDY. <i>Journal of Urology</i> , 2000 , 164, 708-711	2.5	33
600	Impact of Adjuvant Radiotherapy in Node-positive Prostate Cancer Patients: The Importance of Patient Selection. <i>European Urology</i> , 2018 , 74, 253-256	10.2	32
599	The Surgical Learning Curve for One-stage Anterior Urethroplasty: A Prospective Single-surgeon Study. <i>European Urology</i> , 2016 , 69, 686-690	10.2	32
598	Robot-assisted Salvage Lymph Node Dissection for Clinically Recurrent Prostate Cancer. <i>European Urology</i> , 2017 , 72, 432-438	10.2	32
597	What is the definition of a satisfactory erectile function after bilateral nerve sparing radical prostatectomy?. <i>Journal of Sexual Medicine</i> , 2011 , 8, 1210-7	1.1	32
596	Acceptance of and discontinuation rate from paroxetine treatment in patients with lifelong premature ejaculation. <i>Journal of Sexual Medicine</i> , 2009 , 6, 2868-77	1.1	32
595	Remembered International Index of Erectile Function domain scores are not accurate in assessing preoperative potency in candidates for bilateral nerve-sparing radical retropubic prostatectomy. <i>Journal of Sexual Medicine</i> , 2008 , 5, 677-83	1.1	32
594	Relationship of chronic histologic prostatic inflammation in biopsy specimens with serum isoform [-2]proPSA (p2PSA), %p2PSA, and prostate health index in men with a total prostate-specific antigen of 4-10 ng/ml and normal digital rectal examination. <i>Urology</i> , 2014 , 83, 606-12	1.6	31
593	Prediction of sexual function after radical prostatectomy. <i>Cancer</i> , 2009 , 115, 3150-9	6.4	31
592	Vardenafil for the treatment of erectile dysfunction: a critical review of the literature based on personal clinical experience. <i>European Urology</i> , 2005 , 47, 612-21	10.2	31
591	Sleep-related painful erections: clinical and polysomnographic features. <i>Journal of Sleep Research</i> , 1996 , 5, 195-7	5.8	31
590	Contemporary Incidence and Cancer Control Outcomes of Primary Neuroendocrine Prostate Cancer: A SEER Database Analysis. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e793-e800	3.3	30

589	Contemporary National Assessment of Robot-Assisted Surgery Rates and Total Hospital Charges for Major Surgical Uro-Oncological Procedures in the United States. <i>Journal of Endourology</i> , 2019 , 33, 438-447	2.7	30
588	Long-term Outcomes of Salvage Lymph Node Dissection for Nodal Recurrence of Prostate Cancer After Radical Prostatectomy: Not as Good as Previously Thought. <i>European Urology</i> , 2020 , 78, 661-669	10.2	30
587	When to Perform Karyotype Analysis in Infertile Men? Validation of the European Association of Urology Guidelines with the Proposal of a New Predictive Model. <i>European Urology</i> , 2016 , 70, 920-923	10.2	30
586	Orgasmic Dysfunction After Robot-assisted Versus Open Radical Prostatectomy. <i>European Urology</i> , 2016 , 70, 223-6	10.2	30
585	Assessing the Impact of Surgeon Experience on Urinary Continence Recovery After Robot-Assisted Radical Prostatectomy: Results of Four High-Volume Surgeons. <i>Journal of Endourology</i> , 2017 , 31, 872-877	7.7	30
584	Preoperative erectile function represents a significant predictor of postoperative urinary continence recovery in patients treated with bilateral nerve sparing radical prostatectomy. <i>Journal of Urology</i> , 2012 , 187, 569-74	2.5	30
583	Nerve-sparing radical retropubic prostatectomy in patients previously submitted to holmium laser enucleation of the prostate for bladder outlet obstruction due to benign prostatic enlargement. <i>European Urology</i> , 2008 , 53, 1180-5	10.2	30
582	End-Stage Renal Disease After Renal Surgery in Patients with Normal Preoperative Kidney Function: Balancing Surgical Strategy and Individual Disorders at Baseline. <i>European Urology</i> , 2016 , 70, 558-561	10.2	30
581	Trends in Radical Prostatectomy Risk Group Distribution in a European Multicenter Analysis of 28 572 Patients: Towards Tailored Treatment. <i>European Urology Focus</i> , 2019 , 5, 171-178	5.1	30
580	Evaluating the effect of time from prostate cancer diagnosis to radical prostatectomy on cancer control: Can surgery be postponed safely?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 150.e9-150.e15	2.8	29
579	Radical Nephrectomy with or without Lymph Node Dissection for High Risk Nonmetastatic Renal Cell Carcinoma: A Multi-Institutional Analysis. <i>Journal of Urology</i> , 2018 , 199, 1143-1148	2.5	29
578	The Impact of Implementation of the European Association of Urology Guidelines Panel Recommendations on Reporting and Grading Complications on Perioperative Outcomes after Robot-assisted Radical Prostatectomy. <i>European Urology</i> , 2018 , 74, 4-7	10.2	29
577	Choosing the best candidates for penile rehabilitation after bilateral nerve-sparing radical prostatectomy. <i>Journal of Sexual Medicine</i> , 2012 , 9, 608-17	1.1	29
576	Erectile function outcome after bilateral nerve sparing radical prostatectomy: which patients may be left untreated?. <i>Journal of Sexual Medicine</i> , 2012 , 9, 903-8	1.1	29
575	Erectile dysfunction as a cardiovascular risk factor in patients with diabetes. <i>Endocrine</i> , 2013 , 43, 285-92	4	29
574	External validation of the European association of urology recommendations for pelvic lymph node dissection in patients treated with robot-assisted radical prostatectomy. <i>Journal of Endourology</i> , 2014 , 28, 416-23	2.7	29
573	Management of erectile dysfunction after radical prostatectomy in 2007. <i>World Journal of Urology</i> , 2007 , 25, 143-8	4	29
572	Review of phosphodiesterases in the urogenital system: new directions for therapeutic intervention. <i>Journal of Sexual Medicine</i> , 2004 , 1, 322-36	1.1	29

571	Improved cancer-specific free survival and overall free survival in contemporary metastatic prostate cancer patients: a population-based study. <i>International Urology and Nephrology</i> , 2018 , 50, 71-78	2.3	29
570	A Detailed Analysis of the Association Between Postoperative Phosphodiesterase Type 5 Inhibitor Use and the Risk of Biochemical Recurrence After Radical Prostatectomy. <i>European Urology</i> , 2015 , 68, 750-3	10.2	28
569	Impact of the introduction of a robotic training programme on prostate cancer stage migration at a single tertiary referral centre. <i>BJU International</i> , 2013 , 111, 1222-30	5.6	28
568	Quantitative sensory testing of peripheral thresholds in patients with lifelong premature ejaculation: a case-controlled study. <i>Journal of Sexual Medicine</i> , 2009 , 6, 1755-1762	1.1	28
567	Effect of Extended Pelvic Lymph Node Dissection on Oncologic Outcomes in Patients with D'Amico Intermediate and High Risk Prostate Cancer Treated with Radical Prostatectomy: A Multi-Institutional Study. <i>Journal of Urology</i> , 2020 , 203, 338-343	2.5	28
566	Simultaneous Bilateral Endoscopic Surgery (SBES) for Patients with Bilateral Upper Tract Urolithiasis: Technique and Outcomes. <i>European Urology</i> , 2018 , 74, 810-815	10.2	27
565	Will focal therapy remain only an attractive illusion for the primary treatment of prostate cancer?. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1299-301	2.2	27
564	Anti-Mullerian Hormone-to-Testosterone Ratio is Predictive of Positive Sperm Retrieval in Men with Idiopathic Non-Obstructive Azoospermia. <i>Scientific Reports</i> , 2017 , 7, 17638	4.9	27
563	Extent of lymphadenectomy does not improve the survival of patients with renal cell carcinoma and nodal metastases: biases associated with the handling of missing data. <i>BJU International</i> , 2014 , 113, 36-42	5.6	27
562	Vardenafil provides reliable efficacy over time in men with erectile dysfunction. <i>Urology</i> , 2004 , 64, 1187-95	2.5	27
561	Effectiveness and safety of multidrug intracavernous therapy for vasculogenic impotence. <i>Urology</i> , 1993 , 42, 554-8	1.6	27
560	Perioperative Outcomes of Open, Laparoscopic, and Robotic Partial Nephrectomy: A Prospective Multicenter Observational Study (The RECORD 2 Project). <i>European Urology Focus</i> , 2021 , 7, 390-396	5.1	27
559	Use of Concomitant Androgen Deprivation Therapy in Patients Treated with Early Salvage Radiotherapy for Biochemical Recurrence After Radical Prostatectomy: Long-term Results from a Large, Multi-institutional Series. <i>European Urology</i> , 2018 , 73, 512-518	10.2	27
558	What is the optimal definition of misclassification in patients with very low-risk prostate cancer eligible for active surveillance? Results from a multi-institutional series. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 164.e1-9	2.8	26
557	Association Between Prostate Imaging Reporting and Data System (PI-RADS) Score for the Index Lesion and Multifocal, Clinically Significant Prostate Cancer. <i>European Urology Oncology</i> , 2018 , 1, 29-36	6.7	26
556	Effect of dutasteride, tamsulosin and the combination on patient-reported quality of life and treatment satisfaction in men with moderate-to-severe benign prostatic hyperplasia: 4-year data from the CombAT study. <i>International Journal of Clinical Practice</i> , 2010 , 64, 1042-51	2.9	26
555	Safety and Tolerability of Treatment for BPH. <i>European Urology Supplements</i> , 2006 , 5, 1004-1012	0.9	26
554	Outcomes for Patients with Clinical Lymphadenopathy Treated with Radical Prostatectomy. <i>European Urology</i> , 2016 , 69, 193-6	10.2	25

553	Differences in trends in the use of robot-assisted and open radical cystectomy and changes over time in peri-operative outcomes among selected centres in North America and Europe: an international multicentre collaboration. <i>BJU International</i> , 2019 , 124, 656	5.6	25
552	Predicting survival of men with recurrent prostate cancer after radical prostatectomy. <i>European Journal of Cancer</i> , 2016 , 54, 27-34	7.5	25
551	Is a treatment delay in radical prostatectomy safe in individuals with low-risk prostate cancer?. <i>Journal of Sexual Medicine</i> , 2012 , 9, 2961-9	1.1	25
550	Erectile dysfunction after radical prostatectomy. <i>BJU International</i> , 2004 , 93, 1-2	5.6	25
549	Penile implants in the era of oral drug treatment for erectile dysfunction. <i>BJU International</i> , 2004 , 94, 745-51	5.6	25
548	Clinical update on phosphodiesterase type-5 inhibitors for erectile dysfunction. <i>World Journal of Urology</i> , 2005 , 23, 374-84	4	25
547	Genital plus audiovisual sexual stimulation following intracavernous vasoactive injection versus re-dosing for erectile dysfunction--results of a prospective study. <i>Journal of Urology</i> , 1998 , 159, 113-5	2.5	24
546	Severe vascular complication after implantation of a three-piece inflatable penile prosthesis. <i>Journal of Sexual Medicine</i> , 2008 , 5, 2956-9	1.1	24
545	Association between erectile dysfunction and coronary artery disease: a case report study. <i>Journal of Sexual Medicine</i> , 2005 , 2, 575-82	1.1	24
544	Penile rehabilitation after radical prostatectomy: does it work?. <i>Translational Andrology and Urology</i> , 2015 , 4, 110-23	2.3	24
543	First North American validation and head-to-head comparison of four preoperative nomograms for prediction of lymph node invasion before radical prostatectomy. <i>BJU International</i> , 2018 , 121, 592-599	5.6	24
542	Robotic partial nephrectomy vs minimally invasive radical nephrectomy for clinical T2a renal mass: a propensity score-matched comparison from the ROSULA (Robotic Surgery for Large Renal Mass) Collaborative Group. <i>BJU International</i> , 2020 , 126, 114-123	5.6	23
541	Is erectile dysfunction a reliable indicator of general health status in men?. <i>Arab Journal of Urology Arab Association of Urology</i> , 2013 , 11, 203-11	1.7	23
540	Sildenafil : a new subtype selective alpha-1 antagonist for the treatment of lower urinary tract symptoms in patients with benign prostatic hyperplasia. <i>Expert Opinion on Pharmacotherapy</i> , 2012 , 13, 2085-96	4	23
539	Contemporary Techniques of Prostate Dissection for Robot-assisted Prostatectomy. <i>European Urology</i> , 2020 , 78, 583-591	10.2	23
538	There Is No Way to Avoid Systematic Prostate Biopsies in Addition to Multiparametric Magnetic Resonance Imaging Targeted Biopsies. <i>European Urology Oncology</i> , 2020 , 3, 112-118	6.7	23
537	Effect of Tadalafil Once Daily on Penile Length Loss and Morning Erections in Patients After Bilateral Nerve-sparing Radical Prostatectomy: Results From a Randomized Controlled Trial. <i>Urology</i> , 2015 , 85, 1090-1096	1.6	22
536	Cardiopulmonary Bypass has No Significant Impact on Survival in Patients Undergoing Nephrectomy and Level III-IV Inferior Vena Cava Thrombectomy: Multi-Institutional Analysis. <i>Journal of Urology</i> , 2015 , 194, 304-308	2.5	22

535	Orgasmic Dysfunction after Radical Prostatectomy. <i>World Journal of Men's Health</i> , 2017 , 35, 1-13	6.8	22
534	Systematic review and meta-analysis of randomized controlled trials evaluating silodosin in the treatment of non-neurogenic male lower urinary tract symptoms suggestive of benign prostatic enlargement. <i>World Journal of Urology</i> , 2013 , 31, 997-1008	4	22
533	Can phosphodiesterase type 5 inhibitors cure erectile dysfunction?. <i>European Urology</i> , 2006 , 49, 979-86	10.2	22
532	Vardenafil is effective and well-tolerated for treating erectile dysfunction in a broad population of men, irrespective of age. <i>BJU International</i> , 2005 , 95, 110-6	5.6	22
531	Surgical quality, cancer control and functional preservation: introducing a novel trifecta for robot-assisted partial nephrectomy. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 82-90	4.4	22
530	Impact of stage migration and practice changes on high-risk prostate cancer: results from patients treated with radical prostatectomy over the last two decades. <i>BJU International</i> , 2016 , 117, 740-7	5.6	22
529	Bladder cancer cell growth and motility implicate cannabinoid 2 receptor-mediated modifications of sphingolipids metabolism. <i>Scientific Reports</i> , 2017 , 7, 42157	4.9	21
528	Is Robot-assisted Surgery Contraindicated in the Case of Partial Nephrectomy for Complex Tumours or Relevant Comorbidities? A Comparative Analysis of Morbidity, Renal Function, and Oncologic Outcomes. <i>European Urology Oncology</i> , 2018 , 1, 61-68	6.7	21
527	Diagnosis of BPH and treatment of LUTS among GPs: a European survey. <i>International Journal of Clinical Practice</i> , 2013 , 67, 114-9	2.9	21
526	DFL23448, A Novel Transient Receptor Potential Melastin 8-Selective Ion Channel Antagonist, Modifies Bladder Function and Reduces Bladder Overactivity in Awake Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 356, 200-11	4.7	21
525	Silodosin in the management of lower urinary tract symptoms as a result of benign prostatic hyperplasia: who are the best candidates. <i>International Journal of Clinical Practice</i> , 2013 , 67, 544-51	2.9	21
524	Peyronie's disease: a review. <i>Current Opinion in Urology</i> , 2003 , 13, 417-22	2.8	21
523	Treatments of 1242 bulbar urethral strictures: multivariable statistical analysis of results. <i>World Journal of Urology</i> , 2019 , 37, 1165-1171	4	21
522	Hypertension and Cardiovascular Morbidity Following Surgery for Kidney Cancer. <i>European Urology Oncology</i> , 2020 , 3, 209-215	6.7	21
521	Evaluation of positive surgical margins in patients undergoing robot-assisted and open radical prostatectomy according to preoperative risk groups. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 57.e1-7	2.8	20
520	Pure but Not Mixed Histologic Variants Are Associated With Poor Survival at Radical Cystectomy in Bladder Cancer Patients. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e603-e607	3.3	20
519	Pelvic lymph node dissection in prostate cancer: indications, extent and tailored approaches. <i>Urologia</i> , 2017 , 84, 9-19	1.2	20
518	Baseline prevalence of erectile dysfunction in a prostate cancer screening population. <i>Journal of Sexual Medicine</i> , 2008 , 5, 428-35	1.1	20

517	Intraoperative assessment of an implantable electrode array for cavernous nerve stimulation. <i>Journal of Sexual Medicine</i> , 2008 , 5, 1949-54	1.1	20
516	The ageing male and erectile dysfunction. <i>BJU International</i> , 2003 , 92, 516-20	5.6	20
515	Counselling the patient with prostate cancer about treatment-related erectile dysfunction. <i>Current Opinion in Urology</i> , 2001 , 11, 611-7	2.8	20
514	Positive Predictive Value of Prostate Imaging Reporting and Data System Version 2 for the Detection of Clinically Significant Prostate Cancer: A Systematic Review and Meta-analysis. <i>European Urology Oncology</i> , 2021 , 4, 697-713	6.7	20
513	Apparent diffusion coefficient in the evaluation of side-specific extracapsular extension in prostate cancer: Development and external validation of a nomogram of clinical use. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 291.e9-291.e17	2.8	19
512	Diagnostic and Therapeutic Implications of Erectile Dysfunction in Patients with Cardiovascular Disease. <i>European Urology</i> , 2016 , 70, 219-22	10.2	19
511	Confocal Laser Endomicroscopy in the Management of Endoscopically Treated Upper Urinary Tract Transitional Cell Carcinoma: Preliminary Data. <i>Journal of Endourology</i> , 2016 , 30, 237-42	2.7	19
510	How to optimize patient selection for robot-assisted radical prostatectomy: functional outcome analyses from a tertiary referral center. <i>Journal of Endourology</i> , 2014 , 28, 792-800	2.7	19
509	From "gold standard" resection to reproducible "future standard" endoscopic enucleation of the prostate: what we know about anatomical enucleation. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 446-453	2.3	19
508	Identification of pathologically favorable disease in intermediate-risk prostate cancer patients: Implications for active surveillance candidates selection. <i>Prostate</i> , 2015 , 75, 1484-91	4.2	19
507	Bladder cancer and urothelial impairment: the role of TRPV1 as potential drug target. <i>BioMed Research International</i> , 2014 , 2014, 987149	3	19
506	Women's sexual dysfunction: a review of the "surgical landscape". <i>European Urology</i> , 2006 , 50, 44-52	10.2	19
505	Clinical Comparison of Holmium Laser Enucleation of the Prostate and Bipolar Transurethral Enucleation of the Prostate in Patients Under Either Anticoagulation or Antiplatelet Therapy. <i>European Urology Focus</i> , 2020 , 6, 720-728	5.1	19
504	External Validation of the 2019 Briganti Nomogram for the Identification of Prostate Cancer Patients Who Should Be Considered for an Extended Pelvic Lymph Node Dissection. <i>European Urology</i> , 2020 , 78, 138-142	10.2	18
503	Metabolic syndrome in White-European men presenting for secondary couple's infertility: an investigation of the clinical and reproductive burden. <i>Asian Journal of Andrology</i> , 2017 , 19, 368-373	2.8	18
502	Do We Really Need to Wear Proper Eye Protection When Using Holmium:YAG Laser During Endourologic Procedures? Results from an Ex Vivo Animal Model on Pig Eyes. <i>Journal of Endourology</i> , 2016 , 30, 332-7	2.7	18
501	Pathologic nodal staging scores in patients treated with radical prostatectomy: a postoperative decision tool. <i>European Urology</i> , 2014 , 66, 439-46	10.2	18
500	A population-based competing-risks analysis of survival after nephrectomy for renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 46.e1-7	2.8	18

499	Secondary provoked vestibulodynia in sexually active women with uncomplicated recurrent urinary tract infections. <i>Journal of Sexual Medicine</i> , 2013 , 10, 2265-73	1.1	18
498	Follow-up After Treatment for Renal Cell Carcinoma: The Evidence Beyond the Guidelines. <i>European Urology Focus</i> , 2016 , 1, 272-281	5.1	18
497	Impact of Postoperative Radiotherapy in Men with Persistently Elevated Prostate-specific Antigen After Radical Prostatectomy for Prostate Cancer: A Long-term Survival Analysis. <i>European Urology</i> , 2017 , 72, 910-917	10.2	17
496	The Effect of Lymph Node Dissection in Metastatic Prostate Cancer Patients Treated with Radical Prostatectomy: A Contemporary Analysis of Survival and Early Postoperative Outcomes. <i>European Urology Oncology</i> , 2019 , 2, 541-548	6.7	17
495	Identifying candidates for super-extended staging pelvic lymph node dissection among patients with high-risk prostate cancer. <i>BJU International</i> , 2018 , 121, 421-427	5.6	17
494	Radical prostatectomy or radiotherapy reduce prostate cancer mortality in elderly patients: a population-based propensity score adjusted analysis. <i>World Journal of Urology</i> , 2018 , 36, 7-13	4	17
493	The European Association of Urology Robotic Training Curriculum: An Update. <i>European Urology Focus</i> , 2016 , 2, 105-108	5.1	17
492	Oncologic Outcomes of Robot-Assisted Radical Cystectomy: Results of a High-Volume Robotic Center. <i>Journal of Endourology</i> , 2016 , 30, 75-82	2.7	17
491	Temporal Trend in Incidental Prostate Cancer Detection at Surgery for Benign Prostatic Hyperplasia. <i>Urology</i> , 2018 , 122, 152-157	1.6	17
490	Location of Metastases in Contemporary Prostate Cancer Patients Affects Cancer-Specific Mortality. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, 376-384.e1	3.3	17
489	Expression-profiling of apoptosis induced by ablation of the long ncRNA TRPM2-AS in prostate cancer cell. <i>Genomics Data</i> , 2015 , 3, 4-5		17
488	Postoperative phosphodiesterase type 5 inhibitor administration increases the rate of urinary continence recovery after bilateral nerve-sparing radical prostatectomy. <i>International Journal of Urology</i> , 2013 , 20, 413-9	2.3	17
487	The extent of lymphadenectomy does affect cancer specific survival in pathologically confirmed T4 renal cell carcinoma. <i>Urologia</i> , 2012 , 79, 109-15	1.2	17
486	When should we expect no residual tumor (pT0) once we submit incidental T1a-b prostate cancers to radical prostatectomy?. <i>International Journal of Urology</i> , 2011 , 18, 148-53	2.3	17
485	Long-term clinical reliability of transurethral and open prostatectomy for benign prostatic obstruction: a term of comparison for nonsurgical procedures. <i>European Urology</i> , 1993 , 23, 262-6	10.2	17
484	Prevention and management of post prostatectomy erectile dysfunction. <i>Translational Andrology and Urology</i> , 2015 , 4, 421-37	2.3	17
483	Underestimation of Positron Emission Tomography/Computerized Tomography in Assessing Tumor Burden in Prostate Cancer Nodal Recurrence: Head-to-Head Comparison of Ga-PSMA and C-Choline in a Large, Multi-Institutional Series of Extended Salvage Lymph Node Dissections. <i>Journal of Urology</i> , 2020 , 204, 296-302	2.5	17
482	Suboptimal use of neoadjuvant chemotherapy in radical cystectomy patients: A population-based study. <i>Canadian Urological Association Journal</i> , 2016 , 10, E82-6	1.2	17

481	Efficacy of Surgery in the Primary Tumor Site for Metastatic Urothelial Cancer: Analysis of an International, Multicenter, Multidisciplinary Database. <i>European Urology Oncology</i> , 2020 , 3, 94-101	6.7	17
480	Consulting "Dr. Google" for Prostate Cancer Treatment Options: A Contemporary Worldwide Trend Analysis. <i>European Urology Oncology</i> , 2020 , 3, 481-488	6.7	17
479	What evidence do we need to support the use of extended pelvic lymph node dissection in prostate cancer?. <i>European Urology</i> , 2015 , 67, 597-8	10.2	16
478	Effectiveness of a Combination of Cranberries, Lactobacillus rhamnosus, and Vitamin C for the Management of Recurrent Urinary Tract Infections in Women: Results of a Pilot Study. <i>European Urology</i> , 2016 , 70, 912-915	10.2	16
477	Prostate cancer: from Gleason scoring to prognostic grade grouping. <i>Expert Review of Anticancer Therapy</i> , 2016 , 16, 433-40	3.5	16
476	Delay in seeking medical help in patients with new-onset erectile dysfunction remained high over and despite the PDE5 era--an ecological study. <i>Journal of Sexual Medicine</i> , 2012 , 9, 3239-46	1.1	16
475	URB937, a peripherally restricted inhibitor for fatty acid amide hydrolase, reduces prostaglandin E2-induced bladder overactivity and hyperactivity of bladder mechano-afferent nerve fibres in rats. <i>BJU International</i> , 2016 , 117, 821-8	5.6	16
474	Semen infections in men with primary infertility in the real-life setting. <i>Fertility and Sterility</i> , 2020 , 113, 1174-1182	4.8	16
473	Penetration and maintenance of erection with vardenafil: a time-from-dosing analysis. <i>Canadian Journal of Urology</i> , 2005 , 12, 2687-98; discussion 2699	0.8	16
472	Depressive Symptoms and Low Sexual Desire after Radical Prostatectomy: Early and Long-Term Outcomes in a Real-Life Setting. <i>Journal of Urology</i> , 2018 , 199, 474-480	2.5	15
471	Serenoa repens, selenium and lycopene to manage lower urinary tract symptoms suggestive for benign prostatic hyperplasia. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 1661-1670	4.1	15
470	Exploratory Decision-Tree Modeling of Data from the Randomized REACTT Trial of Tadalafil Versus Placebo to Predict Recovery of Erectile Function After Bilateral Nerve-Sparing Radical Prostatectomy. <i>European Urology</i> , 2016 , 70, 529-37	10.2	15
469	Timing of blood transfusion and not ABO blood type is associated with survival in patients treated with radical cystectomy for nonmetastatic bladder cancer: Results from a single high-volume institution. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 256.e7-256.e13	2.8	15
468	Long-Term Follow-Up After Penile Prosthesis Implantation-Survival and Quality of Life Outcomes. <i>Journal of Sexual Medicine</i> , 2019 , 16, 1827-1833	1.1	15
467	Staging lymphadenectomy in renal cell carcinoma must be extended: a sensitivity curve analysis. <i>BJU International</i> , 2013 , 111, 412-8	5.6	15
466	The Impact of Insurance Status on Tumor Characteristics and Treatment Selection in Contemporary Patients With Prostate Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015 , 13, 1351-8	7.3	15
465	A pooled analysis of individual patient data from registrational trials of silodosin in the treatment of non-neurogenic male lower urinary tract symptoms (LUTS) suggestive of benign prostatic hyperplasia (BPH). <i>BJU International</i> , 2014 , 114, 427-33	5.6	15
464	Technical innovations to optimize continence recovery after robotic assisted radical prostatectomy. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 324-338	4.4	15

463	A Systematic Review and Meta-analysis on the Impact of Proficiency-based Progression Simulation Training on Performance Outcomes. <i>Annals of Surgery</i> , 2021 , 274, 281-289	7.8	15
462	Low Birth Weight Is Associated with a Decreased Overall Adult Health Status and Reproductive Capability - Results of a Cross-Sectional Study in Primary Infertile Patients. <i>PLoS ONE</i> , 2016 , 11, e0166728	3.7	15
461	Predicting the Pathologic Complete Response After Neoadjuvant Pembrolizumab in Muscle-Invasive Bladder Cancer. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 48-53	9.7	15
460	Defining Clinically Meaningful Positive Surgical Margins in Patients Undergoing Radical Prostatectomy for Localised Prostate Cancer. <i>European Urology Oncology</i> , 2021 , 4, 42-48	6.7	15
459	History and evolution of the use of oral mucosa for urethral reconstruction. <i>Asian Journal of Urology</i> , 2017 , 4, 96-101	2.7	14
458	Are all grade group 4 prostate cancers created equal? Implications for the applicability of the novel grade grouping. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 461.e7-461.e14	2.8	14
457	Virtual Reality Validation of the ERUS Simulation-based Training Programmes: Results from a High-volume Training Centre for Robot-assisted Surgery. <i>European Urology</i> , 2019 , 75, 885-887	10.2	14
456	Incidence and survival outcomes in patients with upper urinary tract urothelial carcinoma diagnosed with variant histology and treated with nephroureterectomy. <i>BJU International</i> , 2019 , 124, 738-745	5.6	14
455	Individual patient data from registrational trials of silodosin in the treatment of non-neurogenic male lower urinary tract symptoms (LUTS) associated with benign prostatic hyperplasia (BPH): subgroup analyses of efficacy and safety data. <i>BJU International</i> , 2015 , 115, 802-14	5.6	14
454	Impact of Microscopic Wall Invasion of the Renal Vein or Inferior Vena Cava on Cancer-specific Survival in Patients with Renal Cell Carcinoma and Tumor Thrombus: A Multi-institutional Analysis from the International Renal Cell Carcinoma-Venous Thrombus Consortium. <i>European Urology Focus</i> , 2018 , 4, 435-441	5.1	14
453	Latest pharmacotherapy options for benign prostatic hyperplasia. <i>Expert Opinion on Pharmacotherapy</i> , 2014 , 15, 2319-28	4	14
452	The Triad of Endothelial Dysfunction, Cardiovascular Disease, and Erectile Dysfunction: Clinical Implications. <i>European Urology Supplements</i> , 2009 , 8, 58-66	0.9	14
451	The role of the urologist in the management of female sexual dysfunctions. <i>Current Opinion in Urology</i> , 2004 , 14, 389-93	2.8	14
450	High Blood Pressure Is a Highly Prevalent but Unrecognised Condition in Primary Infertile Men: Results of a Cross-sectional Study. <i>European Urology Focus</i> , 2020 , 6, 178-183	5.1	14
449	Robot-assisted nephroureterectomy for upper tract urothelial carcinoma: results from three high-volume robotic surgery institutions. <i>Journal of Robotic Surgery</i> , 2020 , 14, 211-219	2.9	14
448	Current Histopathologic and Molecular Characterisations of Prostate Cancer: Towards Individualised Prognosis and Therapies. <i>European Urology</i> , 2016 , 69, 186-90	10.2	13
447	The presence of carcinoma in situ at radical cystectomy increases the risk of urothelial recurrence: Implications for follow-up schemes. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 151.e17-151.e23	2.8	13
446	Linearized texture of three-dimensional extracellular matrix is mandatory for bladder cancer cell invasion. <i>Scientific Reports</i> , 2016 , 6, 36128	4.9	13

445	Very long-term survival patterns of young patients treated with radical prostatectomy for high-risk prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 234.e13-9	2.8	13
444	Comparison of Perioperative Outcomes Between Cytoreductive Radical Prostatectomy and Radical Prostatectomy for Nonmetastatic Prostate Cancer. <i>European Urology</i> , 2018 , 74, 693-696	10.2	13
443	Degarelix as an intermittent androgen deprivation therapy for one or more treatment cycles in patients with prostate cancer. <i>European Urology</i> , 2014 , 66, 655-63	10.2	13
442	Postoperative orgasmic function increases over time in patients undergoing nerve-sparing radical prostatectomy. <i>Journal of Sexual Medicine</i> , 2010 , 7, 149-55	1.1	13
441	Long term experience with the prostatic spiral for urinary retention due to benign prostatic hyperplasia. <i>Scandinavian Journal of Urology and Nephrology</i> , 1991 , 25, 21-4		13
440	Impact of Lymph Node Burden on Survival of High-risk Prostate Cancer Patients Following Radical Prostatectomy and Pelvic Lymph Node Dissection. <i>Frontiers in Surgery</i> , 2016 , 3, 65	2.3	13
439	Validation of the American Society for Reproductive Medicine guidelines/recommendations in white European men presenting for couple's infertility. <i>Fertility and Sterility</i> , 2016 , 106, 1076-1082.e1	4.8	13
438	Partial versus radical nephrectomy in very elderly patients: a propensity score analysis of surgical, functional and oncologic outcomes (RESURGE project). <i>World Journal of Urology</i> , 2020 , 38, 151-158	4	13
437	How can we expand active surveillance criteria in patients with low- and intermediate-risk prostate cancer without increasing the risk of misclassification? Development of a novel risk calculator. <i>BJU International</i> , 2018 , 122, 823-830	5.6	13
436	Testosterone in males with COVID-19: A 7-month cohort study. <i>Andrology</i> , 2021 ,	4.2	13
435	Association of an organ transplant-based approach with a dramatic reduction in postoperative complications following radical nephrectomy and tumor thrombectomy in renal cell carcinoma. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1983-1992	3.6	12
434	Mini Review on the Use of Clinical Cancer Registers for Prostate Cancer: The National Prostate Cancer Register (NPCR) of Sweden. <i>Frontiers in Medicine</i> , 2019 , 6, 51	4.9	12
433	Sex-specific Alterations in the Urinary and Tissue Microbiome in Therapy-naïve Urothelial Bladder Cancer Patients. <i>European Urology Oncology</i> , 2020 , 3, 784-788	6.7	12
432	Surgical treatment for clinical node-positive bladder cancer patients treated with radical cystectomy without neoadjuvant chemotherapy. <i>World Journal of Urology</i> , 2018 , 36, 639-644	4	12
431	The Impact of Perioperative Blood Transfusion on Survival of Bladder Cancer Patients Submitted to Radical Cystectomy: Role of Anemia Status. <i>European Urology Focus</i> , 2016 , 2, 86-91	5.1	12
430	Trend of Adverse Stage Migration in Patients Treated with Radical Prostatectomy for Localized Prostate Cancer. <i>European Urology Oncology</i> , 2018 , 1, 160-168	6.7	12
429	Sildenafil and tadalafil have synergistic inhibitory effects on nerve-mediated contractions of human and rat isolated prostates. <i>European Journal of Pharmacology</i> , 2014 , 744, 42-51	5.3	12
428	Incidence and Predictors of 30-Day Readmission After Robot-Assisted Radical Prostatectomy. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 67-71	3.3	12

427	A broader role for 5ARIs in prostate disease? Existing evidence and emerging benefits. <i>Prostate</i> , 2009 , 69, 895-907	4.2	12
426	Optimizing postoperative sexual function after radical prostatectomy. <i>Therapeutic Advances in Urology</i> , 2012 , 4, 347-65	3.2	12
425	Management of Patients with Node-positive Prostate Cancer at Radical Prostatectomy and Pelvic Lymph Node Dissection: A Systematic Review. <i>European Urology Oncology</i> , 2020 , 3, 565-581	6.7	12
424	Lymphadenopathies in patients with renal cell carcinoma: clinical and pathological predictors of pathologically confirmed lymph node invasion. <i>World Journal of Urology</i> , 2016 , 34, 1139-45	4	12
423	Intratunical Injection of Human Adipose Tissue-Derived Stem Cells Restores Collagen III/I Ratio in a Rat Model of Chronic Peyronie's Disease. <i>Sexual Medicine</i> , 2019 , 7, 94-103	2.7	12
422	The Impact of Surgical Strategy in Robot-assisted Partial Nephrectomy: Is It Beneficial to Treat Anterior Tumours with Transperitoneal Access and Posterior Tumours with Retroperitoneal Access?. <i>European Urology Oncology</i> , 2021 , 4, 112-116	6.7	12
421	Location of Metastatic Bladder Cancer as a Determinant of In-hospital Mortality After Radical Cystectomy. <i>European Urology Oncology</i> , 2018 , 1, 169-175	6.7	12
420	Role of survivin expression in predicting biochemical recurrence after radical prostatectomy: a multi-institutional study. <i>BJU International</i> , 2017 , 119, 234-238	5.6	11
419	Impaired testicular signaling of vitamin A and vitamin K contributes to the aberrant composition of the extracellular matrix in idiopathic germ cell aplasia. <i>Fertility and Sterility</i> , 2019 , 111, 687-698	4.8	11
418	Unfavorable Cancer-specific Survival After Neoadjuvant Chemotherapy and Radical Cystectomy in Patients With Bladder Cancer and Squamous Cell Variant: A Multi-institutional Study. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e543-e556	3.3	11
417	Rate and Extent of Pelvic Lymph Node Dissection in the US Prostate Cancer Patients Treated With Radical Prostatectomy. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e451-e467	3.3	11
416	Effect of pathological high-risk features on cancer-specific mortality in non-metastatic clear cell renal cell carcinoma: a tool for optimizing patient selection for adjuvant therapy. <i>World Journal of Urology</i> , 2018 , 36, 51-57	4	11
415	Effectiveness and safety of silodosin in the treatment of lower urinary tract symptoms in patients with benign prostatic hyperplasia: A European phase IV clinical study (SiRE study). <i>International Journal of Urology</i> , 2016 , 23, 572-9	2.3	11
414	The effect of age on cancer-specific mortality in patients with small renal masses: A population-based analysis. <i>Canadian Urological Association Journal</i> , 2018 , 12, E325-E330	1.2	11
413	Presence of positive surgical margin in patients with organ-confined prostate cancer equals to extracapsular extension negative surgical margin. A plea for TNM staging system reclassification. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1497-503	2.8	11
412	Comorbidity and age cannot explain variation in life expectancy associated with treatment of non-metastatic prostate cancer. <i>World Journal of Urology</i> , 2017 , 35, 1031-1036	4	11
411	Importance of prostate volume in the stratification of patients with intermediate-risk prostate cancer. <i>International Journal of Urology</i> , 2015 , 22, 555-61	2.3	11
410	The use of phosphodiesterase type 5 inhibitors for erectile dysfunction. <i>Current Opinion in Urology</i> , 2004 , 14, 357-9	2.8	11

409	Prognostic value of Caveolin-1 in patients treated with radical prostatectomy: a multicentric validation study. <i>BJU International</i> , 2016 , 118, 243-9	5.6	11
408	Population-based assessment of cancer-specific mortality after local tumour ablation or observation for kidney cancer: a competing risks analysis. <i>BJU International</i> , 2016 , 118, 541-6	5.6	11
407	One-stage Penile Urethroplasty Using Oral Mucosal Graft and Glue. <i>European Urology</i> , 2016 , 70, 1069-1075.2	11	
406	Detrusor Muscle in TUR-Derived Bladder Tumor Specimens: Can We Actually Improve the Surgical Quality?. <i>Journal of Endourology</i> , 2016 , 30, 400-5	2.7	11
405	Predicting the 5-Year Risk of Biochemical Relapse After Postprostatectomy Radiation Therapy in BT2, pN0 Patients With a Comprehensive Tumor Control Probability Model. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 96, 333-340	4	11
404	Which Patients with Clinically Node-positive Prostate Cancer Should Be Considered for Radical Prostatectomy as Part of Multimodal Treatment? The Impact of Nodal Burden on Long-term Outcomes. <i>European Urology</i> , 2019 , 75, 817-825	10.2	11
403	More Extensive Lymph Node Dissection Improves Survival Benefit of Radical Cystectomy in Metastatic Urothelial Carcinoma of the Bladder. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 105-113.e2	3.3	11
402	Age at First Presentation for Erectile Dysfunction: Analysis of Changes over a 12-yr Period. <i>European Urology Focus</i> , 2019 , 5, 899-905	5.1	11
401	Increase in the Annual Rate of Newly Diagnosed Metastatic Prostate Cancer: A Contemporary Analysis of the Surveillance, Epidemiology and End Results Database. <i>European Urology Oncology</i> , 2018 , 1, 314-320	6.7	11
400	Is transurethral resection alone enough for the diagnosis of histological variants? A single-center study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 528.e1-528.e5	2.8	10
399	The Use of Multiparametric Magnetic Resonance Imaging for Follow-up of Patients Included in Active Surveillance Protocol. Can PSA Density Discriminate Patients at Different Risk of Reclassification?. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e698-e704	3.3	10
398	Optimising the selection of candidates for neoadjuvant chemotherapy amongst patients with node-positive penile squamous cell carcinoma. <i>BJU International</i> , 2020 , 125, 867-875	5.6	10
397	Adjuvant Therapies in Nonmetastatic Renal-Cell Carcinoma: A Review of the Literature. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, 176-183	3.3	10
396	Contemporary rates of adherence to international guidelines for pelvic lymph node dissection in radical cystectomy: a population-based study. <i>World Journal of Urology</i> , 2018 , 36, 1417-1422	4	10
395	Pattern of node metastases in patients treated with radical cystectomy and extended or superextended pelvic lymph node dissection due to bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 307.e9-307.e14	2.8	10
394	Preoperative Favorable Characteristics in Bladder Cancer Patients Cannot Substitute the Necessity of Extended Lymphadenectomy During Radical Cystectomy: A Sensitivity Curve Analysis. <i>Urology</i> , 2016 , 88, 97-103	1.6	10
393	A nomogram predicting the cancer-specific mortality in patients eligible for radical cystectomy evaluating clinical data and neoadjuvant cisplatinium-based chemotherapy. <i>World Journal of Urology</i> , 2016 , 34, 207-13	4	10
392	Incremental Utility of Adjuvant Chemotherapy in Muscle-invasive Bladder Cancer: Quantifying the Relapse Risk Associated with Therapeutic Effect. <i>European Urology</i> , 2019 , 76, 425-429	10.2	10

391	The key role of time in predicting progression-free survival in patients with renal cell carcinoma treated with partial or radical nephrectomy: conditional survival analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 43.e9-16	2.8	10
390	Concomitant bladder cancer and prostate cancer: challenges and controversies. <i>Nature Reviews Urology</i> , 2017 , 14, 620-629	5.5	10
389	Oncologic outcomes in prostate cancer patients treated with robot-assisted radical prostatectomy: results from a single institution series with more than 10 years follow up. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 38-46	4.4	10
388	Comprehensive long-term assessment of outcomes following robot-assisted partial nephrectomy for renal cell carcinoma: the ROME's achievement and its predicting nomogram. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 482-489	4.4	10
387	Sperm retrieval rates in non-mosaic Klinefelter patients undergoing testicular sperm extraction: What expectations do we have in the real-life setting?. <i>Andrology</i> , 2020 , 8, 680-687	4.2	10
386	Undiagnosed prediabetes is highly prevalent in primary infertile men - results from a cross-sectional study. <i>BJU International</i> , 2019 , 123, 1070-1077	5.6	10
385	Comparison of Partial Versus Radical Nephrectomy Effect on Other-cause Mortality, Cancer-specific Mortality, and 30-day Mortality in Patients Older Than 75 Years. <i>European Urology Focus</i> , 2019 , 5, 467-473	5.1	10
384	The Effect of Other-cause Mortality Adjustment on Access to Alternative Treatment Modalities for Localized Prostate Cancer Among African American Patients. <i>European Urology Oncology</i> , 2018 , 1, 215-222	6.7	10
383	Update on histopathological evaluation of lymphadenectomy specimens from prostate cancer patients. <i>World Journal of Urology</i> , 2017 , 35, 517-526	4	9
382	Correlation Between Primary Hypospadias Repair and Subsequent Urethral Strictures in a Series of 408 Adult Patients. <i>European Urology Focus</i> , 2017 , 3, 287-292	5.1	9
381	Prediction of Competing Mortality for Decision-making Between Surgery or Observation in Elderly Patients With T1 Kidney Cancer. <i>Urology</i> , 2017 , 102, 130-137	1.6	9
380	Validation of the GRade, Age, Nodes and Tumor (GRANT) score within the Surveillance Epidemiology and End Results (SEER) database: A new tool to predict survival in surgically treated renal cell carcinoma patients. <i>Scientific Reports</i> , 2019 , 9, 13218	4.9	9
379	The effect of age and comorbidities on early postoperative complications after radical cystectomy: A contemporary population-based analysis. <i>Journal of Geriatric Oncology</i> , 2019 , 10, 623-631	3.6	9
378	Can Patients with Muscle-invasive Bladder Cancer and Fibroblast Growth Factor Receptor-3 Alterations Still Be Considered for Neoadjuvant Pembrolizumab? A Comprehensive Assessment from the Updated Results of the PURE-01 Study. <i>European Urology Oncology</i> , 2020 , 4, 1001-1001	6.7	9
377	Ten-year Follow-up Results After Holmium Laser Enucleation of the Prostate. <i>European Urology Focus</i> , 2021 , 7, 612-617	5.1	9
376	Cytoreductive Nephrectomy in Metastatic Patients with Signs or Symptoms: Implications for Renal Cell Carcinoma Guidelines. <i>European Urology</i> , 2020 , 78, 321-326	10.2	9
375	Cost of illness of urothelial bladder cancer in Italy. <i>ClinicoEconomics and Outcomes Research</i> , 2017 , 9, 433-442	1.7	9
374	Survival after radical prostatectomy or radiotherapy for locally advanced (cT3) prostate cancer. <i>World Journal of Urology</i> , 2018 , 36, 1399-1407	4	9

373	Erectile Function Recovery After Nerve-Sparing Radical Prostatectomy for Prostate Cancer: Is Back to Baseline Status Enough for Patient Satisfaction?. <i>Journal of Sexual Medicine</i> , 2016 , 13, 669-78	1.1	9
372	Incidence and Predictors of 30-Day Readmission in Patients Treated With Radical Cystectomy: A Single Center European Experience. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, e341-6	3.3	9
371	Whole Slide Imaging of Large Format Histology in Prostate Pathology: Potential for Information Fusion. <i>Archives of Pathology and Laboratory Medicine</i> , 2017 , 141, 1460-1461	5	9
370	Does Calculated Free Testosterone Overcome Total Testosterone in Protecting From Sexual Symptom Impairment? Findings of a Cross-Sectional Study. <i>Journal of Sexual Medicine</i> , 2017 , 14, 1549-1557	1.1	9
369	A risk calculator predicting recurrence in lymph node metastatic penile cancer. <i>BJU International</i> , 2020 , 126, 577-585	5.6	9
368	Neoadjuvant Chemotherapy or Immunotherapy for Clinical T2N0 Muscle-invasive Bladder Cancer: Time to Change the Paradigm?. <i>European Urology Oncology</i> , 2020 ,	6.7	9
367	Prognostic Implications of Multiparametric Magnetic Resonance Imaging and Concomitant Systematic Biopsy in Predicting Biochemical Recurrence After Radical Prostatectomy in Prostate Cancer Patients Diagnosed with Magnetic Resonance Imaging-targeted Biopsy. <i>European Urology Oncology</i> , 2020 , 3, 739-747	6.7	9
366	Penile Rehabilitation Strategy after Nerve Sparing Radical Prostatectomy: A Systematic Review and Network Meta-Analysis of Randomized Trials. <i>Journal of Urology</i> , 2021 , 205, 1018-1030	2.5	9
365	Ouabain Contributes to Kidney Damage in a Rat Model of Renal Ischemia-Reperfusion Injury. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	9
364	Erectile dysfunction in young patients is a proxy of overall men's health status. <i>Current Opinion in Urology</i> , 2016 , 26, 140-5	2.8	9
363	Modeling 1-year Relapse-free Survival After Neoadjuvant Chemotherapy and Radical Cystectomy in Patients with Clinical T2-4N0M0 Urothelial Bladder Carcinoma: Endpoints for Phase 2 Trials. <i>European Urology Oncology</i> , 2019 , 2, 248-256	6.7	9
362	Is neoadjuvant chemotherapy for pT2 bladder cancer associated with a survival benefit in a population-based analysis?. <i>Cancer Epidemiology</i> , 2019 , 58, 83-88	2.8	9
361	Intratunical injection of stromal vascular fraction prevents fibrosis in a rat model of Peyronie's disease. <i>BJU International</i> , 2019 , 124, 342-348	5.6	9
360	Contemporary Trends and Survival Outcomes After Aborted Radical Prostatectomy in Lymph Node Metastatic Prostate Cancer Patients. <i>European Urology Focus</i> , 2019 , 5, 381-388	5.1	9
359	Does working channel position influence the effectiveness of flexible ureteroscopy? Results from an in vitro study. <i>BJU International</i> , 2020 , 125, 449-456	5.6	9
358	Normal sperm parameters per se do not reliably account for fertility: A case-control study in the real-life setting. <i>Andrologia</i> , 2021 , 53, e13861	2.4	9
357	Partial nephrectomy seems to confer a survival benefit relative to radical nephrectomy in metastatic renal cell carcinoma. <i>Cancer Epidemiology</i> , 2018 , 56, 118-125	2.8	9
356	Phase I and phase II clinical trials for the treatment of male sexual dysfunction-a systematic review of the literature. <i>Expert Opinion on Investigational Drugs</i> , 2018 , 27, 583-593	5.9	9

355	Risk Stratification of Patients Candidate to Radical Prostatectomy Based on Clinical and Multiparametric Magnetic Resonance Imaging Parameters: Development and External Validation of Novel Risk Groups. <i>European Urology</i> , 2021 , 81, 193-193	10.2	9
354	Robot-assisted partial nephrectomy: 7-year outcomes. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 540-543	3	9
353	A minimum of 1-year follow-up for MiniArc single incision slings compared to Monarc transobturator slings: An analysis to evaluate durability of continence and medium-term outcomes. <i>Neurourology and Urodynamics</i> , 2017 , 36, 803-807	2.3	8
352	Novel nomogram for the prediction of seminal vesicle invasion including multiparametric magnetic resonance imaging. <i>International Journal of Urology</i> , 2019 , 26, 458-464	2.3	8
351	Should partial nephrectomy be considered "elective" in patients with stage 2 chronic kidney disease? A comparative analysis of functional and survival outcomes after radical and partial nephrectomy. <i>World Journal of Urology</i> , 2019 , 37, 2429-2437	4	8
350	Assessing the Role and Optimal Duration of Hormonal Treatment in Association with Salvage Radiation Therapy After Radical Prostatectomy: Results from a Multi-Institutional Study. <i>European Urology</i> , 2019 , 76, 443-449	10.2	8
349	Botulinum Neurotoxin Light Chains Expressed by Defective Herpes Simplex Virus Type-1 Vectors Cleave SNARE Proteins and Inhibit CGRP Release in Rat Sensory Neurons. <i>Toxins</i> , 2019 , 11,	4.9	8
348	The Role of Percentage of Prostate-specific Antigen Reduction After Focal Therapy Using High-intensity Focused Ultrasound for Primary Localised Prostate Cancer. Results from a Large Multi-institutional Series. <i>European Urology</i> , 2020 , 78, 155-160	10.2	8
347	The Value of Multiparametric Magnetic Resonance Imaging Sequences to Assist in the Decision Making of Muscle-invasive Bladder Cancer. <i>European Urology Oncology</i> , 2021 , 4, 829-833	6.7	8
346	More Extensive Lymph Node Dissection at Radical Prostatectomy is Associated with Improved Outcomes with Salvage Radiotherapy for Rising Prostate-specific Antigen After Surgery: A Long-term, Multi-institutional Analysis. <i>European Urology</i> , 2018 , 74, 134-137	10.2	8
345	Re: epithelial-to-mesenchymal transition in renal neoplasms. <i>European Urology</i> , 2015 , 68, 736-7	10.2	8
344	Clinically Meaningful Improvements in LUTS/BPH Severity in Men Treated with Silodosin Plus Hexanic Extract of <i>Serenoa Repens</i> or Silodosin Alone. <i>Scientific Reports</i> , 2017 , 7, 15179	4.9	8
343	Long-term utility of adjuvant hormonal and radiation therapy for patients with seminal vesicle invasion at radical prostatectomy. <i>BJU International</i> , 2017 , 120, 69-75	5.6	8
342	Anatomical radical retropubic prostatectomy in patients with a preexisting three-piece inflatable prosthesis: a series of case reports. <i>Journal of Sexual Medicine</i> , 2009 , 6, 578-83	1.1	8
341	The ageing male and erectile dysfunction. <i>World Journal of Urology</i> , 2002 , 20, 28-35	4	8
340	Defining the Most Informative Intermediate Clinical Endpoints for Predicting Overall Survival in Patients Treated with Radical Prostatectomy for High-risk Prostate Cancer. <i>European Urology Oncology</i> , 2019 , 2, 456-463	6.7	8
339	Regional differences in total hospital charges between open and robotically assisted radical prostatectomy in the United States. <i>World Journal of Urology</i> , 2019 , 37, 1305-1313	4	8
338	Silodosin: An Update on Efficacy, Safety and Clinical Indications in Urology. <i>Advances in Therapy</i> , 2019 , 36, 1-18	4.1	8

337	A Head-to-head Comparison of Four Prognostic Models for Prediction of Lymph Node Invasion in African American and Caucasian Individuals. <i>European Urology Focus</i> , 2019 , 5, 449-456	5.1	8
336	Clinical Profile of Young Patients with Erectile Dysfunction: Preliminary Findings of a Real-life Cross-sectional Study. <i>European Urology Focus</i> , 2020 , 6, 184-189	5.1	8
335	Male factor infertility trends throughout the last 10 years: Report from a tertiary-referral academic andrology centre. <i>Andrology</i> , 2021 , 9, 610-617	4.2	8
334	How to Prevent and Manage Post-Prostatectomy Incontinence: A Review. <i>World Journal of Men's Health</i> , 2021 , 39, 581-597	6.8	8
333	Development of a New Comorbidity Assessment Tool for Specific Prediction of Perioperative Mortality in Contemporary Patients Treated with Radical Cystectomy. <i>Annals of Surgical Oncology</i> , 2019 , 26, 1942-1949	3.1	7
332	Repair of sphincter urethral strictures preserving urinary continence: surgical technique and outcomes. <i>World Journal of Urology</i> , 2019 , 37, 2473-2479	4	7
331	Risk Based Surveillance after Surgical Treatment of Renal Cell Carcinoma. <i>Journal of Urology</i> , 2018 , 200, 61-67	2.5	7
330	Predicting survival in node-positive prostate cancer after open, laparoscopic or robotic radical prostatectomy: A competing risk analysis of a multi-institutional database. <i>International Journal of Urology</i> , 2016 , 23, 1000-1008	2.3	7
329	Recovery of urinary continence after radical prostatectomy. <i>Expert Review of Anticancer Therapy</i> , 2016 , 16, 1039-52	3.5	7
328	Spinal neuronal cannabinoid receptors mediate urodynamic effects of systemic fatty acid amide hydrolase (FAAH) inhibition in rats. <i>Neurourology and Urodynamics</i> , 2016 , 35, 464-70	2.3	7
327	The Effect of Institution Teaching Status on Perioperative Outcomes After Robotic Partial or Radical Nephrectomy. <i>Journal of Endourology</i> , 2018 , 32, 621-629	2.7	7
326	Tumor Volume and Clinical Failure in High-Risk Prostate Cancer Patients Treated With Radical Prostatectomy. <i>Prostate</i> , 2017 , 77, 3-9	4.2	7
325	Leukocytospermia is not an informative predictor of positive semen culture in infertile men: results from a validation study of available guidelines. <i>Human Reproduction Open</i> , 2020 , 2020, hoaa039	6.1	7
324	Suboptimal use of pelvic lymph node dissection: Differences in guideline adherence between robot-assisted and open radical prostatectomy. <i>Canadian Urological Association Journal</i> , 2016 , 10, 269-276 ²	7	7
323	Outcomes of robot-assisted partial nephrectomy for completely endophytic renal tumors: A multicenter analysis. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 1179-1186	3.6	7
322	Infertile Men Have Higher Prostate-specific Antigen Values than Fertile Individuals of Comparable Age. <i>European Urology</i> , 2021 , 79, 234-240	10.2	7
321	Re: Riccardo Autorino, Homayoun Zagar, Mirandolino B. Mariano, et al. Perioperative Outcomes of Robotic and Laparoscopic Simple Prostatectomy: A European-American Multi-institutional Analysis. <i>Eur Urol</i> 2015;68:86-94 Re: Matthew Bultitude, Ben Challacombe. Simple Prostatectomy: A Step Too Far for Laparoscopy? <i>Eur Urol</i> 2015;68:95-6. <i>European Urology</i> , 2015 , 68, e7-8	10.2	6
320	The Role of Radiotherapy After Radical Prostatectomy in Patients with Prostate Cancer. <i>Current Oncology Reports</i> , 2015 , 17, 53	6.3	6

319	Assessing the Best Surgical Template at Salvage Pelvic Lymph Node Dissection for Nodal Recurrence of Prostate Cancer After Radical Prostatectomy: When Can Bilateral Dissection be Omitted? Results from a Multi-institutional Series. <i>European Urology</i> , 2020 , 78, 779-782	10.2	6
318	Survival Outcomes in Octogenarian and Nonagenarian Patients Treated with First-line Androgen Deprivation Therapy for Organ-confined Prostate Cancer. <i>European Urology Focus</i> , 2018 , 4, 834-841	5.1	6
317	Nationwide, population-based study of post radical prostatectomy urinary incontinence correction surgery. <i>Journal of Surgical Oncology</i> , 2018 , 117, 321-327	2.8	6
316	Human Prostate Tissue-derived Extracellular Matrix as a Model of Prostate Microenvironment. <i>European Urology Focus</i> , 2016 , 2, 400-408	5.1	6
315	Unrecognized Prediabetes Is Highly Prevalent in Men With Erectile Dysfunction-Results From a Cross-Sectional Study. <i>Journal of Sexual Medicine</i> , 2018 , 15, 1117-1124	1.1	6
314	Contemporary Assessment of Long-Term Survival Rates in Patients With Stage I Nonseminoma Germ-Cell Tumor of the Testis: Population-Based Comparison Between Surveillance and Active Treatment After Initial Orchiectomy. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e1153-e1162	3.3	6
313	Re: Karim A. Touijer, James A. Eastham. The Sentinel Lymph Node Concept and Novel Approaches in Detecting Lymph Node Metastasis in Prostate Cancer. <i>Eur Urol</i> 2016;70:738-9: Sentinel Lymph Nodes in Adipose Tissue Surrounding the Prostate Gland and Seminal Vesicles as Observed in Virtual Whole-mount Histologic Slides. <i>European Urology</i> , 2017 , 71, e73-e75	10.2	6
312	Open versus Laparoscopic Radical Prostatectomy. <i>European Urology Supplements</i> , 2006 , 5, 377-384	0.9	6
311	Erectile Dysfunction and Radical Prostatectomy: An Update. <i>EAU Update Series</i> , 2004 , 2, 84-92		6
310	A critical analysis of laser prostatectomy in the management of benign prostatic hyperplasia. <i>BJU International</i> , 2005 , 96, 736-9	5.6	6
309	Risk factors for progression of chronic kidney disease after robotic partial nephrectomy in elderly patients: results from a multi-institutional collaborative series. <i>Minerva Urology and Nephrology</i> , 2021 ,	2.3	6
308	Assessment of local tumor ablation and non-interventional management versus partial nephrectomy in T1a renal cell carcinoma. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 350-359	4.4	6
307	The impact of intraoperative bleeding on the risk of chronic kidney disease after nephron-sparing surgery. <i>World Journal of Urology</i> , 2021 , 39, 2553-2558	4	6
306	Development of a Prediction Tool for Exclusive Locoregional Recurrence After Radical Cystectomy in Patients With Muscle-Invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 7-14.e3	3.3	6
305	The duration of infertility affects semen parameters in primary infertile men: results of a single-centre, cross-sectional study. <i>BJU International</i> , 2019 , 123, 891-898	5.6	6
304	Focus on Internal Urethrotomy as Primary Treatment for Untreated Bulbar Urethral Strictures: Results from a Multivariable Analysis. <i>European Urology Focus</i> , 2020 , 6, 164-169	5.1	6
303	Lower urinary tract symptoms and depressive symptoms among patients presenting for distressing early ejaculation. <i>International Journal of Impotence Research</i> , 2020 , 32, 207-212	2.3	6
302	Definition of a Structured Training Curriculum for Robot-assisted Radical Cystectomy with Intracorporeal Ileal Conduit in Male Patients: A Delphi Consensus Study Led by the ERUS Educational Board. <i>European Urology Focus</i> , 2021 ,	5.1	6

301	Pathological High-risk Renal Cell Carcinoma: Trends in Clinical Characteristics Over 25 Years. <i>Anticancer Research</i> , 2018 , 38, 4123-4130	2.3	6
300	Parenchymal biopsy in the management of patients with renal cancer. <i>World Journal of Urology</i> , 2021 , 39, 2961-2968	4	6
299	Dismiss Systematic Transrectal Ultrasound-guided and Embrace Targeted Magnetic Resonance Imaging-informed Prostate Biopsy: Is the Paradigm Ready to Shift?. <i>European Urology</i> , 2016 , 69, 381-3	10.2	5
298	Therapeutic approaches for lymph node involvement in prostate, bladder and kidney cancer. <i>Expert Review of Anticancer Therapy</i> , 2019 , 19, 739-755	3.5	5
297	The critical role of lymph node dissection in selecting high-risk nonmetastatic renal cancer candidates for adjuvant therapy after nephrectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 293.e25-293.e30	2.8	5
296	Re: Gillian Vandekerkhove, Werner J. Struss, Matti Annala, et al. Circulating Tumor DNA Abundance and Potential Utility in De Novo Metastatic Prostate Cancer. <i>Eur Urol</i> 2019;75:667-75: How Does Circulating DNA Reach the Blood Stream?. <i>European Urology</i> , 2019 , 76, e69-e72	10.2	5
295	Long-term incidence of secondary bladder and rectal cancer in patients treated with brachytherapy for localized prostate cancer: a large-scale population-based analysis. <i>BJU International</i> , 2019 , 124, 1006-1013	5.6	5
294	Should We Tailor the Clinical Management of Erectile Dysfunction According to Different Ages?. <i>Journal of Sexual Medicine</i> , 2019 , 16, 999-1004	1.1	5
293	Minimally Invasive Partial Nephrectomy Versus Laparoscopic Cryoablation for Patients Newly Diagnosed with a Single Small Renal Mass. <i>European Urology Focus</i> , 2015 , 1, 66-72	5.1	5
292	Which luteinising hormone-releasing hormone agonist injection schedule do men with prostate cancer prefer? Results of a European patient survey. <i>European Urology</i> , 2015 , 67, 177-179	10.2	5
291	Rates of hypogonadism forms in Klinefelter patients undergoing testicular sperm extraction: A multicenter cross-sectional study. <i>Andrology</i> , 2020 , 8, 1705-1711	4.2	5
290	Urine Endocannabinoids as Novel Non-Invasive Biomarkers for Bladder Cancer at Early Stage. <i>Cancers</i> , 2020 , 12,	6.6	5
289	Avanafil - a further step to tailoring patient needs and expectations. <i>Expert Review of Clinical Pharmacology</i> , 2016 , 9, 1171-81	3.8	5
288	Re: Daniel M. Geynisman. Anti-programmed Cell Death Protein 1 (PD-1) Antibody Nivolumab Leads to a Dramatic and Rapid Response in Papillary Renal Cell Carcinoma with Sarcomatoid and Rhabdoid Features. <i>Eur Urol</i> 2015;68:912-4. <i>European Urology</i> , 2016 , 70, e72-4	10.2	5
287	Comparison of Open Versus Robotically Assisted Cytoreductive Radical Prostatectomy for Metastatic Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e939-e945	3.3	5
286	Assessing the Clinical Value of Positive Multiparametric Magnetic Resonance Imaging in Young Men with a Suspicion of Prostate Cancer. <i>European Urology Oncology</i> , 2021 , 4, 594-600	6.7	5
285	When to Perform Preoperative Bone Scintigraphy for Kidney Cancer Staging: Indications for Preoperative Bone Scintigraphy. <i>Urology</i> , 2017 , 110, 114-120	1.6	5
284	Re: Reecha Sharma, Avi Harlev, Ashok Agarwal, Sandro C. Esteves. Cigarette Smoking and Semen Quality: A New Meta-analysis Examining the Effect of the 2010 World Health Organization Laboratory Methods for the Examination of Human Semen. <i>Eur Urol</i> 2016;70:635-45. <i>European Urology</i> , 2017 , 71, e18-e20	10.2	5

283	Silodosin From Bench to Bedside: Selectivity, Safety, and Sustained Efficacy. <i>European Urology Supplements</i> , 2011 , 10, 445-450	0.9	5
282	Safety and tolerability of oral erectile dysfunction treatments in the elderly. <i>Drugs and Aging</i> , 2005 , 22, 323-38	4.7	5
281	Potency after Radical Prostatectomy: From New Techniques to Better Results. <i>EAU-EBU Update Series</i> , 2006 , 4, 33-45		5
280	Comparison of the effect of sildenafil and apomorphine SL on nocturnal erections in healthy volunteers: a placebo-controlled study. <i>European Urology</i> , 2005 , 47, 524-9; discussion 529	10.2	5
279	Observational study on time on treatment with abiraterone and enzalutamide. <i>PLoS ONE</i> , 2020 , 15, e0244462	4.7	5
278	Original Dissecting Balloon for Retroperitoneal Laparoscopy: A Cost-Effective Alternative to the Commercially Available Device. <i>Journal of Endourology</i> , 2007 , 21, 714-717	2.7	5
277	Prevalence, assessment and surgical correction of penile curvature in hypospadias patients treated at one European Referral Center: description of the technique and surgical outcomes. <i>World Journal of Urology</i> , 2020 , 38, 2041-2048	4	5
276	Relative Contribution of Sampling and Grading to the Quality of Prostate Biopsy: Results from a Single High-volume Institution. <i>European Urology Oncology</i> , 2020 , 3, 474-480	6.7	5
275	Extended pelvic lymph-node dissection is independently associated with improved overall survival in patients with prostate cancer at high-risk of lymph-node invasion. <i>BJU International</i> , 2020 , 125, 756-758	5.6	5
274	Association Between Human Papillomavirus Infection and Outcome of Perioperative Nodal Radiotherapy for Penile Carcinoma. <i>European Urology Oncology</i> , 2021 , 4, 802-810	6.7	5
273	Retroperitoneal versus transepritoneal robot-assisted partial nephrectomy for postero-lateral renal masses: an international multicenter analysis. <i>World Journal of Urology</i> , 2021 , 39, 4175-4182	4	5
272	Safety and Early Oncologic Outcomes of Lung Resection in Patients with Isolated Pulmonary Recurrent Prostate Cancer: A Single-center Experience. <i>European Urology</i> , 2019 , 75, 871-874	10.2	5
271	Increasing Rate of Noninterventional Treatment Management in Localized Prostate Cancer Candidates for Active Surveillance: A North American Population-Based Study. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 72-78.e4	3.3	5
270	Intratunical injection of autologous adipose stromal vascular fraction reduces collagen III expression in a rat model of chronic penile fibrosis. <i>International Journal of Impotence Research</i> , 2020 , 32, 281-288	2.3	5
269	Androgen deprivation therapy in men with node-positive prostate cancer treated with postoperative radiotherapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 204-209	2.8	5
268	Contemporary Treatment Patterns and Outcomes for Patients with Penile Squamous Cell Carcinoma: Identifying Management Gaps to Promote Multi-institutional Collaboration. <i>European Urology Oncology</i> , 2021 , 4, 121-123	6.7	5
267	Morbidity and mortality after robot-assisted radical cystectomy with intracorporeal urinary diversion in octogenarians: results from the European Association of Urology Robotic Urology Section Scientific Working Group. <i>BJU International</i> , 2021 , 127, 585-595	5.6	5
266	Oncological and functional outcomes of elderly men treated with HIFU vs. minimally invasive radical prostatectomy: A propensity score analysis. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 185-191	3.6	5

265	The obesity paradox in metastatic castration-resistant prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 ,	6.2	5
264	Molecular Characterization of Residual Bladder Cancer after Neoadjuvant Pembrolizumab. <i>European Urology</i> , 2021 , 80, 149-159	10.2	5
263	Is There a Detrimental Effect of Antibiotic Therapy in Patients with Muscle-invasive Bladder Cancer Treated with Neoadjuvant Pembrolizumab?. <i>European Urology</i> , 2021 , 80, 319-322	10.2	5
262	Laser Lithotripsy: The Importance of Peak Power and Pulse Modulation. <i>European Urology Focus</i> , 2021 , 7, 22-25	5.1	5
261	Radical Cystectomy in Pathological T4a and T4b Bladder Cancer Patients: Is There Any Space for Sub Stratification?. <i>Urologia Internationalis</i> , 2019 , 102, 269-276	1.9	4
260	Contemporary use and survival after perioperative systemic chemotherapy in patients with locally advanced non-metastatic urothelial carcinoma of the bladder treated with radical cystectomy. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1253-1259	3.6	4
259	Longitudinal Risk of Developing Cardiovascular Diseases in Patients With Erectile Dysfunction-Which Patients Deserve More Attention?. <i>Journal of Sexual Medicine</i> , 2020 , 17, 1489-1494	1.1	4
258	Trends in reported male sexual dysfunction over the past decade: an evolving landscape. <i>International Journal of Impotence Research</i> , 2021 , 33, 596-602	2.3	4
257	Toward Individualized Approaches to Partial Nephrectomy: Assessing the Correlation Between Ischemia Time and Patient Health Status (RECORD2 Project). <i>European Urology Oncology</i> , 2021 , 4, 645-650	6.7	4
256	Estimated Costs Associated With Radiation Therapy for Positive Surgical Margins During Radical Prostatectomy. <i>JAMA Network Open</i> , 2020 , 3, e201913	10.4	4
255	Use of adjuvant chemotherapy in radical cystectomy patients aged >65 years: a population-based study from the surveillance epidemiology and end results (SEER)-medicare database. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 173-180	2.3	4
254	External beam radiotherapy with or without androgen deprivation therapy in elderly patients with high metastatic risk prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 239.e9-239.e15	2.8	4
253	Potential Effect of Antiplatelet and Anticoagulant Therapy on the Timing of the Diagnosis of Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, e245-50	3.3	4
252	Comprehensive analysis of in-hospital delirium after major surgical oncology procedures: A population-based study. <i>Canadian Urological Association Journal</i> , 2020 , 14, E84-E93	1.2	4
251	Sexual and bladder comorbidity in women. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2015 , 130, 165-76	3	4
250	A Critical Analysis of Permixon in the Treatment of Lower Urinary Tract Symptoms Due to Benign Prostatic Enlargement. <i>European Urology Supplements</i> , 2006 , 5, 430-440	0.9	4
249	Emerging oral drugs for erectile dysfunction. <i>Expert Opinion on Emerging Drugs</i> , 2004 , 9, 179-189	3.7	4
248	Head to Head Impact of Margin, Ischemia, Complications, Score Versus a Novel Trifecta Score on Oncologic and Functional Outcomes After Robotic-assisted Partial Nephrectomy: Results of a Multicenter Series. <i>European Urology Focus</i> , 2021 , 7, 1391-1399	5.1	4

247	Assessing in-hospital morbidity after urethroplasty using the European Association of Urology Quality Criteria for standardized reporting. <i>World Journal of Urology</i> , 2021 , 39, 3921-3930	4	4
246	Comparison of renal functional outcomes of active surveillance and partial nephrectomy in the management of oncocytoma. <i>World Journal of Urology</i> , 2021 , 39, 1195-1201	4	4
245	Is partial nephrectomy safe and effective in the setting of frail comorbid patients affected by renal cell carcinoma? Insights from the RECORD 2 multicentre prospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 78.e17-78.e26	2.8	4
244	Impact of Adjuvant Chemotherapy on Survival of Patients with Advanced Residual Disease at Radical Cystectomy Following Neoadjuvant Chemotherapy: Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	4
243	The impact of race/ethnicity on upstaging and/or upgrading rates among intermediate risk prostate cancer patients treated with radical prostatectomy. <i>World Journal of Urology</i> , 2021 , 1	4	4
242	Time of onset of vardenafil orodispersible tablet in a real-life setting - looking beyond randomized clinical trials. <i>Expert Review of Clinical Pharmacology</i> , 2017 , 10, 339-344	3.8	3
241	An Explanatory Case on the Limitations of Lymph Node Staging in Recurrent Prostate Cancer. <i>Urology Case Reports</i> , 2017 , 12, 34-36	0.5	3
240	Six Out of Ten Women with Recurrent Urinary Tract Infections Complain of Distressful Sexual Dysfunction - A Case-Control Study. <i>Scientific Reports</i> , 2017 , 7, 44380	4.9	3
239	Re: Johan Lindberg, Anna Kristiansen, Peter Wiklund, Henrik Gröbberg, Lars Egevad. Tracking the Origin of Metastatic Prostate Cancer. <i>Eur Urol</i> 2015;67:819-22. <i>European Urology</i> , 2015 , 68, e134-5	10.2	3
238	Technical and Functional Validation of a Teleoperated Multirobots Platform for Minimally Invasive Surgery. <i>IEEE Transactions on Medical Robotics and Bionics</i> , 2020 , 2, 148-156	3.1	3
237	Surrogate endpoints for overall survival for patients with metastatic hormone-sensitive prostate cancer in the CHARTED trial. <i>Prostate Cancer and Prostatic Diseases</i> , 2020 , 23, 638-645	6.2	3
236	Risk calculator for prediction of treatment-related urethroplasty failure in patients with penile urethral strictures. <i>International Urology and Nephrology</i> , 2020 , 52, 1079-1085	2.3	3
235	Medical treatment of erectile dysfunction: too many medical prescriptions?. <i>Urologia</i> , 2017 , 84, 121-129	1.2	3
234	Re: Isabel Rauscher, Charlotte Düvel, Bernhard Haller, et al. Efficacy, Predictive Factors, and Prediction Nomograms for Ga-labeled Prostate-specific Membrane Antigen-ligand Positron-emission Tomography/Computed Tomography in Early Biochemical Recurrent Prostate Cancer After Radical Prostatectomy. <i>Eur Urol</i> 2018;73:656-61. Clinical Significance of	10.2	3
233	The emerging role of PET-CT scan after radical prostatectomy: still a long way to go. <i>Lancet Oncology, The</i> , 2019 , 20, 1193-1195	21.7	3
232	A critical appraisal of systemic treatment options for metastatic non-clear cell renal cell carcinoma. <i>Critical Reviews in Oncology/Hematology</i> , 2014 , 90, 49-57	7	3
231	Predicting local failure after radical cystectomy in patients with bladder cancer: Implications for the selection of candidates at adjuvant radiation therapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 672.e1-672.e6	2.8	3
230	Analysis of Hospital Readmissions After Prosthetic Urologic Surgery in the United States: Nationally Representative Estimates of Causes, Costs, and Predictive Factors. <i>Journal of Sexual Medicine</i> , 2017 , 14, 1059-1065	1.1	3

229	Extended pelvic lymph node dissection in patients with prostate cancer previously treated with surgery for lower urinary tract symptoms. <i>BJU International</i> , 2015 , 116, 366-72	5.6	3
228	Onset of hydronephrosis and lower urinary tract symptoms in a previously healthy young man: Phyllodes tumour of the prostate as a potential diagnosis. <i>Canadian Urological Association Journal</i> , 2014 , 8, E561-3	1.2	3
227	Safety of sildenafil citrate: review of 67 double-blind placebo-controlled trials and the postmarketing safety database: F. Giuliano, G. Jackson, F. Montorsi, A. Martin-morales, and P. Raillard. <i>Journal of Sexual Medicine</i> , 2014 , 11, 885-887	1.1	3
226	Prevention and Management of Postprostatectomy Erectile Dysfunction. <i>European Urology Supplements</i> , 2009 , 8, 80-87	0.9	3
225	Testosterone and the Prostate: The Evidence So Far. <i>European Urology Supplements</i> , 2007 , 6, 874-878	0.9	3
224	A comparative review of apomorphine formulations for erectile dysfunction : recommendations for use in the elderly. <i>Drugs and Aging</i> , 2006 , 23, 309-19	4.7	3
223	Is There a Link between Erectile Dysfunction and Coronary Artery Disease?. <i>EAU Update Series</i> , 2004 , 2, 43-48		3
222	Erectile Function and Sexual Satisfaction: The Importance of Asking About Sexual Desire. <i>Journal of Sexual Medicine</i> , 2020 , 17, 349-352	1.1	3
221	Reply to Vñane Achard, Alan Dal Pra, and Thomas Zilli's Letter to the Editor re: Carlo A. Bravi, Nicola Fossati, Giorgio Gandaglia, et al. Long-term Outcomes of Salvage Lymph Node Dissection for Nodal Recurrence of Prostate Cancer After Radical Prostatectomy: Not as Good as Previously Thought. <i>Eur Urol</i> 2020;78:651-9. <i>European Urology</i> , 2020 , 78, e223-e224	10.2	3
220	Patient-reported outcomes for typical single cheek harvesting vs atypical lingual, labial or bilateral cheeks harvesting: a single-center analysis of more than 800 patients. <i>World Journal of Urology</i> , 2021 , 39, 2089-2097	4	3
219	Real-life use of the eutectic mixture lidocaine/prilocaine spray in men with premature ejaculation. <i>International Journal of Impotence Research</i> , 2021 ,	2.3	3
218	Warm ischemia time length during on-clamp partial nephrectomy: dose it really matter?. <i>Minerva Urology and Nephrology</i> , 2021 ,	2.3	3
217	STAMPEDE trial and patients with non-metastatic prostate cancer. <i>Lancet, The</i> , 2016 , 388, 234-5	40	3
216	Evaluation of Cause of Death After Radical Cystectomy for Patients With Bladder Cancer: The Impact of Age at the Time of Surgery. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e541-e548	3.3	3
215	Re: Friederike Haidl, David Pfister, Axel Heidenreich. Re: Prostatic Artery Embolization in the Treatment of Localized Prostate Cancer: A Bicentric Prospective Proof-of-Concept Study of 12 Patients. Mordasini L, Hechelhammer L, Diener PA, et al. <i>J Vasc Interv Radiol</i> 2018;29:589-97. <i>Eur Urol</i> 2018;74:525-6. Could Morphologic Changes in Periprostatic Arteries Have an Influence on	10.2	3
214	The Association of Uromodulin Genotype with Renal Cancer Aggressiveness. <i>European Urology Focus</i> , 2019 , 5, 262-265	5.1	3
213	Impact of Age on Perioperative Outcomes at Radical Prostatectomy: A Population-Based Study. <i>European Urology Focus</i> , 2020 , 6, 1213-1219	5.1	3
212	How to improve patient selection for neoadjuvant chemotherapy in bladder cancer patients candidate for radical cystectomy and pelvic lymph node dissection. <i>World Journal of Urology</i> , 2020 , 38, 1229-1233	4	3

211	Erectile function after focal therapy for localized prostate cancer: a systematic review. <i>International Journal of Impotence Research</i> , 2021 , 33, 418-427	2.3	3
210	Rapid ascertainment of uptake of a new indication for abiraterone by use of three nationwide health care registries in Sweden. <i>Acta Oncologica</i> , 2021 , 60, 56-60	3.2	3
209	[18F]Fluoro-Deoxy-Glucose positron emission tomography to evaluate lymph node involvement in patients with muscle-invasive bladder cancer receiving neoadjuvant pembrolizumab. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 235.e15-235.e21	2.8	3
208	Added Clinical Value of Whole-mount Histopathology of Radical Prostatectomy Specimens: A Collaborative Review. <i>European Urology Oncology</i> , 2021 , 4, 558-569	6.7	3
207	Testicular volume in infertile versus fertile white-European men: a case-control investigation in the real-life setting. <i>Asian Journal of Andrology</i> , 2021 , 23, 501-509	2.8	3
206	Challenging the dogma of 6 steps for anastomotic urethroplasty in posterior urethral stricture: introducing step 3a. <i>World Journal of Urology</i> , 2021 , 1	4	3
205	Aging, inflammation and DNA damage in the somatic testicular niche with idiopathic germ cell aplasia. <i>Nature Communications</i> , 2021 , 12, 5205	17.4	3
204	Infertile couples still undergo assisted reproductive treatments without initial andrological evaluation in the real-life setting: A failure to adhere to guidelines?. <i>Andrology</i> , 2021 , 9, 1843-1852	4.2	3
203	Intermediate- and high-risk nonmuscle invasive bladder cancer: Where do we stand?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 631-641	2.8	3
202	Learning Curve Analysis for Intracorporeal Robot-assisted Radical Cystectomy: Results from the EAU Robotic Urology Section Scientific Working Group.. <i>European Urology Open Science</i> , 2022 , 39, 55-61	0.9	3
201	Reply to Pascal Mouracade's Letter to the Editor re: Giorgio Gandaglia, Nicola Fossati, Armando Stabile, et al. Radical Prostatectomy in Men with Oligometastatic Prostate Cancer: Results of a Single-institution Series with Long-term Follow-up. <i>Eur Urol</i> 2017;72:289-92. Do the Data Violate Kaplan-Meier Assumptions? <i>European Urology</i> , 2017 , 72, e31	10.2	2
200	Re: Kenneth A. Iczkowski's Letter to the Editor re: Re: Rodolfo Montironi, Silvia Gasparri, Roberta Mazzucchelli, et al's Letter to the Editor re: Karim A. Touijer, James A. Eastham. The Sentinel Lymph Node Concept and Novel Approaches in Detecting Lymph Node Metastasis in Prostate Cancer. <i>Eur Urol</i> 2015;70:789-92. <i>European Urology</i> , 2015 , 70, e7	10.2	2
199	Contemporary Assessment of Survival Rates in Stage I Testicular Seminoma: A Population-Based Comparison Between Surveillance and Active Treatment After Orchiectomy. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e793-e801	3.3	2
198	Erectile Dysfunction in Coronary Artery Disease and Heart Failure 2015 , 59-71		2
197	Re: Paolo Gontero, Richard Sylvester, Francesca Pisano, et al. Prognostic factors and risk groups in T1G3 non-muscle-invasive bladder cancer patients initially treated with Bacillus Calmette-Guérin: results of a retrospective multicenter study of 2451 patients. <i>Eur Urol</i> 2015;67:74-82. <i>European Urology</i> , 2015 , 67, e7	10.2	2
196	Evaluating the predictive accuracy and the clinical benefit of a nomogram aimed to predict survival in node-positive prostate cancer patients: External validation on a multi-institutional database. <i>International Journal of Urology</i> , 2018 , 25, 574-581	2.3	2
195	Re: Jinjing Chen, Ilaria Guccini, Diletta Di Mitri, et al. Compartmentalized Activities of the Pyruvate Dehydrogenase Complex Sustain Lipogenesis in Prostate Cancer. <i>Nat Genet</i> 2018;50:219-28: Lipid Metabolism in Prostate Cancer: Expanding Patient Therapeutic Opportunities. <i>European Urology</i> , 2018 , 74, e20-e21	10.2	2
194	Reconstructive Management with Buccal Urethroplasty. <i>European Urology Supplements</i> , 2016 , 15, 17-23	0.9	2

193	Re: Georgios Gakis, Stephen A. Boorjian, Alberto Briganti, et al. The role of radical prostatectomy and lymph node dissection in lymph node-positive prostate cancer: a systematic review of the literature. <i>Eur urol</i> 2014;66:191-9. <i>European Urology</i> , 2014 , 66, e107-8	10.2	2
192	Reply to Christopher Chee Kong Ho, Siew Eng Ho, Srijit Das' letter to the editor re: Giorgio Gandaglia, Alberto Briganti, Graham Jackson, et al. A systematic review of the association between erectile dysfunction and cardiovascular disease. <i>Eur Urol</i> 2014;65:968-78. <i>European Urology</i> , 2014 , 66, e88-9	10.2	2
191	Re: Family History and Probability of Prostate Cancer, Differentiated by Risk Category - A Nationwide Population-based Study. <i>European Urology</i> , 2017 , 71, 143-144	10.2	2
190	EXTERNAL-BEAM RADIATION THERAPY INCREASES THE RATE OF SECONDARY MALIGNANCIES RELATIVE TO RADICAL PROSTATECTOMY IN MEN WITH PROSTATE CANCER. <i>Journal of Urology</i> , 2008 , 179, 113-113	2.5	2
189	The case for postoperative PDE-5 inhibitor drug treatment after radical prostatectomy. <i>Journal of Endourology</i> , 2008 , 22, 2025-7; discussion 2035	2.7	2
188	A comparison of perioperative outcomes of laparoscopic versus open nephroureterectomy for upper tract urothelial carcinoma: a propensity score matching analysis. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2021 ,	4.4	2
187	Rates and predictors of postoperative complications after Holmium laser enucleation of the prostate (HoLEP) at a high-volume center. <i>Minerva Urologica and Nephrology</i> , 2021 ,	2.3	2
186	SHBG levels in primary infertile men: a critical interpretation in clinical practice. <i>Endocrine Connections</i> , 2020 , 9, 658-666	3.5	2
185	Vacuum physiotherapy after first stage buccal mucosa graft (BMG) urethroplasty in children with proximal hypospadias. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020 , 46, 1029-1041	2	2
184	Outcomes of minimally invasive partial nephrectomy among very elderly patients: report from the RESURGE collaborative international database. <i>Central European Journal of Urology</i> , 2020 , 73, 273-279	0.9	2
183	Perioperative and oncologic outcomes of open radical nephrectomy and inferior vena cava thrombectomy with liver mobilization and Pringle maneuver for Mayo III level tumor thrombus: single institution experience. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 ,	4.4	2
182	Prevalence and surgical management of pubic hypertrophy in hypospadias patients: results from a high-volume surgeon. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2019 , 45, 1238-1248	2	2
181	Multiparametric magnetic resonance imaging and clinical variables: Which is the best combination to predict reclassification in active surveillance patients?. <i>Prostate International</i> , 2020 , 8, 167-172	3.4	2
180	Serum testosterone levels are not associated with the severity of penile curvature in men with Peyronie's disease-findings from a cross-sectional study. <i>International Journal of Impotence Research</i> , 2020 ,	2.3	2
179	Endoplasmic reticulum oxidoreductase 1 alpha modulates prostate cancer hallmarks. <i>Translational Andrology and Urology</i> , 2021 , 10, 1110-1120	2.3	2
178	Prostate-specific Membrane Antigen Imaging in Clinical Guidelines: European Association of Urology, National Comprehensive Cancer Network, and Beyond. <i>European Urology Focus</i> , 2021 , 7, 245-249 ^{5.1}	5.1	2
177	A feasibility study of preoperative pembrolizumab before radical nephroureterectomy in patients with high-risk, upper tract urothelial carcinoma: PURE-02. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022 , 40, 10.e1-10.e6	2.8	2
176	Correlation among isolated teratozoospermia, sperm DNA fragmentation and markers of systemic inflammation in primary infertile men. <i>PLoS ONE</i> , 2021 , 16, e0251608	3.7	2

175	Prediction of Complications in Radical Prostatectomy Prostate Cancer Patients: Simulated Annealing versus Co-Morbidity Indexes. <i>Urologia Internationalis</i> , 2019 , 102, 51-59	1.9	2
174	Are the Results of the Prostate Testing for Cancer and Treatment Trial Applicable to Contemporary Prostate Cancer Patients Treated with Radical Prostatectomy? Results from Two High-volume European Institutions. <i>European Urology Focus</i> , 2019 , 5, 545-549	5.1	2
173	Undiagnosed prediabetes status is associated with a reduced effectiveness of phosphodiesterase type 5 inhibitors in men with erectile dysfunction. <i>International Journal of Impotence Research</i> , 2020 , 32, 393-400	2.3	2
172	Sexual Dysfunction in Men with Prediabetes. <i>Sexual Medicine Reviews</i> , 2020 , 8, 622-634	5.6	2
171	Comparison of Two Methods for Assessing Erectile Function Before Radical Prostatectomy. <i>European Urology Oncology</i> , 2021 , 4, 323-326	6.7	2
170	Is It Compulsory to Investigate for Erectile Dysfunction in Patients Presenting for Low Urinary Tract Symptoms?. <i>European Urology Focus</i> , 2021 , 7, 172-177	5.1	2
169	Infertility as a Proxy of Men's Health: Still a long way to go. <i>Turkish Journal of Urology</i> , 2021 ,	1.3	2
168	Predicting toxicity-related docetaxel discontinuation and overall survival in metastatic castration-resistant prostate cancer: a pooled analysis of open phase 3 clinical trial data. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 743-749	6.2	2
167	Risk of health status worsening in primary infertile men: A prospective 10-year follow-up study. <i>Andrology</i> , 2021 ,	4.2	2
166	Can Negative Prostate-specific Membrane Antigen Positron Emission Tomography/Computed Tomography Avoid the Need for Pelvic Lymph Node Dissection in Newly Diagnosed Prostate Cancer Patients? A Systematic Review and Meta-analysis with Backup Histology as Reference Standard. <i>European Urology Oncology</i> , 2021 , 5, 1-11	6.7	2
165	A virus-free cellular model recapitulates several features of severe COVID-19. <i>Scientific Reports</i> , 2021 , 11, 17473	4.9	2
164	Predictive value of preoperative neutrophil-to-lymphocyte ratio in localized prostate cancer: results from a surgical series at a high-volume institution. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 481-488	2.3	2
163	Molecular subtyping and immune-gene signatures identify a subset of early bladder tumors as candidates for single-agent immune-checkpoint inhibition. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 734.e11-734.e17	2.8	2
162	A mechanistic insight into the anti-metastatic role of the prostate specific antigen. <i>Translational Oncology</i> , 2021 , 14, 101211	4.9	2
161	Re: Umberto Leone Roberti Maggiore, Simone Ferrero, Massimo Candiani, et al. Bladder Endometriosis: A Systematic Review of Pathogenesis, Diagnosis, Treatment, Impact on Fertility, and Risk of Malignant Transformation. <i>Eur Urol</i> 2017;71:790-807. <i>European Urology</i> , 2017 , 72, e139-e141	10.2	1
160	The impact of completeness of last transurethral resection of bladder tumors on the outcomes of radical cystectomy. <i>World Journal of Urology</i> , 2019 , 37, 2707-2714	4	1
159	Patterns of use and patient characteristics: brachytherapy for localized prostate cancer in octo- and nonagenarians. <i>World Journal of Urology</i> , 2015 , 33, 1985-91	4	1
158	Reply to Vincenzo Ficarra, Giuseppe Mucciardi, and Gianluca Giannarini's Letter to the Editor re: Riccardo Campi, Daniele Amparore, Umberto Capitanio, et al. Assessing the Burden of Nondeferrable Major Uro-oncologic Surgery to Guide Prioritisation Strategies During the COVID-19 Pandemic: Insights from Three Italian High-volume Referral Centres. <i>Eur Urol</i> 2020;78:11-15. <i>European Urology</i> , 2020 , 78, e169-e170	10.2	1

157	Surnames in Y-Chromosome-related Diseases: A New Tool for the Urologist?. <i>European Urology</i> , 2020 , 77, 767-768	10.2	1
156	Re: A Novel Tool for Predicting Extracapsular Extension During Graded Partial Nerve Sparing in Radical Prostatectomy. <i>European Urology</i> , 2018 , 73, 978-980	10.2	1
155	Re: Stephen J. Freedland, Voleak Choeurng, Lauren Howard, et al. Utilization of a Genomic Classifier for Prediction of Metastasis Following Salvage Radiation Therapy after Radical Prostatectomy. <i>Eur Urol</i> 2016;70:588-96: Testing the Utility of Genomic Scores in the Setting of Recurrent Prostate Cancer After Radical Prostatectomy: We Can Certainly Do Better. <i>European Urology</i> , 2018 , 74, e122-e123	10.2	1
154	Re: Exercise and Cancer Treatment: Balancing Patient Needs. <i>Lancet Oncol</i> 2018;19:715: Cancer Prevention and Treatment: More than Exercising. <i>European Urology</i> , 2018 , 74, e122-e123	10.2	1
153	Multiple PDE5Is use as a marker of decreased overall men's health: A real-life study. <i>PLoS ONE</i> , 2018 , 13, e0201601	3.7	1
152	1838 WHEN TO PERFORM LYMPH NODE DISSECTION IN RENAL CELL CARCINOMA PATIENTS: A NOVEL APPROACH TO PREOPERATIVELY ASSESS THE RISK OF LYMPH NODE INVASION AT SURGERY AND NODAL PROGRESSION DURING FOLLOW UP. <i>Journal of Urology</i> , 2013 , 189,	2.5	1
151	Reply to Robert P. Myers' letter to the editor re: Francesco Montorsi, Timothy G. Wilson, Raymond C. Rosen, et al. best practices in robot-assisted radical prostatectomy: recommendations of the Pasadena consensus panel. <i>Eur Urol</i> 2012;62:368-81. <i>European Urology</i> , 2013 , 63, e42-3	10.2	1
150	Re: Jakob Damsgaard, Ulla N. Joensen, Elisabeth Carlsen, et al. Varicocele Is Associated with Impaired Semen Quality and Reproductive Hormone Levels: A Study of 7035 Healthy Young Men from Six European Countries. <i>Eur Urol</i> 2016;70:1019-29: Treating varicocele and when to treat? <i>European Urology</i> , 2017 , 71, e92-e93	10.2	1
149	Reply to Marc A. Bjurlin, Lee C. Zhao, and Michael D. Stifelman's Letter to the Editor Re: Nicolò Maria Buffi, Giovanni Lughezzani, Rodolfo Hurlle, et al. Robot-assisted Surgery for Benign Ureteral Strictures: Experience and Outcomes from Four Tertiary Care Institutions. <i>Eur Urol</i> . In press. http://dx.doi.org/10.1016/j.eururo.2016.07.022 . <i>European Urology</i> , 2017 , 71, e92-e93	10.2	1
148	Tadalafil for erectile dysfunction prevention after radiotherapy for prostate cancer. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 748	27.4	1
147	Spatial distribution of positive cores improves the selection of patients with low-risk prostate cancer as candidates for active surveillance. <i>BJU International</i> , 2013 , 112, E234-42	5.6	1
146	Re: Orgasm associated incontinence (climacturia) following radical pelvic surgery: rates of occurrence and predictors. J. M. Choi, C. J. Nelson, J. Stasi and J. P. Mulhall. <i>J Urol</i> 2007; 177: 2223-2226. <i>Journal of Urology</i> , 2008 , 180, 1187; author reply 1187-8	2.5	1
145	Lower urinary tract symptoms and sexual dysfunction in women. <i>Current Sexual Health Reports</i> , 2007 , 4, 85-90	1.2	1
144	Kidney Cancer: Highlights from 2006. <i>European Urology Supplements</i> , 2007 , 6, 745-753	0.9	1
143	Frequently asked questions about tadalafil for treating men with erectile dysfunction. <i>The Journal of Men's Health & Gender: the Official Journal of the International Society for Men's Health & Gender</i> , 2005 , 2, 141-157		1
142	Medical therapy for premature ejaculation. <i>Lancet, The</i> , 2006 , 368, 894-6	40	1
141	Immunotherapy versus chemotherapy as first-line treatment for advanced urothelial cancer: A systematic review and meta-analysis.. <i>Cancer Treatment Reviews</i> , 2022 , 104, 102360	14.4	1
140	Prostate Cancer: Is There Still a Role for Systematic Biopsies? Yes.. <i>European Urology Open Science</i> , 2022 , 38, 10-11	0.9	1

139	Graft Plus Fasciocutaneous Penile Flap for Nearly or Completely Obliterated Long Bulbar and Penobulbar Strictures. <i>European Urology Open Science</i> , 2022 , 35, 21-28	0.9	1
138	Partial mobilisation of the neurovascular bundle for ventral penile curvature correction: A proof-of-concept study. <i>Journal of Clinical Urology</i> , 205141582110593	0.2	1
137	Cytoreductive Nephrectomy in 2021: Obsolete but Necessary.. <i>European Urology Open Science</i> , 2022 , 36, 41-43	0.9	1
136	Re: The Impact of Nocturia on Mortality: A Systematic Review and Meta-Analysis. J. S. Pesonen, R. Cartwright, R. W. M. Vernooij, Y. Aoki, A. Agarwal, A. Mangera, A. D. Markland, J. F. Tsui, H. Santti, T. L. Griebing, A. E. Pryalukhin, J. Riikonen, R. M. Tĳtinen, C. P. Vaughan, T. M. Johnson, II, A. Auvinen, D. Heels-Ansdell, G. H. Guyatt and K. A. O. Tikkinen 2020; 486-495. <i>Journal of Urology</i> , 2020, 204, 589-590	2.5	1
135	Sexual dysfunction and prostate cancer risk: one more piece of a complex puzzle. <i>Asian Journal of Andrology</i> , 2017 , 19, 264	2.8	1
134	Reimagining prostate cancer screening: the IMPACT of germline mutations. <i>Lancet Oncology</i> , 2021 , 22, 1491-1492	21.7	1
133	External Validation of the ASSURE Model for Predicting Oncological Outcomes After Resection of High-risk Renal Cell Carcinoma (RESCUE Study: UroCCR 88). <i>European Urology Open Science</i> , 2021 , 33, 89-93	0.9	1
132	Erectile Dysfunction and Penile Rehabilitation After Robot-Assisted Radical Prostatectomy 2018 , 455-462		1
131	Re: Vasilis Stavrinos, Francesco Giganti, Bruce Trock, et al. Five-year Outcomes of Magnetic Resonance Imaging-based Active Surveillance for Prostate Cancer: A Large Cohort Study. <i>Eur Urol</i> 2020;78:443-51. <i>European Urology</i> , 2020 , 78, e165	10.2	1
130	Reply to Jonathan Aning, Paul McCoubrie, and Jon Oxley's Letter to the Editor re: Giorgio Gandaglia, Guillaume Ploussard, Massimo Valerio, et al. The Key Combined Value of Multiparametric Magnetic Resonance Imaging, and Magnetic Resonance Imaging-targeted and Concomitant Systematic Biopsies for the Prediction of Adverse Pathological Features in Prostate	10.2	1
129	Initial Experience with Radical Prostatectomy Following Holmium Laser Enucleation of the Prostate. <i>European Urology Focus</i> , 2021 , 7, 1247-1253	5.1	1
128	Incidence and Clinical Impact of Inflammatory Fluorodeoxyglucose Positron Emission Tomography Uptake After Neoadjuvant Pembrolizumab in Patients with Organ-confined Bladder Cancer Undergoing Radical Cystectomy. <i>European Urology Focus</i> , 2021 , 7, 1092-1099	5.1	1
127	Adjuvant chemotherapy is ineffective in patients with bladder cancer and variant histology treated with radical cystectomy with curative intent. <i>World Journal of Urology</i> , 2021 , 39, 1947-1953	4	1
126	Robotic-assisted Partial Nephrectomy for "Very Small" (. <i>European Urology Focus</i> , 2021 , 7, 1115-1120	5.1	1
125	The significance of a high preoperative PSA level for the detection of incidental prostate cancer in LUTS patients with large prostates. <i>World Journal of Urology</i> , 2021 , 1	4	1
124	Accuracy of Transurethral Resection of the Bladder in Detecting Variant Histology of Bladder Cancer Compared with Radical Cystectomy. <i>European Urology Focus</i> , 2021 ,	5.1	1
123	Incidental Prostate Cancer (cT1a-cT1b) Is a Relevant Clinical and Research Entity and Should Be Fully Discussed in the International Prostate Cancer Guidelines. <i>European Urology Oncology</i> , 2021 ,	6.7	1
122	Re: Jean F.P. Lestingi, Giuliano B. Guglielmetti, Quoc-Dien Trinh, et al. Extended Versus Limited Pelvic Lymph Node Dissection During Radical Prostatectomy for Intermediate- and High-risk Prostate Cancer: Early Oncological Outcomes from a Randomized Phase 3 Trial. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2020.11.040 : Time for a Change? Clinically Meaningful Reasons Why We Will Continue Performing Extended Pelvic Lymph Node Dissection in Selected Patients with Prostate Cancer. <i>European Urology</i> , 2021 , 79, e154-e156	10.2	1

121	Salvage Robot-assisted Renal Surgery for Local Recurrence After Surgical Resection or Renal Mass Ablation: Classification, Techniques, and Clinical Outcomes. <i>European Urology</i> , 2021 , 80, 730-737	10.2	1
120	Re: Robot-assisted Versus Open Radical Prostatectomy: A Contemporary Analysis of an All-payer Discharge Database. <i>European Urology</i> , 2016 , 70, 398	10.2	1
119	Timing of androgen-deprivation therapy for prostate cancer: still a long way to go. <i>Lancet Oncology, The</i> , 2016 , 17, e313	21.7	1
118	Robot-assisted versus open cystectomy in the RAZOR trial. <i>Lancet, The</i> , 2019 , 393, 645	40	1
117	Clinical Efficacy of Silodosin in Patients with Severe Lower Urinary Tract Symptoms Related to Benign Prostatic Obstruction: A Pooled Analysis of Phase 3 and 4 Trials. <i>European Urology Focus</i> , 2021 , 7, 440-443	5.1	1
116	Re: Paolo Afonso de Carvalho, Joã A.B.A. Barbosa, Giuliano B. Guglielmetti, et al. Retrograde Release of the Neurovascular Bundle with Preservation of Dorsal Venous Complex During Robot-assisted Radical Prostatectomy: Optimizing Functional Outcomes. <i>Eur Urol</i> 2020;77:628-35: https://doi.org/10.1016/j.eururo.2020.07.011	10.2	1
115	Association of neurovascular bundle preservation with oncological outcomes in patients with high-risk prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 193-201	6.2	1
114	Defining the Most Informative Intermediate Clinical Endpoints for Patients Treated with Salvage Radiotherapy for Prostate-specific Antigen Rise After Radical Prostatectomy. <i>European Urology Oncology</i> , 2021 , 4, 301-304	6.7	1
113	Substances of abuse consumption among patients seeking medical help for uro-andrological purposes: a sociobehavioral survey in the real-life scenario. <i>Asian Journal of Andrology</i> , 2021 , 23, 456-461 ^{2.8}	7.8	1
112	Renal function outcomes in patients with muscle-invasive bladder cancer treated with neoadjuvant pembrolizumab and radical cystectomy in the PURE-01 study. <i>International Journal of Cancer</i> , 2021 , 149, 186-190	7.5	1
111	Re: Ken J. Kron, Alexander Murison, Stanley Zhou, et al. TMPRSS2-ERG Fusion Co-opts Master Transcription Factors and Activates NOTCH Signaling in Primary Prostate Cancer. <i>Nat Genet</i> 2017;49:1336-45. <i>European Urology</i> , 2018 , 73, e106-e107	10.2	1
110	Adjuvant Therapy in Nonmetastatic High-risk Kidney Cancer: Importance of the Timing of Postnephrectomy Imaging and Treatment Delivery. <i>European Urology Oncology</i> , 2018 , 1, 538-539	6.7	1
109	The effect of race on survival after local therapy in metastatic prostate cancer patients. <i>Canadian Urological Association Journal</i> , 2019 , 13, 175-181	1.2	1
108	Association between Lesion Location and Oncologic Outcomes after Focal Therapy for Localized Prostate Cancer Using Either High Intensity Focused Ultrasound or Cryotherapy. <i>Journal of Urology</i> , 2021 , 206, 638-645	2.5	1
107	Re: Marra et'al. 'Transperineal freehand multiparametric MRI fusion targeted biopsies under local anaesthesia for prostate cancer diagnosis: a multicentre prospective study of 1014 cases'. <i>BJU International</i> , 2021 , 128, 523	5.6	1
106	Patterns of Recurrence following Inguinal Lymph Node Dissection for Penile Cancer: Optimizing Surveillance Strategies. <i>Journal of Urology</i> , 2021 , 206, 960-969	2.5	1
105	Upper Tract Urothelial Carcinoma in the Lynch Syndrome Tumour Spectrum: A Comprehensive Overview from the European Association of Urology - Young Academic Urologists and the Global Society of Rare Genitourinary Tumors.. <i>European Urology Oncology</i> , 2021 ,	6.7	1
104	Radiomic and gEnomic approaches for the enhanced Diagnosis of clear cell Renal Cancer (REDIRECT): a translational pilot methodological study.. <i>Translational Andrology and Urology</i> , 2022 , 11, 149-158	2.3	1

103	Re: Sarah P. Psutka, Roman Gulati, Michael A.S. Jewett, et al. A Clinical Decision Aid to Support Personalized Treatment Selection for Patients with Clinical T1 Renal Masses: Results from a Multi-institutional Competing-risks Analysis. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2021.11.002 . <i>European Urology</i> , 2022 ,	10.2	1
102	Defining the Impact of Family History on Detection of High-grade Prostate Cancer in a Large Multi-institutional Cohort.. <i>European Urology</i> , 2021 ,	10.2	1
101	Extensive Assessment of Underlying Etiological Factors in Primary Infertile Men Reduces the Proportion of Men With Idiopathic Infertility.. <i>Frontiers in Endocrinology</i> , 2021 , 12, 801125	5.7	1
100	Predictive and prognostic effect of inflammatory lymphadenopathies in renal cell carcinoma. <i>World Journal of Urology</i> , 2019 , 37, 701-708	4	0
99	Hormone Therapy for Prostate Cancer: Exploring Current Controversies. <i>European Urology Supplements</i> , 2009 , 8, 725-732	0.9	0
98	Words of wisdom. Erectile dysfunction following radical prostatectomy. <i>European Urology</i> , 2006 , 49, 759	10.2	0
97	Iglesias resectoscope with simultaneous irrigation, suction and low intravesical pressure. 1975. <i>European Urology</i> , 2006 , 50, 3-6	10.2	0
96	Re: The Magnetic Resonance Imaging in Active Surveillance (MRIAS) Trial: Use of Baseline Multiparametric Magnetic Resonance Imaging and Saturation Biopsy to Reduce the Frequency of Surveillance Prostate Biopsies. A. Amin, M. J. Scheltema, R. Shnier, A. Blazevski, D. Moses, T. Cusick, A. Ghossein, P. M. Paterlini, M. J. Zelefsky, A. M. D'Amico, R. D. Gelber, R. C.oteville	2.5	0
95	How to optimize follow-up in patients with a suspicious multiparametric MRI and a subsequent negative targeted prostate biopsy. Results from a large, single-institution series. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 40, 103.e17-103.e17	2.8	0
94	Re: Lisa Moris, Marcus G. Cumberbatch, Thomas Van den Broeck, et al. Benefits and Risks of Primary Treatments for High-risk Localized and Locally Advanced Prostate Cancer: An International Multidisciplinary Systematic Review. <i>Eur Urol</i> 2020;77:614-27. <i>European Urology</i> , 2020 , 78, e192	10.2	0
93	Metastatic hormone-sensitive prostate cancer: local treatment strategies. <i>World Journal of Urology</i> , 2021 , 1	4	0
92	Age and gleason score upgrading between prostate biopsy and radical prostatectomy: Is this still true in the multiparametric resonance imaging era?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 784.e1-784.e9	2.8	0
91	Optimizing prostate-targeted biopsy schemes in men with multiple mpMRI visible lesions: should we target all suspicious areas? Results of a two institution series. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 1137-1142	6.2	0
90	Reliability of Serum Tumor Marker Measurement to Diagnose Recurrence in Patients with Clinical Stage I Nonseminomatous Germ Cell Tumors Undergoing Active Surveillance: A Systematic Review. <i>Journal of Urology</i> , 2021 , 205, 1569-1576	2.5	0
89	High-risk Surgically Resected Renal Cell Carcinoma: Is There a Role for Adjuvant VEGF-TKI Inhibitors?. <i>Current Problems in Cancer</i> , 2021 , 45, 100759	2.3	0
88	RE: Retzius Sparing Prostatectomy Effect on Symptomatic Lymphocele Rates. <i>Urology</i> , 2021 , 152, 205	1.6	0
87	An Algorithm to Personalize Nerve Sparing in Men with Unilateral High-Risk Prostate Cancer. <i>Journal of Urology</i> , 2021 , 101097JU00000000000002205	2.5	0
86	Risk factors and survival outcomes for upstaging after inguinal lymph node dissection for cN1 penile squamous cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 838.e7-838.e13	2.8	0

85	Has the COVID-19 outbreak changed the way we are treating prostate cancer? An EAU - YAU Prostate Cancer Working Group multi-institutional study. <i>Central European Journal of Urology</i> , 2021 , 74, 362-365	0.9	o
84	Immediate radical cystectomy versus BCG immunotherapy for T1 high-grade non-muscle-invasive squamous bladder cancer: an international multi-centre collaboration.. <i>World Journal of Urology</i> , 2022 , 1	4	o
83	Quality-of-Life Outcomes in Female Patients With Ileal Conduit or Orthotopic Neobladder Urinary Diversion: 6-Month Results of a Multicenter Prospective Study.. <i>Frontiers in Oncology</i> , 2022 , 12, 855546	5.3	o
82	Morbidity and mortality in men: Role of androgens.. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2022 , 101662	6.5	o
81	Re: Giovanni Corona, Giulia Rastrelli, Abraham Morgentaler, Alessandra Sforza, Edoardo Mannucci, Mario Maggi. Meta-analysis of Results of Testosterone Therapy on Sexual Function Based on International Index of Erectile Function Scores. <i>Eur Urol</i> 2017;72:1000-11. <i>European Urology</i> , 2017 , 72, e160-e161	10.2	
80	Re: Tea's Value as a Cancer Therapy is Steeped in Uncertainty. <i>European Urology</i> , 2019 , 76, 706-707	10.2	
79	Reply to S. Zhang. <i>Journal of Clinical Oncology</i> , 2019 , 37, 940-941	2.2	
78	Ureteric colic and clinical evidence. <i>Lancet, The</i> , 2015 , 386, 1822-3	4.0	
77	Re: Hung-Ming Lam, Holly M. Nguyen, Mark P. Labrecque, et al. Durable Response of Enzalutamide-resistant Prostate Cancer to Supraphysiological Testosterone Is Associated with a Multifaceted Growth Suppression and Impaired DNA Damage Response Transcriptomic Program in	10.2	
76	Re: Aurile De Bruycker, Elise De Bleser, Karel Decaestecker, et al. Nodal Oligorecurrent Prostate Cancer: Anatomic Pattern of Possible Treatment Failure in Relation to Elective Surgical and Radiotherapy Treatment Templates. <i>Eur Urol</i> 2019;75:826-33; Nodal Recurrence of Prostate Cancer in Patients Treated with Radiotherapy: Evidence from the Prostate Cancer Treatment Evaluation Group	10.2	
75	Re: Maria Chiara Sighinolfi, Bernardo Rocco's Words of Wisdom re: EAU Guidelines: Prostate Cancer 2019. Mottet N, van den Bergh RCN, Briers E, et al. https://uroweb.org/guideline/prostate-cancer/ . <i>Eur Urol</i> 2019;76:871. <i>European Urology</i> , 2020 , 77, e122-e127	10.2	
74	Re: Ola Bratt, Erik Holmberg, Ove Andr�, et al. The Value of an Extensive Transrectal Repeat Biopsy with Anterior Sampling in Men on Active Surveillance for Low-risk Prostate Cancer: A Comparison from the Randomised Study of Active Monitoring in Sweden (SAMS). <i>Eur Urol</i> 2019;76:106-14. <i>European Urology</i> , 2020 , 77, e107	10.2	
73	Re: Felix Preisser, Felix K.H. Chun, Raisa S. Pompe, et al. Persistent Prostate-Specific Antigen After Radical Prostatectomy and Its Impact on Oncologic Outcomes. <i>Eur Urol</i> 2019;76:106-14. <i>European Urology</i> , 2020 , 77, e107	10.2	
72	Reply to Mustafa Z. Temiz and Huseyin Besiroglu's Letter to the Editor re: Giorgio Gandaglia, Stephen A. Boorjian, William P. Parker, et al. Impact of Postoperative Radiotherapy in Men with Persistently Elevated Prostate-specific Antigen After Radical Prostatectomy for Prostate Cancer: A Long-Term Survival Analysis. <i>Eur Urol</i> 2017;72:910-7. <i>European Urology</i> , 2018 , 73, e36-e37	10.2	
71	Preoperative Prediction of Node Metastases in Bladder Cancer Patients Using Genomic and Clinicopathologic Data. <i>EBioMedicine</i> , 2018 , 31, 5-6	8.8	
70	Reply to Alan Dal Pra, Stephane Supiot and Pirus Ghadjjar's Letter to the Editor re: Giorgio Gandaglia, Stephen A. Boorjian, William P. Parker, et al. Impact of Postoperative Radiotherapy in Men with Persistently Elevated Prostate-specific Antigen After Radical Prostatectomy for Prostate Cancer: A Long-Term Survival Analysis. <i>Eur Urol</i> 2017;72:910-7. <i>European Urology</i> , 2018 , 73, e36-e37	10.2	
69	Salvage radiotherapy for patients with rising PSA. <i>Lancet Oncology, The</i> , 2016 , 17, e314-e315	21.7	
68	Words of Wisdom. Re: Risk Group and Death From Prostate Cancer: Implications for Active Surveillance in Men with Favorable Intermediate-risk Prostate Cancer. <i>European Urology</i> , 2016 , 69, 370	10.2	

- 67 Surgical Treatment for LUTS/BPH: Laser Devices **2018**, 257-288
- 66 Re: Veeru Kasivisvanathan, Armando Stabile, Joana B. Neves, et al. Magnetic Resonance Imaging-targeted Biopsy Versus Systematic Biopsy in the Detection of Prostate Cancer: A Systematic Review And Meta-analysis. *Eur Urol* 2019;76:284-303. *European Urology*, **2019**, 76, e132 10.2
- 65 Reply to Berardino De Bari, Filippo Alongi, Stefano Arcangeli's letter to the editor re: Cesare Cozzarini, Claudio Fiorino, Chiara Deantoni, et al. Higher-than-expected severe (grade 3-4) late urinary toxicity after postprostatectomy hypofractionated radiotherapy: a single-institution analysis of 1176 patients. *Eur urol* 2014;66:1024-30. *European Urology*, **2014**, 66, e113-4 10.2
- 64 In Memory of John Fitzpatrick. *European Urology*, **2014**, 66, 604 10.2
- 63 Hospitalization before surgery and subsequent risk of infective complications after radical cystectomy: A population-based analysis. *Urologic Oncology: Seminars and Original Investigations*, **2017**, 35, 659.e7-659.e12 2.8
- 62 Re: Philipp Mandel, Felix Preisser, Markus Graefen, et al. High Chance of Late Recovery of Urinary and Erectile Function Beyond 12 Months After Radical Prostatectomy. *Eur Urol* 2017;71:848-50: Late Recovery of Erectile Function After Radical Prostatectomy: Should We Modify the Way of Assessment?. *European Urology*, **2017**, 72, 1477-1478 10.2
- 61 Long-term outcomes of robot-assisted radical prostatectomy: Where do we stand?. *BJU International*, **2015**, 116, 845-6 5.6
- 60 RE: Androgen Deprivation With or Without Radiation Therapy for Clinically Node-Positive Prostate Cancer. *Journal of the National Cancer Institute*, **2015**, 107, 9.7
- 59 Irrespective of stomach conditions. *International Journal of Clinical Practice*, **2010**, 64, 995-6 2.9
- 58 Reply to Giacomo Novara and Vincenzo Ficarra's Letter to the Editor re: Francesco Montorsi, Gerald Brock, Jay Lee, et al. Effect of Nightly versus On-Demand Vardenafil on Recovery of Erectile Function in Men Following Bilateral Nerve-Sparing Radical Prostatectomy. *Eur Urol* 2008;54:924B1. *European Urology*, **2009**, 55, e97-e98 10.2
- 57 Re: The Use of the Sexual Function Questionnaire as a Screening Tool for Women with Sexual Dysfunction. *European Urology*, **2006**, 49, 927-928 10.2
- 56 A Critical assessment of extracorporeal shock-wave therapy for Peyronie's disease. *Current Sexual Health Reports*, **2004**, 1, 19-23 1.2
- 55 Reply to G. Pomara, G. Morelli. *European Urology*, **2005**, 48, 346 10.2
- 54 Re: Valentin H. Meissner, Isabel Rauscher, Kristina Schwamborn, et al. Radical Prostatectomy Without Prior Biopsy Following Multiparametric Magnetic Resonance Imaging and Prostate-specific Membrane Antigen Positron Emission Tomography. *Eur Urol*. In press. <https://doi.org/10.1016/j.eururo.2021.11.012>. *European Urology*, **2022**, 81, 1024-1031. 10.2
- 53 Re: Steven MacLennan, Eilidh Duncan, Ted A. Skolarus, et al. Improving Guideline Adherence in Urology. *Eur Urol Focus*. In press. <https://doi.org/10.1016/j.euf.2021.10.007>. *European Urology Focus*, **2022**, 7, 1024-1031. 5.1
- 52 Re: Jana S. Hopstaken, Joyce G.R. Bomers, Michiel J.P. Sedelaar, et al. An Updated Systematic Review on Focal Therapy in Localized Prostate Cancer: What Has Changed over the Past 5 Years? *Eur Urol* 2022;81:5-33.. *European Urology*, **2022**, 81, 5-33. 10.2
- 51 Re: Dries Develtere, Giuseppe Rosiello, Pietro Piazza, et al. Early Catheter Removal on Postoperative Day 2 After Robot-assisted Radical Prostatectomy: Updated Real-life Experience with the Aalst Technique. *Eur Urol Focus*. In press. <https://doi.org/10.1016/j.euf.2021.10.003>. *European Urology Focus*, **2022**, 7, 1024-1031. 5.1
- 50 Pharmacology of Male Sexual Function **2020**, 159-174

49	Re: Ten-Year Oncologic Outcomes following Robot-Assisted Radical Cystectomy: Results from the International Robotic Cystectomy Consortium. <i>Journal of Urology</i> , 2020 , 203, 624	2.5
48	Re: Evaluation of the Fluorescence In Situ Hybridization Test to Predict Recurrence and/or Progression of Disease after bacillus Calmette-Guérin for Primary High Grade Nonmuscle Invasive Bladder Cancer: Results from a Prospective Multicenter Trial. <i>Journal of Urology</i> , 2020 , 203, 625	2.5
47	Bladder-sparing combination treatments for muscle-invasive bladder cancer: A plea for standardized assessment and definition of clinical trials endpoints. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 40, 37-37	2.8
46	Re: Comparison of Initial Experience with Transrectal Magnetic Resonance Imaging Cognitive Guided Micro-Ultrasound Biopsies versus Established Transperineal Robotic Ultrasound Magnetic Resonance Imaging Fusion Biopsies for Prostate Cancer. R. Claros, R. R. Tourinho-Barbosa, A. Fregeville, A. C. Gallardo, F. Muttin, A. Carneiro, A. Stabile, M. Moschini, P. Macek, N. Cathala, A. Moshkhat, P. Sanchez-Salazar, J. V. Cathala. <i>Journal of Urology</i> , 2020 , 204, 587	2.5
45	Reply by Authors. <i>Journal of Urology</i> , 2020 , 204, 302	2.5
44	Re: Sanad Saad, Nadir I. Osman, Christopher R. Chapple. Female Urethra: Is Ventral the True Dorsal? <i>Eur Urol</i> 2020 ;78:e218-9. <i>European Urology</i> , 2021 , 81, e14-e14	10.2
43	Predictive models for improved prognostication and selection of neoadjuvant and adjuvant systemic chemotherapy in upper tract urothelial cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 456-456	2.2
42	The Utility of PDE5 Inhibitors After Radical Prostatectomy 2009 , 177-196	
41	Penile Rehabilitation After Robotic Radical Prostatectomy: The Best Strategy 2011 , 361-370	
40	Using adjuvant radiotherapy to improve cancer-specific survival in patients with highly aggressive prostate cancer: Examining recently released criteria.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 30-30	2.2
39	Re: Vincent Misrai, Enrique Rijo, Kevin C. Zorn, Nicolas Barry-Delongchamps, Aurelien Descazeaud. Waterjet Ablation Therapy for Treating Benign Prostatic Obstruction in Patients with Small- to Medium-size Glands: 12-month Results of the First French Aquablation Clinical Registry. <i>Eur Urol</i> 2019 ;76:667-75: Surgery for Benign Prostatic Enlargement: Water Keeps Flowing Under the Bridge	10.2
38	Increased Use of Blood Transfusions to Manage Urological Conditions during the COVID-19 Pandemic. <i>Urologia Internationalis</i> , 2020 , 104, 849-852	1.9
37	Re: Malte W. Vetterlein, Jakob Klemm, Philipp Gild, et al. Improving Estimates of Perioperative Morbidity After Radical Cystectomy Using the European Association of Urology Quality Criteria for Standardized Reporting and Introducing the Comprehensive Complication Index. <i>Eur Urol</i> 2020 ;77:55-65. <i>European Urology</i> , 2020 , 78, e75-e76	10.2
36	CALIBER: a phase II randomized feasibility trial of chemoablation with mitomycin-C vs surgical management in low-risk non-muscle-invasive bladder cancer. <i>BJU International</i> , 2020 , 126, 663	5.6
35	Re: Panagiotis Kallidonis, Constantinos Adamou, Dimitrios Kotsiris, et al. Combination Therapy with Alpha-blocker and Phosphodiesterase-5 Inhibitor for Improving Lower Urinary Tract Symptoms and Erectile Dysfunction in Comparison with Monotherapy: A Systematic Review and Meta-analysis. <i>Eur Urol Focus</i> 2020 ;6:537-58. <i>European Urology Focus</i> , 2021 , 7, 1208	5.1
34	Re: Kathrin Meisterhofer, Sereina Herzog, Karin A. Strini, Luca Sebastianelli, Ricarda Bauer, Orietta Dalpiaz. Male Slings for Postprostatectomy Incontinence: A Systematic Review and Meta-analysis. <i>Eur Urol Focus</i> 2020 ;6:575-92. <i>European Urology Focus</i> , 2021 , 7, 1205-1206	5.1
33	Development and validation of a nomogram for predicting early stress urinary incontinence following endoscopic enucleation of the prostate. <i>World Journal of Urology</i> , 2021 , 1	4
32	Re: Mathieu Rouanne, Dean F. Bajorin, Raquibul Hannan, et al. Rationale and Outcomes for Neoadjuvant Immunotherapy in Urothelial Carcinoma of the Bladder. <i>Eur Urol Oncol</i> 2020 ;3:728-38. <i>European Urology Oncology</i> , 2021 , 4, 336	6.7

- 31 Re: Francesco Soria, Marco Moschini, David D'Andrea, et al. Comparative Effectiveness in Perioperative Outcomes of Robotic versus Open Radical Cystectomy: Results from a Multicenter Contemporary Retrospective Cohort Study. *Eur Urol Focus* 2020;6:1233-9. *European Urology Focus*, 2021, 5.1
- 30 Re: Sophie Knipper, Luigi Ascalone, Benjamin Ziegler, et al. Salvage Surgery in Patients with Local Recurrence After Radical Prostatectomy. *Eur Urol* 2021;79:537-44: Surgical Treatment of Local Recurrence Following Radical Prostatectomy: Reality or Illusion?. *European Urology*, 2021, 79, e132-e133 10.2
- 29 Re: Paolo Dell'Oglio, Elio Mazzone, Edward Lambert, et al. The Effect of Surgical Experience on Perioperative and Oncological Outcomes After Robot-assisted Radical Cystectomy with Intracorporeal Urinary Diversion: Evidence from a Referral Centre with Extensive Experience in Robotic Surgery. *Eur Urol Focus* 2021;7:352-8. *European Urology Focus*, 2021, 5.1
- 28 Prospective Validation of Gallium-68 Prostate Specific Membrane Antigen-Positron Emission Tomography/Computerized Tomography for Primary Staging of Prostate Cancer. Letter. *Journal of Urology*, 2021, 205, 1839 2.5
- 27 Penile Prosthesis Insertion in the Era of Antibiotic Stewardship: Are Postoperative Antibiotics Necessary? Letter. *Journal of Urology*, 2021, 205, 1849-1850 2.5
- 26 Reply to Nicolas Mottet, Olivier Rouviere, and Theodorus H. van der Kwast. Incidental Prostate Cancer: A Real Need for Expansion in Guidelines? *Eur Urol Oncol*. In press: Incidental Prostate Cancer: An Example of How Important Guidelines Are, Especially When Evidence Is Limited. *European Urology Oncology*, 2021, 5, e61-64 6.7
- 25 Reply from Authors re: Matthew C. Hayes, David J. Breen. Excision Versus Ablation in Renal Cancer: Optimising Outcome and Minimising Risk. *Eur Urol* 2016;69:683-4. *European Urology*, 2016, 69, 684-685 10.2
- 24 Re: Idir Ouzaid and Karim Bensalah. Results of the First Trial Assessing Adjuvant Tyrosine Kinase Inhibitors in Renal Cell Carcinoma Do Not reASSURE. *Eur Urol* 2015;68:542-3. *European Urology*, 2016, 70, e69-70 10.2
- 23 Re: Tom A. Hueting, Erik B. Cornel, Diederik M. Somford, et al. External Validation of Models Predicting the Probability of Lymph Node Involvement in Prostate Cancer Patients. *Eur Urol Oncol* 2018;1:411-7. *European Urology Oncology*, 2019, 2, 337 6.7
- 22 Re: Ricardo G. Alvim, Fran̄is Audenet, Emily A. Vertosick, Daniel D. Sjoberg, Karim A. Touijer. Performance Prediction for Surgical Outcomes in Partial Nephrectomy Using Nephrometry Scores: A Comparison of Arterial Based Complexity (ABC), RENAL, and PADUA Systems. *Eur Urol Oncol* 2018;1:122-31. *European Urology Oncology*, 2019, 2, 100-103 6.7
- 21 Re: Georg Jancke, Firas Aljabery, Sigurdur Gudjonsson, et al. Port-site Metastases After Robot-assisted Radical Cystectomy: Is There a Publication Bias? *Eur Urol* 2018;73:641-2. *European Urology*, 2019, 75, e31 10.2
- 20 Re: Lorenzo Marconi, Thomas Stonier, Rafael Tourinho-Barbosa, et al. Robot-assisted Radical Prostatectomy After Focal Therapy: Oncological, Functional Outcomes and Predictors of Recurrence. *Eur Urol* 2019;76:27-30: Morphologic Documentation from Didactic Cases of Robot-assisted Radical Prostatectomy. *European Urology*, 2020, 77, 100-103 10.2
- 19 Re: Thulium Laser Transurethral Vaporization of the Prostate Versus Transurethral Resection of the Prostate for Men with Lower Urinary Tract Symptoms or Urinary Retention (UNBLOCS): A Randomised Controlled Trial. *European Urology*, 2021, 79, 316-317 10.2
- 18 Re: Hugh Mostafid, Ashish M. Kamat, Siamak Daneshmand, et al. Best Practices to Optimise Quality and Outcomes of Transurethral Resection of Bladder Tumours. *Eur Urol Oncol* 2021;4:12-9. *European Urology Oncology*, 2021, 4, 126 6.7
- 17 Re: Histological comparison between predictive value of preoperative 3-T multiparametric MRI and Ga-PSMA PET/CT scan for pathological outcomes at radical prostatectomy and pelvic lymph node dissection for prostate cancer. *BJU International*, 2021, 127, 746 5.6
- 16 Editorial Comment from Dr Martini et al. to Independent external validation of a nomogram to define risk categories for a significant decline in estimated glomerular filtration rate after robotic-assisted partial nephrectomy. *International Journal of Urology*, 2021, 28, 80-81 2.3
- 15 RE: Validating the Martini Staging System for Rectourethral Fistula: A Meta-analysis of Postoperative Outcomes. *Urology*, 2021, 147, 323 1.6
- 14 Re: Rohann J.M. Correa, Alexander V. Louie, Nicholas G. Zaorsky, et al. The Emerging Role of Stereotactic Ablative Radiotherapy for Primary Renal Cell Carcinoma: A Systematic Review and Meta-Analysis. *Eur Urol Focus*. In press. <https://doi.org/10.1016/j.euf.2019.06.002>. *European Urology Focus*, 2021, 7, 406 5.1

- 13 Re: Long-Term Outcomes of Active Surveillance for Prostate Cancer: The Memorial Sloan Kettering Cancer Center Experience Sigrid Carlsson, Nicole Benfante, Ricardo Alvim, Daniel D. Sjoberg, Andrew Vickers, Victor E. Reuter, Samson W. Fine, Hebert Alberto Vargas, Michal Wiseman, Maha M. Elmagr, Paolo Dell'Oglio, et al. *Journal of Urology*, 2021, 206, 173-174. <https://doi.org/10.1097/JU.0000000000002020>; *Journal of Urology*, 2021, 206, 173-174.
- 12 Reply to Riccardo Bertolo's Letter to the Editor re: Giorgio Gandaglia, Carlo Andrea Bravi, Paolo Dell'Oglio, et al. The Impact of Implementation of the European Association of Urology Guidelines Panel Recommendations on Reporting and Grading Complications on Perioperative Outcomes after Robot-assisted Radical Prostatectomy. *Eur Urol* 2018;74:4-7. *European Urology*, 2018, 74, e116-e117
- 11 Techniques to Improve Sexual Function Following Robot-Assisted Radical Prostatectomy **2018**, 401-407
- 10 The Long-Term Risks of Metastases in Men on Active Surveillance for Early Stage Prostate Cancer. Letter. *Journal of Urology*, **2021**, 206, 173
- 9 Followup of Men with PI-RADS 4 or 5 Abnormality on Prostate Magnetic Resonance Imaging and Nonmalignant Pathological Findings on Initial Targeted Prostate Biopsy. Letter. *Journal of Urology*, **2021**, 206, 1335
- 8 Re: Scott D. Lundy, Naseer Sangwan, Neel V. Parekh, et al. Functional and Taxonomic Dysbiosis of the Gut, Urine, and Semen Microbiomes in Male Infertility. *Eur Urol* 2021;79:826-36. *European Urology*, **2021**, 80, e53-e54
- 7 Anatomical predictors of long-term urinary incontinence after robot-assisted laparoscopic prostatectomy: A systematic review. *Neurourology and Urodynamics*, **2021**, 40, 2053-2054
- 6 Contemporary Outcomes of Patients With Nonmuscle-Invasive Bladder Cancer Treated with Bacillus Calmette-Guérin: Implications for Clinical Trial Design. Letter. *Journal of Urology*, **2021**, 206, 1528^{2,5}
- 5 Reply by Authors. *Journal of Urology*, **2021**, 206, 645
- 4 Association of Negative Followup Biopsy and Reclassification during Active Surveillance of Prostate Cancer: A Systematic Review and Meta-Analysis. Letter. *Journal of Urology*, **2022**, 207, 242
- 3 Re: Andrew J. Vickers. Effects of Magnetic Resonance Imaging Targeting on Overdiagnosis and Overtreatment of Prostate Cancer. *Eur Urol* 2021;80:567-72. *European Urology*, **2021**, 80, e147-e148
- 2 Reply by Authors. *Journal of Urology*, **2021**, 206, 969
- 1 Re: K.R. Seetharam Bhat, Marcio Covas Moschovas, Marco Sandri, et al. Outcomes of Salvage Robot-assisted Radical Prostatectomy After Focal Ablation for Prostate Cancer in Comparison to Primary Robot-assisted Radical Prostatectomy: A Matched Analysis. *Eur Urol Focus*. In press. <https://doi.org/10.1016/j.euf.2021.10.005>. *European Urology Focus*, **2022**,