

Francesco Montorsi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5873342/francesco-montorsi-publications-by-year.pdf>

Version: 2024-04-15

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

786

papers

28,801

citations

80

h-index

148

g-index

875

ext. papers

34,939

ext. citations

5.7

avg. IF

6.97

L-index

#	Paper	IF	Citations
786	Re: Valentin H. Meissner, Isabel Rauscher, Kristina Schwamborn, et al. Radical Prostatectomy Without Prior Biopsy Following Multiparametric Magnetic Resonance Imaging and Prostate-specific Membrane Antigen Positron Emission Tomography. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2021.11.019 ; A Storm in a Teacup. <i>European Urology</i> , 2022 .	10.2	
785	Immunotherapy versus chemotherapy as first-line treatment for advanced urothelial cancer: A systematic review and meta-analysis.. <i>Cancer Treatment Reviews</i> , 2022 , 104, 102360	14.4	1
784	Re: Steven MacLennan, Eilidh Duncan, Ted A. Skolarus, et al. Improving Guideline Adherence in Urology. <i>Eur Urol Focus</i> . In press. https://doi.org/10.1016/j.euf.2021.10.007 .. <i>European Urology Focus</i> , 2022 ,	5.1	
783	Re: Jana S. Hopstaken, Joyce G.R. Bomers, Michiel J.P. Sedelaar, et al. An Updated Systematic Review on Focal Therapy in Localized Prostate Cancer: What Has Changed over the Past 5 Years? <i>Eur Urol</i> 2022 ;81:5-33.. <i>European Urology</i> , 2022 ,	10.2	
782	Re: Dries Develtere, Giuseppe Rosiello, Pietro Piazza, et al. Early Catheter Removal on Postoperative Day 2 After Robot-assisted Radical Prostatectomy: Updated Real-life Experience with the Aalst Technique. <i>Eur Urol Focus</i> . In press. https://doi.org/10.1016/j.euf.2021.10.003 .. <i>European Urology Focus</i> , 2022 ,	5.1	
781	Prostate Cancer: Is There Still a Role for Systematic Biopsies? Yes.. <i>European Urology Open Science</i> , 2022 , 38, 10-11	0.9	1
780	Graft Plus Fasciocutaneous Penile Flap for Nearly or Completely Obliterated Long Bulbar and Penobulbar Strictures. <i>European Urology Open Science</i> , 2022 , 35, 21-28	0.9	1
779	Cytoreductive Nephrectomy in 2021: Obsolete but Necessary.. <i>European Urology Open Science</i> , 2022 , 36, 41-43	0.9	1
778	A feasibility study of preoperative pembrolizumab before radical nephroureterectomy in patients with high-risk, upper tract urothelial carcinoma: PURE-02. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022 , 40, 10.e1-10.e6	2.8	2
777	Association of Negative Followup Biopsy and Reclassification during Active Surveillance of Prostate Cancer: A Systematic Review and Meta-Analysis. Letter. <i>Journal of Urology</i> , 2022 , 207, 242	2.5	
776	Immediate radical cystectomy versus BCG immunotherapy for T1 high-grade non-muscle-invasive squamous bladder cancer: an international multi-centre collaboration.. <i>World Journal of Urology</i> , 2022 , 1	4	0
775	Re: K.R. Seetharam Bhat, Marcio Covas Moschovas, Marco Sandri, et al. Outcomes of Salvage Robot-assisted Radical Prostatectomy After Focal Ablation for Prostate Cancer in Comparison to Primary Robot-assisted Radical Prostatectomy: A Matched Analysis. <i>Eur Urol Focus</i> . In press. https://doi.org/10.1016/j.euf.2021.10.005 .. <i>European Urology Focus</i> , 2022 ,	5.1	
774	Radiomic and genomic approaches for the enhanced Diagnosis of clear cell Renal Cancer (REDIRECT): a translational pilot methodological study.. <i>Translational Andrology and Urology</i> , 2022 , 11, 149-158	2.3	1
773	Re: Sarah P. Psutka, Roman Gulati, Michael A.S. Jewett, et al. A Clinical Decision Aid to Support Personalized Treatment Selection for Patients with Clinical T1 Renal Masses: Results from a Multi-institutional Competing-risks Analysis. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2021.11.002 .. <i>European Urology</i> , 2022 ,	10.2	1
772	Learning Curve Analysis for Intracorporeal Robot-assisted Radical Cystectomy: Results from the EAU Robotic Urology Section Scientific Working Group.. <i>European Urology Open Science</i> , 2022 , 39, 55-61	0.9	3
771	Quality-of-Life Outcomes in Female Patients With Ileal Conduit or Orthotopic Neobladder Urinary Diversion: 6-Month Results of a Multicenter Prospective Study.. <i>Frontiers in Oncology</i> , 2022 , 12, 855546	5.3	0
770	Morbidity and mortality in men: Role of androgens.. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2022 , 101662	6.5	0

769	Ten-year Follow-up Results After Holmium Laser Enucleation of the Prostate. <i>European Urology Focus</i> , 2021 , 7, 612-617	5.1	9
768	The Value of Multiparametric Magnetic Resonance Imaging Sequences to Assist in the Decision Making of Muscle-invasive Bladder Cancer. <i>European Urology Oncology</i> , 2021 , 4, 829-833	6.7	8
767	Trends in reported male sexual dysfunction over the past decade: an evolving landscape. <i>International Journal of Impotence Research</i> , 2021 , 33, 596-602	2.3	4
766	Toward Individualized Approaches to Partial Nephrectomy: Assessing the Correlation Between Ischemia Time and Patient Health Status (RECORD2 Project). <i>European Urology Oncology</i> , 2021 , 4, 645-650	6.7	4
765	Assessing the Clinical Value of Positive Multiparametric Magnetic Resonance Imaging in Young Men with a Suspicion of Prostate Cancer. <i>European Urology Oncology</i> , 2021 , 4, 594-600	6.7	5
764	A comparison of perioperative outcomes of laparoscopic versus open nephroureterectomy for upper tract urothelial carcinoma: a propensity score matching analysis. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2021 ,	4.4	2
763	Rates and predictors of postoperative complications after Holmium laser enucleation of the prostate (HoLEP) at a high-volume center. <i>Minerva Urology and Nephrology</i> , 2021 ,	2.3	2
762	Risk factors for progression of chronic kidney disease after robotic partial nephrectomy in elderly patients: results from a multi-institutional collaborative series. <i>Minerva Urology and Nephrology</i> , 2021 ,	2.3	6
761	Bladder-sparing combination treatments for muscle-invasive bladder cancer: A plea for standardized assessment and definition of clinical trials endpoints. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 40, 37-37	2.8	
760	Reimagining prostate cancer screening: the IMPACT of germline mutations. <i>Lancet Oncology</i> , 2021 , 22, 1491-1492	21.7	1
759	How to optimize follow-up in patients with a suspicious multiparametric MRI and a subsequent negative targeted prostate biopsy. Results from a large, single-institution series. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 40, 103.e17-103.e17	2.8	0
758	External Validation of the ASSURE Model for Predicting Oncological Outcomes After Resection of High-risk Renal Cell Carcinoma (RESCUE Study: UroCCR 88). <i>European Urology Open Science</i> , 2021 , 33, 89-93	0.9	1
757	Re: Sanad Saad, Nadir I. Osman, Christopher R. Chapple. Female Urethra: Is Ventral the True Dorsal? <i>Eur Urol</i> 2020;78:e218-9. <i>European Urology</i> , 2021 , 81, e14-e14	10.2	
756	Positive Predictive Value of Prostate Imaging Reporting and Data System Version 2 for the Detection of Clinically Significant Prostate Cancer: A Systematic Review and Meta-analysis. <i>European Urology Oncology</i> , 2021 , 4, 697-713	6.7	20
755	A Systematic Review and Meta-analysis on the Impact of Proficiency-based Progression Simulation Training on Performance Outcomes. <i>Annals of Surgery</i> , 2021 , 274, 281-289	7.8	15
754	Head to Head Impact of Margin, Ischemia, Complications, Score Versus a Novel Trifecta Score on Oncologic and Functional Outcomes After Robotic-assisted Partial Nephrectomy: Results of a Multicenter Series. <i>European Urology Focus</i> , 2021 , 7, 1391-1399	5.1	4
753	Association Between Human Papillomavirus Infection and Outcome of Perioperative Nodal Radiotherapy for Penile Carcinoma. <i>European Urology Oncology</i> , 2021 , 4, 802-810	6.7	5
752	Initial Experience with Radical Prostatectomy Following Holmium Laser Enucleation of the Prostate. <i>European Urology Focus</i> , 2021 , 7, 1247-1253	5.1	1

751	Incidence and Clinical Impact of Inflammatory Fluorodeoxyglucose Positron Emission Tomography Uptake After Neoadjuvant Pembrolizumab in Patients with Organ-confined Bladder Cancer Undergoing Radical Cystectomy. <i>European Urology Focus</i> , 2021 , 7, 1092-1099	5.1	1
750	Patient-reported outcomes for typical single cheek harvesting vs atypical lingual, labial or bilateral cheeks harvesting: a single-center analysis of more than 800 patients. <i>World Journal of Urology</i> , 2021 , 39, 2089-2097	4	3
749	Adjuvant chemotherapy is ineffective in patients with bladder cancer and variant histology treated with radical cystectomy with curative intent. <i>World Journal of Urology</i> , 2021 , 39, 1947-1953	4	1
748	The impact of intraoperative bleeding on the risk of chronic kidney disease after nephron-sparing surgery. <i>World Journal of Urology</i> , 2021 , 39, 2553-2558	4	6
747	Re: Panagiotis Kallidonis, Constantinos Adamou, Dimitrios Kotsiris, et al. Combination Therapy with Alpha-blocker and Phosphodiesterase-5 Inhibitor for Improving Lower Urinary Tract Symptoms and Erectile Dysfunction in Comparison with Monotherapy: A Systematic Review and Meta-analysis. <i>Eur Urol Focus</i> 2020;6:537-58. <i>European Urology Focus</i> , 2021 , 7, 1208	5.1	
746	Robotic-assisted Partial Nephrectomy for "Very Small" (. <i>European Urology Focus</i> , 2021 , 7, 1115-1120	5.1	1
745	Re: Kathrin Meisterhofer, Sereina Herzog, Karin A. Strini, Luca Sebastianelli, Ricarda Bauer, Orietta Dalpiaz. Male Slings for Postprostatectomy Incontinence: A Systematic Review and Meta-analysis. <i>Eur Urol Focus</i> 2020;6:575-92. <i>European Urology Focus</i> , 2021 , 7, 1205-1206	5.1	
744	Metastatic hormone-sensitive prostate cancer: local treatment strategies. <i>World Journal of Urology</i> , 2021 , 1	4	0
743	Severely low testosterone in males with COVID-19: A case-control study. <i>Andrology</i> , 2021 , 9, 1043-1052	4.2	35
742	The significance of a high preoperative PSA level for the detection of incidental prostate cancer in LUTS patients with large prostates. <i>World Journal of Urology</i> , 2021 , 1	4	1
741	Endoplasmic reticulum oxidoreductase 1 alpha modulates prostate cancer hallmarks. <i>Translational Andrology and Urology</i> , 2021 , 10, 1110-1120	2.3	2
740	Prostate-specific Membrane Antigen Imaging in Clinical Guidelines: European Association of Urology, National Comprehensive Cancer Network, and Beyond. <i>European Urology Focus</i> , 2021 , 7, 245-249	5.1	2
739	Development and validation of a nomogram for predicting early stress urinary incontinence following endoscopic enucleation of the prostate. <i>World Journal of Urology</i> , 2021 , 1	4	
738	Penile Rehabilitation Strategy after Nerve Sparing Radical Prostatectomy: A Systematic Review and Network Meta-Analysis of Randomized Trials. <i>Journal of Urology</i> , 2021 , 205, 1018-1030	2.5	9
737	Age and gleason score upgrading between prostate biopsy and radical prostatectomy: Is this still true in the multiparametric resonance imaging era?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 784.e1-784.e9	2.8	0
736	Re: Mathieu Rouanne, Dean F. Bajorin, Raquibul Hannan, et al. Rationale and Outcomes for Neoadjuvant Immunotherapy in Urothelial Carcinoma of the Bladder. <i>Eur Urol Oncol</i> 2020;3:728-38. <i>European Urology Oncology</i> , 2021 , 4, 336	6.7	
735	Assessing in-hospital morbidity after urethroplasty using the European Association of Urology Quality Criteria for standardized reporting. <i>World Journal of Urology</i> , 2021 , 39, 3921-3930	4	4
734	Accuracy of Transurethral Resection of the Bladder in Detecting Variant Histology of Bladder Cancer Compared with Radical Cystectomy. <i>European Urology Focus</i> , 2021 ,	5.1	1

733	Real-life use of the eutectic mixture lidocaine/prilocaine spray in men with premature ejaculation. <i>International Journal of Impotence Research</i> , 2021 ,	2.3	3
732	Re: Francesco Soria, Marco Moschini, David D'Andrea, et al. Comparative Effectiveness in Perioperative Outcomes of Robotic versus Open Radical Cystectomy: Results from a Multicenter Contemporary Retrospective Cohort Study. <i>Eur Urol Focus</i> 2020;6:1233-9. <i>European Urology Focus</i> , 2021 ,	5.1	
731	Incidental Prostate Cancer (cT1a-cT1b) Is a Relevant Clinical and Research Entity and Should Be Fully Discussed in the International Prostate Cancer Guidelines. <i>European Urology Oncology</i> , 2021 ,	6.7	1
730	Optimizing prostate-targeted biopsy schemes in men with multiple mpMRI visible lesions: should we target all suspicious areas? Results of a two institution series. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 1137-1142	6.2	0
729	Re: Sophie Knipper, Luigi Ascalone, Benjamin Ziegler, et al. Salvage Surgery in Patients with Local Recurrence After Radical Prostatectomy. <i>Eur Urol</i> 2021;79:537-44: Surgical Treatment of Local Recurrence Following Radical Prostatectomy: Reality or Illusion?. <i>European Urology</i> , 2021 , 79, e132-e133	10.2	
728	Re: Paolo Dell'Oglio, Elio Mazzone, Edward Lambert, et al. The Effect of Surgical Experience on Perioperative and Oncological Outcomes After Robot-assisted Radical Cystectomy with Intracorporeal Urinary Diversion: Evidence from a Referral Centre with Extensive Experience in	5.1	
727	Re: Jean F.P. Lestingi, Giuliano B. Guglielmetti, Quoc-Dien Trinh, et al. Extended Versus Limited Pelvic Lymph Node Dissection During Radical Prostatectomy for Intermediate- and High-risk Prostate Cancer: Early Oncological Outcomes from a Randomized Phase 3 Trial. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2020.11.040 : Time for a Change? Clinically Meaningful Reasons	10.2	1
726	Retroperitoneal versus transeperitoneal robot-assisted partial nephrectomy for postero-laterals renal masses: an international multicenter analysis. <i>World Journal of Urology</i> , 2021 , 39, 4175-4182	4	5
725	Correlation among isolated teratozoospermia, sperm DNA fragmentation and markers of systemic inflammation in primary infertile men. <i>PLoS ONE</i> , 2021 , 16, e0251608	3.7	2
724	Salvage Robot-assisted Renal Surgery for Local Recurrence After Surgical Resection or Renal Mass Ablation: Classification, Techniques, and Clinical Outcomes. <i>European Urology</i> , 2021 , 80, 730-737	10.2	1
723	Prospective Validation of Gallium-68 Prostate Specific Membrane Antigen-Positron Emission Tomography/Computerized Tomography for Primary Staging of Prostate Cancer. Letter. <i>Journal of Urology</i> , 2021 , 205, 1839	2.5	
722	Reliability of Serum Tumor Marker Measurement to Diagnose Recurrence in Patients with Clinical Stage I Nonseminomatous Germ Cell Tumors Undergoing Active Surveillance: A Systematic Review. <i>Journal of Urology</i> , 2021 , 205, 1569-1576	2.5	0
721	High-risk Surgically Resected Renal Cell Carcinoma: Is There a Role for Adjuvant VEGF-TKI Inhibitors?. <i>Current Problems in Cancer</i> , 2021 , 45, 100759	2.3	0
720	Penile Prosthesis Insertion in the Era of Antibiotic Stewardship: Are Postoperative Antibiotics Necessary? Letter. <i>Journal of Urology</i> , 2021 , 205, 1849-1850	2.5	
719	RE: Retzius Sparing Prostatectomy Effect on Symptomatic Lymphocele Rates. <i>Urology</i> , 2021 , 152, 205	1.6	0
718	Reply to Nicolas Mottet, Olivier Rouviere, and Theodorus H. van der Kwast. Incidental Prostate Cancer: A Real Need for Expansion in Guidelines? <i>Eur Urol Oncol</i> . In press: Incidental Prostate Cancer: An Example of How Important Guidelines Are, Especially When Evidence Is Limited. <i>European Urology Oncology</i> , 2021 , 5, 261-261	6.7	
717	Warm ischemia time length during on-clamp partial nephrectomy: dose it really matter?. <i>Minerva Urology and Nephrology</i> , 2021 ,	2.3	3
716	Comparison of renal functional outcomes of active surveillance and partial nephrectomy in the management of oncocytoma. <i>World Journal of Urology</i> , 2021 , 39, 1195-1201	4	4

715	Predicting the Pathologic Complete Response After Neoadjuvant Pembrolizumab in Muscle-Invasive Bladder Cancer. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 48-53	9.7	15
714	Clinical Efficacy of Silodosin in Patients with Severe Lower Urinary Tract Symptoms Related to Benign Prostatic Obstruction: A Pooled Analysis of Phase 3 and 4 Trials. <i>European Urology Focus</i> , 2021 , 7, 440-443	5.1	1
713	Erectile function after focal therapy for localized prostate cancer: a systematic review. <i>International Journal of Impotence Research</i> , 2021 , 33, 418-427	2.3	3
712	Contemporary Treatment Patterns and Outcomes for Patients with Penile Squamous Cell Carcinoma: Identifying Management Gaps to Promote Multi-institutional Collaboration. <i>European Urology Oncology</i> , 2021 , 4, 121-123	6.7	5
711	Male factor infertility trends throughout the last 10 years: Report from a tertiary-referral academic andrology centre. <i>Andrology</i> , 2021 , 9, 610-617	4.2	8
710	Re: Thulium Laser Transurethral Vaporessection of the Prostate Versus Transurethral Resection of the Prostate for Men with Lower Urinary Tract Symptoms or Urinary Retention (UNBLOCS): A Randomised Controlled Trial. <i>European Urology</i> , 2021 , 79, 316-317	10.2	
709	Re: Hugh Mostafid, Ashish M. Kamat, Siamak Daneshmand, et al. Best Practices to Optimise Quality and Outcomes of Transurethral Resection of Bladder Tumours. <i>Eur Urol Oncol</i> 2021;4:12-9. <i>European Urology Oncology</i> , 2021 , 4, 126	6.7	
708	Rapid ascertainment of uptake of a new indication for abiraterone by use of three nationwide health care registries in Sweden. <i>Acta Oncologica</i> , 2021 , 60, 56-60	3.2	3
707	Re: Histological comparison between predictive value of preoperative 3-T multiparametric MRI and Ga-PSMA PET/CT scan for pathological outcomes at radical prostatectomy and pelvic lymph node dissection for prostate cancer. <i>BJU International</i> , 2021 , 127, 746	5.6	
706	Editorial Comment from Dr Martini et al. to Independent external validation of a nomogram to define risk categories for a significant decline in estimated glomerular filtration rate after robotic-assisted partial nephrectomy. <i>International Journal of Urology</i> , 2021 , 28, 80-81	2.3	
705	RE: Validating the Martini Staging System for Rectourethral Fistula: A Meta-analysis of Postoperative Outcomes. <i>Urology</i> , 2021 , 147, 323	1.6	
704	Morbidity and mortality after robot-assisted radical cystectomy with intracorporeal urinary diversion in octogenarians: results from the European Association of Urology Robotic Urology Section Scientific Working Group. <i>BJU International</i> , 2021 , 127, 585-595	5.6	5
703	Normal sperm parameters per se do not reliably account for fertility: A case-control study in the real-life setting. <i>Andrologia</i> , 2021 , 53, e13861	2.4	9
702	Re: Paolo Afonso de Carvalho, Joã A.B.A. Barbosa, Giuliano B. Guglielmetti, et al. Retrograde Release of the Neurovascular Bundle with Preservation of Dorsal Venous Complex During Robot-assisted Radical Prostatectomy: Optimizing Functional Outcomes. <i>Eur Urol</i> 2020;77:628-35: <i>European Urology</i> , 2021 , 79, 316-317	10.2	1
701	[18F]Fluoro-Deoxy-Glucose positron emission tomography to evaluate lymph node involvement in patients with muscle-invasive bladder cancer receiving neoadjuvant pembrolizumab. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 235.e15-235.e21	2.8	3
700	Outcomes of robot-assisted partial nephrectomy for completely endophytic renal tumors: A multicenter analysis. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 1179-1186	3.6	7
699	Is partial nephrectomy safe and effective in the setting of frail comorbid patients affected by renal cell carcinoma? Insights from the RECORD 2 multicentre prospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 78.e17-78.e26	2.8	4
698	Association of neurovascular bundle preservation with oncological outcomes in patients with high-risk prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 193-201	6.2	1

697	Infertile Men Have Higher Prostate-specific Antigen Values than Fertile Individuals of Comparable Age. <i>European Urology</i> , 2021 , 79, 234-240	10.2	7
696	Added Clinical Value of Whole-mount Histopathology of Radical Prostatectomy Specimens: A Collaborative Review. <i>European Urology Oncology</i> , 2021 , 4, 558-569	6.7	3
695	The Impact of Surgical Strategy in Robot-assisted Partial Nephrectomy: Is It Beneficial to Treat Anterior Tumours with Transperitoneal Access and Posterior Tumours with Retroperitoneal Access?. <i>European Urology Oncology</i> , 2021 , 4, 112-116	6.7	12
694	Comparison of Two Methods for Assessing Erectile Function Before Radical Prostatectomy. <i>European Urology Oncology</i> , 2021 , 4, 323-326	6.7	2
693	Defining Clinically Meaningful Positive Surgical Margins in Patients Undergoing Radical Prostatectomy for Localised Prostate Cancer. <i>European Urology Oncology</i> , 2021 , 4, 42-48	6.7	15
692	Re: Rohann J.M. Correa, Alexander V. Louie, Nicholas G. Zaorsky, et al. The Emerging Role of Stereotactic Ablative Radiotherapy for Primary Renal Cell Carcinoma: A Systematic Review and Meta-Analysis. <i>Eur Urol Focus</i> . In press. https://doi.org/10.1016/j.euf.2019.06.002 . <i>European Urology Oncology</i> , 2021 , 4, 102-104	5.1	
691	Defining the Most Informative Intermediate Clinical Endpoints for Patients Treated with Salvage Radiotherapy for Prostate-specific Antigen Rise After Radical Prostatectomy. <i>European Urology Oncology</i> , 2021 , 4, 301-304	6.7	1
690	Is It Compulsory to Investigate for Erectile Dysfunction in Patients Presenting for Low Urinary Tract Symptoms?. <i>European Urology Focus</i> , 2021 , 7, 172-177	5.1	2
689	Perioperative Outcomes of Open, Laparoscopic, and Robotic Partial Nephrectomy: A Prospective Multicenter Observational Study (The RECORD 2 Project). <i>European Urology Focus</i> , 2021 , 7, 390-396	5.1	27
688	Testicular volume in infertile versus fertile white-European men: a case-control investigation in the real-life setting. <i>Asian Journal of Andrology</i> , 2021 , 23, 501-509	2.8	3
687	Definition of a Structured Training Curriculum for Robot-assisted Radical Cystectomy with Intracorporeal Ileal Conduit in Male Patients: A Delphi Consensus Study Led by the ERUS Educational Board. <i>European Urology Focus</i> , 2021 ,	5.1	6
686	Substances of abuse consumption among patients seeking medical help for uro-andrological purposes: a sociobehavioral survey in the real-life scenario. <i>Asian Journal of Andrology</i> , 2021 , 23, 456-461	2.8	1
685	Re: Long-Term Outcomes of Active Surveillance for Prostate Cancer: The Memorial Sloan Kettering Cancer Center Experience Sigrid Carlsson, Nicole Benfante, Ricardo Alvim, Daniel D. Sjoberg, Andrew Vickers, Victor E. Reuter, Samson W. Fine, Hebert Alberto Vargas, Michal Wiseman, Maha Mamoor, Behfar Ehdai, Vincent Laudone, Peter Scardino, James Eastham and Karim Touijer 2020; 1122-1127. <i>Journal of Urology</i> 2021 , 205, 340-341	2.5	
684	Infertility as a Proxy of Men's Health: Still a long way to go. <i>Turkish Journal of Urology</i> , 2021 ,	1.3	2
683	Predicting toxicity-related docetaxel discontinuation and overall survival in metastatic castration-resistant prostate cancer: a pooled analysis of open phase 3 clinical trial data. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 743-749	6.2	2
682	Impact of Adjuvant Chemotherapy on Survival of Patients with Advanced Residual Disease at Radical Cystectomy following Neoadjuvant Chemotherapy: Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	4
681	Renal function outcomes in patients with muscle-invasive bladder cancer treated with neoadjuvant pembrolizumab and radical cystectomy in the PURE-01 study. <i>International Journal of Cancer</i> , 2021 , 149, 186-190	7.5	1
680	The Long-Term Risks of Metastases in Men on Active Surveillance for Early Stage Prostate Cancer. Letter. <i>Journal of Urology</i> , 2021 , 206, 173	2.5	

679	The obesity paradox in metastatic castration-resistant prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 ,	6.2	5
678	Followup of Men with PI-RADS 4 or 5 Abnormality on Prostate Magnetic Resonance Imaging and Nonmalignant Pathological Findings on Initial Targeted Prostate Biopsy. Letter. <i>Journal of Urology</i> , 2021 , 206, 1335	2.5	
677	Challenging the dogma of 6 steps for anastomotic urethroplasty in posterior urethral stricture: introducing step 3a. <i>World Journal of Urology</i> , 2021 , 1	4	3
676	Molecular Characterization of Residual Bladder Cancer after Neoadjuvant Pembrolizumab. <i>European Urology</i> , 2021 , 80, 149-159	10.2	5
675	The impact of race/ethnicity on upstaging and/or upgrading rates among intermediate risk prostate cancer patients treated with radical prostatectomy. <i>World Journal of Urology</i> , 2021 , 1	4	4
674	Re: Scott D. Lundy, Naseer Sangwan, Neel V. Parekh, et al. Functional and Taxonomic Dysbiosis of the Gut, Urine, and Semen Microbiomes in Male Infertility. <i>Eur Urol</i> 2021;79:826-36. <i>European Urology</i> , 2021 , 80, e53-e54	10.2	
673	Anatomical predictors of long-term urinary incontinence after robot-assisted laparoscopic prostatectomy: A systematic review. <i>Neurourology and Urodynamics</i> , 2021 , 40, 2053-2054	2.3	
672	Risk Stratification of Patients Candidate to Radical Prostatectomy Based on Clinical and Multiparametric Magnetic Resonance Imaging Parameters: Development and External Validation of Novel Risk Groups. <i>European Urology</i> , 2021 , 81, 193-193	10.2	9
671	Testosterone in males with COVID-19: A 7-month cohort study. <i>Andrology</i> , 2021 ,	4.2	13
670	Contemporary Outcomes of Patients With Nonmuscle-Invasive Bladder Cancer Treated with Bacillus Calmette-Guérin: Implications for Clinical Trial Design. Letter. <i>Journal of Urology</i> , 2021 , 206, 1528 ²⁻⁵		
669	An Algorithm to Personalize Nerve Sparing in Men with Unilateral High-Risk Prostate Cancer. <i>Journal of Urology</i> , 2021 , 101097JU00000000000002205	2.5	0
668	Reply by Authors. <i>Journal of Urology</i> , 2021 , 206, 645	2.5	
667	Risk of health status worsening in primary infertile men: A prospective 10-year follow-up study. <i>Andrology</i> , 2021 ,	4.2	2
666	Can Negative Prostate-specific Membrane Antigen Positron Emission Tomography/Computed Tomography Avoid the Need for Pelvic Lymph Node Dissection in Newly Diagnosed Prostate Cancer Patients? A Systematic Review and Meta-analysis with Backup Histology as Reference Standard. <i>European Urology Oncology</i> , 2021 , 5, 1-1	6.7	2
665	Aging, inflammation and DNA damage in the somatic testicular niche with idiopathic germ cell aplasia. <i>Nature Communications</i> , 2021 , 12, 5205	17.4	3
664	Association between Lesion Location and Oncologic Outcomes after Focal Therapy for Localized Prostate Cancer Using Either High Intensity Focused Ultrasound or Cryotherapy. <i>Journal of Urology</i> , 2021 , 206, 638-645	2.5	1
663	Robot-assisted partial nephrectomy: 7-year outcomes. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 540-543	3	9
662	Infertile couples still undergo assisted reproductive treatments without initial andrological evaluation in the real-life setting: A failure to adhere to guidelines?. <i>Andrology</i> , 2021 , 9, 1843-1852	4.2	3

661	A virus-free cellular model recapitulates several features of severe COVID-19. <i>Scientific Reports</i> , 2021 , 11, 17473	4.9	2
660	Re: Andrew J. Vickers. Effects of Magnetic Resonance Imaging Targeting on Overdiagnosis and Overtreatment of Prostate Cancer. <i>Eur Urol</i> 2021;80:567-72. <i>European Urology</i> , 2021 , 80, e147-e148	10.2	
659	Risk factors and survival outcomes for upstaging after inguinal lymph node dissection for cN1 penile squamous cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 838.e7-838.e13	2.8	9
658	Predictive value of preoperative neutrophil-to-lymphocyte ratio in localized prostate cancer: results from a surgical series at a high-volume institution. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 481-488	2.3	2
657	Is There a Detrimental Effect of Antibiotic Therapy in Patients with Muscle-invasive Bladder Cancer Treated with Neoadjuvant Pembrolizumab?. <i>European Urology</i> , 2021 , 80, 319-322	10.2	5
656	Re: Marra et al. 'Transperineal freehand multiparametric MRI fusion targeted biopsies under local anaesthesia for prostate cancer diagnosis: a multicentre prospective study of 1014 cases'. <i>BJU International</i> , 2021 , 128, 523	5.6	1
655	Molecular subtyping and immune-gene signatures identify a subset of early bladder tumors as candidates for single-agent immune-checkpoint inhibition. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 734.e11-734.e17	2.8	2
654	Reply by Authors. <i>Journal of Urology</i> , 2021 , 206, 969	2.5	
653	Intermediate- and high-risk nonmuscle invasive bladder cancer: Where do we stand?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 631-641	2.8	3
652	Patterns of Recurrence following Inguinal Lymph Node Dissection for Penile Cancer: Optimizing Surveillance Strategies. <i>Journal of Urology</i> , 2021 , 206, 960-969	2.5	1
651	A mechanistic insight into the anti-metastatic role of the prostate specific antigen. <i>Translational Oncology</i> , 2021 , 14, 101211	4.9	2
650	How to Prevent and Manage Post-Prostatectomy Incontinence: A Review. <i>World Journal of Men's Health</i> , 2021 , 39, 581-597	6.8	8
649	Has the COVID-19 outbreak changed the way we are treating prostate cancer? An EAU - YAU Prostate Cancer Working Group multi-institutional study. <i>Central European Journal of Urology</i> , 2021 , 74, 362-365	0.9	0
648	Laser Lithotripsy: The Importance of Peak Power and Pulse Modulation. <i>European Urology Focus</i> , 2021 , 7, 22-25	5.1	5
647	Parenchymal biopsy in the management of patients with renal cancer. <i>World Journal of Urology</i> , 2021 , 39, 2961-2968	4	6
646	Upper Tract Urothelial Carcinoma in the Lynch Syndrome Tumour Spectrum: A Comprehensive Overview from the European Association of Urology - Young Academic Urologists and the Global Society of Rare Genitourinary Tumors.. <i>European Urology Oncology</i> , 2021 ,	6.7	1
645	Defining the Impact of Family History on Detection of High-grade Prostate Cancer in a Large Multi-institutional Cohort.. <i>European Urology</i> , 2021 ,	10.2	1
644	Extensive Assessment of Underlying Etiological Factors in Primary Infertile Men Reduces the Proportion of Men With Idiopathic Infertility.. <i>Frontiers in Endocrinology</i> , 2021 , 12, 801125	5.7	1

643	Longitudinal Risk of Developing Cardiovascular Diseases in Patients With Erectile Dysfunction-Which Patients Deserve More Attention?. <i>Journal of Sexual Medicine</i> , 2020 , 17, 1489-1494	1.1	4
642	Technical and Functional Validation of a Teleoperated Multirobots Platform for Minimally Invasive Surgery. <i>IEEE Transactions on Medical Robotics and Bionics</i> , 2020 , 2, 148-156	3.1	3
641	Can Patients with Muscle-invasive Bladder Cancer and Fibroblast Growth Factor Receptor-3 Alterations Still Be Considered for Neoadjuvant Pembrolizumab? A Comprehensive Assessment from the Updated Results of the PURE-01 Study. <i>European Urology Oncology</i> , 2020 , 4, 1001-1001	6.7	9
640	Surrogate endpoints for overall survival for patients with metastatic hormone-sensitive prostate cancer in the CHARTED trial. <i>Prostate Cancer and Prostatic Diseases</i> , 2020 , 23, 638-645	6.2	3
639	Reply to Vincenzo Ficarra, Giuseppe Mucciardi, and Gianluca Giannarini's Letter to the Editor re: Riccardo Campi, Daniele Amparore, Umberto Capitanio, et al. Assessing the Burden of Nondeferrable Major Uro-oncological Surgery to Guide Prioritisation Strategies During the COVID-19 Pandemic: Insights from Three Italian High-volume Referral Centres. <i>Eur Urol</i> 2020 ;78:11-15. <i>European Urology</i> , 2020 , 78, e109-e110	10.2	1
638	The Role of Percentage of Prostate-specific Antigen Reduction After Focal Therapy Using High-intensity Focused Ultrasound for Primary Localised Prostate Cancer. Results from a Large Multi-institutional Series. <i>European Urology</i> , 2020 , 78, 155-160	10.2	8
637	Re: Hung-Ming Lam, Holly M. Nguyen, Mark P. Labrecque, et al. Durable Response of Enzalutamide-resistant Prostate Cancer to Supraphysiological Testosterone Is Associated with a Multifaceted Growth Suppression and Impaired DNA Damage Response Transcriptomic Program in Patient-derived Xenografts. <i>Eur Urol</i> 2020 ;77:144-55. <i>European Urology</i> , 2020 , 78, e137-e138	10.2	
636	The Use of Multiparametric Magnetic Resonance Imaging for Follow-up of Patients Included in Active Surveillance Protocol. Can PSA Density Discriminate Patients at Different Risk of Reclassification?. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e698-e704	3.3	10
635	Cytoreductive Nephrectomy in Metastatic Patients with Signs or Symptoms: Implications for Renal Cell Carcinoma Guidelines. <i>European Urology</i> , 2020 , 78, 321-326	10.2	9
634	Rates of hypogonadism forms in Klinefelter patients undergoing testicular sperm extraction: A multicenter cross-sectional study. <i>Andrology</i> , 2020 , 8, 1705-1711	4.2	5
633	Optimising the selection of candidates for neoadjuvant chemotherapy amongst patients with node-positive penile squamous cell carcinoma. <i>BJU International</i> , 2020 , 125, 867-875	5.6	10
632	Impact of Molecular Subtyping and Immune Infiltration on Pathological Response and Outcome Following Neoadjuvant Pembrolizumab in Muscle-invasive Bladder Cancer. <i>European Urology</i> , 2020 , 77, 701-710	10.2	66
631	Long-term Outcomes of Salvage Lymph Node Dissection for Nodal Recurrence of Prostate Cancer After Radical Prostatectomy: Not as Good as Previously Thought. <i>European Urology</i> , 2020 , 78, 661-669	10.2	30
630	Assessing the Best Surgical Template at Salvage Pelvic Lymph Node Dissection for Nodal Recurrence of Prostate Cancer After Radical Prostatectomy: When Can Bilateral Dissection be Omitted? Results from a Multi-institutional Series. <i>European Urology</i> , 2020 , 78, 779-782	10.2	6
629	Re: Aurlie De Bruycker, Elise De Bleser, Karel Decaestecker, et al. Nodal Oligorecurrent Prostate Cancer: Anatomic Pattern of Possible Treatment Failure in Relation to Elective Surgical and Radiotherapy Treatment Templates. <i>Eur Urol</i> 2019 ;75:826-33: Nodal Recurrence of Prostate Cancer in Patients Treated with Radical Intent: Tailoring the Best Salvage Treatment. <i>European Urology</i> , 2020 , 77, e137	10.2	
628	Re: Maria Chiara Sighinolfi, Bernardo Rocco's Words of Wisdom re: EAU Guidelines: Prostate Cancer 2019. Mottet N, van den Bergh RCN, Briers E, et al. https://uroweb.org/guideline/prostate-cancer/ . <i>Eur Urol</i> 2019 ;76:871. <i>European Urology</i> , 2020 , 77, e122-e127	10.2	
627	Re: Ola Bratt, Erik Holmberg, Ove Andr�, et al. The Value of an Extensive Transrectal Repeat Biopsy with Anterior Sampling in Men on Active Surveillance for Low-risk Prostate Cancer: A Comparison from the Randomised Study of Active Monitoring in Sweden (SAMS). <i>Eur Urol</i> 2019 ;76:461-6. <i>European Urology</i> , 2020 , 77, e136	10.2	
626	Surnames in Y-Chromosome-related Diseases: A New Tool for the Urologist?. <i>European Urology</i> , 2020 , 77, 767-768	10.2	1

625	Unfavorable Cancer-specific Survival After Neoadjuvant Chemotherapy and Radical Cystectomy in Patients With Bladder Cancer and Squamous Cell Variant: A Multi-institutional Study. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e543-e556	3.3	11
624	Risk calculator for prediction of treatment-related urethroplasty failure in patients with penile urethral strictures. <i>International Urology and Nephrology</i> , 2020 , 52, 1079-1085	2.3	3
623	Re: Felix Preisser, Felix K.H. Chun, Raisa S. Pompe, et al. Persistent Prostate-Specific Antigen After Radical Prostatectomy and Its Impact on Oncologic Outcomes. <i>Eur Urol</i> 2019;76:106-14. <i>European Urology</i> , 2020 , 77, e107	10.2	
622	Sex-specific Alterations in the Urinary and Tissue Microbiome in Therapy-naïve Urothelial Bladder Cancer Patients. <i>European Urology Oncology</i> , 2020 , 3, 784-788	6.7	12
621	Urine Endocannabinoids as Novel Non-Invasive Biomarkers for Bladder Cancer at Early Stage. <i>Cancers</i> , 2020 , 12,	6.6	5
620	Estimated Costs Associated With Radiation Therapy for Positive Surgical Margins During Radical Prostatectomy. <i>JAMA Network Open</i> , 2020 , 3, e201913	10.4	4
619	External Validation of the 2019 Briganti Nomogram for the Identification of Prostate Cancer Patients Who Should Be Considered for an Extended Pelvic Lymph Node Dissection. <i>European Urology</i> , 2020 , 78, 138-142	10.2	18
618	Robotic partial nephrectomy vs minimally invasive radical nephrectomy for clinical T2a renal mass: a propensity score-matched comparison from the ROSULA (Robotic Surgery for Large Renal Mass) Collaborative Group. <i>BJU International</i> , 2020 , 126, 114-123	5.6	23
617	Comprehensive analysis of in-hospital delirium after major surgical oncology procedures: A population-based study. <i>Canadian Urological Association Journal</i> , 2020 , 14, E84-E93	1.2	4
616	Observational study on time on treatment with abiraterone and enzalutamide. <i>PLoS ONE</i> , 2020 , 15, e024462	5.7	5
615	SHBG levels in primary infertile men: a critical interpretation in clinical practice. <i>Endocrine Connections</i> , 2020 , 9, 658-666	3.5	2
614	Vacuum physiotherapy after first stage buccal mucosa graft (BMG) urethroplasty in children with proximal hypospadias. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020 , 46, 1029-1041	2	2
613	Outcomes of minimally invasive partial nephrectomy among very elderly patients: report from the RESURGE collaborative international database. <i>Central European Journal of Urology</i> , 2020 , 73, 273-279	0.9	2
612	Pharmacology of Male Sexual Function 2020 , 159-174		
611	Re: Ten-Year Oncologic Outcomes following Robot-Assisted Radical Cystectomy: Results from the International Robotic Cystectomy Consortium. <i>Journal of Urology</i> , 2020 , 203, 624	2.5	
610	Re: Evaluation of the Fluorescence In Situ Hybridization Test to Predict Recurrence and/or Progression of Disease after bacillus Calmette-Guérin for Primary High Grade Nonmuscle Invasive Bladder Cancer: Results from a Prospective Multicenter Trial. <i>Journal of Urology</i> , 2020 , 203, 625	2.5	
609	Re: The Impact of Nocturia on Mortality: A Systematic Review and Meta-Analysis. J. S. Pesonen, R. Cartwright, R. W. M. Vernooij, Y. Aoki, A. Agarwal, A. Mangera, A. D. Markland, J. F. Tsui, H. Santti, T. L. Griebling, A. E. Pryalukhin, J. Riikonen, R. M. Tiihinen, C. P. Vaughan, T. M. Johnson, II, A. Auvinen, D. Haak-Arjell, C. H. Creighton and K. A. O. Tikkinen 2020; 486-495. <i>Journal of Urology</i> , 2020 , 204, 589-590	2.5	1
608	Re: Comparison of Initial Experience with Transrectal Magnetic Resonance Imaging Cognitive Guided Micro-Ultrasound Biopsies versus Established Transperineal Robotic Ultrasound Magnetic Resonance Imaging Fusion Biopsies for Prostate Cancer. O. R. Claros, R. R. Tourinho-Barbosa, A. Fregeville, A. C. Gallardo, F. Muttin, A. Carneiro, A. Stabile, M. Moschini, P. Macek, N. Cathala, A. Mombet, R. Sanchez-Salas and X. Cathelineau 2020; 918-925. <i>Journal of Urology</i> , 2020 , 204, 587	2.5	

607	Re: The Magnetic Resonance Imaging in Active Surveillance (MRIAS) Trial: Use of Baseline Multiparametric Magnetic Resonance Imaging and Saturation Biopsy to Reduce the Frequency of Surveillance Prostate Biopsies. A. Amin, M. J. Scheltema, R. Shnier, A. Blazevski, D. Moses, T. Cusick, A. Siriwardana, B. Yuen, P. J. van Leeuwen, A. M. Haynes, J. Matthews, P. Brenner, G. O'Neill, C. Yuen, W. Delprado, P. Stricker and J. Thompson 2020;910-917. <i>Journal of Urology</i> , 2020, 204, 843	2.5	0
606	Assessment of local tumor ablation and non-interventional management versus partial nephrectomy in T1a renal cell carcinoma. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 350-359	4.4	6
605	Surgical quality, cancer control and functional preservation: introducing a novel trifecta for robot-assisted partial nephrectomy. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 82-90	4.4	22
604	Comprehensive long-term assessment of outcomes following robot-assisted partial nephrectomy for renal cell carcinoma: the ROME's achievement and its predicting nomogram. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 482-489	4.4	10
603	Perioperative and oncologic outcomes of open radical nephrectomy and inferior vena cava thrombectomy with liver mobilization and Pringle maneuver for Mayo III level tumor thrombus: single institution experience. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020,	4.4	2
602	Reply by Authors. <i>Journal of Urology</i> , 2020, 204, 302	2.5	
601	Effect of Extended Pelvic Lymph Node Dissection on Oncologic Outcomes in Patients with D'Amico Intermediate and High Risk Prostate Cancer Treated with Radical Prostatectomy: A Multi-Institutional Study. <i>Journal of Urology</i> , 2020, 203, 338-343	2.5	28
600	Underestimation of Positron Emission Tomography/Computerized Tomography in Assessing Tumor Burden in Prostate Cancer Nodal Recurrence: Head-to-Head Comparison of Ga-PSMA and C-Choline in a Large, Multi-Institutional Series of Extended Salvage Lymph Node Dissections. <i>Journal of Urology</i> , 2020, 203, 1027-1033	2.5	17
599	Re: Vincent Misrai, Enrique Rijo, Kevin C. Zorn, Nicolas Barry-Delongchamps, Aurelien Descazeaud. Waterjet Ablation Therapy for Treating Benign Prostatic Obstruction in Patients with Small- to Medium-size Glands: 12-month Results of the First French Aquablation Clinical Registry. <i>Eur Urol</i> 2019;76:667-75; Surgery for Benign Prostatic Enlargement: Water Keeps Flowing Under the Bridge	10.2	
598	Updated Results of PURE-01 with Preliminary Activity of Neoadjuvant Pembrolizumab in Patients with Muscle-invasive Bladder Carcinoma with Variant Histologies. <i>European Urology</i> , 2020, 77, 439-446	10.2	119
597	Prevalence, assessment and surgical correction of penile curvature in hypospadias patients treated at one European Referral Center: description of the technique and surgical outcomes. <i>World Journal of Urology</i> , 2020, 38, 2041-2048	4	5
596	Multiparametric Magnetic Resonance Imaging as a Noninvasive Assessment of Tumor Response to Neoadjuvant Pembrolizumab in Muscle-invasive Bladder Cancer: Preliminary Findings from the PURE-01 Study. <i>European Urology</i> , 2020, 77, 636-643	10.2	48
595	Surgical Safety of Radical Cystectomy and Pelvic Lymph Node Dissection Following Neoadjuvant Pembrolizumab in Patients with Bladder Cancer: Prospective Assessment of Perioperative Outcomes from the PURE-01 Trial. <i>European Urology</i> , 2020, 77, 576-580	10.2	38
594	Relative Contribution of Sampling and Grading to the Quality of Prostate Biopsy: Results from a Single High-volume Institution. <i>European Urology Oncology</i> , 2020, 3, 474-480	6.7	5
593	Erectile Function and Sexual Satisfaction: The Importance of Asking About Sexual Desire. <i>Journal of Sexual Medicine</i> , 2020, 17, 349-352	1.1	3
592	Increased Use of Blood Transfusions to Manage Urological Conditions during the COVID-19 Pandemic. <i>Urologia Internationalis</i> , 2020, 104, 849-852	1.9	
591	Re: Vasilis Stavrinos, Francesco Giganti, Bruce Trock, et al. Five-year Outcomes of Magnetic Resonance Imaging-based Active Surveillance for Prostate Cancer: A Large Cohort Study. <i>Eur Urol</i> 2020;78:443-51. <i>European Urology</i> , 2020, 78, e165	10.2	1
590	Reply to Jonathan Aning, Paul McCoubrie, and Jon Oxley's Letter to the Editor re: Giorgio Gandaglia, Guillaume Ploussard, Massimo Valerio, et al. The Key Combined Value of Multiparametric Magnetic Resonance Imaging, and Magnetic Resonance Imaging-targeted and Concomitant Systematic Biopsies for the Prediction of Adverse Pathological Features in Prostate Cancer Patients Undergoing Radical Prostatectomy. <i>Eur Urol</i> 2020;77:733-41. <i>European Urology</i> , 2020, 78, e200	10.2	1

589	Reply to Vřane Achard, Alan Dal Pra, and Thomas Zilli's Letter to the Editor re: Carlo A. Bravi, Nicola Fossati, Giorgio Gandaglia, et al. Long-term Outcomes of Salvage Lymph Node Dissection for Nodal Recurrence of Prostate Cancer After Radical Prostatectomy: Not as Good as Previously Thought. <i>Eur Urol</i> 2020;78:661-9. <i>European Urology</i> , 2020, 78, e223-e224	10.2	3
588	Leukocytospermia is not an informative predictor of positive semen culture in infertile men: results from a validation study of available guidelines. <i>Human Reproduction Open</i> , 2020, 2020, hoaa039	6.1	7
587	Re: Malte W. Vetterlein, Jakob Klemm, Philipp Gild, et al. Improving Estimates of Perioperative Morbidity After Radical Cystectomy Using the European Association of Urology Quality Criteria for Standardized Reporting and Introducing the Comprehensive Complication Index. <i>Eur Urol</i> 2020;77:55-65. <i>European Urology</i> , 2020, 78, e75-e76	10.2	
586	Extended pelvic lymph-node dissection is independently associated with improved overall survival in patients with prostate cancer at high-risk of lymph-node invasion. <i>BJU International</i> , 2020, 125, 756-758	5.6	5
585	A risk calculator predicting recurrence in lymph node metastatic penile cancer. <i>BJU International</i> , 2020, 126, 577-585	5.6	9
584	Multiparametric magnetic resonance imaging and clinical variables: Which is the best combination to predict reclassification in active surveillance patients?. <i>Prostate International</i> , 2020, 8, 167-172	3.4	2
583	Sperm retrieval rates in non-mosaic Klinefelter patients undergoing testicular sperm extraction: What expectations do we have in the real-life setting?. <i>Andrology</i> , 2020, 8, 680-687	4.2	10
582	CALIBER: a phase II randomized feasibility trial of chemoablation with mitomycin-C vs surgical management in low-risk non-muscle-invasive bladder cancer. <i>BJU International</i> , 2020, 126, 663	5.6	
581	Serum testosterone levels are not associated with the severity of penile curvature in men with Peyronie's disease-findings from a cross-sectional study. <i>International Journal of Impotence Research</i> , 2020,	2.3	2
580	Contemporary Techniques of Prostate Dissection for Robot-assisted Prostatectomy. <i>European Urology</i> , 2020, 78, 583-591	10.2	23
579	Re: Lisa Moris, Marcus G. Cumberbatch, Thomas Van den Broeck, et al. Benefits and Risks of Primary Treatments for High-risk Localized and Locally Advanced Prostate Cancer: An International Multidisciplinary Systematic Review. <i>Eur Urol</i> 2020;77:614-27. <i>European Urology</i> , 2020, 78, e192	10.2	0
578	Neoadjuvant Chemotherapy or Immunotherapy for Clinical T2N0 Muscle-invasive Bladder Cancer: Time to Change the Paradigm?. <i>European Urology Oncology</i> , 2020,	6.7	9
577	Prognostic Implications of Multiparametric Magnetic Resonance Imaging and Concomitant Systematic Biopsy in Predicting Biochemical Recurrence After Radical Prostatectomy in Prostate Cancer Patients Diagnosed with Magnetic Resonance Imaging-targeted Biopsy. <i>European Urology Oncology</i> , 2020, 3, 739-747	6.7	9
576	Management of Patients with Node-positive Prostate Cancer at Radical Prostatectomy and Pelvic Lymph Node Dissection: A Systematic Review. <i>European Urology Oncology</i> , 2020, 3, 565-581	6.7	12
575	Clinical Profile of Young Patients with Erectile Dysfunction: Preliminary Findings of a Real-life Cross-sectional Study. <i>European Urology Focus</i> , 2020, 6, 184-189	5.1	8
574	Focus on Internal Urethrotomy as Primary Treatment for Untreated Bulbar Urethral Strictures: Results from a Multivariable Analysis. <i>European Urology Focus</i> , 2020, 6, 164-169	5.1	6
573	Impact of Age on Perioperative Outcomes at Radical Prostatectomy: A Population-Based Study. <i>European Urology Focus</i> , 2020, 6, 1213-1219	5.1	3
572	High Blood Pressure Is a Highly Prevalent but Unrecognised Condition in Primary Infertile Men: Results of a Cross-sectional Study. <i>European Urology Focus</i> , 2020, 6, 178-183	5.1	14

571	Partial versus radical nephrectomy in very elderly patients: a propensity score analysis of surgical, functional and oncologic outcomes (RESURGE project). <i>World Journal of Urology</i> , 2020 , 38, 151-158	4	13
570	Lower urinary tract symptoms and depressive symptoms among patients presenting for distressing early ejaculation. <i>International Journal of Impotence Research</i> , 2020 , 32, 207-212	2.3	6
569	Intratunical injection of autologous adipose stromal vascular fraction reduces collagen III expression in a rat model of chronic penile fibrosis. <i>International Journal of Impotence Research</i> , 2020 , 32, 281-288	2.3	5
568	Robot-assisted nephroureterectomy for upper tract urothelial carcinoma: results from three high-volume robotic surgery institutions. <i>Journal of Robotic Surgery</i> , 2020 , 14, 211-219	2.9	14
567	Undiagnosed prediabetes status is associated with a reduced effectiveness of phosphodiesterase type 5 inhibitors in men with erectile dysfunction. <i>International Journal of Impotence Research</i> , 2020 , 32, 393-400	2.3	2
566	Sexual Dysfunction in Men with Prediabetes. <i>Sexual Medicine Reviews</i> , 2020 , 8, 622-634	5.6	2
565	Clinical Comparison of Holmium Laser Enucleation of the Prostate and Bipolar Transurethral Enucleation of the Prostate in Patients Under Either Anticoagulation or Antiplatelet Therapy. <i>European Urology Focus</i> , 2020 , 6, 720-728	5.1	19
564	There Is No Way to Avoid Systematic Prostate Biopsies in Addition to Multiparametric Magnetic Resonance Imaging Targeted Biopsies. <i>European Urology Oncology</i> , 2020 , 3, 112-118	6.7	23
563	Efficacy of Surgery in the Primary Tumor Site for Metastatic Urothelial Cancer: Analysis of an International, Multicenter, Multidisciplinary Database. <i>European Urology Oncology</i> , 2020 , 3, 94-101	6.7	17
562	Consulting "Dr. Google" for Prostate Cancer Treatment Options: A Contemporary Worldwide Trend Analysis. <i>European Urology Oncology</i> , 2020 , 3, 481-488	6.7	17
561	Re: Lorenzo Marconi, Thomas Stonier, Rafael Tourinho-Barbosa, et al. Robot-assisted Radical Prostatectomy After Focal Therapy: Oncological, Functional Outcomes and Predictors of Recurrence. <i>Eur Urol</i> 2019;76:27-30: Morphologic Documentation from Didactic Cases of Large-format Histology. <i>European Urology</i> , 2020 , 77, e100-e102	10.2	
560	Hypertension and Cardiovascular Morbidity Following Surgery for Kidney Cancer. <i>European Urology Oncology</i> , 2020 , 3, 209-215	6.7	21
559	Does working channel position influence the effectiveness of flexible ureteroscopy? Results from an in vitro study. <i>BJU International</i> , 2020 , 125, 449-456	5.6	9
558	The Key Combined Value of Multiparametric Magnetic Resonance Imaging, and Magnetic Resonance Imaging-targeted and Concomitant Systematic Biopsies for the Prediction of Adverse Pathological Features in Prostate Cancer Patients Undergoing Radical Prostatectomy. <i>European Urology</i> , 2020 , 77, 733-741	10.2	38
557	Androgen deprivation therapy in men with node-positive prostate cancer treated with postoperative radiotherapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 204-209	2.8	5
556	How to improve patient selection for neoadjuvant chemotherapy in bladder cancer patients candidate for radical cystectomy and pelvic lymph node dissection. <i>World Journal of Urology</i> , 2020 , 38, 1229-1233	4	3
555	Assessing the Burden of Nondeferrable Major Uro-oncologic Surgery to Guide Prioritisation Strategies During the COVID-19 Pandemic: Insights from Three Italian High-volume Referral Centres. <i>European Urology</i> , 2020 , 78, 11-15	10.2	62
554	Semen infections in men with primary infertility in the real-life setting. <i>Fertility and Sterility</i> , 2020 , 113, 1174-1182	4.8	16

553	Therapeutic approaches for lymph node involvement in prostate, bladder and kidney cancer. <i>Expert Review of Anticancer Therapy</i> , 2019 , 19, 739-755	3.5	5
552	Validation of the GGrade, Age, Nodes and Tumor (GRANT) score within the Surveillance Epidemiology and End Results (SEER) database: A new tool to predict survival in surgically treated renal cell carcinoma patients. <i>Scientific Reports</i> , 2019 , 9, 13218	4.9	9
551	The Effect of Lymph Node Dissection in Metastatic Prostate Cancer Patients Treated with Radical Prostatectomy: A Contemporary Analysis of Survival and Early Postoperative Outcomes. <i>European Urology Oncology</i> , 2019 , 2, 541-548	6.7	17
550	Novel nomogram for the prediction of seminal vesicle invasion including multiparametric magnetic resonance imaging. <i>International Journal of Urology</i> , 2019 , 26, 458-464	2.3	8
549	Radical Cystectomy in Pathological T4a and T4b Bladder Cancer Patients: Is There Any Space for Sub Stratification?. <i>Urologia Internationalis</i> , 2019 , 102, 269-276	1.9	4
548	The critical role of lymph node dissection in selecting high-risk nonmetastatic renal cancer candidates for adjuvant therapy after nephrectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 293.e25-293.e30	2.8	5
547	Should partial nephrectomy be considered "elective" in patients with stage 2 chronic kidney disease? A comparative analysis of functional and survival outcomes after radical and partial nephrectomy. <i>World Journal of Urology</i> , 2019 , 37, 2429-2437	4	8
546	Re: Gillian Vandekerkhove, Werner J. Struss, Matti Annala, et al. Circulating Tumor DNA Abundance and Potential Utility in De Novo Metastatic Prostate Cancer. <i>Eur Urol</i> 2019;75:667-75: How Does Circulating DNA Reach the Blood Stream?. <i>European Urology</i> , 2019 , 76, e69-e72	10.2	5
545	Association of an organ transplant-based approach with a dramatic reduction in postoperative complications following radical nephrectomy and tumor thrombectomy in renal cell carcinoma. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1983-1992	3.6	12
544	Long-term incidence of secondary bladder and rectal cancer in patients treated with brachytherapy for localized prostate cancer: a large-scale population-based analysis. <i>BJU International</i> , 2019 , 124, 1006-1013	5.6	5
543	Re: Tea's Value as a Cancer Therapy is Steeped in Uncertainty. <i>European Urology</i> , 2019 , 76, 706-707	10.2	
542	Contemporary Assessment of Survival Rates in Stage I Testicular Seminoma: A Population-Based Comparison Between Surveillance and Active Treatment After Orchiectomy. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e793-e801	3.3	2
541	Differences in trends in the use of robot-assisted and open radical cystectomy and changes over time in peri-operative outcomes among selected centres in North America and Europe: an international multicentre collaboration. <i>BJU International</i> , 2019 , 124, 656	5.6	25
540	Structured Population-based Prostate-specific Antigen Screening for Prostate Cancer: The European Association of Urology Position in 2019. <i>European Urology</i> , 2019 , 76, 142-150	10.2	51
539	Impact of Acute Kidney Injury and Its Duration on Long-term Renal Function After Partial Nephrectomy. <i>European Urology</i> , 2019 , 76, 398-403	10.2	42
538	Should We Tailor the Clinical Management of Erectile Dysfunction According to Different Ages?. <i>Journal of Sexual Medicine</i> , 2019 , 16, 999-1004	1.1	5
537	The effect of age and comorbidities on early postoperative complications after radical cystectomy: A contemporary population-based analysis. <i>Journal of Geriatric Oncology</i> , 2019 , 10, 623-631	3.6	9
536	Seminal plasma of men with severe asthenozoospermia contain exosomes that affect spermatozoa motility and capacitation. <i>Fertility and Sterility</i> , 2019 , 111, 897-908.e2	4.8	35

535	Reply to S. Zhang. <i>Journal of Clinical Oncology</i> , 2019 , 37, 940-941	2.2	
534	Virtual Reality Validation of the ERUS Simulation-based Training Programmes: Results from a High-volume Training Centre for Robot-assisted Surgery. <i>European Urology</i> , 2019 , 75, 885-887	10.2	14
533	Incidence and survival outcomes in patients with upper urinary tract urothelial carcinoma diagnosed with variant histology and treated with nephroureterectomy. <i>BJU International</i> , 2019 , 124, 738-745	5.6	14
532	The impact of completeness of last transurethral resection of bladder tumors on the outcomes of radical cystectomy. <i>World Journal of Urology</i> , 2019 , 37, 2707-2714	4	1
531	Mini Review on the Use of Clinical Cancer Registers for Prostate Cancer: The National Prostate Cancer Register (NPCR) of Sweden. <i>Frontiers in Medicine</i> , 2019 , 6, 51	4.9	12
530	The ERUS Curriculum for Robot-assisted Partial Nephrectomy: Structure Definition and Pilot Clinical Validation. <i>European Urology</i> , 2019 , 75, 1023-1031	10.2	37
529	Development of a New Comorbidity Assessment Tool for Specific Prediction of Perioperative Mortality in Contemporary Patients Treated with Radical Cystectomy. <i>Annals of Surgical Oncology</i> , 2019 , 26, 1942-1949	3.1	7
528	Impaired testicular signaling of vitamin A and vitamin K contributes to the aberrant composition of the extracellular matrix in idiopathic germ cell aplasia. <i>Fertility and Sterility</i> , 2019 , 111, 687-698	4.8	11
527	Contemporary National Assessment of Robot-Assisted Surgery Rates and Total Hospital Charges for Major Surgical Uro-Oncological Procedures in the United States. <i>Journal of Endourology</i> , 2019 , 33, 438-447	2.7	30
526	Assessing the Role and Optimal Duration of Hormonal Treatment in Association with Salvage Radiation Therapy After Radical Prostatectomy: Results from a Multi-Institutional Study. <i>European Urology</i> , 2019 , 76, 443-449	10.2	8
525	Botulinum Neurotoxin Light Chains Expressed by Defective Herpes Simplex Virus Type-1 Vectors Cleave SNARE Proteins and Inhibit CGRP Release in Rat Sensory Neurons. <i>Toxins</i> , 2019 , 11,	4.9	8
524	Repair of sphincter urethral strictures preserving urinary continence: surgical technique and outcomes. <i>World Journal of Urology</i> , 2019 , 37, 2473-2479	4	7
523	Contemporary use and survival after perioperative systemic chemotherapy in patients with locally advanced non-metastatic urothelial carcinoma of the bladder treated with radical cystectomy. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1253-1259	3.6	4
522	Predictive and prognostic effect of inflammatory lymphadenopathies in renal cell carcinoma. <i>World Journal of Urology</i> , 2019 , 37, 701-708	4	0
521	Re: Veeru Kasivisvanathan, Armando Stabile, Joana B. Neves, et al. Magnetic Resonance Imaging-targeted Biopsy Versus Systematic Biopsy in the Detection of Prostate Cancer: A Systematic Review And Meta-analysis. <i>Eur Urol</i> 2019;76:284-303. <i>European Urology</i> , 2019 , 76, e132	10.2	
520	Incremental Utility of Adjuvant Chemotherapy in Muscle-invasive Bladder Cancer: Quantifying the Relapse Risk Associated with Therapeutic Effect. <i>European Urology</i> , 2019 , 76, 425-429	10.2	10
519	Comparison of Open Versus Robotically Assisted Cytoreductive Radical Prostatectomy for Metastatic Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e939-e945	3.3	5
518	The emerging role of PET-CT scan after radical prostatectomy: still a long way to go. <i>Lancet Oncology, The</i> , 2019 , 20, 1193-1195	21.7	3

517	Contemporary Assessment of Long-Term Survival Rates in Patients With Stage I Nonseminoma Germ-Cell Tumor of the Testis: Population-Based Comparison Between Surveillance and Active Treatment After Initial Orchiectomy. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e1153-e1162	3.3	6
516	Long-Term Follow-Up After Penile Prosthesis Implantation-Survival and Quality of Life Outcomes. <i>Journal of Sexual Medicine</i> , 2019 , 16, 1827-1833	1.1	15
515	Oncologic outcomes in prostate cancer patients treated with robot-assisted radical prostatectomy: results from a single institution series with more than 10 years follow up. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 38-46	4.4	10
514	Technical innovations to optimize continence recovery after robotic assisted radical prostatectomy. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 324-338	4.4	15
513	Prevalence and surgical management of pubic hypertrophy in hypospadias patients: results from a high-volume surgeon. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2019 , 45, 1238-1248	2	2
512	The Impact of Experience on the Risk of Surgical Margins and Biochemical Recurrence after Robot-Assisted Radical Prostatectomy: A Learning Curve Study. <i>Journal of Urology</i> , 2019 , 202, 108-113	2.5	40
511	Robot-assisted versus open cystectomy in the RAZOR trial. <i>Lancet, The</i> , 2019 , 393, 645	4.0	1
510	Medium-term oncological outcomes in a large cohort of men treated with either focal or hemi-ablation using high-intensity focused ultrasonography for primary localized prostate cancer. <i>BJU International</i> , 2019 , 124, 431-440	5.6	48
509	Evaluation of Cause of Death After Radical Cystectomy for Patients With Bladder Cancer: The Impact of Age at the Time of Surgery. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e541-e548	3.3	3
508	Heavy cigarette smoking and alcohol consumption are associated with impaired sperm parameters in primary infertile men. <i>Asian Journal of Andrology</i> , 2019 , 21, 478-485	2.8	34
507	Modeling 1-year Relapse-free Survival After Neoadjuvant Chemotherapy and Radical Cystectomy in Patients with Clinical T2-4N0M0 Urothelial Bladder Carcinoma: Endpoints for Phase 2 Trials. <i>European Urology Oncology</i> , 2019 , 2, 248-256	6.7	9
506	Defining the Most Informative Intermediate Clinical Endpoints for Predicting Overall Survival in Patients Treated with Radical Prostatectomy for High-risk Prostate Cancer. <i>European Urology Oncology</i> , 2019 , 2, 456-463	6.7	8
505	Re: Tom A. Hueting, Erik B. Cornel, Diederik M. Somford, et al. External Validation of Models Predicting the Probability of Lymph Node Involvement in Prostate Cancer Patients. <i>Eur Urol Oncol</i> 2018;1:411-7. <i>European Urology Oncology</i> , 2019 , 2, 337	6.7	
504	Re: Ricardo G. Alvim, Fran̄ois Audenet, Emily A. Vertosick, Daniel D. Sjoberg, Karim A. Touijer. Performance Prediction for Surgical Outcomes in Partial Nephrectomy Using Nephrometry Scores: A Comparison of Arterial Based Complexity (ABC), RENAL, and PADUA Systems. <i>Eur Urol Oncol</i> 2018;1:423-34. <i>Nephrometry Scores: Quantifying the Complexity of the Tumor or Struggling with</i>	6.7	
503	Treatments of 1242 bulbar urethral strictures: multivariable statistical analysis of results. <i>World Journal of Urology</i> , 2019 , 37, 1165-1171	4	21
502	Development of a Prediction Tool for Exclusive Locoregional Recurrence After Radical Cystectomy in Patients With Muscle-Invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 7-14.e3	3.3	6
501	Which Patients with Clinically Node-positive Prostate Cancer Should Be Considered for Radical Prostatectomy as Part of Multimodal Treatment? The Impact of Nodal Burden on Long-term Outcomes. <i>European Urology</i> , 2019 , 75, 817-825	10.2	11
500	More Extensive Lymph Node Dissection Improves Survival Benefit of Radical Cystectomy in Metastatic Urothelial Carcinoma of the Bladder. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 105-113.e2	3.3	11

499	Re: Friederike Haidl, David Pfister, Axel Heidenreich. Re: Prostatic Artery Embolization in the Treatment of Localized Prostate Cancer: A Bicentric Prospective Proof-of-Concept Study of 12 Patients. Mordasini L, Hechelhammer L, Diener PA, et al. <i>J Vasc Interv Radiol</i> 2018;29:589-97. <i>Eur Urol</i> 2018;74:525-6: Could Morphologic Changes in Periprostatic Arteries Have an Influence on Safety and Early Oncologic Outcomes of Lung Resection in Patients with Isolated Pulmonary Recurrent Prostate Cancer: A Single-center Experience. <i>European Urology</i> , 2019, 75, 871-874	10.2	3
498	A Novel Nomogram to Identify Candidates for Extended Pelvic Lymph Node Dissection Among Patients with Clinically Localized Prostate Cancer Diagnosed with Magnetic Resonance Imaging-targeted and Systematic Biopsies. <i>European Urology</i> , 2019, 75, 506-514	10.2	91
497	Re: Georg Jancke, Firas Aljabery, Sigurdur Gudjonsson, et al. Port-site Metastases After Robot-assisted Radical Cystectomy: Is There a Publication Bias? <i>Eur Urol</i> 2018;73:641-2. <i>European Urology</i> , 2019, 75, e31	10.2	
496	Regional differences in total hospital charges between open and robotically assisted radical prostatectomy in the United States. <i>World Journal of Urology</i> , 2019, 37, 1305-1313	4	8
495	Undiagnosed prediabetes is highly prevalent in primary infertile men - results from a cross-sectional study. <i>BJU International</i> , 2019, 123, 1070-1077	5.6	10
494	Intratunical Injection of Human Adipose Tissue-Derived Stem Cells Restores Collagen III/I Ratio in a Rat Model of Chronic Peyronie's Disease. <i>Sexual Medicine</i> , 2019, 7, 94-103	2.7	12
493	The duration of infertility affects semen parameters in primary infertile men: results of a single-centre, cross-sectional study. <i>BJU International</i> , 2019, 123, 891-898	5.6	6
492	Silodosin: An Update on Efficacy, Safety and Clinical Indications in Urology. <i>Advances in Therapy</i> , 2019, 36, 1-18	4.1	8
491	Is neoadjuvant chemotherapy for pT2 bladder cancer associated with a survival benefit in a population-based analysis?. <i>Cancer Epidemiology</i> , 2019, 58, 83-88	2.8	9
490	High-risk human papillomavirus in semen is associated with poor sperm progressive motility and a high sperm DNA fragmentation index in infertile men. <i>Human Reproduction</i> , 2019, 34, 209-217	5.7	36
489	Prediction of Complications in Radical Prostatectomy Prostate Cancer Patients: Simulated Annealing versus Co-Morbidity Indexes. <i>Urologia Internationalis</i> , 2019, 102, 51-59	1.9	2
488	Identifying the Optimal Candidate for Salvage Lymph Node Dissection for Nodal Recurrence of Prostate Cancer: Results from a Large, Multi-institutional Analysis. <i>European Urology</i> , 2019, 75, 176-183	10.2	60
487	Increasing Rate of Noninterventional Treatment Management in Localized Prostate Cancer Candidates for Active Surveillance: A North American Population-Based Study. <i>Clinical Genitourinary Cancer</i> , 2019, 17, 72-78.e4	3.3	5
486	The Learning Curve for Robot-assisted Partial Nephrectomy: Impact of Surgical Experience on Perioperative Outcomes. <i>European Urology</i> , 2019, 75, 253-256	10.2	54
485	Intratunical injection of stromal vascular fraction prevents fibrosis in a rat model of Peyronie's disease. <i>BJU International</i> , 2019, 124, 342-348	5.6	9
484	Trends in Radical Prostatectomy Risk Group Distribution in a European Multicenter Analysis of 28 572 Patients: Towards Tailored Treatment. <i>European Urology Focus</i> , 2019, 5, 171-178	5.1	30
483	PD-L1 Expression and CD8 T-cell Infiltrate are Associated with Clinical Progression in Patients with Node-positive Prostate Cancer. <i>European Urology Focus</i> , 2019, 5, 192-196	5.1	60
482			

481	The Association of Uromodulin Genotype with Renal Cancer Aggressiveness. <i>European Urology Focus</i> , 2019 , 5, 262-265	5.1	3
480	Age at First Presentation for Erectile Dysfunction: Analysis of Changes over a 12-yr Period. <i>European Urology Focus</i> , 2019 , 5, 899-905	5.1	11
479	Contemporary Trends and Survival Outcomes After Aborted Radical Prostatectomy in Lymph Node Metastatic Prostate Cancer Patients. <i>European Urology Focus</i> , 2019 , 5, 381-388	5.1	9
478	Comparison of Partial Versus Radical Nephrectomy Effect on Other-cause Mortality, Cancer-specific Mortality, and 30-day Mortality in Patients Older Than 75 Years. <i>European Urology Focus</i> , 2019 , 5, 467-473	5.1	10
477	Are the Results of the Prostate Testing for Cancer and Treatment Trial Applicable to Contemporary Prostate Cancer Patients Treated with Radical Prostatectomy? Results from Two High-volume European Institutions. <i>European Urology Focus</i> , 2019 , 5, 545-549	5.1	2
476	A Head-to-head Comparison of Four Prognostic Models for Prediction of Lymph Node Invasion in African American and Caucasian Individuals. <i>European Urology Focus</i> , 2019 , 5, 449-456	5.1	8
475	The effect of race on survival after local therapy in metastatic prostate cancer patients. <i>Canadian Urological Association Journal</i> , 2019 , 13, 175-181	1.2	1
474	Reply to Mustafa Z. Temiz and Huseyin Besiroglu's Letter to the Editor re: Giorgio Gandaglia, Stephen A. Boorjian, William P. Parker, et al. Impact of Postoperative Radiotherapy in Men with Persistently Elevated Prostate-specific Antigen After Radical Prostatectomy for Prostate Cancer: A Long-Term Survival Analysis. <i>Eur Urol</i> 2017;72:916-7. <i>European Urology</i> , 2018 , 73, e131-e132	10.2	
473	Re: A Novel Tool for Predicting Extracapsular Extension During Graded Partial Nerve Sparing in Radical Prostatectomy. <i>European Urology</i> , 2018 , 73, 978-980	10.2	1
472	Development and internal validation of a side-specific, multiparametric magnetic resonance imaging-based nomogram for the prediction of extracapsular extension of prostate cancer. <i>BJU International</i> , 2018 , 122, 1025-1033	5.6	54
471	Evaluating the predictive accuracy and the clinical benefit of a nomogram aimed to predict survival in node-positive prostate cancer patients: External validation on a multi-institutional database. <i>International Journal of Urology</i> , 2018 , 25, 574-581	2.3	2
470	Re: Jinjing Chen, Ilaria Guccini, Diletta Di Mitri, et al. Compartmentalized Activities of the Pyruvate Dehydrogenase Complex Sustain Lipogenesis in Prostate Cancer. <i>Nat Genet</i> 2018;50:219-28; Lipid Metabolism in Prostate Cancer: Expanding Patient Therapeutic Opportunities. <i>European Urology</i> , 2018 , 71, 22-31	10.2	2
469	External beam radiotherapy with or without androgen deprivation therapy in elderly patients with high metastatic risk prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 239.e9-239.e15	2.8	4
468	Risk Based Surveillance after Surgical Treatment of Renal Cell Carcinoma. <i>Journal of Urology</i> , 2018 , 200, 61-67	2.5	7
467	Adjuvant Therapies in Nonmetastatic Renal-Cell Carcinoma: A Review of the Literature. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, 176-183	3.3	10
466	Surgical treatment for clinical node-positive bladder cancer patients treated with radical cystectomy without neoadjuvant chemotherapy. <i>World Journal of Urology</i> , 2018 , 36, 639-644	4	12
465	Radical Nephrectomy with or without Lymph Node Dissection for High Risk Nonmetastatic Renal Cell Carcinoma: A Multi-Institutional Analysis. <i>Journal of Urology</i> , 2018 , 199, 1143-1148	2.5	29
464	Survival after radical prostatectomy or radiotherapy for locally advanced (cT3) prostate cancer. <i>World Journal of Urology</i> , 2018 , 36, 1399-1407	4	9

463	Preoperative Prediction of Node Metastases in Bladder Cancer Patients Using Genomic and Clinicopathologic Data. <i>EBioMedicine</i> , 2018 , 31, 5-6	8.8	
462	Impact of Adjuvant Radiotherapy in Node-positive Prostate Cancer Patients: The Importance of Patient Selection. <i>European Urology</i> , 2018 , 74, 253-256	10.2	32
461	Contemporary rates of adherence to international guidelines for pelvic lymph node dissection in radical cystectomy: a population-based study. <i>World Journal of Urology</i> , 2018 , 36, 1417-1422	4	10
460	The Impact of Implementation of the European Association of Urology Guidelines Panel Recommendations on Reporting and Grading Complications on Perioperative Outcomes after Robot-assisted Radical Prostatectomy. <i>European Urology</i> , 2018 , 74, 4-7	10.2	29
459	Pattern of node metastases in patients treated with radical cystectomy and extended or superextended pelvic lymph node dissection due to bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 307.e9-307.e14	2.8	10
458	More Extensive Lymph Node Dissection at Radical Prostatectomy is Associated with Improved Outcomes with Salvage Radiotherapy for Rising Prostate-specific Antigen After Surgery: A Long-term, Multi-institutional Analysis. <i>European Urology</i> , 2018 , 74, 134-137	10.2	8
457	Impact of Microscopic Wall Invasion of the Renal Vein or Inferior Vena Cava on Cancer-specific Survival in Patients with Renal Cell Carcinoma and Tumor Thrombus: A Multi-institutional Analysis from the International Renal Cell Carcinoma-Venous Thrombus Consortium. <i>European Urology Focus</i> , 2018 , 4, 435-441	5.1	14
456	Survival Outcomes in Octogenarian and Nonagenarian Patients Treated with First-line Androgen Deprivation Therapy for Organ-confined Prostate Cancer. <i>European Urology Focus</i> , 2018 , 4, 834-841	5.1	6
455	Survival Outcomes of Men with Lymph Node-positive Prostate Cancer After Radical Prostatectomy: A Comparative Analysis of Different Postoperative Management Strategies. <i>European Urology</i> , 2018 , 73, 890-896	10.2	59
454	Rate and Extent of Pelvic Lymph Node Dissection in the US Prostate Cancer Patients Treated With Radical Prostatectomy. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e451-e467	3.3	11
453	Identifying candidates for super-extended staging pelvic lymph node dissection among patients with high-risk prostate cancer. <i>BJU International</i> , 2018 , 121, 421-427	5.6	17
452	Radical prostatectomy or radiotherapy reduce prostate cancer mortality in elderly patients: a population-based propensity score adjusted analysis. <i>World Journal of Urology</i> , 2018 , 36, 7-13	4	17
451	Reply to Alan Dal Pra, Stephane Supiot and Pirus Ghadjar's Letter to the Editor re: Giorgio Gandaglia, Stephen A. Boorjian, William P. Parker, et al. Impact of Postoperative Radiotherapy in Men with Persistently Elevated Prostate-specific Antigen After Radical Prostatectomy for Prostate Cancer: A Long-term Survival Analysis. <i>Eur Urol</i> 2017;72:910-7. <i>European Urology</i> , 2018 , 73, e36-e37	10.2	
450	Effect of pathological high-risk features on cancer-specific mortality in non-metastatic clear cell renal cell carcinoma: a tool for optimizing patient selection for adjuvant therapy. <i>World Journal of Urology</i> , 2018 , 36, 51-57	4	11
449	Nationwide, population-based study of post radical prostatectomy urinary incontinence correction surgery. <i>Journal of Surgical Oncology</i> , 2018 , 117, 321-327	2.8	6
448	Adjuvant chemotherapy after radical nephroureterectomy does not improve survival in patients with upper tract urothelial carcinoma: a joint study by the European Association of Urology-Young Academic Urologists and the Upper Tract Urothelial Carcinoma Collaboration. <i>BJU International</i> , 2018 , 121, 252-259	5.6	41
447	Depressive Symptoms and Low Sexual Desire after Radical Prostatectomy: Early and Long-Term Outcomes in a Real-Life Setting. <i>Journal of Urology</i> , 2018 , 199, 474-480	2.5	15
446	Unrecognized Prediabetes Is Highly Prevalent in Men With Erectile Dysfunction-Results From a Cross-Sectional Study. <i>Journal of Sexual Medicine</i> , 2018 , 15, 1117-1124	1.1	6

445	Comparison of Perioperative Outcomes Between Cytoreductive Radical Prostatectomy and Radical Prostatectomy for Nonmetastatic Prostate Cancer. <i>European Urology</i> , 2018 , 74, 693-696	10.2	13
444	The effect of age on cancer-specific mortality in patients with small renal masses: A population-based analysis. <i>Canadian Urological Association Journal</i> , 2018 , 12, E325-E330	1.2	11
443	Surgical Treatment for LUTS/BPH: Laser Devices 2018 , 257-288		
442	Trend of Adverse Stage Migration in Patients Treated with Radical Prostatectomy for Localized Prostate Cancer. <i>European Urology Oncology</i> , 2018 , 1, 160-168	6.7	12
441	Simultaneous Bilateral Endoscopic Surgery (SBES) for Patients with Bilateral Upper Tract Urolithiasis: Technique and Outcomes. <i>European Urology</i> , 2018 , 74, 810-815	10.2	27
440	Re: Exercise and Cancer Treatment: Balancing Patient Needs. <i>Lancet Oncol</i> 2018;19:715: Cancer Prevention and Treatment: More than Exercising. <i>European Urology</i> , 2018 , 74, e122-e123	10.2	1
439	The Effect of Institution Teaching Status on Perioperative Outcomes After Robotic Partial or Radical Nephrectomy. <i>Journal of Endourology</i> , 2018 , 32, 621-629	2.7	7
438	Temporal Trend in Incidental Prostate Cancer Detection at Surgery for Benign Prostatic Hyperplasia. <i>Urology</i> , 2018 , 122, 152-157	1.6	17
437	Re: Isabel Rauscher, Charlotte DWel, Bernhard Haller, et al. Efficacy, Predictive Factors, and Prediction Nomograms for Ga-labeled Prostate-specific Membrane Antigen-ligand Positron-emission Tomography/Computed Tomography in Early Biochemical Recurrent Prostate Cancer After Radical Prostatectomy. <i>Eur Urol</i> 2018;73:656-61. Clinical Significance of Multiple PDE5Is use as a marker of decreased overall men's health: A real-life study. <i>PLoS ONE</i> , 2018 , 13, e0201601	10.2	3
436	Below Safety Limits, Every Unit of Glomerular Filtration Rate Counts: Assessing the Relationship Between Renal Function and Cancer-specific Mortality in Renal Cell Carcinoma. <i>European Urology</i> , 2018 , 74, 661-667	3.7	1
435	Location of Metastases in Contemporary Prostate Cancer Patients Affects Cancer-Specific Mortality. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, 376-384.e1	10.2	52
434	Active Surveillance for Low-risk Prostate Cancer: The European Association of Urology Position in 2018. <i>European Urology</i> , 2018 , 74, 357-368	3.3	17
433	Is Robot-assisted Surgery Contraindicated in the Case of Partial Nephrectomy for Complex Tumours or Relevant Comorbidities? A Comparative Analysis of Morbidity, Renal Function, and Oncologic Outcomes. <i>European Urology Oncology</i> , 2018 , 1, 61-68	10.2	72
432	Association Between Prostate Imaging Reporting and Data System (PI-RADS) Score for the Index Lesion and Multifocal, Clinically Significant Prostate Cancer. <i>European Urology Oncology</i> , 2018 , 1, 29-36	6.7	21
431	Erectile Dysfunction and Penile Rehabilitation After Robot-Assisted Radical Prostatectomy 2018 , 455-462	6.7	26
430	Re: Ken J. Kron, Alexander Murison, Stanley Zhou, et al. TMPRSS2-ERG Fusion Co-opts Master Transcription Factors and Activates NOTCH Signaling in Primary Prostate Cancer. <i>Nat Genet</i> 2017;49:1336-45. <i>European Urology</i> , 2018 , 73, e106-e107		1
429	Oncological and functional outcomes of elderly men treated with HIFU vs. minimally invasive radical prostatectomy: A propensity score analysis. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 185-191	10.2	1
428		3.6	5

427	Use of Concomitant Androgen Deprivation Therapy in Patients Treated with Early Salvage Radiotherapy for Biochemical Recurrence After Radical Prostatectomy: Long-term Results from a Large, Multi-institutional Series. <i>European Urology</i> , 2018 , 73, 512-518	10.2	27
426	Patterns and predictors of recurrence after open radical cystectomy for bladder cancer: a comprehensive review of the literature. <i>World Journal of Urology</i> , 2018 , 36, 157-170	4	60
425	First North American validation and head-to-head comparison of four preoperative nomograms for prediction of lymph node invasion before radical prostatectomy. <i>BJU International</i> , 2018 , 121, 592-599	5.6	24
424	Improved cancer-specific free survival and overall free survival in contemporary metastatic prostate cancer patients: a population-based study. <i>International Urology and Nephrology</i> , 2018 , 50, 71-78	2.3	29
423	Impact of Early Salvage Radiation Therapy in Patients with Persistently Elevated or Rising Prostate-specific Antigen After Radical Prostatectomy. <i>European Urology</i> , 2018 , 73, 436-444	10.2	41
422	Pembrolizumab as Neoadjuvant Therapy Before Radical Cystectomy in Patients With Muscle-Invasive Urothelial Bladder Carcinoma (PURE-01): An Open-Label, Single-Arm, Phase II Study. <i>Journal of Clinical Oncology</i> , 2018 , 36, 3353-3360	2.2	265
421	Location of Metastatic Bladder Cancer as a Determinant of In-hospital Mortality After Radical Cystectomy. <i>European Urology Oncology</i> , 2018 , 1, 169-175	6.7	12
420	The Effect of Other-cause Mortality Adjustment on Access to Alternative Treatment Modalities for Localized Prostate Cancer Among African American Patients. <i>European Urology Oncology</i> , 2018 , 1, 215-222	6.7	10
419	Adjuvant Therapy in Nonmetastatic High-risk Kidney Cancer: Importance of the Timing of Postnephrectomy Imaging and Treatment Delivery. <i>European Urology Oncology</i> , 2018 , 1, 538-539	6.7	1
418	Reply to Riccardo Bertolo's Letter to the Editor re: Giorgio Gandaglia, Carlo Andrea Bravi, Paolo Dell'Oglio, et al. The Impact of Implementation of the European Association of Urology Guidelines Panel Recommendations on Reporting and Grading Complications on Perioperative Outcomes after Robot-assisted Radical Prostatectomy. <i>Eur Urol</i> 2018;74:4-7. <i>European Urology</i> , 2018 , 74, e116-e117	10.2	
417	Techniques to Improve Sexual Function Following Robot-Assisted Radical Prostatectomy 2018 , 401-407		
416	Partial nephrectomy seems to confer a survival benefit relative to radical nephrectomy in metastatic renal cell carcinoma. <i>Cancer Epidemiology</i> , 2018 , 56, 118-125	2.8	9
415	How can we expand active surveillance criteria in patients with low- and intermediate-risk prostate cancer without increasing the risk of misclassification? Development of a novel risk calculator. <i>BJU International</i> , 2018 , 122, 823-830	5.6	13
414	Outcomes of Robot-assisted Partial Nephrectomy for Clinical T2 Renal Tumors: A Multicenter Analysis (ROSULA Collaborative Group). <i>European Urology</i> , 2018 , 74, 226-232	10.2	73
413	A Contemporary Prostate Biopsy Risk Calculator Based on Multiple Heterogeneous Cohorts. <i>European Urology</i> , 2018 , 74, 197-203	10.2	48
412	Testicular microbiome in azoospermic men-first evidence of the impact of an altered microenvironment. <i>Human Reproduction</i> , 2018 , 33, 1212-1217	5.7	40
411	Not All Multiparametric Magnetic Resonance Imaging-targeted Biopsies Are Equal: The Impact of the Type of Approach and Operator Expertise on the Detection of Clinically Significant Prostate Cancer. <i>European Urology Oncology</i> , 2018 , 1, 120-128	6.7	37
410	Increase in the Annual Rate of Newly Diagnosed Metastatic Prostate Cancer: A Contemporary Analysis of the Surveillance, Epidemiology and End Results Database. <i>European Urology Oncology</i> , 2018 , 1, 314-320	6.7	11

409	Pathological High-risk Renal Cell Carcinoma: Trends in Clinical Characteristics Over 25 Years. <i>Anticancer Research</i> , 2018 , 38, 4123-4130	2.3	6
408	Phase I and phase II clinical trials for the treatment of male sexual dysfunction-a systematic review of the literature. <i>Expert Opinion on Investigational Drugs</i> , 2018 , 27, 583-593	5.9	9
407	Update on histopathological evaluation of lymphadenectomy specimens from prostate cancer patients. <i>World Journal of Urology</i> , 2017 , 35, 517-526	4	9
406	History and evolution of the use of oral mucosa for urethral reconstruction. <i>Asian Journal of Urology</i> , 2017 , 4, 96-101	2.7	14
405	Role of survivin expression in predicting biochemical recurrence after radical prostatectomy: a multi-institutional study. <i>BJU International</i> , 2017 , 119, 234-238	5.6	11
404	Robot-assisted Radical Prostatectomy and Extended Pelvic Lymph Node Dissection in Patients with Locally-advanced Prostate Cancer. <i>European Urology</i> , 2017 , 71, 249-256	10.2	50
403	A minimum of 1-year follow-up for MiniArc single incision slings compared to Monarc transobturator slings: An analysis to evaluate durability of continence and medium-term outcomes. <i>Neurourology and Urodynamics</i> , 2017 , 36, 803-807	2.3	8
402	Pure but Not Mixed Histologic Variants Are Associated With Poor Survival at Radical Cystectomy in Bladder Cancer Patients. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e603-e607	3.3	20
401	Time of onset of vardenafil orodispersible tablet in a real-life setting - looking beyond randomized clinical trials. <i>Expert Review of Clinical Pharmacology</i> , 2017 , 10, 339-344	3.8	3
400	Incidence and effect of variant histology on oncological outcomes in patients with bladder cancer treated with radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 335-341	2.8	45
399	Correlation Between Primary Hypospadias Repair and Subsequent Urethral Strictures in a Series of 408 Adult Patients. <i>European Urology Focus</i> , 2017 , 3, 287-292	5.1	9
398	Reply to Pascal Mouracade's Letter to the Editor re: Giorgio Gandaglia, Nicola Fossati, Armando Stabile, et al. Radical Prostatectomy in Men with Oligometastatic Prostate Cancer: Results of a Single-institution Series with Long-term Follow-up. <i>Eur Urol</i> 2017;72:289-92. Do the Data Violate Kulkarni's Minimum? <i>European Urology</i> , 2017 , 72, 625-631	10.2	2
397	Bladder cancer cell growth and motility implicate cannabinoid 2 receptor-mediated modifications of sphingolipids metabolism. <i>Scientific Reports</i> , 2017 , 7, 42157	4.9	21
396	The Microbiome of the Prostate Tumor Microenvironment. <i>European Urology</i> , 2017 , 72, 625-631	10.2	100
395	Development and Internal Validation of a Novel Model to Identify the Candidates for Extended Pelvic Lymph Node Dissection in Prostate Cancer. <i>European Urology</i> , 2017 , 72, 632-640	10.2	93
394	Consensus Statement of the European Urology Association and the European Urogynaecological Association on the Use of Implanted Materials for Treating Pelvic Organ Prolapse and Stress Urinary Incontinence. <i>European Urology</i> , 2017 , 72, 424-431	10.2	114
393	Is transurethral resection alone enough for the diagnosis of histological variants? A single-center study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 528.e1-528.e5	2.8	10
392	Contemporary Incidence and Cancer Control Outcomes of Primary Neuroendocrine Prostate Cancer: A SEER Database Analysis. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e793-e800	3.3	30

391	Prediction of Competing Mortality for Decision-making Between Surgery or Observation in Elderly Patients With T1 Kidney Cancer. <i>Urology</i> , 2017 , 102, 130-137	1.6	9
390	Impact of Postoperative Radiotherapy in Men with Persistently Elevated Prostate-specific Antigen After Radical Prostatectomy for Prostate Cancer: A Long-term Survival Analysis. <i>European Urology</i> , 2017 , 72, 910-917	10.2	17
389	The role of prostatic inflammation in the development and progression of benign and malignant diseases. <i>Current Opinion in Urology</i> , 2017 , 27, 99-106	2.8	34
388	Re: Umberto Leone Roberti Maggiore, Simone Ferrero, Massimo Candiani, et al. Bladder Endometriosis: A Systematic Review of Pathogenesis, Diagnosis, Treatment, Impact on Fertility, and Risk of Malignant Transformation. <i>Eur Urol</i> 2017;71:790-807. <i>European Urology</i> , 2017 , 72, e139-e141	10.2	1
387	Re: Giovanni Corona, Giulia Rastrelli, Abraham Morgentaler, Alessandra Sforza, Edoardo Mannucci, Mario Maggi. Meta-analysis of Results of Testosterone Therapy on Sexual Function Based on International Index of Erectile Function Scores. <i>Eur Urol</i> 2017;72:1000-11. <i>European Urology</i> , 2017 , 72, e160-e161	10.2	
386	Are all grade group 4 prostate cancers created equal? Implications for the applicability of the novel grade grouping. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 461.e7-461.e14	2.8	14
385	An Explanatory Case on the Limitations of Lymph Node Staging in Recurrent Prostate Cancer. <i>Urology Case Reports</i> , 2017 , 12, 34-36	0.5	3
384	Re: Kenneth A. Iczkowski's Letter to the Editor re: Re: Rodolfo Montironi, Silvia Gasparrini, Roberta Mazzucchelli, et al's Letter to the Editor re: Karim A. Touijer, James A. Eastham. The Sentinel Lymph Node Concept and Novel Approaches in Detecting Lymph Node Metastasis in Prostate Cancer. <i>Eur Urol</i> 2016;76:738-9. Sentinel Lymph Nodes in Adipose Tissue Surrounding the Prostate Gland and	10.2	2
383	Six Out of Ten Women with Recurrent Urinary Tract Infections Complain of Distressful Sexual Dysfunction - A Case-Control Study. <i>Scientific Reports</i> , 2017 , 7, 44380	4.9	3
382	The presence of carcinoma in situ at radical cystectomy increases the risk of urothelial recurrence: Implications for follow-up schemes. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 151.e17-151.e23	2.8	13
381	Evaluating the effect of time from prostate cancer diagnosis to radical prostatectomy on cancer control: Can surgery be postponed safely?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 150.e9-150.e15	2.8	29
380	Cost of illness of urothelial bladder cancer in Italy. <i>ClinicoEconomics and Outcomes Research</i> , 2017 , 9, 433-442	1.7	9
379	Use of adjuvant chemotherapy in radical cystectomy patients aged >65 years: a population-based study from the surveillance epidemiology and end results (SEER)-medicare database. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 173-180	2.3	4
378	Medical treatment of erectile dysfunction: too many medical prescriptions?. <i>Urologia</i> , 2017 , 84, 121-129	1.2	3
377	Metabolic syndrome in White-European men presenting for secondary couple's infertility: an investigation of the clinical and reproductive burden. <i>Asian Journal of Andrology</i> , 2017 , 19, 368-373	2.8	18
376	Orgasmic Dysfunction after Radical Prostatectomy. <i>World Journal of Men's Health</i> , 2017 , 35, 1-13	6.8	22
375	Predicting local failure after radical cystectomy in patients with bladder cancer: Implications for the selection of candidates at adjuvant radiation therapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 672.e1-672.e6	2.8	3
374	When to Perform Preoperative Bone Scintigraphy for Kidney Cancer Staging: Indications for Preoperative Bone Scintigraphy. <i>Urology</i> , 2017 , 110, 114-120	1.6	5

373	Assessing the Impact of Surgeon Experience on Urinary Continence Recovery After Robot-Assisted Radical Prostatectomy: Results of Four High-Volume Surgeons. <i>Journal of Endourology</i> , 2017 , 31, 872-877	2.7	30
372	Analysis of Hospital Readmissions After Prosthetic Urologic Surgery in the United States: Nationally Representative Estimates of Causes, Costs, and Predictive Factors. <i>Journal of Sexual Medicine</i> , 2017 , 14, 1059-1065	1.1	3
371	Hospitalization before surgery and subsequent risk of infective complications after radical cystectomy: A population-based analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 659.e7-659.e12	2.8	
370	Re: Philipp Mandel, Felix Preisser, Markus Graefen, et al. High Chance of Late Recovery of Urinary and Erectile Function Beyond 12 Months After Radical Prostatectomy. <i>Eur Urol</i> 2017;71:848-50: Late Recovery of Erectile Function After Radical Prostatectomy: Should We Modify the Way of Assessment? <i>European Urology</i> , 2017 , 72, e177-e178	10.2	
369	Concomitant bladder cancer and prostate cancer: challenges and controversies. <i>Nature Reviews Urology</i> , 2017 , 14, 620-629	5.5	10
368	Whole Slide Imaging of Large Format Histology in Prostate Pathology: Potential for Information Fusion. <i>Archives of Pathology and Laboratory Medicine</i> , 2017 , 141, 1460-1461	5	9
367	Clinically Meaningful Improvements in LUTS/BPH Severity in Men Treated with Silodosin Plus Hexanic Extract of <i>Serenoa Repens</i> or Silodosin Alone. <i>Scientific Reports</i> , 2017 , 7, 15179	4.9	8
366	Long-term utility of adjuvant hormonal and radiation therapy for patients with seminal vesicle invasion at radical prostatectomy. <i>BJU International</i> , 2017 , 120, 69-75	5.6	8
365	Comorbidity and age cannot explain variation in life expectancy associated with treatment of non-metastatic prostate cancer. <i>World Journal of Urology</i> , 2017 , 35, 1031-1036	4	11
364	Tumor Volume and Clinical Failure in High-Risk Prostate Cancer Patients Treated With Radical Prostatectomy. <i>Prostate</i> , 2017 , 77, 3-9	4.2	7
363	Long-term Impact of Adjuvant Versus Early Salvage Radiation Therapy in pT3N0 Prostate Cancer Patients Treated with Radical Prostatectomy: Results from a Multi-institutional Series. <i>European Urology</i> , 2017 , 71, 886-893	10.2	61
362	Radical Prostatectomy in Men with Oligometastatic Prostate Cancer: Results of a Single-institution Series with Long-term Follow-up. <i>European Urology</i> , 2017 , 72, 289-292	10.2	56
361	Re: Karim A. Touijer, James A. Eastham. The Sentinel Lymph Node Concept and Novel Approaches in Detecting Lymph Node Metastasis in Prostate Cancer. <i>Eur Urol</i> 2016;70:738-9: Sentinel Lymph Nodes in Adipose Tissue Surrounding the Prostate Gland and Seminal Vesicles as Observed in Virtual Whole-mount Histologic Slides. <i>European Urology</i> , 2017 , 71, e73-e75	10.2	6
360	Robot-assisted Salvage Lymph Node Dissection for Clinically Recurrent Prostate Cancer. <i>European Urology</i> , 2017 , 72, 432-438	10.2	32
359	Early Postoperative Radiotherapy is Associated with Worse Functional Outcomes in Patients with Prostate Cancer. <i>Journal of Urology</i> , 2017 , 197, 669-675	2.5	39
358	Re: Jakob Damsgaard, Ulla N. Joensen, Elisabeth Carlsen, et al. Varicocele Is Associated with Impaired Semen Quality and Reproductive Hormone Levels: A Study of 7035 Healthy Young Men from Six European Countries. <i>Eur Urol</i> 2016;70:1019-29: Treating varicocele and when to treat? <i>European Urology</i> , 2017 , 71, 16-20	10.2	1
357	Reply to Marc A. Bjurlin, Lee C. Zhao, and Michael D. Stifelman's Letter to the Editor Re: Nicolò Maria Buffi, Giovanni Lughezzani, Rodolfo Hurle, et al. Robot-assisted Surgery for Benign Ureteral Strictures: Experience and Outcomes from Four Tertiary Care Institutions. <i>Eur Urol</i> . In press. http://dx.doi.org/10.1016/j.eururo.2016.07.022 . <i>European Urology</i> , 2017 , 71, e92-e93	10.2	1
356	Incidence and Predictors of 30-Day Readmission After Robot-Assisted Radical Prostatectomy. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 67-71	3.3	12

355	Re: Reecha Sharma, Avi Harlev, Ashok Agarwal, Sandro C. Esteves. Cigarette Smoking and Semen Quality: A New Meta-analysis Examining the Effect of the 2010 World Health Organization Laboratory Methods for the Examination of Human Semen. <i>Eur Urol</i> 2016;70:635-45. <i>European Urology</i> , 2017, 71, e19-e20	10.2	5
354	Re: Family History and Probability of Prostate Cancer, Differentiated by Risk Category - A Nationwide Population-based Study. <i>European Urology</i> , 2017, 71, 143-144	10.2	2
353	Robot-assisted Surgery for Benign Ureteral Strictures: Experience and Outcomes from Four Tertiary Care Institutions. <i>European Urology</i> , 2017, 71, 945-951	10.2	41
352	Anti-Mullerian Hormone-to-Testosterone Ratio is Predictive of Positive Sperm Retrieval in Men with Idiopathic Non-Obstructive Azoospermia. <i>Scientific Reports</i> , 2017, 7, 17638	4.9	27
351	Does Calculated Free Testosterone Overcome Total Testosterone in Protecting From Sexual Symptom Impairment? Findings of a Cross-Sectional Study. <i>Journal of Sexual Medicine</i> , 2017, 14, 1549-1557	11.1	9
350	Pelvic lymph node dissection in prostate cancer: indications, extent and tailored approaches. <i>Urologia</i> , 2017, 84, 9-19	1.2	20
349	From "gold standard" resection to reproducible "future standard" endoscopic enucleation of the prostate: what we know about anatomical enucleation. <i>Minerva Urology and Nephrology</i> , 2017, 69, 446-458	2.3	19
348	Sexual dysfunction and prostate cancer risk: one more piece of a complex puzzle. <i>Asian Journal of Andrology</i> , 2017, 19, 264	2.8	1
347	Outcomes for Patients with Clinical Lymphadenopathy Treated with Radical Prostatectomy. <i>European Urology</i> , 2016, 69, 193-6	10.2	25
346	Evaluation of positive surgical margins in patients undergoing robot-assisted and open radical prostatectomy according to preoperative risk groups. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 57.e1-7	2.8	20
345	Renal cancer. <i>Lancet, The</i> , 2016, 387, 894-906	40	508
344	Dismiss Systematic Transrectal Ultrasound-guided and Embrace Targeted Magnetic Resonance Imaging-informed Prostate Biopsy: Is the Paradigm Ready to Shift?. <i>European Urology</i> , 2016, 69, 381-3	10.2	5
343	Prediction of Complications Following Partial Nephrectomy: Implications for Ablative Techniques Candidates. <i>European Urology</i> , 2016, 69, 676-682	10.2	35
342	Current Histopathologic and Molecular Characterisations of Prostate Cancer: Towards Individualised Prognosis and Therapies. <i>European Urology</i> , 2016, 69, 186-90	10.2	13
341	Prognostic Value of the Cell Cycle Progression Score in Patients with Prostate Cancer: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2016, 69, 107-15	10.2	51
340	Predicting survival in node-positive prostate cancer after open, laparoscopic or robotic radical prostatectomy: A competing risk analysis of a multi-institutional database. <i>International Journal of Urology</i> , 2016, 23, 1000-1008	2.3	7
339	Recovery of urinary continence after radical prostatectomy. <i>Expert Review of Anticancer Therapy</i> , 2016, 16, 1039-52	3.5	7
338	Salvage radiotherapy for patients with rising PSA. <i>Lancet Oncology, The</i> , 2016, 17, e314-e315	21.7	

337	When to Perform Karyotype Analysis in Infertile Men? Validation of the European Association of Urology Guidelines with the Proposal of a New Predictive Model. <i>European Urology</i> , 2016 , 70, 920-923	10.2	30
336	Linearized texture of three-dimensional extracellular matrix is mandatory for bladder cancer cell invasion. <i>Scientific Reports</i> , 2016 , 6, 36128	4.9	13
335	Effectiveness and safety of silodosin in the treatment of lower urinary tract symptoms in patients with benign prostatic hyperplasia: A European phase IV clinical study (SiRE study). <i>International Journal of Urology</i> , 2016 , 23, 572-9	2.3	11
334	Early repeated ureteroscopy within 6-8 weeks after a primary endoscopic treatment in patients with upper tract urothelial cell carcinoma: preliminary findings. <i>World Journal of Urology</i> , 2016 , 34, 1201-4	4.6	34
333	Avanafil - a further step to tailoring patient needs and expectations. <i>Expert Review of Clinical Pharmacology</i> , 2016 , 9, 1171-81	3.8	5
332	Effectiveness of a Combination of Cranberries, Lactobacillus rhamnosus, and Vitamin C for the Management of Recurrent Urinary Tract Infections in Women: Results of a Pilot Study. <i>European Urology</i> , 2016 , 70, 912-915	10.2	16
331	Serenoa repens, selenium and lycopene to manage lower urinary tract symptoms suggestive for benign prostatic hyperplasia. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 1661-1670	4.1	15
330	Efficacy and Safety of Hexanic Lipidosterolic Extract of Serenoa repens (Permixon) in the Treatment of Lower Urinary Tract Symptoms Due to Benign Prostatic Hyperplasia: Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>European Urology Focus</i> , 2016 , 2, 553-561	5.1	38
329	Erectile Function Recovery After Nerve-Sparing Radical Prostatectomy for Prostate Cancer: Is Back to Baseline Status Enough for Patient Satisfaction?. <i>Journal of Sexual Medicine</i> , 2016 , 13, 669-78	1.1	9
328	Human Prostate Tissue-derived Extracellular Matrix as a Model of Prostate Microenvironment. <i>European Urology Focus</i> , 2016 , 2, 400-408	5.1	6
327	The European Association of Urology Robotic Training Curriculum: An Update. <i>European Urology Focus</i> , 2016 , 2, 105-108	5.1	17
326	Re: Stephen J. Freedland, Voleak Choeurng, Lauren Howard, et al. Utilization of a Genomic Classifier for Prediction of Metastasis Following Salvage Radiation Therapy after Radical Prostatectomy. <i>Eur Urol</i> 2016;70:588-96: Testing the Utility of Genomic Scores in the Setting of Prostate Cancer. <i>European Urology Focus</i> , 2016 , 2, 553-561	10.2	1
325	Spinal neuronal cannabinoid receptors mediate urodynamic effects of systemic fatty acid amide hydrolase (FAAH) inhibition in rats. <i>Neurourology and Urodynamics</i> , 2016 , 35, 464-70	2.3	7
324	A Multi-institutional Analysis of Perioperative Outcomes in 106 Men Who Underwent Radical Prostatectomy for Distant Metastatic Prostate Cancer at Presentation. <i>European Urology</i> , 2016 , 69, 788-94	10.2	99
323	Treatment of the Primary Tumor in Metastatic Prostate Cancer: Current Concepts and Future Perspectives. <i>European Urology</i> , 2016 , 69, 775-87	10.2	52
322	Reconstructive Management with Buccal Urethroplasty. <i>European Urology Supplements</i> , 2016 , 15, 17-23	0.9	2
321	Preoperative Favorable Characteristics in Bladder Cancer Patients Cannot Substitute the Necessity of Extended Lymphadenectomy During Radical Cystectomy: A Sensitivity Curve Analysis. <i>Urology</i> , 2016 , 88, 97-103	1.6	10
320	The safety of phosphodiesterase type 5 inhibitors for erectile dysfunction. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 141-52	4.1	35

319	Incidence and Predictors of 30-Day Readmission in Patients Treated With Radical Cystectomy: A Single Center European Experience. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, e341-6	3.3	9
318	Exploratory Decision-Tree Modeling of Data from the Randomized REACTT Trial of Tadalafil Versus Placebo to Predict Recovery of Erectile Function After Bilateral Nerve-Sparing Radical Prostatectomy. <i>European Urology</i> , 2016 , 70, 529-37	10.2	15
317	The Impact of Perioperative Blood Transfusion on Survival of Bladder Cancer Patients Submitted to Radical Cystectomy: Role of Anemia Status. <i>European Urology Focus</i> , 2016 , 2, 86-91	5.1	12
316	Prostate cancer: from Gleason scoring to prognostic grade grouping. <i>Expert Review of Anticancer Therapy</i> , 2016 , 16, 433-40	3.5	16
315	Apparent diffusion coefficient in the evaluation of side-specific extracapsular extension in prostate cancer: Development and external validation of a nomogram of clinical use. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 291.e9-291.e17	2.8	19
314	Timing of blood transfusion and not ABO blood type is associated with survival in patients treated with radical cystectomy for nonmetastatic bladder cancer: Results from a single high-volume institution. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 256.e7-256.e13	2.8	15
313	Oncologic Outcomes of Robot-Assisted Radical Cystectomy: Results of a High-Volume Robotic Center. <i>Journal of Endourology</i> , 2016 , 30, 75-82	2.7	17
312	Diagnostic and Therapeutic Implications of Erectile Dysfunction in Patients with Cardiovascular Disease. <i>European Urology</i> , 2016 , 70, 219-22	10.2	19
311	Do We Really Need to Wear Proper Eye Protection When Using Holmium:YAG Laser During Endourologic Procedures? Results from an Ex Vivo Animal Model on Pig Eyes. <i>Journal of Endourology</i> , 2016 , 30, 332-7	2.7	18
310	Re: Daniel M. Geynisman. Anti-programmed Cell Death Protein 1 (PD-1) Antibody Nivolumab Leads to a Dramatic and Rapid Response in Papillary Renal Cell Carcinoma with Sarcomatoid and Rhabdoid Features. <i>Eur Urol</i> 2015;68:912-4. <i>European Urology</i> , 2016 , 70, e72-4	10.2	5
309	Testosterone Therapy in Men With Prostate Cancer. <i>European Urology</i> , 2016 , 69, 894-903	10.2	59
308	Confocal Laser Endomicroscopy in the Management of Endoscopically Treated Upper Urinary Tract Transitional Cell Carcinoma: Preliminary Data. <i>Journal of Endourology</i> , 2016 , 30, 237-42	2.7	19
307	The Role of Prostate-specific Antigen Persistence After Radical Prostatectomy for the Prediction of Clinical Progression and Cancer-specific Mortality in Node-positive Prostate Cancer Patients. <i>European Urology</i> , 2016 , 69, 1142-8	10.2	38
306	Potential Effect of Antiplatelet and Anticoagulant Therapy on the Timing of the Diagnosis of Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, e245-50	3.3	4
305	Predicting survival of men with recurrent prostate cancer after radical prostatectomy. <i>European Journal of Cancer</i> , 2016 , 54, 27-34	7.5	25
304	The Surgical Learning Curve for One-stage Anterior Urethroplasty: A Prospective Single-surgeon Study. <i>European Urology</i> , 2016 , 69, 686-690	10.2	32
303	Very long-term survival patterns of young patients treated with radical prostatectomy for high-risk prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 234.e13-9	2.8	13
302	Words of Wisdom. Re: Risk Group and Death From Prostate Cancer: Implications for Active Surveillance in Men with Favorable Intermediate-risk Prostate Cancer. <i>European Urology</i> , 2016 , 69, 370	10.2	

301	Orgasmic Dysfunction After Robot-assisted Versus Open Radical Prostatectomy. <i>European Urology</i> , 2016 , 70, 223-6	10.2	30
300	A nomogram predicting the cancer-specific mortality in patients eligible for radical cystectomy evaluating clinical data and neoadjuvant cisplatinum-based chemotherapy. <i>World Journal of Urology</i> , 2016 , 34, 207-13	4	10
299	Assessing the Optimal Timing for Early Salvage Radiation Therapy in Patients with Prostate-specific Antigen Rise After Radical Prostatectomy. <i>European Urology</i> , 2016 , 69, 728-733	10.2	78
298	DFL23448, A Novel Transient Receptor Potential Melastin 8-Selective Ion Channel Antagonist, Modifies Bladder Function and Reduces Bladder Overactivity in Awake Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 356, 200-11	4.7	21
297	Predictive models for improved prognostication and selection of neoadjuvant and adjuvant systemic chemotherapy in upper tract urothelial cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 456-456	2.2	
296	Suboptimal use of neoadjuvant chemotherapy in radical cystectomy patients: A population-based study. <i>Canadian Urological Association Journal</i> , 2016 , 10, E82-6	1.2	17
295	Suboptimal use of pelvic lymph node dissection: Differences in guideline adherence between robot-assisted and open radical prostatectomy. <i>Canadian Urological Association Journal</i> , 2016 , 10, 269-276	1.2	7
294	Postprostatectomy Erectile Dysfunction: A Review. <i>World Journal of Men's Health</i> , 2016 , 34, 73-88	6.8	35
293	Ouabain Contributes to Kidney Damage in a Rat Model of Renal Ischemia-Reperfusion Injury. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	9
292	Low Birth Weight Is Associated with a Decreased Overall Adult Health Status and Reproductive Capability - Results of a Cross-Sectional Study in Primary Infertile Patients. <i>PLoS ONE</i> , 2016 , 11, e0166728	2.7	15
291	Impact of Lymph Node Burden on Survival of High-risk Prostate Cancer Patients Following Radical Prostatectomy and Pelvic Lymph Node Dissection. <i>Frontiers in Surgery</i> , 2016 , 3, 65	2.3	13
290	Erectile dysfunction in young patients is a proxy of overall men's health status. <i>Current Opinion in Urology</i> , 2016 , 26, 140-5	2.8	9
289	Impact of stage migration and practice changes on high-risk prostate cancer: results from patients treated with radical prostatectomy over the last two decades. <i>BJU International</i> , 2016 , 117, 740-7	5.6	22
288	Prognostic value of Caveolin-1 in patients treated with radical prostatectomy: a multicentric validation study. <i>BJU International</i> , 2016 , 118, 243-9	5.6	11
287	Population-based assessment of cancer-specific mortality after local tumour ablation or observation for kidney cancer: a competing risks analysis. <i>BJU International</i> , 2016 , 118, 541-6	5.6	11
286	URB937, a peripherally restricted inhibitor for fatty acid amide hydrolase, reduces prostaglandin E2-induced bladder overactivity and hyperactivity of bladder mechano-afferent nerve fibres in rats. <i>BJU International</i> , 2016 , 117, 821-8	5.6	16
285	End-Stage Renal Disease After Renal Surgery in Patients with Normal Preoperative Kidney Function: Balancing Surgical Strategy and Individual Disorders at Baseline. <i>European Urology</i> , 2016 , 70, 558-561	10.2	30
284	Re: Robot-assisted Versus Open Radical Prostatectomy: A Contemporary Analysis of an All-payer Discharge Database. <i>European Urology</i> , 2016 , 70, 398	10.2	1

283	Elective Nephron Sparing Surgery Decreases Other Cause Mortality Relative to Radical Nephrectomy Only in Specific Subgroups of Patients with Renal Cell Carcinoma. <i>Journal of Urology</i> , 2016 , 196, 1008-13	2.5	40
282	Long non-coding RNAs as novel therapeutic targets in cancer. <i>Pharmacological Research</i> , 2016 , 110, 131-138	6.0	
281	Follow-up After Treatment for Renal Cell Carcinoma: The Evidence Beyond the Guidelines. <i>European Urology Focus</i> , 2016 , 1, 272-281	5.1	18
280	Reply from Authors re: Matthew C. Hayes, David J. Breen. Excision Versus Ablation in Renal Cancer: Optimising Outcome and Minimising Risk. <i>Eur Urol</i> 2016;69:683-4. <i>European Urology</i> , 2016 , 69, 684-685	10.2	
279	Adipose-derived Stem Cells Counteract Urethral Stricture Formation in Rats. <i>European Urology</i> , 2016 , 70, 1032-1041	10.2	34
278	Re: Idir Ouzaid and Karim Bensalah. Results of the First Trial Assessing Adjuvant Tyrosine Kinase Inhibitors in Renal Cell Carcinoma Do Not reASSURE. <i>Eur Urol</i> 2015;68:542-3. <i>European Urology</i> , 2016 , 70, e69-70	10.2	
277	Current Standard Technique for Modern Flexible Ureteroscopy: Tips and Tricks. <i>European Urology</i> , 2016 , 70, 188-194	10.2	72
276	One-stage Penile Urethroplasty Using Oral Mucosal Graft and Glue. <i>European Urology</i> , 2016 , 70, 1069-1075	5.2	11
275	Lymphadenopathies in patients with renal cell carcinoma: clinical and pathological predictors of pathologically confirmed lymph node invasion. <i>World Journal of Urology</i> , 2016 , 34, 1139-45	4	12
274	Detrusor Muscle in TUR-Derived Bladder Tumor Specimens: Can We Actually Improve the Surgical Quality?. <i>Journal of Endourology</i> , 2016 , 30, 400-5	2.7	11
273	Predicting the 5-Year Risk of Biochemical Relapse After Postprostatectomy Radiation Therapy in BT2, pN0 Patients With a Comprehensive Tumor Control Probability Model. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 96, 333-340	4	11
272	Validation of the American Society for Reproductive Medicine guidelines/recommendations in white European men presenting for couple's infertility. <i>Fertility and Sterility</i> , 2016 , 106, 1076-1082.e1	4.8	13
271	STAMPEDE trial and patients with non-metastatic prostate cancer. <i>Lancet, The</i> , 2016 , 388, 234-5	40	3
270	Timing of androgen-deprivation therapy for prostate cancer: still a long way to go. <i>Lancet Oncology, The</i> , 2016 , 17, e313	21.7	1
269	Re: Riccardo Autorino, Homayoun Zagar, Mirandolino B. Mariano, et al. Perioperative Outcomes of Robotic and Laparoscopic Simple Prostatectomy: A European-American Multi-institutional Analysis. <i>Eur Urol</i> 2015;68:86-94 Re: Matthew Bultitude, Ben Challacombe. Simple Prostatectomy: A Step Too Far for Laparoscopy? <i>Eur Urol</i> 2015;68:95-6. <i>European Urology</i> , 2015 , 68, e7-8	10.2	6
268	Long-term cancer control outcomes in patients with clinically high-risk prostate cancer treated with robot-assisted radical prostatectomy: results from a multi-institutional study of 1100 patients. <i>European Urology</i> , 2015 , 68, 497-505	10.2	63
267	Effect of Tadalafil Once Daily on Penile Length Loss and Morning Erections in Patients After Bilateral Nerve-sparing Radical Prostatectomy: Results From a Randomized Controlled Trial. <i>Urology</i> , 2015 , 85, 1090-1096	1.6	22
266	What is the optimal definition of misclassification in patients with very low-risk prostate cancer eligible for active surveillance? Results from a multi-institutional series. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 164.e1-9	2.8	26

265	Patterns of use and patient characteristics: brachytherapy for localized prostate cancer in octo- and nonagenarians. <i>World Journal of Urology</i> , 2015 , 33, 1985-91	4	1
264	Patterns of Clinical Recurrence of Node-positive Prostate Cancer and Impact on Long-term Survival. <i>European Urology</i> , 2015 , 68, 777-84	10.2	41
263	A Detailed Analysis of the Association Between Postoperative Phosphodiesterase Type 5 Inhibitor Use and the Risk of Biochemical Recurrence After Radical Prostatectomy. <i>European Urology</i> , 2015 , 68, 750-3	10.2	28
262	Erectile Dysfunction in Coronary Artery Disease and Heart Failure 2015 , 59-71		2
261	Cardiopulmonary Bypass has No Significant Impact on Survival in Patients Undergoing Nephrectomy and Level III-IV Inferior Vena Cava Thrombectomy: Multi-Institutional Analysis. <i>Journal of Urology</i> , 2015 , 194, 304-308	2.5	22
260	The Role of Radiotherapy After Radical Prostatectomy in Patients with Prostate Cancer. <i>Current Oncology Reports</i> , 2015 , 17, 53	6.3	6
259	Re: Johan Lindberg, Anna Kristiansen, Peter Wiklund, Henrik Gröbberg, Lars Egevad. Tracking the Origin of Metastatic Prostate Cancer. <i>Eur Urol</i> 2015;67:819-22. <i>European Urology</i> , 2015 , 68, e134-5	10.2	3
258	Ureteric colic and clinical evidence. <i>Lancet, The</i> , 2015 , 386, 1822-3	40	
257	Minimally Invasive Partial Nephrectomy Versus Laparoscopic Cryoablation for Patients Newly Diagnosed with a Single Small Renal Mass. <i>European Urology Focus</i> , 2015 , 1, 66-72	5.1	5
256	Individual patient data from registrational trials of silodosin in the treatment of non-neurogenic male lower urinary tract symptoms (LUTS) associated with benign prostatic hyperplasia (BPH): subgroup analyses of efficacy and safety data. <i>BJU International</i> , 2015 , 115, 802-14	5.6	14
255	Long-term oncologic outcomes of laparoscopic renal cryoablation as primary treatment for small renal masses. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 22.e1-22.e9	2.8	38
254	Re: Paolo Gontero, Richard Sylvester, Francesca Pisano, et al. Prognostic factors and risk groups in T1G3 non-muscle-invasive bladder cancer patients initially treated with Bacillus Calmette-Guérin: results of a retrospective multicenter study of 2451 patients. <i>Eur Urol</i> 2015;67:74-82. <i>European Urology</i> , 2015 , 67, 77-7	10.2	2
253	Identifying optimal candidates for local treatment of the primary tumor among patients diagnosed with metastatic prostate cancer: a SEER-based study. <i>European Urology</i> , 2015 , 67, 3-6	10.2	95
252	Which luteinising hormone-releasing hormone agonist injection schedule do men with prostate cancer prefer? Results of a European patient survey. <i>European Urology</i> , 2015 , 67, 177-179	10.2	5
251	Stratification of high-risk prostate cancer into prognostic categories: a European multi-institutional study. <i>European Urology</i> , 2015 , 67, 157-164	10.2	133
250	Long-term outcomes of salvage lymph node dissection for clinically recurrent prostate cancer: results of a single-institution series with a minimum follow-up of 5 years. <i>European Urology</i> , 2015 , 67, 299-309	10.2	158
249	More extensive pelvic lymph node dissection improves survival in patients with node-positive prostate cancer. <i>European Urology</i> , 2015 , 67, 212-9	10.2	134
248	What evidence do we need to support the use of extended pelvic lymph node dissection in prostate cancer?. <i>European Urology</i> , 2015 , 67, 597-8	10.2	16

247	Impact of the Site of Metastases on Survival in Patients with Metastatic Prostate Cancer. <i>European Urology</i> , 2015 , 68, 325-34	10.2	175
246	Re: epithelial-to-mesenchymal transition in renal neoplasms. <i>European Urology</i> , 2015 , 68, 736-7	10.2	8
245	Expression-profiling of apoptosis induced by ablation of the long ncRNA TRPM2-AS in prostate cancer cell. <i>Genomics Data</i> , 2015 , 3, 4-5		17
244	The Impact of Insurance Status on Tumor Characteristics and Treatment Selection in Contemporary Patients With Prostate Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015 , 13, 1351-8	7.3	15
243	Long-term outcomes of robot-assisted radical prostatectomy: Where do we stand?. <i>BJU International</i> , 2015 , 116, 845-6	5.6	
242	Importance of prostate volume in the stratification of patients with intermediate-risk prostate cancer. <i>International Journal of Urology</i> , 2015 , 22, 555-61	2.3	11
241	Identification of pathologically favorable disease in intermediate-risk prostate cancer patients: Implications for active surveillance candidates selection. <i>Prostate</i> , 2015 , 75, 1484-91	4.2	19
240	Extended pelvic lymph node dissection in patients with prostate cancer previously treated with surgery for lower urinary tract symptoms. <i>BJU International</i> , 2015 , 116, 366-72	5.6	3
239	Sexual and bladder comorbidity in women. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2015 , 130, 165-76	3	4
238	Infertility as a proxy of general male health: results of a cross-sectional survey. <i>Fertility and Sterility</i> , 2015 , 104, 48-55	4.8	71
237	RE: Androgen Deprivation With or Without Radiation Therapy for Clinically Node-Positive Prostate Cancer. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	
236	Conditional survival after radical nephroureterectomy for upper tract carcinoma. <i>European Urology</i> , 2015 , 67, 803-12	10.2	54
235	Nephron-sparing techniques independently decrease the risk of cardiovascular events relative to radical nephrectomy in patients with a T1a-T1b renal mass and normal preoperative renal function. <i>European Urology</i> , 2015 , 67, 683-9	10.2	133
234	Natural history of surgically treated high-risk prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 163.e7-13	2.8	77
233	Prevention and management of post prostatectomy erectile dysfunction. <i>Translational Andrology and Urology</i> , 2015 , 4, 421-37	2.3	17
232	Penile rehabilitation after radical prostatectomy: does it work?. <i>Translational Andrology and Urology</i> , 2015 , 4, 110-23	2.3	24
231	A systematic review of the association between erectile dysfunction and cardiovascular disease. <i>European Urology</i> , 2014 , 65, 968-78	10.2	267
230	Impact of adjuvant radiation therapy on urinary continence recovery after radical prostatectomy. <i>European Urology</i> , 2014 , 65, 546-51	10.2	68

229	The effect of neoadjuvant chemotherapy on perioperative outcomes in patients who have bladder cancer treated with radical cystectomy: a population-based study. <i>European Urology</i> , 2014 , 66, 561-8	10.2	52
228	Re: Georgios Gakis, Stephen A. Boorjian, Alberto Briganti, et al. The role of radical prostatectomy and lymph node dissection in lymph node-positive prostate cancer: a systematic review of the literature. <i>Eur urol</i> 2014;66:191-9. <i>European Urology</i> , 2014 , 66, e107-8	10.2	2
227	Higher-than-expected severe (Grade 3-4) late urinary toxicity after postprostatectomy hypofractionated radiotherapy: a single-institution analysis of 1176 patients. <i>European Urology</i> , 2014 , 66, 1024-30	10.2	70
226	Reply to Berardino De Bari, Filippo Alongi, Stefano Arcangeli's letter to the editor re: Cesare Cozzarini, Claudio Fiorino, Chiara Deantoni, et al. Higher-than-expected severe (grade 3-4) late urinary toxicity after postprostatectomy hypofractionated radiotherapy: a single-institution analysis of 1176 patients. <i>Eur urol</i> 2014;66:1024-30. <i>European Urology</i> , 2014 , 66, e113-4	10.2	
225	Comparative effectiveness of robot-assisted and open radical prostatectomy in the postdissemination era. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1419-26	2.2	140
224	Degarelix as an intermittent androgen deprivation therapy for one or more treatment cycles in patients with prostate cancer. <i>European Urology</i> , 2014 , 66, 655-63	10.2	13
223	Silodosin and tadalafil have synergistic inhibitory effects on nerve-mediated contractions of human and rat isolated prostates. <i>European Journal of Pharmacology</i> , 2014 , 744, 42-51	5.3	12
222	Reply to Christopher Chee Kong Ho, Siew Eng Ho, Srijit Das' letter to the editor re: Giorgio Gandaglia, Alberto Briganti, Graham Jackson, et al. A systematic review of the association between erectile dysfunction and cardiovascular disease. <i>Eur Urol</i> 2014;65:968-78. <i>European Urology</i> , 2014 , 66, e88-9	10.2	2
221	Latest pharmacotherapy options for benign prostatic hyperplasia. <i>Expert Opinion on Pharmacotherapy</i> , 2014 , 15, 2319-28	4	14
220	In Memory of John Fitzpatrick. <i>European Urology</i> , 2014 , 66, 604	10.2	
219	How to optimize patient selection for robot-assisted radical prostatectomy: functional outcome analyses from a tertiary referral center. <i>Journal of Endourology</i> , 2014 , 28, 792-800	2.7	19
218	Lessons learned from the International Renal Cell Carcinoma-Venous Thrombus Consortium (IRCC-VTC). <i>Current Urology Reports</i> , 2014 , 15, 404	2.9	46
217	Will focal therapy remain only an attractive illusion for the primary treatment of prostate cancer?. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1299-301	2.2	27
216	Pathologic nodal staging scores in patients treated with radical prostatectomy: a postoperative decision tool. <i>European Urology</i> , 2014 , 66, 439-46	10.2	18
215	A critical appraisal of systemic treatment options for metastatic non-clear cell renal cell carcinoma. <i>Critical Reviews in Oncology/Hematology</i> , 2014 , 90, 49-57	7	3
214	The key role of time in predicting progression-free survival in patients with renal cell carcinoma treated with partial or radical nephrectomy: conditional survival analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 43.e9-16	2.8	10
213	Relationship of chronic histologic prostatic inflammation in biopsy specimens with serum isoform [-2]proPSA (p2PSA), %p2PSA, and prostate health index in men with a total prostate-specific antigen of 4-10 ng/ml and normal digital rectal examination. <i>Urology</i> , 2014 , 83, 606-12	1.6	31
212	Effects of tadalafil treatment on erectile function recovery following bilateral nerve-sparing radical prostatectomy: a randomised placebo-controlled study (REACTT). <i>European Urology</i> , 2014 , 65, 587-96	10.2	166

211	A population-based competing-risks analysis of survival after nephrectomy for renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 46.e1-7	2.8	18
210	Onset of hydronephrosis and lower urinary tract symptoms in a previously healthy young man: Phyllodes tumour of the prostate as a potential diagnosis. <i>Canadian Urological Association Journal</i> , 2014 , 8, E561-3	1.2	3
209	Extent of lymphadenectomy does not improve the survival of patients with renal cell carcinoma and nodal metastases: biases associated with the handling of missing data. <i>BJU International</i> , 2014 , 113, 36-42	5.6	27
208	External validation of the European association of urology recommendations for pelvic lymph node dissection in patients treated with robot-assisted radical prostatectomy. <i>Journal of Endourology</i> , 2014 , 28, 416-23	2.7	29
207	Extent of lymph node dissection at nephrectomy affects cancer-specific survival and metastatic progression in specific sub-categories of patients with renal cell carcinoma (RCC). <i>BJU International</i> , 2014 , 114, 210-5	5.6	51
206	Impact of adjuvant radiotherapy on survival of patients with node-positive prostate cancer. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3939-47	2.2	184
205	Safety of sildenafil citrate: review of 67 double-blind placebo-controlled trials and the postmarketing safety database: F. Giuliano, G. Jackson, F. Montorsi, A. Martin-morales, and P. Raillard. <i>Journal of Sexual Medicine</i> , 2014 , 11, 885-887	1.1	3
204	A pooled analysis of individual patient data from registrational trials of silodosin in the treatment of non-neurogenic male lower urinary tract symptoms (LUTS) suggestive of benign prostatic hyperplasia (BPH). <i>BJU International</i> , 2014 , 114, 427-33	5.6	15
203	Tadalafil for erectile dysfunction prevention after radiotherapy for prostate cancer. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 748	27.4	1
202	Bladder cancer and urothelial impairment: the role of TRPV1 as potential drug target. <i>BioMed Research International</i> , 2014 , 2014, 987149	3	19
201	EAU policy on live surgery events. <i>European Urology</i> , 2014 , 66, 87-97	10.2	39
200	Utility of [11C]choline PET/CT in guiding lesion-targeted salvage therapies in patients with prostate cancer recurrence localized to a single lymph node at imaging: results from a pathologically validated series. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 38.e9-16	2.8	54
199	Indication for and extension of pelvic lymph node dissection during robot-assisted radical prostatectomy: an analysis of five European institutions. <i>European Urology</i> , 2014 , 66, 635-43	10.2	38
198	Predicting survival of patients with node-positive prostate cancer following multimodal treatment. <i>European Urology</i> , 2014 , 65, 554-62	10.2	61
197	The impact of androgen-deprivation therapy (ADT) on the risk of cardiovascular (CV) events in patients with non-metastatic prostate cancer: a population-based study. <i>BJU International</i> , 2014 , 114, E82-E89	5.6	66
196	Using adjuvant radiotherapy to improve cancer-specific survival in patients with highly aggressive prostate cancer: Examining recently released criteria.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 30-30	2.2	
195	Staging lymphadenectomy in renal cell carcinoma must be extended: a sensitivity curve analysis. <i>BJU International</i> , 2013 , 111, 412-8	5.6	15
194	Early detection of prostate cancer: European Association of Urology recommendation. <i>European Urology</i> , 2013 , 64, 347-54	10.2	106

193	Systematic review of combination drug therapy for non-neurogenic male lower urinary tract symptoms. <i>European Urology</i> , 2013 , 64, 228-43	10.2	67
192	Erectile dysfunction as a cardiovascular risk factor in patients with diabetes. <i>Endocrine</i> , 2013 , 43, 285-92	4	29
191	Systematic review and meta-analysis of randomized controlled trials evaluating silodosin in the treatment of non-neurogenic male lower urinary tract symptoms suggestive of benign prostatic enlargement. <i>World Journal of Urology</i> , 2013 , 31, 997-1008	4	22
190	Postoperative phosphodiesterase type 5 inhibitor administration increases the rate of urinary continence recovery after bilateral nerve-sparing radical prostatectomy. <i>International Journal of Urology</i> , 2013 , 20, 413-9	2.3	17
189	Is erectile dysfunction a reliable indicator of general health status in men?. <i>Arab Journal of Urology Arab Association of Urology</i> , 2013 , 11, 203-11	1.7	23
188	1838 WHEN TO PERFORM LYMPH NODE DISSECTION IN RENAL CELL CARCINOMA PATIENTS: A NOVEL APPROACH TO PREOPERATIVELY ASSESS THE RISK OF LYMPH NODE INVASION AT SURGERY AND NODAL PROGRESSION DURING FOLLOW UP. <i>Journal of Urology</i> , 2013 , 189,	2.5	1
187	Reply to Robert P. Myers' letter to the editor re: Francesco Montorsi, Timothy G. Wilson, Raymond C. Rosen, et al. best practices in robot-assisted radical prostatectomy: recommendations of the Pasadena consensus panel. <i>Eur Urol</i> 2012;62:368-81. <i>European Urology</i> , 2013 , 63, e42-3	10.2	1
186	Presence of positive surgical margin in patients with organ-confined prostate cancer equals to extracapsular extension negative surgical margin. A plea for TNM staging system reclassification. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1497-503	2.8	11
185	Diagnosis of BPH and treatment of LUTS among GPs: a European survey. <i>International Journal of Clinical Practice</i> , 2013 , 67, 114-9	2.9	21
184	The role of chronic prostatic inflammation in the pathogenesis and progression of benign prostatic hyperplasia (BPH). <i>BJU International</i> , 2013 , 112, 432-41	5.6	156
183	Silodosin in the management of lower urinary tract symptoms as a result of benign prostatic hyperplasia: who are the best candidates. <i>International Journal of Clinical Practice</i> , 2013 , 67, 544-51	2.9	21
182	Impact of the introduction of a robotic training programme on prostate cancer stage migration at a single tertiary referral centre. <i>BJU International</i> , 2013 , 111, 1222-30	5.6	28
181	One patient out of four with newly diagnosed erectile dysfunction is a young man--worrisome picture from the everyday clinical practice. <i>Journal of Sexual Medicine</i> , 2013 , 10, 1833-41	1.1	79
180	Secondary provoked vestibulodynia in sexually active women with uncomplicated recurrent urinary tract infections. <i>Journal of Sexual Medicine</i> , 2013 , 10, 2265-73	1.1	18
179	Spatial distribution of positive cores improves the selection of patients with low-risk prostate cancer as candidates for active surveillance. <i>BJU International</i> , 2013 , 112, E234-42	5.6	1
178	Updated nomogram predicting lymph node invasion in patients with prostate cancer undergoing extended pelvic lymph node dissection: the essential importance of percentage of positive cores. <i>European Urology</i> , 2012 , 61, 480-7	10.2	425
177	Systematic review of methods for reporting combined outcomes after radical prostatectomy and proposal of a novel system: the survival, continence, and potency (SCP) classification. <i>European Urology</i> , 2012 , 61, 541-8	10.2	65
176	Identifying the best candidate for radical prostatectomy among patients with high-risk prostate cancer. <i>European Urology</i> , 2012 , 61, 584-92	10.2	94

175	High-risk prostate cancer: from definition to contemporary management. <i>European Urology</i> , 2012 , 61, 1096-106	10.2	101
174	Prediction of functional outcomes after nerve-sparing radical prostatectomy: results of conditional survival analyses. <i>European Urology</i> , 2012 , 62, 42-52	10.2	54
173	Prevention and management of postprostatectomy sexual dysfunctions. Part 1: choosing the right patient at the right time for the right surgery. <i>European Urology</i> , 2012 , 62, 261-72	10.2	105
172	Prevention and management of postprostatectomy sexual dysfunctions part 2: recovery and preservation of erectile function, sexual desire, and orgasmic function. <i>European Urology</i> , 2012 , 62, 273-86	10.2	110
171	Choosing the best candidates for penile rehabilitation after bilateral nerve-sparing radical prostatectomy. <i>Journal of Sexual Medicine</i> , 2012 , 9, 608-17	1.1	29
170	Erectile function outcome after bilateral nerve sparing radical prostatectomy: which patients may be left untreated?. <i>Journal of Sexual Medicine</i> , 2012 , 9, 903-8	1.1	29
169	Is a treatment delay in radical prostatectomy safe in individuals with low-risk prostate cancer?. <i>Journal of Sexual Medicine</i> , 2012 , 9, 2961-9	1.1	25
168	Is erectile dysfunction a reliable proxy of general male health status? The case for the International Index of Erectile Function-Erectile Function domain. <i>Journal of Sexual Medicine</i> , 2012 , 9, 2708-15	1.1	69
167	Systematic review and meta-analysis of perioperative outcomes and complications after robot-assisted radical prostatectomy. <i>European Urology</i> , 2012 , 62, 431-52	10.2	300
166	Systematic review and meta-analysis of studies reporting urinary continence recovery after robot-assisted radical prostatectomy. <i>European Urology</i> , 2012 , 62, 405-17	10.2	715
165	Systematic review and meta-analysis of studies reporting potency rates after robot-assisted radical prostatectomy. <i>European Urology</i> , 2012 , 62, 418-30	10.2	494
164	Systematic review and meta-analysis of studies reporting oncologic outcome after robot-assisted radical prostatectomy. <i>European Urology</i> , 2012 , 62, 382-404	10.2	334
163	Best practices in robot-assisted radical prostatectomy: recommendations of the Pasadena Consensus Panel. <i>European Urology</i> , 2012 , 62, 368-81	10.2	206
162	Preoperative erectile function represents a significant predictor of postoperative urinary continence recovery in patients treated with bilateral nerve sparing radical prostatectomy. <i>Journal of Urology</i> , 2012 , 187, 569-74	2.5	30
161	Long-term biochemical recurrence rates after robot-assisted radical prostatectomy: analysis of a single-center series of patients with a minimum follow-up of 5 years. <i>Urology</i> , 2012 , 79, 133-8	1.6	60
160	Delay in seeking medical help in patients with new-onset erectile dysfunction remained high over and despite the PDE5 era--an ecological study. <i>Journal of Sexual Medicine</i> , 2012 , 9, 3239-46	1.1	16
159	Sildenafil : a new subtype selective alpha-1 antagonist for the treatment of lower urinary tract symptoms in patients with benign prostatic hyperplasia. <i>Expert Opinion on Pharmacotherapy</i> , 2012 , 13, 2085-96	4	23
158	The extent of lymphadenectomy does affect cancer specific survival in pathologically confirmed T4 renal cell carcinoma. <i>Urologia</i> , 2012 , 79, 109-15	1.2	17

157	Lymphatic spread of nodal metastases in high-risk prostate cancer: The ascending pathway from the pelvis to the retroperitoneum. <i>Prostate</i> , 2012 , 72, 186-92	4.2	58
156	Lymph node count threshold for optimal pelvic lymph node staging in prostate cancer. <i>International Journal of Urology</i> , 2012 , 19, 645-51	2.3	45
155	Optimizing postoperative sexual function after radical prostatectomy. <i>Therapeutic Advances in Urology</i> , 2012 , 4, 347-65	3.2	12
154	Serum sex steroids depict a nonlinear u-shaped association with high-risk prostate cancer at radical prostatectomy. <i>Clinical Cancer Research</i> , 2012 , 18, 3648-57	12.9	53
153	Silodosin From Bench to Bedside: Selectivity, Safety, and Sustained Efficacy. <i>European Urology Supplements</i> , 2011 , 10, 445-450	0.9	5
152	Metabolic syndrome and benign prostatic hyperplasia: evidence of a potential relationship, hypothesized etiology, and prevention. <i>Korean Journal of Urology</i> , 2011 , 52, 507-16		38
151	The effects of dutasteride or tamsulosin alone and in combination on storage and voiding symptoms in men with lower urinary tract symptoms (LUTS) and benign prostatic hyperplasia (BPH): 4-year data from the Combination of Avodart and Tamsulosin (CombAT) study. <i>BJU International</i> , 2011 , 107, 1426-31	5.6	47
150	When should we expect no residual tumor (pT0) once we submit incidental T1a-b prostate cancers to radical prostatectomy?. <i>International Journal of Urology</i> , 2011 , 18, 148-53	2.3	17
149	What is the definition of a satisfactory erectile function after bilateral nerve sparing radical prostatectomy?. <i>Journal of Sexual Medicine</i> , 2011 , 8, 1210-7	1.1	32
148	Prognostic impact of the 2009 UICC/AJCC TNM staging system for renal cell carcinoma with venous extension. <i>European Urology</i> , 2011 , 59, 120-7	10.2	167
147	Silodosin therapy for lower urinary tract symptoms in men with suspected benign prostatic hyperplasia: results of an international, randomized, double-blind, placebo- and active-controlled clinical trial performed in Europe. <i>European Urology</i> , 2011 , 59, 342-52	10.2	194
146	Combination of adjuvant hormonal and radiation therapy significantly prolongs survival of patients with pT2-4 pN+ prostate cancer: results of a matched analysis. <i>European Urology</i> , 2011 , 59, 832-40	10.2	141
145	Pelvic/retroperitoneal salvage lymph node dissection for patients treated with radical prostatectomy with biochemical recurrence and nodal recurrence detected by [11C]choline positron emission tomography/computed tomography. <i>European Urology</i> , 2011 , 60, 935-43	10.2	163
144	Penile Rehabilitation After Robotic Radical Prostatectomy: The Best Strategy 2011 , 361-370		
143	Irrespective of stomach conditions. <i>International Journal of Clinical Practice</i> , 2010 , 64, 995-6	2.9	
142	Effect of dutasteride, tamsulosin and the combination on patient-reported quality of life and treatment satisfaction in men with moderate-to-severe benign prostatic hyperplasia: 4-year data from the CombAT study. <i>International Journal of Clinical Practice</i> , 2010 , 64, 1042-51	2.9	26
141	Effect of dutasteride on the risk of prostate cancer. <i>New England Journal of Medicine</i> , 2010 , 362, 1192-202	9.2	834
140	The effects of combination therapy with dutasteride and tamsulosin on clinical outcomes in men with symptomatic benign prostatic hyperplasia: 4-year results from the CombAT study. <i>European Urology</i> , 2010 , 57, 123-31	10.2	451

139	A critical analysis of the current knowledge of surgical anatomy related to optimization of cancer control and preservation of continence and erection in candidates for radical prostatectomy. <i>European Urology</i> , 2010 , 57, 179-92	10.2	328
138	Downsides of robot-assisted laparoscopic radical prostatectomy: limitations and complications. <i>European Urology</i> , 2010 , 57, 735-46	10.2	90
137	Guidelines on male sexual dysfunction: erectile dysfunction and premature ejaculation. <i>European Urology</i> , 2010 , 57, 804-14	10.2	722
136	Meta-analysis of functional outcomes and complications following transurethral procedures for lower urinary tract symptoms resulting from benign prostatic enlargement. <i>European Urology</i> , 2010 , 58, 384-97	10.2	419
135	Vardenafil can improve continence recovery after bilateral nerve sparing prostatectomy: results of a randomized, double blind, placebo-controlled pilot study. <i>Journal of Sexual Medicine</i> , 2010 , 7, 234-43	1.1	35
134	Postoperative orgasmic function increases over time in patients undergoing nerve-sparing radical prostatectomy. <i>Journal of Sexual Medicine</i> , 2010 , 7, 149-55	1.1	13
133	Predicting erectile function recovery after bilateral nerve sparing radical prostatectomy: a proposal of a novel preoperative risk stratification. <i>Journal of Sexual Medicine</i> , 2010 , 7, 2521-31	1.1	85
132	Summary of the recommendations on sexual dysfunctions in men. <i>Journal of Sexual Medicine</i> , 2010 , 7, 3572-88	1.1	231
131	Anatomical radical retropubic prostatectomy in patients with a preexisting three-piece inflatable prosthesis: a series of case reports. <i>Journal of Sexual Medicine</i> , 2009 , 6, 578-83	1.1	8
130	Post-radical prostatectomy pharmacological penile rehabilitation: practice patterns among the international society for sexual medicine practitioners. <i>Journal of Sexual Medicine</i> , 2009 , 6, 2032-8	1.1	60
129	Quantitative sensory testing of peripheral thresholds in patients with lifelong premature ejaculation: a case-controlled study. <i>Journal of Sexual Medicine</i> , 2009 , 6, 1755-1762	1.1	28
128	Acceptance of and discontinuation rate from paroxetine treatment in patients with lifelong premature ejaculation. <i>Journal of Sexual Medicine</i> , 2009 , 6, 2868-77	1.1	32
127	Two positive nodes represent a significant cut-off value for cancer specific survival in patients with node positive prostate cancer. A new proposal based on a two-institution experience on 703 consecutive N+ patients treated with radical prostatectomy, extended pelvic lymph node dissection and adjuvant therapy. <i>European Urology</i> , 2009 , 55, 211-20	10.2	213
126	Reply to Giacomo Novara and Vincenzo Ficarra's Letter to the Editor re: Francesco Montorsi, Gerald Brock, Jay Lee, et al. Effect of Nightly versus On-Demand Vardenafil on Recovery of Erectile Function in Men Following Bilateral Nerve-Sparing Radical Prostatectomy. <i>Eur Urol</i> 2008;54:924B1. <i>European Urology</i> , 2009 , 55, e97-e98	10.2	
125	Retropubic, laparoscopic, and robot-assisted radical prostatectomy: a systematic review and cumulative analysis of comparative studies. <i>European Urology</i> , 2009 , 55, 1037-63	10.2	686
124	Long-term follow-up of patients with prostate cancer and nodal metastases treated by pelvic lymphadenectomy and radical prostatectomy: the positive impact of adjuvant radiotherapy. <i>European Urology</i> , 2009 , 55, 1003-11	10.2	138
123	Pelvic lymph node dissection in prostate cancer. <i>European Urology</i> , 2009 , 55, 1251-65	10.2	356
122	Assessing the impact of ischaemia time during partial nephrectomy. <i>European Urology</i> , 2009 , 56, 625-34	10.2	275

121	Prediction of sexual function after radical prostatectomy. <i>Cancer</i> , 2009 , 115, 3150-9	6.4	31
120	Prognostic significance of lymph node invasion in patients with metastatic renal cell carcinoma: a population-based perspective. <i>Cancer</i> , 2009 , 115, 5680-7	6.4	49
119	A broader role for 5ARIs in prostate disease? Existing evidence and emerging benefits. <i>Prostate</i> , 2009 , 69, 895-907	4.2	12
118	Prevention and Management of Postprostatectomy Erectile Dysfunction. <i>European Urology Supplements</i> , 2009 , 8, 80-87	0.9	3
117	The Triad of Endothelial Dysfunction, Cardiovascular Disease, and Erectile Dysfunction: Clinical Implications. <i>European Urology Supplements</i> , 2009 , 8, 58-66	0.9	14
116	Hormone Therapy for Prostate Cancer: Exploring Current Controversies. <i>European Urology Supplements</i> , 2009 , 8, 725-732	0.9	0
115	Benign Prostatic Hyperplasia and Its Aetiologies. <i>European Urology Supplements</i> , 2009 , 8, 865-871	0.9	75
114	Phosphodiesterase type 5 inhibitors in postprostatectomy erectile dysfunction: a critical analysis of the basic science rationale and clinical application. <i>European Urology</i> , 2009 , 55, 334-47	10.2	124
113	Holmium laser enucleation of the prostate and holmium laser ablation of the prostate: indications and outcome. <i>Current Opinion in Urology</i> , 2009 , 19, 38-43	2.8	37
112	The Utility of PDE5 Inhibitors After Radical Prostatectomy 2009 , 177-196		
111	Nerve-sparing radical retropubic prostatectomy in patients previously submitted to holmium laser enucleation of the prostate for bladder outlet obstruction due to benign prostatic enlargement. <i>European Urology</i> , 2008 , 53, 1180-5	10.2	30
110	Acceptance of and discontinuation rate from erectile dysfunction oral treatment in patients following bilateral nerve-sparing radical prostatectomy. <i>European Urology</i> , 2008 , 53, 564-70	10.2	70
109	Radical prostatectomy for incidental (stage T1a-T1b) prostate cancer: analysis of predictors for residual disease and biochemical recurrence. <i>European Urology</i> , 2008 , 54, 118-25	10.2	43
108	Effect of nightly versus on-demand vardenafil on recovery of erectile function in men following bilateral nerve-sparing radical prostatectomy. <i>European Urology</i> , 2008 , 54, 924-31	10.2	277
107	Baseline prevalence of erectile dysfunction in a prostate cancer screening population. <i>Journal of Sexual Medicine</i> , 2008 , 5, 428-35	1.1	20
106	Remembered International Index of Erectile Function domain scores are not accurate in assessing preoperative potency in candidates for bilateral nerve-sparing radical retropubic prostatectomy. <i>Journal of Sexual Medicine</i> , 2008 , 5, 677-83	1.1	32
105	Intraoperative assessment of an implantable electrode array for cavernous nerve stimulation. <i>Journal of Sexual Medicine</i> , 2008 , 5, 1949-54	1.1	20
104	Severe vascular complication after implantation of a three-piece inflatable penile prosthesis. <i>Journal of Sexual Medicine</i> , 2008 , 5, 2956-9	1.1	24

103	The effects of dutasteride, tamsulosin and combination therapy on lower urinary tract symptoms in men with benign prostatic hyperplasia and prostatic enlargement: 2-year results from the CombAT study. <i>Journal of Urology</i> , 2008 , 179, 616-21; discussion 621	2.5	208
102	Holmium laser enucleation versus transurethral resection of the prostate: results from a 2-center prospective randomized trial in patients with obstructive benign prostatic hyperplasia. <i>Journal of Urology</i> , 2008 , 179, S87-90	2.5	79
101	EXTERNAL-BEAM RADIATION THERAPY INCREASES THE RATE OF SECONDARY MALIGNANCIES RELATIVE TO RADICAL PROSTATECTOMY IN MEN WITH PROSTATE CANCER. <i>Journal of Urology</i> , 2008 , 179, 113-113	2.5	2
100	CURRENTLY USED CRITERIA FOR ACTIVE SURVEILLANCE IN MEN WITH LOW RISK PROSTATE CANCER. AN ANALYSIS OF PATHOLOGICAL FEATURES. <i>Journal of Urology</i> , 2008 , 179, 152-152	2.5	71
99	Re: Orgasm associated incontinence (climacturia) following radical pelvic surgery: rates of occurrence and predictors. J. M. Choi, C. J. Nelson, J. Stasi and J. P. Mulhall. <i>J Urol</i> 2007; 177: 2223-2226. <i>Journal of Urology</i> , 2008 , 180, 1187; author reply 1187-8	2.5	1
98	The case for postoperative PDE-5 inhibitor drug treatment after radical prostatectomy. <i>Journal of Endourology</i> , 2008 , 22, 2025-7; discussion 2035	2.7	2
97	The Premature Ejaculation Prevalence and Attitudes (PEPA) survey: prevalence, comorbidities, and professional help-seeking. <i>European Urology</i> , 2007 , 51, 816-23; discussion 824	10.2	383
96	Preserved postoperative penile size correlates well with maintained erectile function after bilateral nerve-sparing radical retropubic prostatectomy. <i>European Urology</i> , 2007 , 52, 702-7	10.2	56
95	Management of erectile dysfunction after radical prostatectomy in 2007. <i>World Journal of Urology</i> , 2007 , 25, 143-8	4	29
94	Lower urinary tract symptoms and sexual dysfunction in women. <i>Current Sexual Health Reports</i> , 2007 , 4, 85-90	1.2	1
93	Critical assessment of ideal nodal yield at pelvic lymphadenectomy to accurately diagnose prostate cancer nodal metastasis in patients undergoing radical retropubic prostatectomy. <i>Urology</i> , 2007 , 69, 147-51	1.6	131
92	Kidney Cancer: Highlights from 2006. <i>European Urology Supplements</i> , 2007 , 6, 745-753	0.9	1
91	Testosterone and the Prostate: The Evidence So Far. <i>European Urology Supplements</i> , 2007 , 6, 874-878	0.9	3
90	Original Dissecting Balloon for Retroperitoneal Laparoscopy: A Cost-Effective Alternative to the Commercially Available Device. <i>Journal of Endourology</i> , 2007 , 21, 714-717	2.7	5
89	BXL628, a novel vitamin D3 analog arrests prostate growth in patients with benign prostatic hyperplasia: a randomized clinical trial. <i>European Urology</i> , 2006 , 49, 82-6	10.2	70
88	Baseline potency in candidates for bilateral nerve-sparing radical retropubic prostatectomy. <i>European Urology</i> , 2006 , 50, 360-5	10.2	63
87	Can phosphodiesterase type 5 inhibitors cure erectile dysfunction?. <i>European Urology</i> , 2006 , 49, 979-86	10.2	22
86	EAU Guidelines on erectile dysfunction: an update. <i>European Urology</i> , 2006 , 49, 806-15	10.2	204

85	Words of wisdom. Erectile dysfunction following radical prostatectomy. <i>European Urology</i> , 2006 , 49, 759	10.2	0
84	Re: The Use of the Sexual Function Questionnaire as a Screening Tool for Women with Sexual Dysfunction. <i>European Urology</i> , 2006 , 49, 927-928	10.2	
83	Women's sexual dysfunction: a review of the "surgical landscape". <i>European Urology</i> , 2006 , 50, 44-52	10.2	19
82	Holmium laser enucleation of the prostate versus open prostatectomy for prostates >70 g: 24-month follow-up. <i>European Urology</i> , 2006 , 50, 563-8	10.2	264
81	Iglesias resectoscope with simultaneous irrigation, suction and low intravesical pressure. 1975. <i>European Urology</i> , 2006 , 50, 3-6	10.2	0
80	Association between erectile dysfunction and coronary artery disease: Matching the right target with the right test in the right patient. <i>European Urology</i> , 2006 , 50, 721-31	10.2	166
79	Complications and other surgical outcomes associated with extended pelvic lymphadenectomy in men with localized prostate cancer. <i>European Urology</i> , 2006 , 50, 1006-13	10.2	266
78	Association between erectile dysfunction and coronary artery disease. Role of coronary clinical presentation and extent of coronary vessels involvement: the COBRA trial. <i>European Heart Journal</i> , 2006 , 27, 2632-9	9.5	297
77	A comparative review of apomorphine formulations for erectile dysfunction : recommendations for use in the elderly. <i>Drugs and Aging</i> , 2006 , 23, 309-19	4.7	3
76	Medical therapy for premature ejaculation. <i>Lancet, The</i> , 2006 , 368, 894-6	4.0	1
75	Open versus Laparoscopic Radical Prostatectomy. <i>European Urology Supplements</i> , 2006 , 5, 377-384	0.9	6
74	A Critical Analysis of Permixon [®] in the Treatment of Lower Urinary Tract Symptoms Due to Benign Prostatic Enlargement. <i>European Urology Supplements</i> , 2006 , 5, 430-440	0.9	4
73	Safety and Tolerability of Treatment for BPH. <i>European Urology Supplements</i> , 2006 , 5, 1004-1012	0.9	26
72	Radical prostatectomy after previous prostate surgery: clinical and functional outcomes. <i>Journal of Urology</i> , 2006 , 176, 2459-63; discussion 2463	2.5	86
71	Impact on sexual function of holmium laser enucleation versus transurethral resection of the prostate: results of a prospective, 2-center, randomized trial. <i>Journal of Urology</i> , 2006 , 175, 1817-21	2.5	129
70	Potency after Radical Prostatectomy: From New Techniques to Better Results. <i>EAU-EBU Update Series</i> , 2006 , 4, 33-45		5
69	Urodynamics after TURP and HoLEP in urodynamically obstructed patients: are there any differences at 1 year of follow-up?. <i>Urology</i> , 2006 , 67, 1193-8	1.6	59
68	Holmium laser enucleation versus open prostatectomy for benign prostatic hyperplasia: an inpatient cost analysis. <i>Urology</i> , 2006 , 68, 302-6	1.6	85

67	Dynamics of male sexual arousal: distinct components of brain activation revealed by fMRI. <i>NeuroImage</i> , 2005 , 26, 1086-96	7.9	252
66	Frequently asked questions about tadalafil for treating men with erectile dysfunction. <i>The Journal of Men's Health & Gender: the Official Journal of the International Society for Men's Health & Gender</i> , 2005 , 2, 141-157		1
65	Safety and tolerability of oral erectile dysfunction treatments in the elderly. <i>Drugs and Aging</i> , 2005 , 22, 323-38	4.7	5
64	Vardenafil is effective and well-tolerated for treating erectile dysfunction in a broad population of men, irrespective of age. <i>BJU International</i> , 2005 , 95, 110-6	5.6	22
63	A critical analysis of laser prostatectomy in the management of benign prostatic hyperplasia. <i>BJU International</i> , 2005 , 96, 736-9	5.6	6
62	An open-label, multicentre, randomized, crossover study comparing sildenafil citrate and tadalafil for treating erectile dysfunction in men naïve to phosphodiesterase 5 inhibitor therapy. <i>BJU International</i> , 2005 , 96, 1323-32	5.6	78
61	Comparison of the effect of sildenafil and apomorphine SL on nocturnal erections in healthy volunteers: a placebo-controlled study. <i>European Urology</i> , 2005 , 47, 524-9; discussion 529	10.2	5
60	Vardenafil for the treatment of erectile dysfunction: a critical review of the literature based on personal clinical experience. <i>European Urology</i> , 2005 , 47, 612-21	10.2	31
59	Reply to G. Pomara, G. Morelli. <i>European Urology</i> , 2005 , 48, 346	10.2	
58	Dorsal onlay graft urethroplasty using penile skin or buccal mucosa for repair of bulbar urethral stricture: results of a prospective single center study. <i>European Urology</i> , 2005 , 48, 1013-7	10.2	45
57	Improving the preservation of the urethral sphincter and neurovascular bundles during open radical retropubic prostatectomy. <i>European Urology</i> , 2005 , 48, 938-45	10.2	118
56	The artery size hypothesis: a macrovascular link between erectile dysfunction and coronary artery disease. <i>American Journal of Cardiology</i> , 2005 , 96, 19M-23M	3	201
55	Association between erectile dysfunction and coronary artery disease: a case report study. <i>Journal of Sexual Medicine</i> , 2005 , 2, 575-82	1.1	24
54	Testosterone and sleep-related erections: an overview*. <i>Journal of Sexual Medicine</i> , 2005 , 2, 771-84	1.1	38
53	Efficacy of sildenafil citrate in men with erectile dysfunction following radical prostatectomy: a systematic review of clinical data. <i>Journal of Sexual Medicine</i> , 2005 , 2, 658-67	1.1	75
52	Prevalence of premature ejaculation: a global and regional perspective. <i>Journal of Sexual Medicine</i> , 2005 , 2 Suppl 2, 96-102	1.1	117
51	Clinical update on phosphodiesterase type-5 inhibitors for erectile dysfunction. <i>World Journal of Urology</i> , 2005 , 23, 374-84	4	25
50	Drug Insight: oral phosphodiesterase type 5 inhibitors for erectile dysfunction. <i>Nature Reviews Urology</i> , 2005 , 2, 239-47		40

49	Penetration and maintenance of erection with vardenafil: a time-from-dosing analysis. <i>Canadian Journal of Urology</i> , 2005 , 12, 2687-98; discussion 2699	0.8	16
48	Emerging oral drugs for erectile dysfunction. <i>Expert Opinion on Emerging Drugs</i> , 2004 , 9, 179-189	3.7	4
47	Erectile dysfunction after radical prostatectomy. <i>BJU International</i> , 2004 , 93, 1-2	5.6	25
46	Penile implants in the era of oral drug treatment for erectile dysfunction. <i>BJU International</i> , 2004 , 94, 745-51	5.6	25
45	Review of phosphodiesterases in the urogenital system: new directions for therapeutic intervention. <i>Journal of Sexual Medicine</i> , 2004 , 1, 322-36	1.1	29
44	Earliest time to onset of action leading to successful intercourse with vardenafil determined in an at-home setting: a randomized, double-blind, placebo-controlled trial. <i>Journal of Sexual Medicine</i> , 2004 , 1, 168-78	1.1	46
43	Current and future strategies for preventing and managing erectile dysfunction following radical prostatectomy. <i>European Urology</i> , 2004 , 45, 123-33	10.2	104
42	Long-term safety and tolerability of tadalafil in the treatment of erectile dysfunction. <i>European Urology</i> , 2004 , 45, 339-44; discussion 344-5	10.2	105
41	Sexual dysfunction is common in women with lower urinary tract symptoms and urinary incontinence: results of a cross-sectional study. <i>European Urology</i> , 2004 , 45, 642-8; discussion 648	10.2	258
40	The efficacy and safety of flexible-dose vardenafil (levitra) in a broad population of European men. <i>European Urology</i> , 2004 , 45, 634-41; discussion 641	10.2	66
39	A Critical assessment of extracorporeal shock-wave therapy for Peyronie's disease. <i>Current Sexual Health Reports</i> , 2004 , 1, 19-23	1.2	
38	Holmium laser enucleation versus transurethral resection of the prostate: results from a 2-center, prospective, randomized trial in patients with obstructive benign prostatic hyperplasia. <i>Journal of Urology</i> , 2004 , 172, 1926-9	2.5	239
37	Laparoscopic cryoablation of solid renal masses: intermediate term followup. <i>Journal of Urology</i> , 2004 , 172, 1267-70	2.5	138
36	Tadalafil in the treatment of erectile dysfunction following bilateral nerve sparing radical retropubic prostatectomy: a randomized, double-blind, placebo controlled trial. <i>Journal of Urology</i> , 2004 , 172, 1036-41	2.5	176
35	Holmium laser enucleation versus transurethral resection of the prostate. Are histological findings comparable?. <i>Journal of Urology</i> , 2004 , 171, 1203-6	2.5	60
34	Is There a Link between Erectile Dysfunction and Coronary Artery Disease?. <i>EAU Update Series</i> , 2004 , 2, 43-48		3
33	Erectile Dysfunction and Radical Prostatectomy: An Update. <i>EAU Update Series</i> , 2004 , 2, 84-92		6
32	General versus spinal anesthesia in patients undergoing radical retropubic prostatectomy: results of a prospective, randomized study. <i>Urology</i> , 2004 , 64, 95-100	1.6	40

31	Vardenafil provides reliable efficacy over time in men with erectile dysfunction. <i>Urology</i> , 2004 , 64, 1187-95	2.5	27
30	Is seminal vesicle ablation mandatory for all patients undergoing radical prostatectomy? A multivariate analysis on 1283 patients. <i>European Urology</i> , 2004 , 46, 42-9	10.2	38
29	Common grounds for erectile dysfunction and coronary artery disease. <i>Current Opinion in Urology</i> , 2004 , 14, 361-5	2.8	81
28	The use of phosphodiesterase type 5 inhibitors for erectile dysfunction. <i>Current Opinion in Urology</i> , 2004 , 14, 357-9	2.8	11
27	The role of the urologist in the management of female sexual dysfunctions. <i>Current Opinion in Urology</i> , 2004 , 14, 389-93	2.8	14
26	Peyronie's disease: a review. <i>Current Opinion in Urology</i> , 2003 , 13, 417-22	2.8	21
25	Brain activation patterns during video sexual stimulation following the administration of apomorphine: results of a placebo-controlled study. <i>European Urology</i> , 2003 , 43, 405-11	10.2	48
24	Erectile dysfunction prevalence, time of onset and association with risk factors in 300 consecutive patients with acute chest pain and angiographically documented coronary artery disease. <i>European Urology</i> , 2003 , 44, 360-4; discussion 364-5	10.2	401
23	Is erectile dysfunction the "tip of the iceberg" of a systemic vascular disorder?. <i>European Urology</i> , 2003 , 44, 352-4	10.2	228
22	Pharmacological management of erectile dysfunction. <i>BJU International</i> , 2003 , 91, 446-54	5.6	74
21	The ageing male and erectile dysfunction. <i>BJU International</i> , 2003 , 92, 516-20	5.6	20
20	Apomorphine-induced brain modulation during sexual stimulation: a new look at central phenomena related to erectile dysfunction. <i>International Journal of Impotence Research</i> , 2003 , 15, 203-9	2.3	42
19	Sildenafil citrate for treatment of erectile dysfunction in men with type 1 diabetes: results of a randomized controlled trial. <i>Diabetes Care</i> , 2003 , 26, 279-84	14.6	124
18	Sildenafil in erectile dysfunction: a critical review. <i>Current Medical Research and Opinion</i> , 2003 , 19, 241-62	5	77
17	The ageing male and erectile dysfunction. <i>World Journal of Urology</i> , 2002 , 20, 28-35	4	8
16	Vestibular flap urethroplasty for strictures of the female urethra. Impact on symptoms and flow patterns. <i>Urologia Internationalis</i> , 2002 , 69, 12-6	1.9	56
15	A 4-year update on the safety of sildenafil citrate (Viagra). <i>Urology</i> , 2002 , 60, 67-90	1.6	188
14	Counselling the patient with prostate cancer about treatment-related erectile dysfunction. <i>Current Opinion in Urology</i> , 2001 , 11, 611-7	2.8	20

13	AMS three-piece inflatable implants for erectile dysfunction: a long-term multi-institutional study in 200 consecutive patients. <i>European Urology</i> , 2000 , 37, 50-5	10.2	161
12	Sildenafil taken at bedtime significantly increases nocturnal erections: results of a placebo-controlled study. <i>Urology</i> , 2000 , 56, 906-11	1.6	95
11	SWITCHING FROM INTRACAVERNOUS PROSTAGLANDIN E1 INJECTIONS TO ORAL SILDENAFIL CITRATE IN PATIENTS WITH ERECTILE DYSFUNCTION: RESULTS OF A MULTICENTER EUROPEAN STUDY. <i>Journal of Urology</i> , 2000 , 164, 708-711	2.5	33
10	Efficacy and safety of fixed-dose oral sildenafil in the treatment of erectile dysfunction of various etiologies. <i>Urology</i> , 1999 , 53, 1011-8	1.6	133
9	Genital plus audiovisual sexual stimulation following intracavernous vasoactive injection versus re-dosing for erectile dysfunction--results of a prospective study. <i>Journal of Urology</i> , 1998 , 159, 113-5	2.5	24
8	RECOVERY OF SPONTANEOUS ERECTILE FUNCTION AFTER NERVE-SPARING RADICAL RETROPUBIC PROSTATECTOMY WITH AND WITHOUT EARLY INTRACAVERNOUS INJECTIONS OF ALPROSTADIL: RESULTS OF A PROSPECTIVE, RANDOMIZED TRIAL. <i>Journal of Urology</i> , 1997 , 158, 1408-1410	2.5	411
7	Sleep-related painful erections: clinical and polysomnographic features. <i>Journal of Sleep Research</i> , 1996 , 5, 195-7	5.8	31
6	Effectiveness and safety of laparoscopic adrenalectomy. <i>Journal of Urology</i> , 1994 , 152, 1375-8	2.5	57
5	Effectiveness and safety of multidrug intracavernous therapy for vasculogenic impotence. <i>Urology</i> , 1993 , 42, 554-8	1.6	27
4	Patient-partner satisfaction with semirigid penile prostheses for Peyronie's disease: a 5-year followup study. <i>Journal of Urology</i> , 1993 , 150, 1819-21	2.5	89
3	Long-term clinical reliability of transurethral and open prostatectomy for benign prostatic obstruction: a term of comparison for nonsurgical procedures. <i>European Urology</i> , 1993 , 23, 262-6	10.2	17
2	Long term experience with the prostatic spiral for urinary retention due to benign prostatic hyperplasia. <i>Scandinavian Journal of Urology and Nephrology</i> , 1991 , 25, 21-4		13
1	Partial mobilisation of the neurovascular bundle for ventral penile curvature correction: A proof-of-concept study. <i>Journal of Clinical Urology</i> , 205141582110593	0.2	1