

Yao Sun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5874056/publications.pdf>

Version: 2024-02-01

169
papers

4,514
citations

109321

35
h-index

123424

61
g-index

172
all docs

172
docs citations

172
times ranked

3252
citing authors

#	ARTICLE	IF	CITATIONS
1	Review of Active Power Decoupling Topologies in Single-Phase Systems. IEEE Transactions on Power Electronics, 2015, , 1-1.	7.9	336
2	An Improved Droop Control Strategy for Reactive Power Sharing in Islanded Microgrid. IEEE Transactions on Power Electronics, 2015, 30, 3133-3141.	7.9	235
3	New Perspectives on Droop Control in AC Microgrid. IEEE Transactions on Industrial Electronics, 2017, 64, 5741-5745.	7.9	213
4	Stability Analysis and Stabilization Methods of DC Microgrid With Multiple Parallel-Connected DC-DC Converters Loaded by CPLs. IEEE Transactions on Smart Grid, 2018, 9, 132-142.	9.0	181
5	Improvement of Frequency Regulation in VSG-Based AC Microgrid Via Adaptive Virtual Inertia. IEEE Transactions on Power Electronics, 2020, 35, 1589-1602.	7.9	172
6	Wind Power Short-Term Prediction Based on LSTM and Discrete Wavelet Transform. Applied Sciences (Switzerland), 2019, 9, 1108.	2.5	155
7	An Active Power-Decoupling Method for Single-Phase AC-DC Converters. IEEE Transactions on Industrial Informatics, 2014, 10, 461-468.	11.3	146
8	Distributed Hierarchical Control of AC Microgrid Operating in Grid-Connected, Islanded and Their Transition Modes. IEEE Access, 2018, 6, 77388-77401.	4.2	110
9	Optimized EPS Control to Achieve Full Load Range ZVS With Seamless Transition for Dual Active Bridge Converters. IEEE Transactions on Industrial Electronics, 2021, 68, 8379-8390.	7.9	81
10	Stability analysis of DC microgrids with constant power load under distributed control methods. Automatica, 2018, 90, 62-72.	5.0	78
11	An <i>f-P/Q</i> Droop Control in Cascaded-Type Microgrid. IEEE Transactions on Power Systems, 2018, 33, 1136-1138.	6.5	77
12	AC/DC Matrix Converter With an Optimized Modulation Strategy for V2G Applications. IEEE Transactions on Power Electronics, 2013, 28, 5736-5745.	7.9	74
13	A fully decentralized control of grid-connected cascaded inverters. IEEE Transactions on Sustainable Energy, 2019, 10, 315-317.	8.8	68
14	A Hybrid Control Scheme for Three-Phase Vienna Rectifiers. IEEE Transactions on Power Electronics, 2018, 33, 629-640.	7.9	67
15	Field Orientation Based on Current Amplitude and Phase Angle Control for Wireless Power Transfer. IEEE Transactions on Industrial Electronics, 2018, 65, 4758-4770.	7.9	66
16	A Robust Second-Order Sliding Mode Control for Single-Phase Photovoltaic Grid-Connected Voltage Source Inverter. IEEE Access, 2019, 7, 53202-53212.	4.2	65
17	Distributed cooperative synchronization strategy for multi-bus microgrids. International Journal of Electrical Power and Energy Systems, 2017, 86, 18-28.	5.5	59
18	Indirect Matrix Converter-Based Topology and Modulation Schemes for Enhancing Input Reactive Power Capability. IEEE Transactions on Power Electronics, 2015, 30, 4669-4681.	7.9	56

#	ARTICLE	IF	CITATIONS
19	A Finite Control Set Model Predictive Control Method for Matrix Converter With Zero Common-Mode Voltage. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2018, 6, 327-338.	5.4	56
20	A Control Method for Bridgeless Cuk/Sepic PFC Rectifier to Achieve Power Decoupling. IEEE Transactions on Industrial Electronics, 2017, 64, 7272-7276.	7.9	53
21	Existence and Stability of Equilibrium of DC Microgrid With Constant Power Loads. IEEE Transactions on Power Systems, 2018, 33, 6999-7010.	6.5	52
22	Indirect Four-Leg Matrix Converter Based on Robust Adaptive Back-Stepping Control. IEEE Transactions on Industrial Electronics, 2011, 58, 4288-4298.	7.9	48
23	Single-Stage DAB-LLC Hybrid Bidirectional Converter With Tight Voltage Regulation Under DCX Operation. IEEE Transactions on Industrial Electronics, 2021, 68, 293-303.	7.9	48
24	Single-phase current source converter with power decoupling capability using a series-connected active buffer. IET Power Electronics, 2015, 8, 700-707.	2.1	47
25	Two-Stage Matrix Converter Based on Third-Harmonic Injection Technique. IEEE Transactions on Power Electronics, 2016, 31, 533-547.	7.9	47
26	Optimization Design and Control of Single-Stage Single-Phase PV Inverters for MPPT Improvement. IEEE Transactions on Power Electronics, 2020, 35, 13000-13016.	7.9	47
27	A General Constructive Approach to Matrix Converter Stabilization. IEEE Transactions on Power Electronics, 2013, 28, 418-431.	7.9	45
28	Sensorless Control of Brushless Doubly Fed Induction Machine Using a Control Winding Current MRAS Observer. IEEE Transactions on Industrial Electronics, 2019, 66, 728-738.	7.9	44
29	Active Power Decoupling Method for Single-Phase Current-Source Rectifier With No Additional Active Switches. IEEE Transactions on Power Electronics, 2016, 31, 5644-5654.	7.9	42
30	A novel quasi-master-slave control frame for PV-storage independent microgrid. International Journal of Electrical Power and Energy Systems, 2018, 97, 262-274.	5.5	41
31	Conventional P/Q-V Droop Control in Highly Resistive Line of Low-Voltage Converter-Based AC Microgrid. Energies, 2016, 9, 943.	3.1	40
32	Modulation strategies based on mathematical construction method for matrix converter under unbalanced input voltages. IET Power Electronics, 2013, 6, 434-445.	2.1	39
33	Hybrid UP-PWM Scheme for HERIC Inverter to Improve Power Quality and Efficiency. IEEE Transactions on Power Electronics, 2019, 34, 4292-4303.	7.9	38
34	Topology and Modulation for a New Multilevel Diode-Clamped Matrix Converter. IEEE Transactions on Power Electronics, 2014, 29, 6352-6360.	7.9	37
35	Light-Load Efficiency Enhancement of High-Frequency Dual-Active-Bridge Converter Under SPS Control. IEEE Transactions on Industrial Electronics, 2021, 68, 12941-12946.	7.9	37
36	Modulation Strategy Based on Mathematical Construction for Matrix Converter Extending the Input Reactive Power Range. IEEE Transactions on Power Electronics, 2014, 29, 654-664.	7.9	36

#	ARTICLE	IF	CITATIONS
37	Distributed control scheme on cost optimisation under communication delays for DC microgrids. IET Generation, Transmission and Distribution, 2017, 11, 4193-4201.	2.5	35
38	A Natural Bidirectional Input-Series“Output-Parallel LLC-DCX Converter With Automatic Power Sharing and Power Limitation Capability for Li-Ion Battery Formation and Grading System. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2020, 8, 3618-3632.	5.4	35
39	A Single-Phase PFC Rectifier With Wide Output Voltage and Low-Frequency Ripple Power Decoupling. IEEE Transactions on Power Electronics, 2018, 33, 5076-5086.	7.9	34
40	PWM Modulation and Control Strategy for LLC-DCX Converter to Achieve Bidirectional Power Flow in Facing With Resonant Parameters Variation. IEEE Access, 2019, 7, 54693-54704.	4.2	34
41	Review and Comparison of Control Strategies in Active Power Decoupling. IEEE Transactions on Power Electronics, 2021, 36, 14436-14455.	7.9	33
42	Carrier-Based Modulation Strategies for Multimodular Matrix Converters. IEEE Transactions on Industrial Electronics, 2016, 63, 1350-1361.	7.9	32
43	A Robust Control Scheme Based on ISMC for the Brushless Doubly Fed Induction Machine. IEEE Transactions on Power Electronics, 2018, 33, 3129-3140.	7.9	32
44	Optimal criterion and global/sub-optimal control schemes of decentralized economical dispatch for AC microgrid. International Journal of Electrical Power and Energy Systems, 2019, 104, 38-42.	5.5	30
45	A Cost-Effective and Low-Complexity Predictive Control for Matrix Converters Under Unbalanced Grid Voltage Conditions. IEEE Access, 2019, 7, 43895-43905.	4.2	30
46	A Three-Level T-Type Indirect Matrix Converter Based on the Third-Harmonic Injection Technique. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2017, 5, 841-853.	5.4	29
47	A Predictive-Control-Based Over-Modulation Method for Conventional Matrix Converters. IEEE Transactions on Power Electronics, 2018, 33, 3631-3643.	7.9	29
48	Short-term wind power interval prediction method using VMD-RFG and Att-GRU. Energy, 2022, 251, 123807.	8.8	29
49	Topology and Control of a Split-Capacitor Four-Wire Current Source Inverter With Leakage Current Suppression Capability. IEEE Transactions on Power Electronics, 2018, 33, 10803-10814.	7.9	28
50	Carrier-Based Modulation Strategies With Reduced Common-Mode Voltage for Five-Phase Voltage Source Inverters. IEEE Transactions on Power Electronics, 2018, 33, 2381-2394.	7.9	27
51	A Single Phase AC/DC/AC Converter With Unified Ripple Power Decoupling. IEEE Transactions on Power Electronics, 2018, 33, 3204-3217.	7.9	26
52	A Decentralized SOC Balancing Method for Cascaded-Type Energy Storage Systems. IEEE Transactions on Industrial Electronics, 2021, 68, 2321-2333.	7.9	26
53	Analysis and control of a reduced switch hybrid active power filter. IET Power Electronics, 2016, 9, 1416-1425.	2.1	25
54	Modulation Strategies Based on Mathematical Construction Method for Multimodular Matrix Converter. IEEE Transactions on Power Electronics, 2016, 31, 5423-5434.	7.9	25

#	ARTICLE	IF	CITATIONS
55	Topology and Modulation Scheme of a Three-Level Third-Harmonic Injection Indirect Matrix Converter. IEEE Transactions on Industrial Electronics, 2017, 64, 7612-7622.	7.9	25
56	A Decentralized Control With Unique Equilibrium Point for Cascaded-Type Microgrid. IEEE Transactions on Sustainable Energy, 2019, 10, 324-326.	8.8	25
57	Feasible Power-Flow Solution Analysis of DC Microgrids Under Droop Control. IEEE Transactions on Smart Grid, 2020, 11, 2771-2781.	9.0	23
58	Power Factor Angle Droop Control—A General Decentralized Control of Cascaded Inverters. IEEE Transactions on Power Delivery, 2021, 36, 465-468.	4.3	23
59	Active Common-Mode Voltage-Based Open-Switch Fault Diagnosis of Inverters in IM-Drive Systems. IEEE Transactions on Industrial Electronics, 2021, 68, 103-115.	7.9	23
60	Convergence Analysis of Newton-Raphson Method in Feasible Power-Flow for DC Network. IEEE Transactions on Power Systems, 2020, 35, 4100-4103.	6.5	22
61	Modulation Methods for Indirect Matrix Converter Extending the Input Reactive Power Range. IEEE Transactions on Power Electronics, 2017, 32, 4852-4863.	7.9	21
62	A General Decentralized Control Scheme for Medium-/High-Voltage Cascaded STATCOM. IEEE Transactions on Power Systems, 2018, 33, 7296-7300.	6.5	21
63	A New Modulation Strategy to Reduce Common-Mode Current of Indirect Matrix Converter. IEEE Transactions on Industrial Electronics, 2019, 66, 7447-7452.	7.9	21
64	A unified modeling and control of a multi-functional current source-typed converter for V2G application. Electric Power Systems Research, 2014, 106, 12-20.	3.6	20
65	A Self-Synchronized Decentralized Control for Series-Connected H-Bridge Rectifiers. IEEE Transactions on Power Electronics, 2019, 34, 7136-7142.	7.9	20
66	Locally-distributed and globally-decentralized control for hybrid series-parallel microgrids. International Journal of Electrical Power and Energy Systems, 2020, 116, 105537.	5.5	20
67	Four-Switch Single-Phase Common-Ground PV Inverter With Active Power Decoupling. IEEE Transactions on Industrial Electronics, 2022, 69, 3223-3228.	7.9	19
68	Power oscillation suppression in multi-VSG grid with adaptive virtual inertia. International Journal of Electrical Power and Energy Systems, 2022, 135, 107472.	5.5	19
69	A Generalized Design Framework for Neutral Point Voltage Balance of Three-Phase Vienna Rectifiers. IEEE Transactions on Power Electronics, 2019, 34, 10221-10232.	7.9	18
70	Active third-harmonic injection indirect matrix converter with dual three-phase outputs. IET Power Electronics, 2016, 9, 657-668.	2.1	17
71	Optimal switching sequence model predictive control for three-phase Vienna rectifiers. IET Electric Power Applications, 2018, 12, 1006-1013.	1.8	17
72	Further Results on Newton-Raphson Method in Feasible Power-Flow for DC Distribution Networks. IEEE Transactions on Power Delivery, 2022, 37, 1348-1351.	4.3	17

#	ARTICLE	IF	CITATIONS
73	A Repetitive Control Scheme Aimed at Compensating the $6k + 1$ Harmonics for a Three-Phase Hybrid Active Filter. <i>Energies</i> , 2016, 9, 787.	3.1	16
74	A communication-free economical-sharing scheme for cascaded-type microgrids. <i>International Journal of Electrical Power and Energy Systems</i> , 2019, 104, 1-9.	5.5	16
75	A Decentralized Control for Cascaded Inverters in Grid-Connected Applications. <i>IEEE Transactions on Industrial Electronics</i> , 2020, 67, 8064-8071.	7.9	16
76	A Comprehensive Study on the Existence and Stability of Equilibria of DC-Distribution Networks With Constant Power Loads. <i>IEEE Transactions on Automatic Control</i> , 2022, 67, 1988-1995.	5.7	16
77	Active power compensation method for single-phase current source rectifier without extra active switches. <i>IET Power Electronics</i> , 2016, 9, 1719-1726.	2.1	15
78	Single-Phase Inverter With Wide Input Voltage and Power Decoupling Capability. <i>IEEE Access</i> , 2019, 7, 16870-16879.	4.2	14
79	A Natural Bidirectional Isolated Single-Phase AC/DC Converter With Wide Output Voltage Range for Aging Test Application in Electric Vehicle. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2021, 9, 3489-3500.	5.4	14
80	Adaptive Power Decoupling Control for Single-Phase Converter With Unbalanced DC-Split-Capacitor Circuit. <i>IEEE Transactions on Power Electronics</i> , 2021, 36, 12127-12136.	7.9	14
81	Topology and Control Method of a Single-Cell Matrix-Type Solid-State Transformer. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2020, 8, 2302-2312.	5.4	13
82	A Cascade PI-SMC Method for Matrix Converter-Fed BDFIM Drives. <i>IEEE Transactions on Transportation Electrification</i> , 2021, 7, 2541-2550.	7.8	13
83	Resistance-Emulating Control Strategy for Three-Phase Voltage Source Rectifiers Under Unbalanced Grids. <i>IEEE Transactions on Industrial Electronics</i> , 2022, 69, 1103-1113.	7.9	12
84	Observer-Based Adaptive Control for Single-Phase UPS Inverter Under Nonlinear Load. <i>IEEE Transactions on Transportation Electrification</i> , 2022, 8, 2785-2796.	7.8	12
85	Coordinated control for unbalanced operation of stand-alone doubly fed induction generator. <i>Wind Energy</i> , 2014, 17, 317-336.	4.2	11
86	Family of two-port switching networks with ripple power decoupling and output voltage step functions. <i>IET Power Electronics</i> , 2017, 10, 1175-1182.	2.1	11
87	Transformerless single-phase unified power quality conditioner of no circulating current. <i>IET Power Electronics</i> , 2020, 13, 970-980.	2.1	11
88	Open-Switch and Current Sensor Fault Diagnosis Strategy for Matrix Converter-Based PMSM Drive System. <i>IEEE Transactions on Transportation Electrification</i> , 2022, 8, 875-885.	7.8	11
89	Coordinated control for PV-ESS islanded microgrid without communication. <i>International Journal of Electrical Power and Energy Systems</i> , 2022, 136, 107699.	5.5	11
90	Power Oscillation Suppression of Multi-VSG Grid via Decentralized Mutual Damping Control. <i>IEEE Transactions on Industrial Electronics</i> , 2022, 69, 10202-10214.	7.9	11

#	ARTICLE	IF	CITATIONS
91	Stability analysis and concept extension of harmonic decoupling network for the three-phase grid synchronization systems. International Journal of Electrical Power and Energy Systems, 2017, 89, 1-10.	5.5	10
92	Control method for the two-stage matrix converter to enhance the linear voltage transfer ratio. IET Power Electronics, 2018, 11, 2295-2301.	2.1	10
93	Moving Integration Filter-Based Open-Switch Fault-Diagnosis Method for Three-Phase Induction Motor Drive Systems. IEEE Transactions on Transportation Electrification, 2020, 6, 1093-1103.	7.8	10
94	Sliding Mode Control-Based Decoupling Scheme for Quad-Active Bridge DC-DC Converter. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2022, 10, 1153-1164.	5.4	10
95	A Single-Phase Current-Source Bidirectional Converter for V2G Applications. Journal of Power Electronics, 2014, 14, 458-467.	1.5	10
96	Coupled Inductor Based Bidirectional Resonant Converter With Sine Wave Modulation in Wide Voltage Range. IEEE Transactions on Power Electronics, 2022, 37, 3713-3718.	7.9	10
97	Hybrid predictive control strategy for a low-cost converter-fed IM drive. IET Electric Power Applications, 2018, 12, 581-587.	1.8	9
98	A General Impedance-Emulating Digital Control of Single-Phase Rectifier for High Power Factor. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2020, 8, 4037-4045.	5.4	9
99	Reviews On Inertia Emulation Technology With Power Electronics. , 2020, , .		9
100	ZVS Analysis of Half Bridge LLC-DCX Converter Considering the Influence of Resonant Parameters and Loads. , 2020, , .		9
101	Cost-Effective DC Current Suppression for Single-Phase Grid-Connected PV Inverter. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2021, 9, 1808-1823.	5.4	9
102	Accurate Loop Gain Modeling of Digitally Controlled Buck Converters. IEEE Transactions on Industrial Electronics, 2022, 69, 725-739.	7.9	9
103	Modulated Coupled Inductor for Input-Serial-Output-Parallel Dual-Active-Bridge Converter. IEEE Transactions on Industrial Electronics, 2022, 69, 6450-6455.	7.9	9
104	Current-Fed LC Series Resonant Converter With Load-Independent Voltage-Gain Characteristics for Wide Voltage Range Applications. IEEE Transactions on Power Electronics, 2021, 36, 11509-11522.	7.9	9
105	ZVS Analysis and Design for Half Bridge Bidirectional LLC-DCX Converter With Consideration of Nonlinear Capacitance and Different Load Under Synchronous Turn-On and Turn-Off Modulation. IEEE Transactions on Transportation Electrification, 2022, 8, 2429-2443.	7.8	9
106	An LLC-DAB Bidirectional DCX Converter with Wide Load Range ZVS and Reduced Switch Count. IEEE Transactions on Power Electronics, 2021, , 1-1.	7.9	8
107	Design Considerations for PPS Controlled Current-Fed DAB Converter to Achieve Full Load Range ZVS and Low Inductor Current Stress. IEEE Transactions on Industry Applications, 2021, 57, 6261-6276.	4.9	8
108	Control Method for the Sheppard-Taylor PFC Rectifier to Reduce Capacitance Requirements. IEEE Transactions on Power Electronics, 2018, 33, 2714-2722.	7.9	7

#	ARTICLE	IF	CITATIONS
109	An Extremum Seeking Algorithm Based on Square Wave for Three-Dimensional Wireless Power Transfer System to Achieve Maximum Power Transmission. IEEE Transactions on Industry Applications, 2022, 58, 1279-1288.	4.9	7
110	Single-phase Integrated Power Decoupling Inverter Based on Boost Converter. , 2020, , .		7
111	Conductance Emulating Control Strategy for Three-Phase Current Source Rectifier Under Unbalanced Grid Voltages. IEEE Transactions on Circuits and Systems II: Express Briefs, 2022, 69, 2837-2841.	3.0	7
112	Decentralized Mutual Damping Control of Cascaded-Type VSGs for Power and Frequency Oscillation Suppression. IEEE Transactions on Industrial Electronics, 2022, 69, 10215-10226.	7.9	6
113	Distributed Dynamic Event-Triggered Control for Accurate Active and Harmonic Power Sharing in Modular On-Line UPS Systems. IEEE Transactions on Industrial Electronics, 2022, 69, 13045-13055.	7.9	6
114	Implementation of phase disposition modulation method for the three-level diode-clamped matrix converter. IET Power Electronics, 2015, 8, 2107-2114.	2.1	5
115	A decentralized SOC balancing method in cascaded H-bridge based storage modules. , 2017, , .		5
116	An Integrated Series-Parallel Microgrid Structure and its Unified Distributed Control. , 2018, , .		5
117	Single-magnetic equaliser without any sensors for series-connected battery strings. IET Power Electronics, 2019, 12, 2312-2320.	2.1	5
118	A Local-Distributed and Global-Decentralized SoC Balancing Method for Hybrid Series-Parallel Energy Storage System. IEEE Systems Journal, 2022, 16, 2289-2299.	4.6	5
119	A Hybrid Voltage/Current Control Scheme With Low-Communication Burden for Grid-Connected Series-Type Inverters in Decentralized Manner. IEEE Transactions on Power Electronics, 2022, 37, 920-931.	7.9	5
120	Communication-free optimal economical dispatch scheme for cascaded-type microgrids with capacity constraints. IET Power Electronics, 2020, 13, 2866-2873.	2.1	5
121	A High-Efficiency Bidirectional AC/DC Topology for V2G Applications. Journal of Power Electronics, 2014, 14, 899-907.	1.5	5
122	Optimized Hybrid Modulation Strategy for AC Bypass Transformerless Single-Phase Photovoltaic Inverters. Journal of Power Electronics, 2016, 16, 2129-2138.	1.5	5
123	A single-stage AC-AC solid-state transformer with ZVS operation. IET Power Electronics, 2021, 14, 290-301.	2.1	5
124	Randomized carrier modulation for four-leg matrix converter based on optimal Markov chain. , 2008, , .		4
125	Optimal sensor scheduling for hybrid estimation. Journal of Central South University, 2013, 20, 2186-2194.	3.0	4
126	Modified modulation scheme for three-level diode-clamped matrix converter under unbalanced input conditions. IET Power Electronics, 2018, 11, 1425-1433.	2.1	4

#	ARTICLE	IF	CITATIONS
127	Reduced-switch induction motor drive system with active power decoupling. IET Electric Power Applications, 2019, 13, 969-976.	1.8	4
128	A general closed-loop power-decoupling control for reduced-switch converter-fed IM drives. Electrical Engineering, 2020, 102, 2423-2433.	2.0	4
129	Stability Analysis of Dual Active Bridge Converter With Input Filter and Constant Power Load. IEEE Journal of Emerging and Selected Topics in Industrial Electronics, 2022, 3, 658-669.	3.9	4
130	Optimal Charging Strategy With Complementary Pulse Current Control of Lithium-Ion Battery for Electric Vehicles. IEEE Transactions on Transportation Electrification, 2022, 8, 62-71.	7.8	4
131	<scp>Leader-distributed follower-decentralized</scp> control strategy for economic dispatch in <scp>cascaded-parallel</scp> microgrids. International Transactions on Electrical Energy Systems, 2021, 31, e12964.	1.9	4
132	Modified Topology and PWM Modulation for Bidirectional LLC-DCX Converter with Center-Tapped Transformer. , 2021, , .		4
133	Unified decentralised control for both grid-connected and islanded operation of cascaded-type microgrid. IET Renewable Power Generation, 2020, 14, 3138-3148.	3.1	4
134	Two New Modulation Strategies for Two-Stage Matrix Converter under Nonsinusoidal Input Voltages. , 2007, , .		3
135	A novel single-phase current-source-type bidirectional converter for V2G application. , 2014, , .		3
136	A stabilization method of LC input filter in DC microgrids feeding constant power loads. , 2017, , .		3
137	Single-phase current source converter with high reliability and high power density. IET Power Electronics, 2020, 13, 1218-1226.	2.1	3
138	Stabilized Negative Resistance Emulating Control for Grid-Connected Inverter. IEEE Transactions on Industrial Electronics, 2022, 69, 8599-8603.	7.9	3
139	First-order Generalized Integrator Based Frequency Locked Loop and Synchronization for Three-Phase Grid-connected Converters under Adverse Grid Conditions. Journal of Power Electronics, 2016, 16, 1939-1949.	1.5	3
140	A Single-phase Voltage Source Inverter With Lower-Voltage-Rated Capacitor and Ripple Power Decoupling Function. , 2020, , .		3
141	Stability Analysis of the Interleaved Buck Converter With Coupled Inductor. IEEE Transactions on Transportation Electrification, 2022, 8, 2299-2310.	7.8	3
142	Magnetizing and Leakage Inductance Integration for Split Transformers With Standard UI Cores. IEEE Transactions on Power Electronics, 2022, 37, 12980-12985.	7.9	3
143	A carrier-based modulation strategy for multi-modular matrix converters with zero common-mode voltage. , 2016, , .		2
144	A Common Second Frequency Control of Island Cascaded-type Microgrid. , 2019, , .		2

#	ARTICLE	IF	CITATIONS
145	A series-parallel PV-storage independent microgrid and its decentralized control. International Transactions on Electrical Energy Systems, 2019, 29, e2715.	1.9	2
146	A Cascade PI-SMC Method for Brushless Doubly-Fed Induction Machine with Matrix Converter. , 2020, , .		2
147	A novel distributed control for hybrid AC/DC microgrid with consideration of power limit. , 2021, , .		2
148	Power-Estimation-Based Synchronous Rectification Solution for Bidirectional DAB-LLC Converter. IEEE Transactions on Circuits and Systems II: Express Briefs, 2022, 69, 1213-1217.	3.0	2
149	An Algebraic Modulation Strategy for 3L-NPC Converters With Inherent Neutral-Point Voltage Balance Capability. IEEE Transactions on Power Electronics, 2022, 37, 7533-7539.	7.9	2
150	Fault diagnosis for shunt hybrid active power filter with open-circuit fault based on voltage distortion. , 2015, , .		1
151	Distributed Event-Triggered Control with Less Communication. Power Systems, 2022, , 113-135.	0.5	1
152	Investigation of three-level diode-clamped matrix converter under unbalanced input voltages. , 2015, , .		0
153	Novel active synchronization strategy for multi-bus microgrid with distributed cooperation control. , 2016, , .		0
154	A Predictive-Control-Based Over-Modulation Method for Third-Harmonic Injection Two-Stage Matrix Converter. , 2019, , .		0
155	A Virtual Inertia Control Method for Series-type Inverters System in Islanded Mode. , 2021, , .		0
156	An FCS-MPC-based Closed Loop Control for Matrix Converter Under Unbalanced Grids. , 2021, , .		0
157	Solvability Condition of Power-Flow considering current constraints of DGs of DC Microgrids with CPLs. , 2021, , .		0
158	Modulation Strategies Based on Mathematical Construction Method for Three-to-Five-Phase Matrix Converters. , 2020, , .		0
159	An Existence Condition for Power-Flow of DC Microgrids with CPLs Considering Voltage Disturbance and Distributed Generations under MPPT Control. Journal of Physics: Conference Series, 2022, 2166, 012007.	0.4	0
160	Accurate Reactive Power Sharing. Power Systems, 2022, , 67-84.	0.5	0
161	Decentralized Control Strategies in Grid-Connected Mode. Power Systems, 2022, , 195-224.	0.5	0
162	Unified Droop Control Under Different Impedance Types. Power Systems, 2022, , 31-41.	0.5	0

#	ARTICLE	IF	CITATIONS
163	A Master-Slave Control in Grid-Connected Applications. Power Systems, 2022, , 225-246.	0.5	0
164	Unified Grid-Connected and Islanded Operation. Power Systems, 2022, , 247-275.	0.5	0
165	Decentralized Method for Islanded Operation Mode. Power Systems, 2022, , 139-148.	0.5	0
166	Dynamic Frequency Regulation Via Adaptive Virtual Inertia. Power Systems, 2022, , 43-65.	0.5	0
167	Leader-Distributed Follower-Decentralized Control Strategy for Economic Dispatch. Power Systems, 2022, , 347-364.	0.5	0
168	Split PCB Winding Transformer for Dual-Active-Bridge Converter with Full Load Range ZVS. , 2022, , .		0
169	Solvability and Stability Conditions for the Power Flow equation of DC Microgrid under Master-Slave Control. , 2022, , .		0