

Abderrahim Merzak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5874203/publications.pdf>

Version: 2024-02-01

13
papers

668
citations

858243

12
h-index

1255698

13
g-index

14
all docs

14
docs citations

14
times ranked

731
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Molecular and cellular pathology of intrinsic brain tumours. <i>Cancer and Metastasis Reviews</i> , 1997, 16, 155-177. | 2.7 | 33 |
| 2 | Vascular endothelial growth factor production is stimulated by gangliosides and TGF- β 2 isoforms in human glioma cells in vitro. <i>Cancer Letters</i> , 1996, 102, 209-215. | 3.2 | 119 |
| 3 | Expression of serotonin receptors in human fetal astrocytes and glioma cell lines: a possible role in glioma cell proliferation and migration. <i>Molecular Brain Research</i> , 1996, 41, 1-7. | 2.5 | 56 |
| 4 | Hyaluronic acid/CD44H interaction induces cell detachment and stimulates migration and invasion of human glioma cells in vitro. <i>International Journal of Cancer</i> , 1995, 63, 450-454. | 2.3 | 104 |
| 5 | Gangliosides modulate proliferation, migration, and invasiveness of human brain tumor cells in vitro. <i>Molecular and Chemical Neuropathology</i> , 1995, 24, 121-135. | 1.0 | 28 |
| 6 | Adhesion of Human Glioma Cell Lines to Fibronectin, Laminin, Vitronectin and Collagen I Is Modulated by Gangliosides in vitro. <i>Cell Adhesion and Communication</i> , 1995, 3, 27-43. | 1.7 | 41 |
| 7 | Growth factors and gangliosides stimulate laminin production by human glioma cells in vitro. <i>Neuroscience Letters</i> , 1995, 186, 53-56. | 1.0 | 26 |
| 8 | EXPRESSION OF VASCULAR ENDOTHELIAL GROWTH-FACTOR IN THE CYST FLUID OF HUMAN CEREBRAL GLIOMAS. <i>Oncology Reports</i> , 1995, 2, 1147-9. | 1.2 | 5 |
| 9 | Control of human glioma cell growth, migration and invasion in vitro by transforming growth factor β 1. <i>British Journal of Cancer</i> , 1994, 70, 199-203. | 2.9 | 145 |
| 10 | Overexpression of the 18A2/mts1 gene and down-regulation of the TIMP-2 gene in invasive human glioma cell lines in vitro. <i>Neuropathology and Applied Neurobiology</i> , 1994, 20, 614-619. | 1.8 | 26 |
| 11 | Human wild type p53 inhibits cell proliferation and elicits dramatic morphological changes in human glioma cell lines in vitro. <i>Journal of the Neurological Sciences</i> , 1994, 127, 125-133. | 0.3 | 22 |
| 12 | Cell surface gangliosides are involved in the control of human glioma cell invasion in vitro. <i>Neuroscience Letters</i> , 1994, 177, 44-46. | 1.0 | 48 |
| 13 | Transforming Growth Factor Beta Stimulates Mitogenically Mouse NIH3T3 Fibroblasts and Those Cells Transformed by the EJ-H-ras Oncogene. <i>Growth Factors</i> , 1992, 6, 265-275. | 0.5 | 15 |