

Tanveer Akhtar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5874318/publications.pdf>

Version: 2024-02-01

18
papers

107
citations

1478505

6
h-index

1372567

10
g-index

18
all docs

18
docs citations

18
times ranked

202
citing authors

#	ARTICLE	IF	CITATIONS
1	Current pool of ultimate collection of mitochondrial DNA from remnants of Kalash. Mitochondrial DNA Part B: Resources, 2021, 6, 2410-2414.	0.4	2
2	Integrated Genomic Analysis Identifies ANKRD36 Gene as a Novel and Common Biomarker of Disease Progression in Chronic Myeloid Leukemia. Biology, 2021, 10, 1182.	2.8	5
3	Discovery and Protein Modeling Studies of Novel Compound Mutations Causing Resistance to Multiple Tyrosine Kinase Inhibitors in Chronic Myeloid Leukemia. Asian Pacific Journal of Cancer Prevention, 2020, 21, 3517-3526.	1.2	0
4	Effects of PETTLEP imagery technique on precision skills: a study on drag flick in Pakistan hockey. Journal of Imagery Research in Sport and Physical Activity, 2020, 15, .	1.1	1
5	Next-Generation Sequencing Identifies a Previously Uncharacterized Gene ANKRD36 As a Common Biomarker for Blast Crisis Chronic Myeloid Leukemia: Molecular and Protein Bio-Modeling Studies. Blood, 2020, 136, 32-33.	1.4	0
6	Long term outcome of chronic myeloid leukemia patients treated with imatinib: Report from a developing country. Pakistan Journal of Pharmaceutical Sciences, 2020, 33, 861-870.	0.2	0
7	Whole exome sequencing identifies a novel FANCD2 gene splice site mutation associated with disease progression in chronic myeloid leukemia: Implication in targeted therapy of advanced phase CML. Pakistan Journal of Pharmaceutical Sciences, 2020, 33, 1419-1426.	0.2	3
8	BCR-ABL Kinase Domain Mutations Exist in Few Imatinib Treated Chronic Myeloid Leukemia (CML) Patients Exhibiting Stable Cytogenetic and Hematologic Responses. Blood, 2018, 132, 5427-5427.	1.4	0
9	Presence of novel compound BCR-ABL mutations in late chronic and advanced phase imatinib sensitive CML patients indicates their possible role in CML progression. Cancer Biology and Therapy, 2017, 18, 214-221.	3.4	10
10	Allele frequency distribution of CYP2C19*2 allelic variants associated with clopidogrel resistance in cardiac patients. Experimental and Therapeutic Medicine, 2015, 10, 309-315.	1.8	8
11	Genetic characterization of the Makrani people of Pakistan from mitochondrial DNA control-region data. Legal Medicine, 2015, 17, 134-139.	1.3	15
12	High Frequency and Poor Prognosis of Late Childhood BCR-ABL-Positive and MLL-AF4-Positive ALL Define the Need for Advanced Molecular Diagnostics and Improved Therapeutic Strategies in Pediatric B-ALL in Pakistan. Molecular Diagnosis and Therapy, 2015, 19, 277-287.	3.8	4
13	Mitochondrial DNA control region sequences study in Saraiki population from Pakistan. Legal Medicine, 2015, 17, 140-144.	1.3	12
14	Molecular detection of malaria in South punjab with higher proportion of mixed infections. Iranian Journal of Parasitology, 2014, 9, 37-43.	0.6	2
15	Sensitive Detection of Pre-Existing BCR-ABL Kinase Domain Mutations in CD34+ Cells of Newly Diagnosed Chronic-Phase Chronic Myeloid Leukemia Patients Is Associated with Imatinib Resistance: Implications in the Post-Imatinib Era. PLoS ONE, 2013, 8, e55717.	2.5	33
16	BCR-ABL Splice Variants In Three Phases Of CML: Association With Disease Biology and Response To Imatinib. Blood, 2013, 122, 5191-5191.	1.4	0
17	Distribution, population size, and structure of Himalayan grey goral Naemorhedus goral bedfordi (Cetartiodactyla: Bovidae) in Pakistan. Mammalia, 2012, 76, .	0.7	12
18	Detection of BCR-ABL kinase domain mutations in CD34+ cells from newly diagnosed chronic phase CML patients and their association with imatinib resistance. Nature Precedings, 2011, , .	0.1	0