Edet E Udo

List of Publications by Year
in descending order

119 papers	3,163 citations	136885 32 h-index	197736 49 g-index
123 all docs	123 docs citations	123 times ranked	2937 citing authors

#	Article	IF	Citations
1	Description of Methicillin-Susceptible <i>Staphylococcus aureus</i> Clonal Complex 30 Related to the Pandemic Phage Type 80/81 Isolated from Patients in Three Tertiary Hospitals in Jos, North Central Nigeria. Medical Principles and Practice, 2022, 31, 269-275.	1.1	1
2	Characterisation of S. aureus/MRSA CC1153 and review of mobile genetic elements carrying the fusidic acid resistance gene fusC. Scientific Reports, 2021, 11, 8128.	1.6	13
3	The Dissemination and Molecular Characterization of Clonal Complex 361 (CC361) Methicillin-Resistant Staphylococcus aureus (MRSA) in Kuwait Hospitals. Frontiers in Microbiology, 2021, 12, 658772.	1.5	6
4	Fusidic Acid Resistance Determinants in Methicillin-Resistant <i>Staphylococcus aureus</i> Isolated in Kuwait Hospitals. Medical Principles and Practice, 2021, 30, 542-549.	1.1	0
5	DNA microarray analysis of Staphylococcus aureus from Nigeria and South Africa. PLoS ONE, 2021, 16, e0237124.	1.1	2
6	Resurgence of Chloramphenicol Resistance in Methicillin-Resistant Staphylococcus aureus Due to the Acquisition of a Variant Florfenicol Exporter (fexAv)-Mediated Chloramphenicol Resistance in Kuwait Hospitals. Antibiotics, 2021, 10, 1250.	1.5	10
7	Evaluating the antibacterial activity of ceftaroline against clinical isolates of methicillin-susceptible and- resistant Staphylococcus aureus in Kuwait hospitals. Journal of Infection and Public Health, 2020, 13, 1589-1591.	1.9	1
8	Antimicrobial resistance and virulence determinants in coagulase-negative staphylococci isolated mainly from preterm neonates. PLoS ONE, 2020, 15, e0236713.	1.1	19
9	Antibiotic resistance and typing of the methicillin-resistant Staphylococcus aureus clones in Kuwait hospitals, 2016â€“2017. BMC Microbiology, 2020, 20, 314.	1.3	13
10	Emergence of Methicillin-Resistant Staphylococcus aureus Belonging to Clonal Complex 15 (CC15-MRSA) in Kuwait Hospitals . Infection and Drug Resistance, 2020, Volume 13, 617-626.	1.1	13
11	Antimicrobial activity and DNA/HSA interaction of fluorinated 3,6,9-trisubstituted acridines. Chemical Papers, 2020, 74, 2327-2337.	1.0	5
12	Characterisation of a novel SCCmec VI element harbouring fusC in an emerging Staphylococcus aureus strain from the Arabian Gulf region. PLoS ONE, 2019, 14, e0223985.	1.1	10
13	Molecular Characterization of Methicillin- Resistant Staphylococcus aureus in a Tertiary Care hospital in Kuwait. Scientific Reports, 2019, 9, 18527.	1.6	20
14	Livestock-Associated Methicillin-Resistant Staphylococcus aureus in Patients Admitted to Kuwait Hospitals in 2016â€“2017. Frontiers in Microbiology, 2019, 10, 2912.	1.5	16
15	Methicillin-resistant Staphylococcus aureus : An update on the epidemiology, treatment options and infection control. Current Medicine Research and Practice, 2018, 8, 18-24.	0.1	103
16	Structure-Antibacterial Activity Relationships of N-Substituted-(d-/l-Alaninyl) 1H-1,2,3-Triazolylmethyl Oxazolidinones. Scientia Pharmaceutica, 2018, 86, 42.	0.7	1
17	Emerging variants of methicillin-resistant Staphylococcus aureus genotypes in Kuwait hospitals. PLoS ONE, 2018, 13, e0195933.	1.1	45
18	Molecular Typing of ST239-MRSA-III From Diverse Geographic Locations and the Evolution of the SCCmec III Element During Its Intercontinental Spread. Frontiers in Microbiology, 2018, 9, 1436.	1.5	45

#	Article	IF	Citations
19	Genetic diversity of methicillin resistant Staphylococcus aureus strains isolated from burn patients in Iran: ST239-SCC mec III/t037 emerges as the major clone. Microbial Pathogenesis, 2017, 105, 1-7.	1.3	41
20	Genetic Lineages of Methicillin-Resistant Staphylococcus aureus Acquired during Admission to an Intensive Care Unit of a General Hospital. Medical Principles and Practice, 2017, 26, 113-117.	1.1	5
21	Antibiotic Resistance Trends in Methicillin-Resistant Staphylococcus aureus Isolated in Kuwait Hospitals: 2011-2015. Medical Principles and Practice, 2017, 26, 485-490.	1.1	25
22	Characterization of Heterogeneous MRSA and MSSA with Reduced Susceptibility to Chlorhexidine in Kuwaiti Hospitals. Frontiers in Microbiology, 2017, 8, 1359.	1.5	32
23	Dominance of community-associated methicillin-resistant Staphylococcus aureus clones in a maternity hospital. PLoS ONE, 2017, 12, e0179563.	1.1	19
24	Characterization of a CC1153 PVL-producing community-acquired methicillin-resistant Staphylococcus aureus from a dog bite wound. Journal of Infection in Developing Countries, 2017, 11, 513-516.	0.5	4
25	Molecular Characterization of Methicillin Resistant Staphylococcus aureus Strains Isolated from Intensive Care Units in Iran: ST22-SCCmec IV/t790 Emerges as the Major Clone. PLoS ONE, 2016, 11, e0155529.	1.1	72
26	Shifts in the Clonal Distribution of Methicillin-Resistant Staphylococcus aureus in Kuwait Hospitals: 1992-2010. PLoS ONE, 2016, 11, e0162744.	1.1	69
27	Diversity of methicillin-resistant Staphylococcus aureus CC22-MRSA-IV from Saudi Arabia and the Gulf region. International Journal of Infectious Diseases, 2016, 51, 31-35.	1.5	32
28	Molecular Characterization and Distribution of Class 1 Integron-Bearing Methicillin Resistant Staphylococcus aureus Strains in Burn Patients, Tehran, Iran. Jundishapur Journal of Microbiology, 2016, 10, .	0.2	5
29	Dissemination of methicillin-resistantStaphylococcus aureusSCCmectype IV and SCCmectype V epidemic clones in a tertiary hospital: challenge to infection control. Epidemiology and Infection, 2015, 143, 343-353.	1.0	53
30	Evaluation of the monoamine oxidases inhibitory activity of a small series of 5-(azole)methyl oxazolidinones. European Journal of Pharmaceutical Sciences, 2015, 71, 56-61.	1.9	11
31	Synthesis and biological evaluation of novel 5-(hydroxamic acid)methyl oxazolidinone derivatives. European Journal of Medicinal Chemistry, 2015, 106, 120-131.	2.6	20
32	Origin and Evolution of European Community-Acquired Methicillin-Resistant Staphylococcus aureus. MBio, 2014, 5, e01044-14.	1.8	112
33	Isolation of Salmonella enterica Serovar Kentucky Strain ST 198 and Its H ₂ S-Negative Variant from a Patient: Implications for Diagnosis. Journal of Clinical Microbiology, 2014, 52, 4090-4093.	1.8	15
34	Diversity of healthcare-associated MRSA genotypes in Kuwait hospitals. International Journal of Infectious Diseases, 2014, 21, 350.	1.5	0
35	A case of multiple splenic abscesses due to Enterococcus hirae. JMM Case Reports, 2014, 1, .	1.3	10
36	Community-Acquired Methicillin-Resistant <i>Staphylococcus aureus:</i> The New Face of an Old Foe?. Medical Principles and Practice, 2013, 22, 20-29.	1.1	36

#	Article	IF	Citations
37	Synthesis and antibacterial activities of N-substituted-glycinyl 1H-1,2,3-triazolyl oxazolidinones. European Journal of Medicinal Chemistry, 2013, 66, 246-257.	2.6	22
38	Frequency and Clinical Association of Panton-Valentine Leukocidin-PositiveStaphylococcus aureusIsolates: A Study from Kuwait. Medical Principles and Practice, 2013, 22, 245-249.	1.1	13
39	Genotypes and Virulence Genes in Group B Streptococcus Isolated in the Maternity Hospital, Kuwait. Medical Principles and Practice, 2013, 22, 453-457.	1.1	27
40	Emergence of Methicillin-Resistant <i>Staphylococcus aureus</i> in the Maternity Hospital, Kuwait. Medical Principles and Practice, 2013, 22, 535-539.	1.1	6
41	Serotypes and antibiotic resistance in Group B streptococcus isolated from patients at the Maternity Hospital, Kuwait. Journal of Medical Microbiology, 2012, 61, 126-131.	0.7	37
42	Antimycobacterial Activities of Novel 5-(1H-1,2,3-Triazolyl)Methyl Oxazolidinones. Tuberculosis Research and Treatment, 2012, 2012, 1-7.	0.2	8
43	Effects of Varied Substituents on the Antibacterial Activity of Triazolylmethyl Oxazolidinones. Archiv Der Pharmazie, 2012, 345, 790-803.	2.1	8
44	The Effect of Systematic Structural Modifications on the Antibacterial Activity of Novel Oxazolidinones. Medicinal Chemistry, 2011, 7, 45-55.	0.7	7
45	Frequency of Virulence-Associated Genes in <i>Enterococccus faecalis</i> Isolated in Kuwait Hospitals. Medical Principles and Practice, 2011, 20, 259-264.	1.1	10
46	Trafficking of Methicillin-Resistant Staphylococci and Co-Colonization with Vancomycin-Resistant Enterococci. Medical Principles and Practice, 2011, 20, 253-258.	1.1	8
47	Detection and characterization of an ST97-SCCmec-V community-associated meticillin-resistant Staphylococcus aureus clone in a neonatal intensive care unit and special care baby unit. Journal of Medical Microbiology, 2011, 60, 600-604.	0.7	26
48	The dissemination of ST80-SCCmec-IV community-associated methicillin resistant Staphylococcus aureus clone in Kuwait hospitals. Annals of Clinical Microbiology and Antimicrobials, 2010, 9, 31.	1.7	31
49	A Case of Community-Onset Meningitis Caused by Hospital Methicillin-Resistant<i> Staphylococcus aureus</i> Successfully Treated with Linezolid and Rifampicin. Medical Principles and Practice, 2010, 19, 235-239.	1.1	5
50	Genetic analysis of high-level mupirocin resistance in the ST80 clone of community-associated meticillin-resistant Staphylococcus aureus. Journal of Medical Microbiology, 2010, 59, 193-199.	0.7	20
51	Antimicrobial resistance in clinical isolates of Streptococcus pneumoniae in a tertiary hospital in Kuwait, 1997â€“2007: Implications for empiric therapy. Journal of Infection and Public Health, 2010, 3, 60-66.	1.9	8
52	The expansion of ST80-SCCmec-IV clone of community-acquired methicillin resistant Staphylococcus aureus in Kuwait hospitals. International Journal of Infectious Diseases, 2010, 14, e345-e346.	1.5	1
53	Transmission of a Klebsiella pneumoniae clone harbouring genes for CTX-M-15-like and SHV-112 enzymes in a neonatal intensive care unit of a Kuwaiti hospital. Journal of Medical Microbiology, 2010, 59, 687-692.	0.7	29
54	Tetracycline Resistance Is Frequent AmongCampylobacter jejuniIsolates from Kuwait. Microbial Drug Resistance, 2009, 15, 115-120.	0.9	9

#	Article	IF	Citations
55	Characterization of meticillin-resistant Staphylococcus aureus isolates from hospitals in KwaZulu-Natal province, Republic of South Africa. Journal of Medical Microbiology, 2009, 58, 1219-1226.	0.7	33
56	Clinical and molecular characteristics of nosocomial meticillin-resistant Staphylococcus aureus skin and soft tissue isolates from three Indian hospitals. Journal of Hospital Infection, 2009, 73, 253-263.	1.4	32
57	The prevalence of antimicrobial resistance and carriage of virulence genes in Staphylococcus aureus isolated from food handlers in Kuwait City restaurants. BMC Research Notes, 2009, 2, 108.	0.6	50
58	Synthesis and antibacterial activity of novel 5-(4-methyl-1H-1,2,3-triazole) methyl oxazolidinones. European Journal of Medicinal Chemistry, 2009, 44, 3217-3227.	2.6	82
59	Phenotypic and molecular characterization of Staphylococcus aureus isolates expressing low- and high-level mupirocin resistance in Nigeria and South Africa. BMC Infectious Diseases, 2009, 9, 10.	1.3	23
60	Synthesis, antibacterial and anticonvulsant evaluations of some cyclic enaminones. European Journal of Medicinal Chemistry, 2009, 44, 967-975.	2.6	34
61	Ciprofloxacin-Resistant Salmonella enterica Serovar Typhi from Kuwait with Novel Mutations in gyrA and parC Genes. Journal of Clinical Microbiology, 2009, 47, 208-211.	1.8	28
62	Synthesis and structureâ€“antibacterial activity of triazolyl oxazolidinones containing long chain acyl moiety. European Journal of Medicinal Chemistry, 2008, 43, 1095-1104.	2.6	30
63	Staphylococcal Cassette Chromosomemec(SCCmec) Analysis and Antimicrobial Susceptibility Patterns of Methicillin-ResistantStaphylococcus aureus(MRSA) Isolates in Tehran, Iran. Microbial Drug Resistance, 2008, 14, 217-220.	0.9	80
64	Synthesis and Antibacterial Activity of Piperazinyl Oxazolidinones Containing 5-(4-methyl-1,2,3-triazole). International Journal of Infectious Diseases, 2008, 12, e414.	1.5	0
65	Molecular Typing of Methicillin-Resistant <i>Staphylococcus aureus</i>Isolated in a Bahrain Hospital. Medical Principles and Practice, 2008, 17, 308-314.	1.1	15
66	Genetic Lineages of Community-Associated Methicillin-Resistant Staphylococcus aureus in Kuwait Hospitals. Journal of Clinical Microbiology, 2008, 46, 3514-3516.	1.8	45
67	Surveillance of Antibacterial Resistance in <i>Staphylococcus aureus </i>Isolated in Kuwaiti Hospitals. Medical Principles and Practice, 2008, 17, 71-75.	1.1	40
68	Ciprofloxacin treatment failure in a case of typhoid fever caused by Salmonella enterica serotype Paratyphi A with reduced susceptibility to ciprofloxacin. Journal of Medical Microbiology, 2007, 56, 277-279.	0.7	44
69	Structureâ€“antibacterial activity of arylcarbonyl- and arylsulfonyl-piperazine 5-triazolylmethyl oxazolidinones. European Journal of Medicinal Chemistry, 2007, 42, 214-225.	2.6	38
70	Antibacterial resistance and their genetic location in MRSA isolated in Kuwait hospitals, 1994-2004. BMC Infectious Diseases, 2006, 6, 168.	1.3	27
71	Characterisation of non-multiresistant methicillin-resistant Staphylococcus aureus (including) Tj ETQq1 1 0.784314 rgBT /Overlock 10	2.8	35
72	Contour-clamped homogeneous electric field electrophoresis of Staphylococcus aureus. Nature Protocols, 2006, 1, 3028-3033.	5.5	28

#	Article	IF	Citations
73	Antibacterial Resistance and Molecular Typing of Methicillin-Resistant Staphylococcus aureus in a Kuwaiti General Hospital. Medical Principles and Practice, 2006, 15, 39-45.	1.1	8
74	Plasmid-Mediated High-Level Ceftriaxone Resistance in a Salmonella enterica Serotype typhimurium Isolate. Medical Principles and Practice, 2006, 15, 145-148.	1.1	1
75	Synthesis and antibacterial activity of new N-linked 5-triazolylmethyl oxazolidinones. Bioorganic and Medicinal Chemistry, 2005, 13, 4113-4123.	1.4	39
76	Emergence of Rifampicin Resistance in Methicillin-ResistantStaphylococcus aureusIsolated at a Turkish University Hospital. Microbial Drug Resistance, 2005, 11, 48-52.	0.9	7
77	Etiology and Antibiotic Susceptibility Patterns of Community-Acquired Urinary Tract Infections in a Kuwait Hospital. Medical Principles and Practice, 2004, 13, 334-339.	1.1	44
78	Characterization of High-Level Aminoglycoside-Resistant Enterococci in Kuwait Hospitals. Microbial Drug Resistance, 2004, 10, 139-145.	0.9	27
79	Synthesis and antibacterial activity of 5-substituted oxazolidinones. Bioorganic and Medicinal Chemistry, 2003, 11, 35-41.	1.4	74
80	Point Surveillance of Staphylococcus aureus Carriage among Medical Staff in Infectious Diseases Hospital, Kuwait. Medical Principles and Practice, 2003, 12, 139-144.	1.1	10
81	Species prevalence and antibacterial resistance of enterococci isolated in Kuwait hospitals. Journal of Medical Microbiology, 2003, 52, 163-168.	0.7	46
82	A chromosomal location of the mupA gene in Staphylococcus aureus expressing high-level mupirocin resistance. Journal of Antimicrobial Chemotherapy, 2003, 51, 1283-1286.	1.3	24
83	Antibiotic resistance of enterococci isolated at a teaching hospital in Kuwait. Diagnostic Microbiology and Infectious Disease, 2002, 43, 233-238.	0.8	23
84	The spread of a mupirocin-resistant/methicillin-resistant Staphylococcus aureus clone in Kuwait hospitals. Acta Tropica, 2001, 80, 155-161.	0.9	16
85	Comparative Antimicrobial Activities of Linezolid and Vancomycin against Gram-Positive Clinical Isolates from Hospitals in Kuwait. Medical Principles and Practice, 2001, 10, 177-181.	1.1	1
86	Neonatal Septicemia in Al-Jahra Hospital, Kuwait: Etiologic Agents and Antibiotic Sensitivity Patterns. Medical Principles and Practice, 2001, 10, 145-150.	1.1	17
87	Genetic analysis of methicillin-resistant Staphylococcus aureus expressing high- and low-level mupirocin resistance. Journal of Medical Microbiology, 2001, 50, 909-915.	0.7	70
88	NewStaphylococcus aureusIncompatibility Group 1 Plasmids Encoding Penicillinase roduction and Resistance to Different Antibacterial Agents. Journal of Chemotherapy, 2001, 13, 34-42.	0.7	6
89	Persistence of a clone of methicillin-resistant Staphylococcus aureus in a burns unit. Journal of Medical Microbiology, 2001, 50, 558-564.	0.7	20
90	A cadmium resistance plasmid, pXU5, inStaphylococcus aureus, strain ATCC25923. FEMS Microbiology Letters, 2000, 189, 79-80.	0.7	16

#	ARTICLE	IF	CITATIONS
91	Rapid detection of methicillin resistance in staphylococci using a slide latex agglutination kit. International Journal of Antimicrobial Agents, 2000, 15, 19-24.	1.1	22
92	Detection of genes encoding aminoglycoside-modifying enzymes in staphylococci by polymerase chain reaction and dot blot hybridization. International Journal of Antimicrobial Agents, 2000, 13, 273-279.	1.1	37
93	Characterisation of methicillin-resistant Staphylococcus aureus from Kuwait hospitals with high-level fusidic acid resistance. Journal of Medical Microbiology, 2000, 49, 419-426.	0.7	10
94	Enterotoxin production by coagulase-negative staphylococci in restaurant workers from Kuwait City may be a potential cause of food poisoning. Journal of Medical Microbiology, 1999, 48, 819-823.	0.7	64
95	Molecular fingerprinting of mupirocin-resistant methicillin-resistant Staphylococcus aureus from a burn unit. International Journal of Infectious Diseases, 1999, 3, 82-87.	1.5	29
96	Isolation and Characterization of Coagulase-Negative Methicillin-Resistant Staphylococcus aureus from Patients in an Intensive Care Unit. Medical Principles and Practice, 1999, 8, 230-236.	1.1	4
97	Salmonella Septic Arthritis Complicating Rheumatoid Arthritis in a Patient with Total Knee Replacement. Medical Principles and Practice, 1999, 8, 245-250.	1.1	4
98	Conjugative Transfer of High-Level Mupirocin Resistance and the Mobilization of Non-Conjugative Plasmids inStaphylococcus aureus. Microbial Drug Resistance, 1998, 4, 185-193.	0.9	28
99	Susceptibility of Staphylococci Isolated from a Burns Unit to Mupirocin and Other Antimicrobial Agents. Medical Principles and Practice, 1998, 7, 54-60.	1.1	1
100	Conjugative transfer of high-level mupirocin resistance from Staphylococcus haemolyticus to other staphylococci. Antimicrobial Agents and Chemotherapy, 1997, 41, 693-695.	1.4	40
101	Nasal carriage of enterotoxin-producingStaphylococcus aureusamong restaurant workers in Kuwait City. Epidemiology and Infection, 1996, 116, 319-322.	1.0	37
102	A Phage-Mediated Transfer of Chromosomally Integrated Tetracycline Resistance Plasmid in Staphylococcus aureus. Current Microbiology, 1996, 32, 286-290.	1.0	3
103	Molecular and phage typing of Staphylococcus aureus harbouring cyrptic conjugative plasmids. European Journal of Epidemiology, 1996, 12, 637-641.	2.5	8
104	Molecular characterization of epidemic ciprofloxacin- and methicillin-resistant Staphylococcus aureus strains colonizing patients in an intensive care unit. Journal of Clinical Microbiology, 1996, 34, 3242-3244.	1.8	19
105	Transfer of plasmid-borne resistance from a multiply-resistant Staphylococcus aureus isolate, WBG1022. Current Microbiology, 1995, 31, 71-76.	1.0	12
106	Antimicrobial Resistance of Coagulase-Negative Staphylococci from a Kuwait Hospital. Microbial Drug Resistance, 1995, 1, 315-320.	0.9	19
107	Genetics of Streptomycin Resistance in Methicillin-Sensitive Multiply-ResistantStaphylococcus aureus. Journal of Chemotherapy, 1995, 7, 12-15.	0.7	3
108	Detection of an integrated tetracycline-resistance plasmid in Staphylococcus aureus from a Nigerian hospital. International Journal of Antimicrobial Agents, 1995, 6, 51-56.	1.1	2

#	Article	IF	Citations
109	Emergence of high-level mupirocin resistance in methicillin-resistant Staphylococcus aureus in Western Australia. Journal of Hospital Infection, 1994, 26, 157-165.	1.4	58
110	Genetic analysis of community isolates of methicillin-resistant Staphylococcus aureus in Western Australia. Journal of Hospital Infection, 1993, 25, 97-108.	1.4	314
111	Genetic analysis of methicillin-resistant Staphylococcus aureus from a Nigerian hospital. Journal of Medical Microbiology, 1993, 38, 203-208.	0.7	38
112	Intra- and inter-species mobilisation of non-conjugative plasmids in staphylococci. Journal of Medical Microbiology, 1992, 37, 180-186.	0.7	17
113	Conjugative trimethoprim resistance inStaphylococcus aureus. FEMS Microbiology Letters, 1992, 97, 243-248.	0.7	12
114	Transfer of resistance determinants from a multi-resistant Staphylococcus aureus isolate. Journal of Medical Microbiology, 1991, 35, 72-79.	0.7	18
115	Transposition of genes encoding kanamycin, neomycin and streptomycin resistance in Staphylococcus aureus. Journal of Antimicrobial Chemotherapy, 1991, 27, 713-720.	1.3	12
116	Conjugal transfer of plasmid pWBG637 fromStaphylococcus aureustoStaphylococcus epidermidisandStreptococcus faecalis. FEMS Microbiology Letters, 1990, 72, 183-187.	0.7	13
117	Excision of a conjugative plasmid from the staphylococcal chromosome. Journal of Medical Microbiology, 1990, 33, 227-234.	0.7	16
118	A new class of conjugative plasmid in Staphylococcus aureus. Journal of Medical Microbiology, 1990, 31, 207-212.	0.7	26
119	A conjugative staphylococcal plasmid with no resistance phenotype. FEMS Microbiology Letters, 1987, 40, 279-283.	0.7	25