

M Carmen Vidal Carou

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5874502/m-carmen-vidal-carou-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

4,649
citations

41
h-index

63
g-index

116
ext. papers

5,056
ext. citations

4.9
avg, IF

5.22
L-index

#	Paper	IF	Citations
114	Inhibition of Biogenic Amines Formation in Fermented Foods by the Addition of Cava Lees.. <i>Frontiers in Microbiology</i> , 2021 , 12, 818565	5.7	0
113	Differences in Polyamine Content between Human Milk and Infant Formulas. <i>Foods</i> , 2021 , 10,	4.9	1
112	Influence of the Type of Breastfeeding and Human Milk Polyamines on Infant Anthropometric Parameters.. <i>Frontiers in Nutrition</i> , 2021 , 8, 815477	6.2	0
111	Low-Histamine Diets: Is the Exclusion of Foods Justified by Their Histamine Content?. <i>Nutrients</i> , 2021 , 13,	6.7	4
110	Occurrence of Polyamines in Foods and the Influence of Cooking Processes. <i>Foods</i> , 2021 , 10,	4.9	7
109	Influence of Breastfeeding Factors on Polyamine Content in Human Milk. <i>Nutrients</i> , 2021 , 13,	6.7	3
108	Lyophilised legume sprouts as a functional ingredient for diamine oxidase enzyme supplementation in histamine intolerance. <i>LWT - Food Science and Technology</i> , 2020 , 125, 109201	5.4	4
107	Polyamines in Food. <i>Frontiers in Nutrition</i> , 2019 , 6, 108	6.2	65
106	In vitro determination of diamine oxidase activity in food matrices by an enzymatic assay coupled to UHPLC-FL. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 7595-7602	4.4	4
105	Diamine oxidase (DAO) supplement reduces headache in episodic migraine patients with DAO deficiency: A randomized double-blind trial. <i>Clinical Nutrition</i> , 2019 , 38, 152-158	5.9	21
104	Low serum diamine oxidase (DAO) activity levels in patients with migraine. <i>Journal of Physiology and Biochemistry</i> , 2018 , 74, 93-99	5	19
103	Biogenic Amines in Plant-Origin Foods: Are They Frequently Underestimated in Low-Histamine Diets?. <i>Foods</i> , 2018 , 7,	4.9	40
102	New approach for the diagnosis of histamine intolerance based on the determination of histamine and methylhistamine in urine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 145, 379-385	3.5	16
101	Tyramine and histamine risk assessment related to consumption of dry fermented sausages by the Spanish population. <i>Food and Chemical Toxicology</i> , 2017 , 99, 78-85	4.7	42
100	Biologically active amines in fermented and non-fermented commercial soybean products from the Spanish market. <i>Food Chemistry</i> , 2015 , 173, 1119-24	8.5	53
99	The intracellular metabolism of isoflavones in endothelial cells. <i>Food and Function</i> , 2015 , 6, 98-108	6.1	6
98	Ultra-high-pressure homogenization (UHPH) system for producing high-quality vegetable-based beverages: physicochemical, microbiological, nutritional and toxicological characteristics. <i>Journal of the Science of Food and Agriculture</i> , 2015 , 95, 953-61	4.3	31

97	Isoflavone profile and protein quality during storage of sterilised soymilk treated by ultra high pressure homogenisation. <i>Food Chemistry</i> , 2015 , 167, 78-83	8.5	21
96	Effect of ultra high pressure homogenization treatment on the bioactive compounds of soya milk. <i>Food Chemistry</i> , 2014 , 152, 597-602	8.5	37
95	Changes of isoflavones and protein quality in soymilk pasteurised by ultra-high-pressure homogenisation throughout storage. <i>Food Chemistry</i> , 2014 , 162, 47-53	8.5	23
94	Influence of ultra-high-pressure homogenization treatment on the phytosterols, tocopherols, and polyamines of almond beverage. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 9539-43	5.7	14
93	Amino acid availability as an influential factor on the biogenic amine formation in dry fermented sausages. <i>Food Control</i> , 2014 , 36, 76-81	6.2	33
92	Biogenic Amines: Risks and Control 2014 , 413-428		4
91	Processing Contaminants: Biogenic Amines 2014 , 381-391		14
90	In vitro antioxidant activity of dietary polyamines. <i>Food Research International</i> , 2013 , 51, 141-147	7	22
89	Fast simultaneous determination of free and conjugated isoflavones in soy milk by UHPLC-UV. <i>Food Chemistry</i> , 2012 , 135, 2832-8	8.5	46
88	Control of biogenic amines in fermented sausages: role of starter cultures. <i>Frontiers in Microbiology</i> , 2012 , 3, 169	5.7	40
87	Influence of technological conditions of sausage fermentation on the aminogenic activity of <i>L. curvatus</i> CTC273. <i>Food Microbiology</i> , 2012 , 29, 43-8	6	21
86	Contribution of enterococci to the volatile profile of slightly-fermented sausages. <i>LWT - Food Science and Technology</i> , 2011 , 44, 145-152	5.4	18
85	Histamine, cadaverine, and putrescine produced in vitro by enterobacteriaceae and pseudomonadaceae isolated from spinach. <i>Journal of Food Protection</i> , 2010 , 73, 385-9	2.5	23
84	Distribution of aminogenic activity among potential autochthonous starter cultures for dry fermented sausages. <i>Journal of Food Protection</i> , 2010 , 73, 524-8	2.5	31
83	Strategies to reduce biogenic amine accumulation in traditional sausage manufacturing. <i>LWT - Food Science and Technology</i> , 2010 , 43, 20-25	5.4	40
82	Technological conditions influence aminogenesis during spontaneous sausage fermentation. <i>Meat Science</i> , 2010 , 85, 537-41	6.4	18
81	Thin-layer chromatography for the identification and semi-quantification of biogenic amines produced by bacteria. <i>Journal of Chromatography A</i> , 2009 , 1216, 4128-32	4.5	28
80	Validation of an ultra high pressure liquid chromatographic method for the determination of biologically active amines in food. <i>Journal of Chromatography A</i> , 2009 , 1216, 7715-20	4.5	97

79	Effect of gutting on microbial loads, sensory properties, and volatile and biogenic amine contents of European hake (<i>Merluccius merluccius</i> var. <i>mediterraneus</i>) stored in ice. <i>Journal of Food Protection</i> , 2009 , 72, 1671-6	2.5	16
78	Amino acid decarboxylation by <i>Lactobacillus curvatus</i> CTC273 affected by the pH and glucose availability. <i>Food Microbiology</i> , 2008 , 25, 269-77	6	55
77	Biogenic amines in traditional fermented sausages produced in selected European countries. <i>Food Chemistry</i> , 2008 , 107, 912-921	8.5	112
76	Biogenic Amines 2008 , 665-686		
75	Occurrence of biogenic amines and polyamines in spinach and changes during storage under refrigeration. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 9514-9	5.7	23
74	Effects of previous frozen storage on chemical, microbiological and sensory changes during chilled storage of Mediterranean hake (<i>Merluccius merluccius</i>) after thawing. <i>European Food Research and Technology</i> , 2007 , 226, 287-293	3.4	19
73	Aminogenesis control in fermented sausages manufactured with pressurized meat batter and starter culture. <i>Meat Science</i> , 2007 , 75, 460-9	6.4	51
72	Diversity of microorganisms in the environment and dry fermented sausages of small traditional French processing units. <i>Meat Science</i> , 2007 , 76, 112-22	6.4	65
71	Biogenic amines in Spanish fermented sausages as a function of diameter and artisanal or industrial origin. <i>Journal of the Science of Food and Agriculture</i> , 2006 , 86, 549-557	4.3	33
70	Use of volatile and non-volatile amines to evaluate the freshness of anchovies stored in ice. <i>Journal of the Science of Food and Agriculture</i> , 2006 , 86, 699-705	4.3	28
69	Freezing of meat raw materials affects tyramine and diamine accumulation in spontaneously fermented sausages. <i>Meat Science</i> , 2006 , 72, 62-8	6.4	38
68	Safety properties and molecular strain typing of lactic acid bacteria from slightly fermented sausages. <i>Journal of Applied Microbiology</i> , 2006 , 100, 40-9	4.7	118
67	Biogenic mono-, di- and polyamine contents in Spanish wines and influence of a limited irrigation. <i>Food Chemistry</i> , 2006 , 96, 43-47	8.5	56
66	Improved method for the determination of biogenic amines and polyamines in vegetable products by ion-pair high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2006 , 1129, 67-72	4.5	66
65	Influence of the freshness grade of raw fish on the formation of volatile and biogenic amines during the manufacture and storage of vinegar-marinated anchovies. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 8586-92	5.7	27
64	Amino acid-decarboxylase activity of bacteria isolated from ice-preserved anchovies. <i>European Food Research and Technology</i> , 2005 , 220, 312-315	3.4	20
63	Volatile and biogenic amines, microbiological counts, and bacterial amino acid decarboxylase activity throughout the salt-ripening process of anchovies (<i>Engraulis encrasicolus</i>). <i>Journal of Food Protection</i> , 2005 , 68, 1683-9	2.5	16
62	Biogenic amine index for freshness evaluation in iced Mediterranean hake (<i>Merluccius merluccius</i>). <i>Journal of Food Protection</i> , 2005 , 68, 2433-8	2.5	36

61	Comparison of biogenic amine profile in cheeses manufactured from fresh and stored (4 degrees C, 48 hours) raw goat's milk. <i>Journal of Food Protection</i> , 2004 , 67, 110-6	2.5	17
60	Biogenic amine production by <i>Morganella morganii</i> and <i>Klebsiella oxytoca</i> in tuna. <i>European Food Research and Technology</i> , 2004 , 218, 284-288	3.4	18
59	Evaluation of biogenic amines and microbial counts throughout the ripening of goat cheeses from pasteurized and raw milk. <i>Journal of Dairy Research</i> , 2004 , 71, 245-52	1.6	72
58	Contribution of contaminant enterobacteria and lactic acid bacteria to biogenic amine accumulation in spontaneous fermentation of pork sausages.. <i>European Food Research and Technology</i> , 2003 , 216, 477-482	3.4	46
57	Effect of delayed gutting on biogenic amine contents during ripening of European anchovies. <i>European Food Research and Technology</i> , 2003 , 216, 489-493	3.4	13
56	Amino acid-decarboxylase activity in bacteria associated with Mediterranean hake spoilage. <i>European Food Research and Technology</i> , 2003 , 217, 164-167	3.4	11
55	Ion-pair high-performance liquid chromatographic determination of biogenic amines and polyamines in wine and other alcoholic beverages. <i>Journal of Chromatography A</i> , 2003 , 998, 235-41	4.5	72
54	Development of a Quality Index Method to Evaluate Freshness in Mediterranean Hake (<i>Merluccius merluccius</i>). <i>Journal of Food Science</i> , 2003 , 68, 1067-1071	3.4	45
53	Suitability of Volatile Amines as Freshness Indexes for Iced Mediterranean Hake. <i>Journal of Food Science</i> , 2003 , 68, 1607-1610	3.4	19
52	Profile of Biogenic Amines in Goat Cheese Made from Pasteurized and Pressurized Milks. <i>Journal of Food Science</i> , 2002 , 67, 2940-2944	3.4	39
51	Chemical and sensory changes in Mediterranean hake (<i>Merluccius merluccius</i>) under refrigeration (6-8 degrees C) and stored in ice. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 6504-10	5.7	46
50	Effects of high hydrostatic pressure treatments on biogenic amine contents in goat cheeses during ripening. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 7288-92	5.7	27
49	Influence of starter and nonstarter on the formation of biogenic amine in goat cheese during ripening. <i>Journal of Dairy Science</i> , 2002 , 85, 2471-8	4	49
48	Volatile and Nonvolatile Amines in Mediterranean Hake as Function of their Storage Temperature. <i>Journal of Food Science</i> , 2001 , 66, 83-88	3.4	28
47	Effect of the interaction between a low tyramine-producing <i>Lactobacillus</i> and proteolytic staphylococci on biogenic amine production during ripening and storage of dry sausages. <i>International Journal of Food Microbiology</i> , 2001 , 65, 113-23	5.8	64
46	Amino acid-decarboxylase activity of bacteria isolated from fermented pork sausages. <i>International Journal of Food Microbiology</i> , 2001 , 66, 185-9	5.8	217
45	Trimethylamine and total volatile basic nitrogen determination by flow injection/gas diffusion in Mediterranean hake (<i>Merluccius merluccius</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 1681-6	5.7	46
44	Changes in biogenic amine and polyamine contents in slightly fermented sausages manufactured with and without sugar. <i>Meat Science</i> , 2001 , 57, 215-21	6.4	73

43	Biogenic amine accumulation in ripened sausages affected by the addition of sodium sulphite. <i>Meat Science</i> , 2001 , 59, 391-6	6.4	35
42	Effectiveness of a <i>Lactobacillus sakei</i> starter culture in the reduction of biogenic amine accumulation as a function of the raw material quality. <i>Journal of Food Protection</i> , 2001 , 64, 367-73	2.5	57
41	Stability of vitamins during the storage of liquid infant milks. <i>Journal of Dairy Research</i> , 2000 , 67, 225-31	1.6	11
40	Effect of tyrosine on tyramine formation during beer fermentation. <i>Food Chemistry</i> , 2000 , 70, 329-332	8.5	39
39	Stability of Vitamins A, E, and B Complex in Infant Milks Claimed to have Equal Final Composition in Liquid and Powdered Form. <i>Journal of Food Science</i> , 2000 , 65, 1052-1055	3.4	17
38	Mixed starter cultures to control biogenic amine production in dry fermented sausages. <i>Journal of Food Protection</i> , 2000 , 63, 1556-62	2.5	66
37	Reduction of biogenic amine formation using a negative amino acid-decarboxylase starter culture for fermentation of Fuet sausages. <i>Journal of Food Protection</i> , 2000 , 63, 237-43	2.5	56
36	Influence of hygienic quality of raw materials on biogenic amine production during ripening and storage of dry fermented sausages. <i>Journal of Food Protection</i> , 2000 , 63, 1544-50	2.5	74
35	Biogenic amines and polyamines in milks and cheeses by ion-pair high performance liquid chromatography. <i>Journal of Agricultural and Food Chemistry</i> , 2000 , 48, 5117-23	5.7	57
34	Effect of proteolytic starter cultures of <i>Staphylococcus</i> spp. on biogenic amine formation during the ripening of dry fermented sausages. <i>International Journal of Food Microbiology</i> , 1999 , 46, 95-104	5.8	72
33	Comparison of Two Fat Extraction Methods in Powdered Infant Milks. <i>Journal of Food Composition and Analysis</i> , 1999 , 12, 333-337	4.1	4
32	Relationship between biogenic amine contents and the size of dry fermented sausages. <i>Meat Science</i> , 1999 , 51, 305-11	6.4	75
31	Progress of browning reactions during storage of liquid infant milks. <i>Journal of Agricultural and Food Chemistry</i> , 1999 , 47, 4033-7	5.7	14
30	Changes in Furfural Compounds during Storage of Infant Milks. <i>Journal of Agricultural and Food Chemistry</i> , 1998 , 46, 2998-3003	5.7	56
29	Biogenic Amines in Fresh and Canned Tuna. Effects of Canning on Biogenic Amine Contents. <i>Journal of Agricultural and Food Chemistry</i> , 1997 , 45, 4324-4328	5.7	57
28	Determination of Free and Total Furfural Compounds in Infant Milk Formulas by High-Performance Liquid Chromatography. <i>Journal of Agricultural and Food Chemistry</i> , 1997 , 45, 2128-2133	5.7	68
27	Changes in Biogenic Amines during the Storage of Mediterranean Anchovies Immersed in Oil. <i>Journal of Agricultural and Food Chemistry</i> , 1997 , 45, 1385-1389	5.7	31
26	Biogenic Amines as Hygienic Quality Indicators of Tuna. Relationships with Microbial Counts, ATP-Related Compounds, Volatile Amines, and Organoleptic Changes. <i>Journal of Agricultural and Food Chemistry</i> , 1997 , 45, 2036-2041	5.7	212

25	Biogenic Amine and Polyamine Contents in Meat and Meat Products. <i>Journal of Agricultural and Food Chemistry</i> , 1997 , 45, 2098-2102	5.7	223
24	Effect of Starter Cultures on Biogenic Amine Formation during Fermented Sausage Production. <i>Journal of Food Protection</i> , 1997 , 60, 825-830	2.5	64
23	Tyramine Formation by <i>Pediococcus</i> spp. during Beer Fermentation. <i>Journal of Food Protection</i> , 1997 , 60, 831-836	2.5	16
22	Determination of ATP related compounds in fresh and canned tuna fish by HPLC. <i>Food Chemistry</i> , 1997 , 59, 467-472	8.5	83
21	Determination of available lysine in infant milk formulae by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1997 , 778, 235-41	4.5	25
20	Biogenic Amines in European Beers. <i>Journal of Agricultural and Food Chemistry</i> , 1996 , 44, 3159-3163	5.7	53
19	Biogenic Amine Sources in Cooked Cured Shoulder Pork. <i>Journal of Agricultural and Food Chemistry</i> , 1996 , 44, 3097-3101	5.7	98
18	Ion-Pair High-Performance Liquid Chromatographic Determination of Biogenic Amines in Meat and Meat Products. <i>Journal of Agricultural and Food Chemistry</i> , 1996 , 44, 2710-2715	5.7	162
17	Changes in Biogenic Amines during the Manufacture and Storage of Semipreserved Anchovies. <i>Journal of Food Protection</i> , 1996 , 59, 1218-1222	2.5	50
16	Biogenic amines in Spanish beers: differences among breweries. <i>European Food Research and Technology</i> , 1996 , 203, 507-11		11
15	Validation of a gas-chromatographic method for volatile amine determination in fish samples. <i>Food Chemistry</i> , 1996 , 57, 569-573	8.5	31
14	Liquid chromatographic method for determination of biogenic amines in fish and fish products. <i>Journal of AOAC INTERNATIONAL</i> , 1995 , 78, 1045-50	1.7	9
13	Biogenic Amines Formation during Malting and Brewing. <i>Journal of Food Science</i> , 1994 , 59, 1104-1107	3.4	37
12	Determination of Biogenic Amines in Beers and Their Raw Materials by Ion-Pair Liquid Chromatography with Postcolumn Derivatization. <i>Journal of AOAC INTERNATIONAL</i> , 1993 , 76, 1027-1032	1.7	35
11	Histamine and tyramine in beers. Changes during brewing of a Spanish beer. <i>Food Chemistry</i> , 1991 , 42, 231-237	8.5	8
10	Histamine and Tyramine during Storage and Spoilage of Anchovie, <i>Engraulis encrasicolus</i> : Relationships with Other Fish Spoilage Indicators. <i>Journal of Food Science</i> , 1990 , 55, 1192-1193	3.4	33
9	Histamine and tyramine in spanish wines: Relationships with total sulfur dioxide level, volatile acidity and malo-lactic fermentation intensity. <i>Food Chemistry</i> , 1990 , 35, 217-227	8.5	38
8	Histamine and tyramine in meat products: Relationship with meat spoilage. <i>Food Chemistry</i> , 1990 , 37, 239-249	8.5	63

7	Spectrofluorometric determination of histamine in fish and meat products. <i>Journal of the Association of Official Analytical Chemists</i> , 1990 , 73, 565-7		3
6	Histamine and tyramine in natural sparkling wine, vermouth, cider, and vinegar. <i>Journal of Food Composition and Analysis</i> , 1989 , 2, 210-218	4.1	16
5	Histamine and tyramine in beers: Contents and relationships with other analytical data. <i>Journal of Food Composition and Analysis</i> , 1989 , 2, 219-227	4.1	10
4	Histamine and Tyramine in Preserved and Semi-preserved Fish Products. <i>Journal of Food Science</i> , 1989 , 54, 1653-1655	3.4	34
3	Spectrofluorometric Determination of Histamine in Wines and Other Alcoholic Beverages. <i>Journal of the Association of Official Analytical Chemists</i> , 1989 , 72, 412-415		5
2	Spectrofluorometric determination of histamine in wines and other alcoholic beverages. <i>Journal of the Association of Official Analytical Chemists</i> , 1989 , 72, 412-5		2
1	Biogenic Amines: Risks and Control 455-468		10