## Nam Hoon Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/58748/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Recent advances in graphene based polymer composites. Progress in Polymer Science, 2010, 35, 1350-1375.   | 11.8 | 2,949     |
| 2  | Chemical functionalization of graphene and its applications. Progress in Materials Science, 2012, 57, 1061-1105.  | 16.0 | 1,612     |
| 3  | Recent advances in graphene-based biosensors. Biosensors and Bioelectronics, 2011, 26, 4637-4648.   | 5.3  | 1,184     |
| 4  | Polymer membranes for high temperature proton exchange membrane fuel cell: Recent advances and challenges. Progress in Polymer Science, 2011, 36, 813-843.  | 11.8 | 796       |
| 5  | 0D to 3D carbon-based networks combined with pseudocapacitive electrode material for high energy density supercapacitor: A review. Chemical Engineering Journal, 2021, 403, 126352.                           | 6.6  | 755       |
| 6  | Carbon-based nanostructured materials and their composites as supercapacitor electrodes. Journal of Materials Chemistry, 2012, 22, 767-784.   | 6.7  | 672       |
| 7  | In-situ synthesis and characterization of electrically conductive polypyrrole/graphene nanocomposites. Polymer, 2010, 51, 5921-5928.  | 1.8  | 464       |
| 8  | Recent advances in the efficient reduction of graphene oxide and its application as energy storage electrode materials. Nanoscale, 2013, 5, 52-71.  | 2.8  | 432       |
| 9  | A green approach for the reduction of graphene oxide by wild carrot root. Carbon, 2012, 50, 914-921.  | 5.4  | 337       |
| 10 | Preparation of functionalized graphene/linear low density polyethylene composites by a solution mixing method. Carbon, 2011, 49, 1033-1037.   | 5.4  | 336       |
| 11 | Enhanced mechanical properties of silanized silica nanoparticle attached graphene oxide/epoxy composites. Composites Science and Technology, 2013, 79, 115-125.   | 3.8  | 331       |
| 12 | Controlled, Defect-Guided, Metal-Nanoparticle Incorporation onto MoS <sub>2</sub> via Chemical<br>and Microwave Routes: Electrical, Thermal, and Structural Properties. Nano Letters, 2013, 13,<br>4434-4441. | 4.5  | 281       |
| 13 | Simultaneous bio-functionalization and reduction of graphene oxide by baker's yeast. Chemical Engineering Journal, 2012, 183, 526-533.  | 6.6  | 250       |
| 14 | In situ synthesis of the reduced graphene oxide–polyethyleneimine composite and its gas barrier properties. Journal of Materials Chemistry A, 2013, 1, 3739.  | 5.2  | 236       |
| 15 | Characterizations of in situ grown ceria nanoparticles on reduced graphene oxide as a catalyst for the electrooxidation of hydrazine. Journal of Materials Chemistry A, 2013, 1, 9792.                        | 5.2  | 234       |
| 16 | Hierarchical NiMoS and NiFeS Nanosheets with Ultrahigh Energy Density for Flexible All<br>Solidâ€State Supercapacitors. Advanced Functional Materials, 2018, 28, 1803287.                                 | 7.8  | 223       |
| 17 | Dual role of glycine as a chemical functionalizer and a reducing agent in the preparation of graphene:<br>an environmentally friendly method. Journal of Materials Chemistry, 2012, 22, 9696.                 | 6.7  | 222       |
| 18 | Hierarchical Co and Nb dual-doped MoS2 nanosheets shelled micro-TiO2 hollow spheres as effective multifunctional electrocatalysts for HER, OER, and ORR. Nano Energy, 2021, 82, 105750.                       | 8.2  | 220       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Flexible Solid‧tate Asymmetric Supercapacitors Based on Nitrogenâ€Doped Graphene Encapsulated<br>Ternary Metalâ€Nitrides with Ultralong Cycle Life. Advanced Functional Materials, 2018, 28, 1804663.   | 7.8  | 212       |
| 20 | Simultaneous reduction, functionalization and stitching of graphene oxide with ethylenediamine for composites application. Journal of Materials Chemistry A, 2013, 1, 1349-1358.  | 5.2  | 204       |
| 21 | Efficient synthesis of graphene sheets using pyrrole as a reducing agent. Carbon, 2011, 49, 3497-3502.  | 5.4  | 201       |
| 22 | Hierarchical Zn–Co–S Nanowires as Advanced Electrodes for All Solid State Asymmetric<br>Supercapacitors. Advanced Energy Materials, 2018, 8, 1702014.   | 10.2 | 199       |
| 23 | Silicate-based polymer-nanocomposite membranes for polymer electrolyte membrane fuel cells.<br>Progress in Polymer Science, 2012, 37, 842-869.  | 11.8 | 186       |
| 24 | Effect of functionalized graphene on the physical properties of linear low density polyethylene nanocomposites. Polymer Testing, 2012, 31, 31-38.   | 2.3  | 184       |
| 25 | Rational Design of Core@shell Structured<br>CoS <i><sub>x</sub></i> @Cu <sub>2</sub> MoS <sub>4</sub> Hybridized MoS <sub>2</sub> /N,Sâ€Codoped<br>Graphene as Advanced Electrocatalyst for Water Splitting and Znâ€Air Battery. Advanced Energy<br>Materials. 2020. 10. 1903289. | 10.2 | 179       |
| 26 | Reduced graphene oxide (RGO)-supported NiCo <sub>2</sub> O <sub>4</sub> nanoparticles: an electrocatalyst for methanol oxidation. Nanoscale, 2014, 6, 10657.  | 2.8  | 177       |
| 27 | Simultaneous reduction, exfoliation, and nitrogen doping of graphene oxide via a hydrothermal reaction for energy storage electrode materials. Carbon, 2014, 69, 66-78.   | 5.4  | 169       |
| 28 | Recent advances in graphene and its metal-oxide hybrid nanostructures for lithium-ion batteries.<br>Nanoscale, 2015, 7, 4820-4868.  | 2.8  | 169       |
| 29 | Alkaline Water Splitting Enhancement by MOFâ€Derived Fe–Co–Oxide/Co@NCâ€mNS Heterostructure:<br>Boosting OER and HER through Defect Engineering and In Situ Oxidation. Small, 2021, 17, e2101312.   | 5.2  | 166       |
| 30 | Ternary graphene-carbon nanofibers-carbon nanotubes structure for hybrid supercapacitor. Chemical<br>Engineering Journal, 2020, 380, 122543.  | 6.6  | 157       |
| 31 | Characterization and properties of in situ emulsion polymerized poly(methyl methacrylate)/graphene nanocomposites. Composites Part A: Applied Science and Manufacturing, 2011, 42, 1856-1861.   | 3.8  | 156       |
| 32 | Fabrication of a 3D Hierarchical Sandwich<br>Co <sub>9</sub> S <sub>8</sub> /î±â€MnS@N–C@MoS <sub>2</sub> Nanowire Architectures as Advanced<br>Electrode Material for High Performance Hybrid Supercapacitors. Small, 2018, 14, e1800291.  | 5.2  | 154       |
| 33 | Effective seed-assisted synthesis of gold nanoparticles anchored nitrogen-doped graphene for electrochemical detection of glucose and dopamine. Biosensors and Bioelectronics, 2016, 81, 259-267.   | 5.3  | 152       |
| 34 | All ternary metal selenide nanostructures for high energy flexible charge storage devices. Nano<br>Energy, 2019, 65, 103999.  | 8.2  | 152       |
| 35 | Sustainable Synthesis of Co@NC Core Shell Nanostructures from Metal Organic Frameworks via<br>Mechanochemical Coordination Selfâ€Assembly: An Efficient Electrocatalyst for Oxygen Reduction<br>Reaction. Small, 2018, 14, e1800441.  | 5.2  | 150       |
| 36 | Facile fabrication of Co <sub>2</sub> CuS <sub>4</sub> nanoparticle anchored N-doped graphene for high-performance asymmetric supercapacitors. Journal of Materials Chemistry A, 2016, 4, 17560-17571.  | 5.2  | 147       |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Electrochemical performance of a graphene–polypyrrole nanocomposite as a supercapacitor<br>electrode. Nanotechnology, 2011, 22, 295202.  | 1.3  | 146       |
| 38 | Effect of carbon fillers on properties of polymer composite bipolar plates of fuel cells. Journal of<br>Power Sources, 2009, 193, 523-529.   | 4.0  | 138       |
| 39 | Boosting the Energy Density of Flexible Solid-State Supercapacitors via Both Ternary<br>NiV <sub>2</sub> Se <sub>4</sub> and NiFe <sub>2</sub> Se <sub>4</sub> Nanosheet Arrays. Chemistry<br>of Materials, 2019, 31, 4490-4504.   | 3.2  | 138       |
| 40 | lodide-mediated room temperature reduction of graphene oxide: a rapid chemical route for the synthesis of a bifunctional electrocatalyst. Journal of Materials Chemistry A, 2014, 2, 1332-1340.  | 5.2  | 137       |
| 41 | Zinc-nickel-cobalt oxide@NiMoO4 core-shell nanowire/nanosheet arrays for solid state asymmetric supercapacitors. Chemical Engineering Journal, 2020, 384, 123357.  | 6.6  | 133       |
| 42 | Facile preparation of flower-like NiCo2O4/three dimensional graphene foam hybrid for high performance supercapacitor electrodes. Carbon, 2015, 89, 328-339.  | 5.4  | 132       |
| 43 | Recent advances in two-dimensional transition metal dichalcogenides-graphene heterostructured materials for electrochemical applications. Progress in Materials Science, 2018, 96, 51-85.  | 16.0 | 132       |
| 44 | Effects of the addition of multi-walled carbon nanotubes on the positive temperature coefficient<br>characteristics of carbon-black-filled high-density polyethylene nanocomposites. Scripta Materialia,<br>2006, 55, 1119-1122.   | 2.6  | 130       |
| 45 | Sunlight-driven sustainable production of hydrogen peroxide using a CdS–graphene hybrid photocatalyst. Journal of Catalysis, 2017, 345, 78-86.   | 3.1  | 130       |
| 46 | Carbon dot stabilized copper sulphide nanoparticles decorated graphene oxide hydrogel for high performance asymmetric supercapacitor. Carbon, 2017, 122, 247-257.  | 5.4  | 130       |
| 47 | Fabrication of nitrogen and sulfur co-doped graphene nanoribbons with porous architecture for high-performance supercapacitors. Chemical Engineering Journal, 2017, 312, 180-190.  | 6.6  | 130       |
| 48 | Kirkendall Growth and Ostwald Ripening Induced Hierarchical Morphology of Ni–Co<br>LDH/MMoS <i><sub>x</sub></i> (M = Co, Ni, and Zn) Heteronanostructures as Advanced Electrode<br>Materials for Asymmetric Solid-State Supercapacitors. ACS Applied Materials & Interfaces, 2019, 11,<br>11555-11567. | 4.0  | 129       |
| 49 | Metal–organic framework derived hierarchical copper cobalt sulfide nanosheet arrays for<br>high-performance solid-state asymmetric supercapacitors. Journal of Materials Chemistry A, 2019, 7,<br>8620-8632.   | 5.2  | 129       |
| 50 | Effects of dual component microcapsules of resin and curing agent on the self-healing efficiency of epoxy. Composites Part B: Engineering, 2013, 55, 79-85.  | 5.9  | 124       |
| 51 | Effects of processing conditions of poly(methylmethacrylate) encapsulated liquid curing agent on the properties of self-healing composites. Composites Part B: Engineering, 2013, 49, 6-15.  | 5.9  | 122       |
| 52 | Facile synthesis of 3D hierarchical N-doped graphene nanosheet/cobalt encapsulated carbon<br>nanotubes for high energy density asymmetric supercapacitors. Journal of Materials Chemistry A, 2016,<br>4, 9555-9565.  | 5.2  | 119       |
| 53 | Facile synthesis of vanadium nitride/nitrogen-doped graphene composite as stable high performance anode materials for supercapacitors. Journal of Power Sources, 2016, 308, 149-157.   | 4.0  | 117       |
| 54 | Hierarchical design of Cu <sub>1â^'x</sub> Ni <sub>x</sub> S nanosheets for high-performance<br>asymmetric solid-state supercapacitors. Journal of Materials Chemistry A, 2017, 5, 19760-19772.  | 5.2  | 116       |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Hierarchical 3D Zn–Ni–P nanosheet arrays as an advanced electrode for high-performance<br>all-solid-state asymmetric supercapacitors. Journal of Materials Chemistry A, 2018, 6, 8669-8681.  | 5.2  | 116       |
| 56 | Hierarchical nanohoneycomb-like CoMoO <sub>4</sub> –MnO <sub>2</sub> core–shell and<br>Fe <sub>2</sub> O <sub>3</sub> nanosheet arrays on 3D graphene foam with excellent supercapacitive<br>performance. Journal of Materials Chemistry A, 2018, 6, 7182-7193.              | 5.2  | 116       |
| 57 | Functionalized-graphene/ethylene vinyl acetate co-polymer composites for improved mechanical and thermal properties. Polymer Testing, 2012, 31, 282-289.   | 2.3  | 114       |
| 58 | High-energy asymmetric supercapacitors based on free-standing hierarchical Co–Mo–S nanosheets with enhanced cycling stability. Nanoscale, 2017, 9, 13747-13759.  | 2.8  | 113       |
| 59 | Preparation and characterization of self-assembled layer by layer NiCo2O4–reduced graphene oxide<br>nanocomposite with improved electrocatalytic properties. Journal of Alloys and Compounds, 2014,<br>590, 266-276.   | 2.8  | 109       |
| 60 | Effects of surface modification on the dispersion and electrical conductivity of carbon nanotube/polyaniline composites. Scripta Materialia, 2009, 60, 551-554.  | 2.6  | 108       |
| 61 | Singleâ€Atom Coâ€Decorated MoS <sub>2</sub> Nanosheets Assembled on Metal Nitride Nanorod Arrays<br>as an Efficient Bifunctional Electrocatalyst for pHâ€Universal Water Splitting. Advanced Functional<br>Materials, 2021, 31, 2100233.                                     | 7.8  | 108       |
| 62 | Remarkable Bifunctional Oxygen and Hydrogen Evolution Electrocatalytic Activities with Trace-Level<br>Fe Doping in Ni- and Co-Layered Double Hydroxides for Overall Water-Splitting. ACS Applied Materials<br>& Interfaces, 2018, 10, 42453-42468.                           | 4.0  | 107       |
| 63 | Pt nanodots monolayer modified mesoporous Cu@CuxO nanowires for improved overall water splitting reactivity. Nano Energy, 2019, 59, 216-228.   | 8.2  | 107       |
| 64 | Molybdenum and Phosphorous Dual Doping in Cobalt Monolayer Interfacial Assembled Cobalt<br>Nanowires for Efficient Overall Water Splitting. Advanced Functional Materials, 2020, 30, 2002533.  | 7.8  | 107       |
| 65 | Hierarchically porous nickel–cobalt phosphide nanoneedle arrays loaded micro-carbon spheres as an advanced electrocatalyst for overall water splitting application. Applied Catalysis B: Environmental, 2019, 253, 235-245.  | 10.8 | 105       |
| 66 | An advanced sandwich-type architecture of<br>MnCo <sub>2</sub> O <sub>4</sub> @N–C@MnO <sub>2</sub> as an efficient electrode material for a<br>high-energy density hybrid asymmetric solid-state supercapacitor. Journal of Materials Chemistry A,<br>2018, 6, 24509-24522. | 5.2  | 102       |
| 67 | Hierarchical 3D Cobaltâ€Doped Fe <sub>3</sub> O <sub>4</sub> Nanospheres@NG Hybrid as an Advanced<br>Anode Material for Highâ€Performance Asymmetric Supercapacitors. Small, 2017, 13, 1701275.  | 5.2  | 100       |
| 68 | Growth of Ni–Co binary hydroxide on a reduced graphene oxide surface by a successive ionic layer<br>adsorption and reaction (SILAR) method for high performance asymmetric supercapacitor electrodes.<br>Journal of Materials Chemistry A, 2016, 4, 2188-2197.               | 5.2  | 97        |
| 69 | Recent advances in MXene-based nanocomposites for electrochemical energy storage applications.<br>Progress in Materials Science, 2021, 117, 100733.  | 16.0 | 97        |
| 70 | Hybridized bimetallic phosphides of Ni–Mo, Co–Mo, and Co–Ni in a single ultrathin-3D-nanosheets for<br>efficient HER and OER in alkaline media. Composites Part B: Engineering, 2022, 239, 109992.   | 5.9  | 96        |
| 71 | Highly efficient electrocatalyst of N-doped graphene-encapsulated cobalt-iron carbides towards oxygen reduction reaction. Carbon, 2018, 137, 358-367.  | 5.4  | 95        |
| 72 | A novel hierarchical 3D N-Co-CNT@NG nanocomposite electrode for non-enzymatic glucose and hydrogen peroxide sensing applications. Biosensors and Bioelectronics, 2017, 89, 970-977.  | 5.3  | 93        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Nitrogenâ€Doped Graphene Nanosheets with FeN Core–Shell Nanoparticles as Highâ€Performance<br>Counter Electrode Materials for Dye‧ensitized Solar Cells. Advanced Materials Interfaces, 2016, 3,<br>1500348.   | 1.9  | 92        |
| 74 | Facile synthesis of novel sulfonated polyaniline functionalized graphene using m-aminobenzene<br>sulfonic acid for asymmetric supercapacitor application. Chemical Engineering Journal, 2017, 308,<br>1174-1184.                                     | 6.6  | 92        |
| 75 | Preparation of water-dispersible graphene by facile surface modification of graphite oxide.<br>Nanotechnology, 2011, 22, 305710.   | 1.3  | 91        |
| 76 | Effects of various surfactants on the dispersion stability and electrical conductivity of surface modified graphene. Journal of Alloys and Compounds, 2013, 562, 134-142.  | 2.8  | 91        |
| 77 | g-C <sub>3</sub> N <sub>4</sub> templated synthesis of the Fe <sub>3</sub> C@NSC electrocatalyst<br>enriched with Fe–N <sub>x</sub> active sites for efficient oxygen reduction reaction. Journal of<br>Materials Chemistry A, 2019, 7, 16920-16936. | 5.2  | 91        |
| 78 | Synthesis and characterization of polyanilineâ€multiwalled carbon nanotube nanocomposites in the presence of sodium dodecyl sulfate. Polymers for Advanced Technologies, 2008, 19, 1754-1762.  | 1.6  | 89        |
| 79 | Novel core-shell CuMo-oxynitride@N-doped graphene nanohybrid as multifunctional catalysts for rechargeable zinc-air batteries and water splitting. Nano Energy, 2021, 85, 105987.  | 8.2  | 89        |
| 80 | Fe and P Doped 1T-Phase Enriched WS23D-Dendritic Nanostructures for Efficient Overall Water Splitting. Applied Catalysis B: Environmental, 2021, 286, 119897.  | 10.8 | 88        |
| 81 | Novel PAAm/Laponite clay nanocomposite hydrogels with improved cationic dye adsorption behavior.<br>Composites Part B: Engineering, 2008, 39, 756-763.   | 5.9  | 87        |
| 82 | Electrochemically exfoliated graphene using 9-anthracene carboxylic acid for supercapacitor application. Journal of Materials Chemistry, 2012, 22, 24403.  | 6.7  | 87        |
| 83 | Enhanced Electrochemical and Photocatalytic Performance of Core–Shell CuS@Carbon Quantum<br>Dots@Carbon Hollow Nanospheres. ACS Applied Materials & Interfaces, 2017, 9, 2459-2468.  | 4.0  | 87        |
| 84 | Hierarchical three-dimensional framework interface assembled from oxygen-doped cobalt phosphide<br>layer-shelled metal nanowires for efficient electrocatalytic water splitting. Applied Catalysis B:<br>Environmental, 2020, 261, 118268.           | 10.8 | 87        |
| 85 | Uniformly Controlled Treble Boundary Using Enriched Adsorption Sites and Accelerated Catalyst<br>Cathode for Robust Lithium–Sulfur Batteries. Advanced Energy Materials, 2022, 12, .   | 10.2 | 87        |
| 86 | Preparation and properties of reduced graphene oxide/polyacrylonitrile nanocomposites using polyvinyl phenol. Composites Part B: Engineering, 2015, 80, 238-245.   | 5.9  | 86        |
| 87 | Emerging core-shell nanostructured catalysts of transition metal encapsulated by two-dimensional carbon materials for electrochemical applications. Nano Today, 2018, 22, 100-131.   | 6.2  | 86        |
| 88 | Facile Method for the Preparation of Water Dispersible Graphene using Sulfonated<br>Poly(ether–ether–ketone) and Its Application as Energy Storage Materials. Langmuir, 2012, 28,<br>9825-9833.  | 1.6  | 85        |
| 89 | Hierarchical Manganese–Nickel Sulfide Nanosheet Arrays as an Advanced Electrode for All-Solid-State<br>Asymmetric Supercapacitors. ACS Applied Materials & Interfaces, 2020, 12, 21505-21514.  | 4.0  | 85        |
| 90 | Micro-crack behavior of carbon fiber reinforced thermoplastic modified epoxy composites for cryogenic applications. Composites Part B: Engineering, 2013, 44, 533-539.   | 5.9  | 84        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Enhancement of physical, mechanical, and gas barrier properties in noncovalently functionalized graphene oxide/poly(vinylidene fluoride) composites. Carbon, 2015, 81, 329-338.  | 5.4 | 84        |
| 92  | In situ synthesis of graphene-encapsulated gold nanoparticle hybrid electrodes for non-enzymatic glucose sensing. Carbon, 2016, 98, 90-98.   | 5.4 | 84        |
| 93  | Embedded PEDOT:PSS/AgNFs network flexible transparent electrode for solid-state supercapacitor.<br>Chemical Engineering Journal, 2019, 359, 197-207.   | 6.6 | 84        |
| 94  | A core–shell MnO <sub>2</sub> @Au nanofiber network as a high-performance flexible transparent<br>supercapacitor electrode. Journal of Materials Chemistry A, 2019, 7, 10672-10683.  | 5.2 | 83        |
| 95  | Novel porous gold-palladium nanoalloy network-supported graphene as an advanced catalyst for non-enzymatic hydrogen peroxide sensing. Biosensors and Bioelectronics, 2016, 85, 669-678.  | 5.3 | 82        |
| 96  | Flexible transparent supercapacitor with core-shell Cu@Ni@NiCoS nanofibers network electrode.<br>Chemical Engineering Journal, 2020, 395, 125019.  | 6.6 | 82        |
| 97  | Positive temperature coefficient characteristic and structure of graphite nanofibers reinforced high<br>density polyethylene/carbon black nanocomposites. Composites Part B: Engineering, 2009, 40, 218-224.                                 | 5.9 | 81        |
| 98  | Preparation of reduced graphene oxide-NiFe 2 O 4 nanocomposites forÂthe electrocatalytic oxidation of hydrazine. Composites Part B: Engineering, 2015, 79, 649-659.  | 5.9 | 81        |
| 99  | Enhanced mechanical properties and proton conductivity of Nafion–SPEEK–GO composite membranes<br>for fuel cell applications. Journal of Membrane Science, 2014, 458, 128-135.  | 4.1 | 80        |
| 100 | Green synthesis of glucose-reduced graphene oxide supported Ag-Cu 2 O nanocomposites for the enhanced visible-light photocatalytic activity. Composites Part B: Engineering, 2018, 138, 35-44.   | 5.9 | 80        |
| 101 | Novel route to synthesis of N-doped graphene/Cu–Ni oxide composite for high electrochemical performance. Carbon, 2015, 94, 962-970.  | 5.4 | 79        |
| 102 | Fabrication of 3D graphene-CNTs/α-MoO3 hybrid film as an advance electrode material for asymmetric supercapacitor with excellent energy density and cycling life. Chemical Engineering Journal, 2018, 352, 268-276.                          | 6.6 | 79        |
| 103 | Effects of surface-modified silica nanoparticles attached graphene oxide using isocyanate-terminated<br>flexible polymer chains on the mechanical properties of epoxy composites. Journal of Materials<br>Chemistry A, 2014, 2, 10557-10567. | 5.2 | 78        |
| 104 | Hexylamine functionalized reduced graphene oxide/polyurethane nanocomposite-coated nylon for enhanced hydrogen gas barrier film. Journal of Membrane Science, 2016, 500, 106-114.  | 4.1 | 77        |
| 105 | Epoxidation of Camelina sativa oil and peel adhesion properties. Industrial Crops and Products, 2015, 64, 1-8.   | 2.5 | 76        |
| 106 | 3D hierarchical CoO@MnO <sub>2</sub> core–shell nanohybrid for high-energy solid state<br>asymmetric supercapacitors. Journal of Materials Chemistry A, 2017, 5, 397-408.  | 5.2 | 75        |
| 107 | Nitrogen-Doped Graphene-Encapsulated Nickel Cobalt Nitride as a Highly Sensitive and Selective<br>Electrode for Glucose and Hydrogen Peroxide Sensing Applications. ACS Applied Materials &<br>Interfaces, 2018, 10, 35847-35858.            | 4.0 | 75        |
| 108 | Nitrogen-doped graphene encapsulated cobalt iron sulfide as an advanced electrode for<br>high-performance asymmetric supercapacitors. Journal of Materials Chemistry A, 2019, 7, 3941-3952.  | 5.2 | 74        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 109 | Highly reversible water splitting cell building from hierarchical 3D nickel manganese oxyphosphide<br>nanosheets. Nano Energy, 2020, 69, 104432.   | 8.2  | 74        |
| 110 | Facile synthesis of CuCo2O4 composite octahedrons for high performance supercapacitor application. Composites Part B: Engineering, 2018, 150, 269-276.   | 5.9  | 72        |
| 111 | Nanostructured CeO2/NiV–LDH composite for energy storage in asymmetric supercapacitor and as<br>methanol oxidation electrocatalyst. Chemical Engineering Journal, 2021, 417, 128019.   | 6.6  | 72        |
| 112 | 3D nickel molybdenum oxyselenide (Ni1-xMoxOSe) nanoarchitectures as advanced multifunctional catalyst for Zn-air batteries and water splitting. Applied Catalysis B: Environmental, 2021, 286, 119909.   | 10.8 | 72        |
| 113 | Swelling behavior of polyacrylamide/laponite clay nanocomposite hydrogels: pH-sensitive property.<br>Composites Part B: Engineering, 2009, 40, 275-283.  | 5.9  | 71        |
| 114 | Layer-structured graphene oxide/polyvinyl alcohol nanocomposites: dramatic enhancement of hydrogen gas barrier properties. Journal of Materials Chemistry A, 2014, 2, 12158.   | 5.2  | 71        |
| 115 | Preparation and enhanced mechanical properties of non-covalently-functionalized graphene oxide/cellulose acetate nanocomposites. Composites Part B: Engineering, 2016, 90, 223-231.  | 5.9  | 71        |
| 116 | CuAg@Ag Core–Shell Nanostructure Encapsulated by N-Doped Graphene as a High-Performance<br>Catalyst for Oxygen Reduction Reaction. ACS Applied Materials & Interfaces, 2018, 10, 4672-4681.  | 4.0  | 71        |
| 117 | Constructing MoP <sub><i>x</i></sub> @MnP <sub><i>y</i></sub> Heteronanoparticle-Supported<br>Mesoporous N,P-Codoped Graphene for Boosting Oxygen Reduction and Oxygen Evolution Reaction.<br>Chemistry of Materials, 2019, 31, 2892-2904.     | 3.2  | 71        |
| 118 | A novel sensitive sensor for serotonin based on high-quality of AuAg nanoalloy encapsulated graphene electrocatalyst. Biosensors and Bioelectronics, 2017, 96, 186-193.  | 5.3  | 70        |
| 119 | Effects of the addition of boric acid on the physical properties of MXene/polyvinyl alcohol (PVA) nanocomposite. Composites Part B: Engineering, 2020, 199, 108205.  | 5.9  | 69        |
| 120 | Hierarchical Heterostructures of Ultrasmall Fe <sub>2</sub> O <sub>3</sub> -Encapsulated<br>MoS <sub>2</sub> /N-Graphene as an Effective Catalyst for Oxygen Reduction Reaction. ACS Applied<br>Materials & Interfaces, 2018, 10, 24523-24532. | 4.0  | 68        |
| 121 | Ruthenium single atoms implanted continuous MoS2-Mo2C heterostructure for high-performance and stable water splitting. Nano Energy, 2021, 88, 106277.  | 8.2  | 68        |
| 122 | A new self-cross-linked, net-structured, proton conducting polymer membrane for high temperature proton exchange membrane fuel cells. Journal of Membrane Science, 2010, 349, 304-311.   | 4.1  | 67        |
| 123 | Porous Hollowâ€Structured LaNiO <sub>3</sub> Stabilized N,Sâ€Codoped Graphene as an Active<br>Electrocatalyst for Oxygen Reduction Reaction. Small, 2017, 13, 1701884.   | 5.2  | 66        |
| 124 | Hierarchical material of carbon nanotubes grown on carbon nanofibers for high performance electrochemical capacitor. Chemical Engineering Journal, 2018, 345, 39-47.   | 6.6  | 66        |
| 125 | Effects of covalent surface modifications on the electrical and electrochemical properties of graphene using sodium 4-aminoazobenzene-4′-sulfonate. Carbon, 2013, 54, 310-322.   | 5.4  | 65        |
| 126 | High-energy solid-state asymmetric supercapacitor based on nickel vanadium oxide/NG and iron vanadium oxide/NG electrodes. Applied Catalysis B: Environmental, 2018, 239, 290-299.   | 10.8 | 65        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Metal–Organic Frameworkâ€Derived Fe/Coâ€based Bifunctional Electrode for H <sub>2</sub> Production through Water and Urea Electrolysis. ChemSusChem, 2019, 12, 4810-4823.  | 3.6 | 64        |
| 128 | Synergy effect of hybrid fillers on the positive temperature coefficient behavior of<br>polypropylene/ultraâ€high molecular weight polyethylene composites. Journal of Applied Polymer<br>Science, 2010, 116, 116-124.   | 1.3 | 63        |
| 129 | Dual-coupling ultrasmall iron-Ni2P into P-doped porous carbon sheets assembled CuxS nanobrush<br>arrays for overall water splitting. Nano Energy, 2021, 84, 105861.  | 8.2 | 62        |
| 130 | Improved mechanical and swelling behavior of the composite hydrogels prepared by ionic monomer and acid-activated Laponite. Applied Clay Science, 2009, 46, 414-417.   | 2.6 | 59        |
| 131 | Graphitic carbon nitride modified graphene/Ni Al layered double hydroxide and 3D functionalized graphene for solid-state asymmetric supercapacitors. Chemical Engineering Journal, 2018, 353, 824-838.   | 6.6 | 59        |
| 132 | Highly Active and Durable Core–Shell fct-PdFe@Pd Nanoparticles Encapsulated NG as an Efficient<br>Catalyst for Oxygen Reduction Reaction. ACS Applied Materials & Interfaces, 2018, 10, 18734-18745.   | 4.0 | 58        |
| 133 | Co-MOF@MXene-carbon nanofiber-based freestanding electrodes for a flexible and wearable quasi-solid-state supercapacitor. Chemical Engineering Journal, 2022, 437, 135338.   | 6.6 | 58        |
| 134 | A New Class of Zn <sub>1</sub> <i><sub>â€x</sub></i> Fe <i><sub>x</sub></i> –Oxyselenide and<br>Zn <sub>1â€</sub> <i><sub>x</sub></i> Fe <i><sub>x</sub></i> –LDH Nanostructured Material with<br>Remarkable Bifunctional Oxygen and Hydrogen Evolution Electrocatalytic Activities for Overall<br>Water Splitting. Small, 2018, 14, e1803638. | 5.2 | 56        |
| 135 | Electrostatically assembled layer-by-layer composites containing graphene oxide for enhanced hydrogen gas barrier application. Composites Science and Technology, 2013, 89, 167-174.   | 3.8 | 55        |
| 136 | Effects of ionic liquid-functionalized mesoporous silica on the proton conductivity of acid-doped<br>poly(2,5-benzimidazole) composite membranes for high-temperature fuel cells. Journal of Membrane<br>Science, 2014, 449, 136-145.  | 4.1 | 55        |
| 137 | Advanced Cu0.5Co0.5Se2 nanosheets and MXene electrodes for high-performance asymmetric supercapacitors. Chemical Engineering Journal, 2020, 385, 123455.   | 6.6 | 55        |
| 138 | Preparation of sulfonated poly(ether–ether–ketone) functionalized ternary graphene/AuNPs/chitosan<br>nanocomposite for efficient glucose biosensor. Process Biochemistry, 2013, 48, 1724-1735.   | 1.8 | 54        |
| 139 | Hydrothermal synthesis of Fe <sub>3</sub> O <sub>4</sub> /RGO composites and investigation of electrochemical performances for energy storage applications. RSC Advances, 2014, 4, 44777-44785.  | 1.7 | 54        |
| 140 | N-doped carbon layer coated thermally exfoliated graphene and its capacitive behavior in redox active electrolyte. Carbon, 2015, 85, 60-71.  | 5.4 | 54        |
| 141 | A hierarchical 2D Ni–Mo–S nanosheet@nitrogen doped graphene hybrid as a Pt-free cathode for<br>high-performance dye sensitized solar cells and fuel cells. Journal of Materials Chemistry A, 2017, 5,<br>17896-17908.  | 5.2 | 54        |
| 142 | Hierarchical 3D Oxygenated Cobalt Vanadium Selenide Nanosheets as Advanced Electrode for Flexible<br>Zinc–Cobalt and Zinc–Air Batteries. Small, 2020, 16, e2004661.  | 5.2 | 54        |
| 143 | Copper-Incorporated heterostructures of amorphous NiSex/Crystalline NiSe2 as an efficient electrocatalyst for overall water splitting. Chemical Engineering Journal, 2021, 422, 130048.  | 6.6 | 54        |
| 144 | Novel hydroxylated boron nitride functionalized <i>p</i> -phenylenediamine-grafted graphene: an<br>excellent filler for enhancing the barrier properties of polyurethane. Journal of Materials Chemistry<br>A, 2018, 6, 21501-21515.   | 5.2 | 53        |

| #   | Article  | IF          | CITATIONS    |
|-----|--|-------------|--------------|
| 145 | High-performance solid-state hybrid supercapacitor enabled by metal–organic framework-derived<br>multi-component hybrid electrodes of Co–N–C nanofibers and<br>Co <sub>2â"x</sub> Fe <sub>x</sub> P–N–C micropillars. Journal of Materials Chemistry A, 2020, 8,<br>26158-26174.                           | 5.2         | 53           |
| 146 | 7,7,8,8-Tetracyanoquinodimethane-assisted one-step electrochemical exfoliation of graphite and its performance as an electrode material. Nanoscale, 2014, 6, 4864-4873.  | 2.8         | 52           |
| 147 | Surface modified graphene oxide/poly(vinyl alcohol) composite for enhanced hydrogen gas barrier<br>film. Polymer Testing, 2016, 50, 49-56.   | 2.3         | 52           |
| 148 | A spinel MnCo2O4/NG 2D/2D hybrid nanoarchitectures as advanced electrode material for high performance hybrid supercapacitors. Journal of Alloys and Compounds, 2019, 771, 810-820.  | 2.8         | 52           |
| 149 | Hierarchical 3D Oxygenated Cobalt Molybdenum Selenide Nanosheets as Robust Trifunctional Catalyst<br>for Water Splitting and Zinc–Air Batteries. Small, 2020, 16, e2000797.  | 5.2         | 52           |
| 150 | Protic ionic liquid-functionalized mesoporous silica-based hybrid membranes for proton exchange membrane fuel cells. Journal of Materials Chemistry, 2012, 22, 24366.  | 6.7         | 51           |
| 151 | A successive ionic layer adsorption and reaction (SILAR) method to fabricate a layer-by-layer (LbL) MnO<br>2 -reduced graphene oxide assembly for supercapacitor application. Journal of Power Sources, 2017,<br>340, 380-392.   | 4.0         | 51           |
| 152 | Facile synthesis of porous CuCo2O4 composite sheets and their supercapacitive performance.<br>Composites Part B: Engineering, 2018, 150, 234-241.  | 5.9         | 51           |
| 153 | Bioinspired silver nanoparticles/reduced graphene oxide nanocomposites for catalytic reduction of<br>4-nitrophenol, organic dyes and act as energy storage electrode material. Composites Part B:<br>Engineering, 2019, 173, 106924.   | 5.9         | 51           |
| 154 | Poly(acrylamide/laponite) nanocomposite hydrogels: Swelling and cationic dye adsorption properties.<br>Journal of Applied Polymer Science, 2009, 111, 1786-1798.   | 1.3         | 50           |
| 155 | Preparation of nanosize polyaniline by solidâ€state polymerization and determination of crystal structure. Polymer International, 2009, 58, 1173-1180.   | 1.6         | 50           |
| 156 | Noncovalent functionalization of reduced graphene oxide with pluronic F127 and its nanocomposites with gum arabic. Composites Part B: Engineering, 2017, 128, 155-163.   | 5.9         | 50           |
| 157 | Enhanced gas barrier and anticorrosion performance of boric acid induced cross-linked poly(vinyl) Tj ETQq1 1 (   | 0.784314 rg | BT /Overlock |
| 158 | A Flexible and Transparent Zincâ€Nanofiber Network Electrode for Wearable Electrochromic,<br>Rechargeable Zn″on Battery. Small, 2022, 18, e2104462.  | 5.2         | 50           |
| 159 | Miscibility and compatibilization of poly(trimethylene terephthalate)/acrylonitrile–butadiene–styrene<br>blends. European Polymer Journal, 2007, 43, 3826-3837.  | 2.6         | 49           |
| 160 | Fabrication of Co–Ni–Zn ternary Oxide@NiWO4 core-shell nanowire arrays and Fe2O3-CNTs@GF for<br>ultra-high-performance asymmetric supercapacitor. Composites Part B: Engineering, 2019, 176, 107223.   | 5.9         | 49           |
| 161 | Hierarchical design of Cu-Ni(OH)2/Cu-MnxOy core/shell nanosheet arrays for ultra-high performance of asymmetric supercapacitor. Chemical Engineering Journal, 2019, 369, 705-715.  | 6.6         | 49           |
| 162 | ZnS–Ni <sub>7</sub> S <sub>6</sub> Nanosheet Arrays Wrapped with Nanopetals of<br>Ni(OH) <sub>2</sub> as a Novel Core–Shell Electrode Material for Asymmetric Supercapacitors with<br>High Energy Density and Cycling Stability Performance. ACS Applied Materials & Interfaces, 2020,<br>12, 47377-47388. | 4.0         | 49           |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Atomic Heterointerface Engineering of Ni <sub>2</sub> Pâ€NiSe <sub>2</sub> Nanosheets Coupled<br>ZnPâ€Based Arrays for Highâ€Efficiency Solarâ€Assisted Water Splitting. Advanced Functional Materials,<br>2022, 32, .  | 7.8 | 49        |
| 164 | Preparation of non-covalently functionalized graphene using 9-anthracene carboxylic acid.<br>Nanotechnology, 2011, 22, 405603.  | 1.3 | 48        |
| 165 | Hierarchical Flowerlike Highly Synergistic Three-Dimensional Iron Tungsten Oxide<br>Nanostructure-Anchored Nitrogen-Doped Graphene as an Efficient and Durable Electrocatalyst for<br>Oxygen Reduction Reaction. ACS Applied Materials & Interfaces, 2018, 10, 32220-32232. | 4.0 | 48        |
| 166 | A 3D hierarchical network derived from 2D Fe-doped NiSe nanosheets/carbon nanotubes with<br>enhanced OER performance for overall water splitting. Journal of Materials Chemistry A, 2022, 10,<br>3102-3111.   | 5.2 | 48        |
| 167 | Investigation of multiâ€walled carbon nanotubeâ€reinforced highâ€density polyethylene/carbon black<br>nanocomposites using electrical, DSC and positron lifetime spectroscopy techniques. Polymer<br>International, 2009, 58, 775-780.                                      | 1.6 | 47        |
| 168 | Poly(2,5-benzimidazole)–silica nanocomposite membranes for high temperature proton exchange<br>membrane fuel cell. Journal of Membrane Science, 2012, 411-412, 91-98.   | 4.1 | 47        |
| 169 | Facile fabrication of FeN nanoparticles/nitrogen-doped graphene core-shell hybrid and its use as a platform for NADH detection in human blood serum. Biosensors and Bioelectronics, 2016, 83, 68-76.  | 5.3 | 47        |
| 170 | Investigation of band structure and electrochemical properties of h-BN/rGO composites for asymmetric supercapacitor applications. Materials Chemistry and Physics, 2017, 190, 153-165.  | 2.0 | 47        |
| 171 | Strongly stabilized integrated bimetallic oxide of Fe2O3-MoO3 Nano-crystal entrapped N-doped graphene as a superior oxygen reduction reaction electrocatalyst. Chemical Engineering Journal, 2021, 410, 128358.   | 6.6 | 47        |
| 172 | Highly Effective Freshwater and Seawater Electrolysis Enabled by Atomic Rhâ€Modulated Co oO Lateral<br>Heterostructures. Small, 2021, 17, e2103826.   | 5.2 | 47        |
| 173 | Enhanced electrocatalytic performance of an ultrafine AuPt nanoalloy framework embedded in graphene towards epinephrine sensing. Biosensors and Bioelectronics, 2017, 89, 750-757.  | 5.3 | 46        |
| 174 | CdS-CoFe <sub>2</sub> O <sub>4</sub> @Reduced Graphene Oxide Nanohybrid: An Excellent Electrode<br>Material for Supercapacitor Applications. Industrial & Engineering Chemistry Research, 2018, 57,<br>1350-1360.   | 1.8 | 45        |
| 175 | Mesoporous iron sulfide nanoparticles anchored graphene sheet as an efficient and durable catalyst for oxygen reduction reaction. Journal of Power Sources, 2019, 427, 91-100.  | 4.0 | 45        |
| 176 | Metal organic framework-derived cobalt telluride-carbon porous structured composites for high-performance supercapacitor. Composites Part B: Engineering, 2021, 211, 108624.  | 5.9 | 45        |
| 177 | Surfactant-free synthesis of NiPd nanoalloy/graphene bifunctional nanocomposite for fuel cell.<br>Composites Part B: Engineering, 2017, 114, 319-327.   | 5.9 | 44        |
| 178 | Rational design of ultrathin 2D tin nickel selenide nanosheets for high-performance flexible supercapacitors. Journal of Materials Chemistry A, 2019, 7, 24462-24476.   | 5.2 | 44        |
| 179 | Vertically grown and intertwined Co(OH)2 nanosheet@Ni-mesh network for transparent flexible supercapacitor. Chemical Engineering Journal, 2020, 391, 123540.  | 6.6 | 44        |
| 180 | Rational Engineering Co <sub>x</sub> O <sub>y</sub> Nanosheets via Phosphorous and Sulfur<br>Dual oupling for Enhancing Water Splitting and Zn–Air Battery. Advanced Functional Materials, 2021,<br>31, 2007822.  | 7.8 | 44        |

| #   | Article  | IF                           | CITATIONS |
|-----|--|------------------------------|-----------|
| 181 | Activated CuNi@Ni Core@shell structures via oxygen and nitrogen dual coordination assembled on 3D CNTs-graphene hybrid for high-performance water splitting. Applied Catalysis B: Environmental, 2021, 294, 120263.  | 10.8                         | 44        |
| 182 | Fibrous asymmetric supercapacitor based on wet spun MXene/PAN Fiber-derived multichannel porous<br>MXene/CF negatrode and NiCo2S4 electrodeposited MXene/CF positrode. Chemical Engineering Journal,<br>2022, 449, 137732.   | 6.6                          | 44        |
| 183 | Synthesis of sulfonated poly(ether ether ketone)/layered double hydroxide nanocomposite membranes for fuel cell applications. Chemical Engineering Journal, 2015, 272, 119-127.  | 6.6                          | 43        |
| 184 | Freestanding<br>1Tâ€Mn <i><sub>x</sub></i> Mo <sub>1–</sub> <i><sub>x</sub></i> S <sub>2–</sub> <i><sub>y</sub></i><br>and MoFe <sub>2</sub> S <sub>4–</sub> <i><sub>z</sub></i> Se <i><sub>z</sub></i> Ultrathin<br>Nanosheetâ€Structured Electrodes for Highly Efficient Flexible Solidâ€State Asymmetric Supercapacitors.<br>Small 2020, 16, a2001691 | Se <i><su<br>5.2</su<br></i> | b>y43     |
| 185 | Tunable construction of FexCo3-xSe4 nanostructures as advanced electrode for boosting capacity and energy density. Chemical Engineering Journal, 2020, 390, 124557.  | 6.6                          | 43        |
| 186 | Enhanced properties of aryl diazonium salt-functionalized graphene/poly(vinyl alcohol) composites.<br>Chemical Engineering Journal, 2014, 245, 311-322.  | 6.6                          | 42        |
| 187 | Synthesis, magnetic and M¶ssbauer spectroscopic studies of Cr doped lithium ferrite nanoparticles.<br>Journal of Alloys and Compounds, 2014, 591, 174-180.   | 2.8                          | 42        |
| 188 | Enhanced mechanical properties of a multiwall carbon nanotube attached pre-stitched graphene oxide filled linear low density polyethylene composite. Journal of Materials Chemistry A, 2014, 2, 2681-2689.   | 5.2                          | 42        |
| 189 | Static and Dynamic Mechanical Properties of Graphene Oxide-Incorporated Woven Carbon Fiber/Epoxy<br>Composite. Journal of Materials Engineering and Performance, 2018, 27, 1138-1147.  | 1.2                          | 42        |
| 190 | FeMoO4 based, enzyme-free electrochemical biosensor for ultrasensitive detection of norepinephrine.<br>Biosensors and Bioelectronics, 2016, 81, 445-453.   | 5.3                          | 41        |
| 191 | Covalent doping of Ni and P on 1T-enriched MoS <sub>2</sub> bifunctional 2D-nanostructures with active basal planes and expanded interlayers boosts electrocatalytic water splitting. Journal of Materials Chemistry A, 2020, 8, 19654-19664.  | 5.2                          | 41        |
| 192 | Novel cobalt-doped molybdenum oxynitride quantum dot@N-doped carbon nanosheets with abundant<br>oxygen vacancies for long-life rechargeable zinc–air batteries. Journal of Materials Chemistry A, 2021,<br>9, 9092-9104.   | 5.2                          | 41        |
| 193 | A hybrid trimetallic–organic framework-derived N, C co-doped Ni–Fe–Mn–P ultrathin nanosheet<br>electrocatalyst for proficient overall water-splitting. Journal of Materials Chemistry A, 2022, 10,<br>16457-16467.   | 5.2                          | 41        |
| 194 | Effect of high molecular weight polyethyleneimine functionalized graphene oxide coated<br>polyethylene terephthalate film on the hydrogen gas barrier properties. Composites Part B:<br>Engineering, 2016, 106, 316-323.   | 5.9                          | 40        |
| 195 | Layer-by-layer assembled polyelectrolyte-decorated graphene multilayer film for hydrogen gas barrier application. Composites Part B: Engineering, 2017, 114, 339-347.  | 5.9                          | 40        |
| 196 | Enhanced hydrogen gas barrier performance of diaminoalkane functionalized stitched graphene oxide/polyurethane composites. Composites Part B: Engineering, 2017, 117, 101-110.   | 5.9                          | 40        |
| 197 | Hyperbranched poly(benzimidazole-co-benzene) with honeycomb structure as a membrane for high-temperature proton-exchange membrane fuel cells. Journal of Power Sources, 2010, 195, 2470-2477.  | 4.0                          | 39        |
| 198 | Effects of hybrid carbon fillers of polymer composite bipolar plates on the performance of direct methanol fuel cells. Composites Part B: Engineering, 2013, 51, 98-105.   | 5.9                          | 39        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Core cation tuned MxCo3-xS4@NiMoS4 [MÂ=ÂNi, Mn, zn] core–shell nanomaterials as advanced all<br>solid-state asymmetric supercapacitor electrodes. Chemical Engineering Journal, 2021, 405, 127046.                                      | 6.6 | 39        |
| 200 | Bifunctional P-Intercalated and Doped Metallic (1T)-Copper Molybdenum Sulfide Ultrathin<br>2D-Nanosheets with Enlarged Interlayers for Efficient Overall Water Splitting. ACS Applied Materials<br>& Interfaces, 2022, 14, 14492-14503. | 4.0 | 39        |
| 201 | Effects of the surface treatment on the properties of polyaniline coated carbon nanotubes/epoxy composites. Composites Part B: Engineering, 2010, 41, 2-7.  | 5.9 | 38        |
| 202 | Highly efficient adsorbent based on novel cotton flower-like porous boron nitride for organic pollutant removal. Composites Part B: Engineering, 2017, 123, 45-54.  | 5.9 | 38        |
| 203 | Effects of grafting methods for functionalization of graphene oxide by dodecylamine on the physical properties of its polyurethane nanocomposites. Journal of Membrane Science, 2017, 540, 108-119.                                     | 4.1 | 38        |
| 204 | Dual-functional Co5.47N/Fe3N heterostructure interconnected 3D N-doped carbon nanotube-graphene<br>hybrids for accelerating polysulfide conversion in Li-S batteries. Chemical Engineering Journal, 2022,<br>427, 131774.               | 6.6 | 38        |
| 205 | Synergy effects of hybrid carbon system on properties of composite bipolar plates for fuel cells.<br>Journal of Power Sources, 2010, 195, 5474-5480.  | 4.0 | 37        |
| 206 | Synthesis of water soluble sulfonated polyaniline and determination of crystal structure. Journal of Applied Polymer Science, 2010, 117, 2025-2035.   | 1.3 | 37        |
| 207 | Material selection windows for hybrid carbons/poly(phenylene sulfide) composite for bipolar plates of fuel cell. Polymer Testing, 2012, 31, 537-545.  | 2.3 | 37        |
| 208 | UV-curable pressure-sensitive adhesives derived from functionalized soybean oils and rosin ester.<br>Polymer International, 2013, 62, 1293-1301.  | 1.6 | 37        |
| 209 | Development of high energy density supercapacitor through hydrothermal synthesis of RGO/nano-structured cobalt sulphide composites. Nanotechnology, 2015, 26, 075402.   | 1.3 | 37        |
| 210 | Resveratrol cross-linked chitosan loaded with phospholipid for controlled release and antioxidant activity. International Journal of Biological Macromolecules, 2016, 93, 757-766.  | 3.6 | 36        |
| 211 | Enhanced mechanical and thermal properties of recycled ABS/nitrile rubber/nanofil N15 nanocomposites. Composites Part B: Engineering, 2016, 93, 280-288.  | 5.9 | 36        |
| 212 | Electrochemical synthesis of palladium (Pd) nanorods: An efficient electrocatalyst for methanol and hydrazine electro-oxidation. Composites Part B: Engineering, 2018, 144, 11-18.  | 5.9 | 36        |
| 213 | Hierarchical porous framework of ultrasmall PtPd alloy-integrated graphene as active and stable catalyst for ethanol oxidation. Composites Part B: Engineering, 2018, 143, 96-104.  | 5.9 | 36        |
| 214 | Worm-like gold nanowires assembled carbon nanofibers-CVD graphene hybrid as sensitive and selective sensor for nitrite detection. Journal of Colloid and Interface Science, 2021, 583, 425-434.   | 5.0 | 36        |
| 215 | A V <sub>2</sub> O <sub>5</sub> nanorod decorated graphene/polypyrrole hybrid electrode: a potential candidate for supercapacitors. New Journal of Chemistry, 2017, 41, 1704-1713.  | 1.4 | 35        |
| 216 | An embedded-PVA@Ag nanofiber network for ultra-smooth, high performance transparent conducting electrodes. Journal of Materials Chemistry C, 2017, 5, 4198-4205.  | 2.7 | 35        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 217 | Enhanced physical properties of two dimensional MoS2/poly(vinyl alcohol) nanocomposites.<br>Composites Part A: Applied Science and Manufacturing, 2018, 110, 284-293.   | 3.8  | 35        |
| 218 | Fabrication of hierarchical Zn–Ni–Co–S nanowire arrays and graphitic carbon nitride/graphene for solid-state asymmetric supercapacitors. Applied Surface Science, 2021, 542, 148564.  | 3.1  | 35        |
| 219 | Modulating heterointerfaces of tungsten incorporated CoSe/Co <sub>3</sub> O <sub>4</sub> as a highly efficient electrocatalyst for overall water splitting. Journal of Materials Chemistry A, 2022, 10, 3782-3792.            | 5.2  | 35        |
| 220 | Interface engineering induced electrocatalytic behavior in core-shelled CNTs@NiP2/NbP<br>heterostructure for highly efficient overall water splitting. Chemical Engineering Journal, 2022, 442,<br>136120.                    | 6.6  | 35        |
| 221 | One-step electrochemical synthesis of 6-amino-4-hydroxy-2-napthalene-sulfonic acid functionalized graphene for green energy storage electrode materials. Nanotechnology, 2013, 24, 365706.                                    | 1.3  | 34        |
| 222 | Effects of sodium hydroxide on the yield and electrochemical performance of sulfonated<br>poly(ether-ether-ketone) functionalized graphene. Journal of Materials Chemistry A, 2013, 1, 9294.                                  | 5.2  | 34        |
| 223 | Electrochemical performance of reduced graphene oxide surface-modified with 9-anthracene carboxylic acid. RSC Advances, 2015, 5, 6443-6451.   | 1.7  | 34        |
| 224 | Zn-doped SnO <sub>2</sub> nano-urchin-enriched 3D carbonaceous framework for supercapacitor application. New Journal of Chemistry, 2018, 42, 955-963.   | 1.4  | 34        |
| 225 | Cu-Au nanocrystals functionalized carbon nanotube arrays vertically grown on carbon spheres for highly sensitive detecting cancer biomarker. Biosensors and Bioelectronics, 2018, 119, 134-140.                               | 5.3  | 34        |
| 226 | One-step electrodeposited MoS <sub>2</sub> @Ni-mesh electrode for flexible and transparent<br>asymmetric solid-state supercapacitors. Journal of Materials Chemistry A, 2020, 8, 24040-24052.                                 | 5.2  | 34        |
| 227 | Highly efficient overall water splitting over a porous interconnected network by nickel cobalt<br>oxysulfide interfacial assembled Cu@Cu <sub>2</sub> S nanowires. Journal of Materials Chemistry A,<br>2020, 8, 14746-14756. | 5.2  | 34        |
| 228 | Effects of reduction and polystyrene sulfate functionalization on the capacitive behaviour of thermally exfoliated graphene. Journal of Materials Chemistry A, 2013, 1, 5892.   | 5.2  | 33        |
| 229 | Synergistic effects of oxidized CNTs and reactive oligomer on the fracture toughness and mechanical properties of epoxy. Composites Part A: Applied Science and Manufacturing, 2013, 49, 58-67.                               | 3.8  | 33        |
| 230 | Red, green, and blue fluorescent folate-receptor-targeting carbon dots for cervical cancer cellular and tissue imaging. Materials Science and Engineering C, 2018, 93, 1054-1063.   | 3.8  | 33        |
| 231 | Rational design of a highly mesoporous Fe–N–C/Fe <sub>3</sub> C/C–S–C nanohybrid with dense active sites for superb electrocatalysis of oxygen reduction. Journal of Materials Chemistry A, 2020, 8, 23436-23454.             | 5.2  | 33        |
| 232 | Advanced interfacial engineering of oxygen-enriched Fe Sn1â^'OSe nanostructures for efficient overall water splitting and flexible zinc-air batteries. Applied Catalysis B: Environmental, 2022, 305, 120924.                 | 10.8 | 33        |
| 233 | Two-dimensional materials modified layered double hydroxides: A series of fillers for improving gas<br>barrier and permselectivity of poly(vinyl alcohol). Composites Part B: Engineering, 2021, 207, 108568.                 | 5.9  | 32        |
| 234 | Ni-nanoclusters hybridized 1T–Mn–VTe2 mesoporous nanosheets for ultra-low potential water splitting. Applied Catalysis B: Environmental, 2022, 301, 120780.   | 10.8 | 32        |

| #   | Article   | lF   | CITATIONS |
|-----|---|------|-----------|
| 235 | Lipaseâ€catalyzed synthesis and characterization of biodegradable polyester containing<br><scp>l</scp> â€malic acid unit in solvent system. Journal of Applied Polymer Science, 2011, 120, 1114-1120.   | 1.3  | 31        |
| 236 | Preparation of graphene oxide/polyethyleneimine layer-by-layer assembled film for enhanced hydrogen<br>barrier property. Composites Part B: Engineering, 2016, 92, 252-258.   | 5.9  | 31        |
| 237 | Polyanilineâ€Stabilized Intertwined Networkâ€ŀike Ferrocene/Graphene Nanoarchitecture for<br>Supercapacitor Application. Chemistry - an Asian Journal, 2017, 12, 900-909.   | 1.7  | 31        |
| 238 | A new protocol for the distribution of MnO 2 nanoparticles on rGO sheets and the resulting electrochemical performance. Applied Surface Science, 2017, 399, 95-105.   | 3.1  | 30        |
| 239 | Effects of the composition of reduced graphene oxide/carbon nanofiber nanocomposite on charge storage behaviors. Composites Part B: Engineering, 2019, 178, 107500.   | 5.9  | 30        |
| 240 | Hierarchical Cu@CuxO nanowires arrays-coated gold nanodots as a highly sensitive self-supported electrocatalyst for L-cysteine oxidation. Biosensors and Bioelectronics, 2019, 139, 111327.   | 5.3  | 30        |
| 241 | Hierarchical 3D structured nanoporous<br>Co <sub>9</sub> S <sub>8</sub> @Ni <sub><i>x</i></sub> :Mo <sub><i>y</i></sub> –Se core–shell<br>nanowire array electrodes for high-performance asymmetric supercapacitors. Journal of Materials                     | 5.2  | 30        |
| 242 | Chemistry A. 2021, 9. 27503-27517.<br>Rh single atoms/clusters confined in metal sulfide/oxide nanotubes as advanced multifunctional<br>catalysts for green and energy-saving hydrogen productions. Applied Catalysis B: Environmental, 2022,<br>313, 121430. | 10.8 | 30        |
| 243 | Differently-charged graphene-based multilayer films by a layer-by-layer approach for oxygen gas<br>barrier application. Composites Part B: Engineering, 2018, 155, 391-396.   | 5.9  | 29        |
| 244 | Preparation of functionalized MXene-stitched-graphene oxide/poly (ethylene-co-acrylic acid)<br>nanocomposite with enhanced hydrogen gas barrier properties. Journal of Membrane Science, 2021,<br>640, 119839.  | 4.1  | 29        |
| 245 | Rational manipulation of 3D hierarchical oxygenated nickel tungsten selenide nanosheet as the<br>efficient bifunctional electrocatalyst for overall water splitting. Chemical Engineering Journal, 2022,<br>430, 132888.                                      | 6.6  | 29        |
| 246 | Effect of peptizer on the properties of Nafion–Laponite clay nanocomposite membranes for polymer electrolyte membrane fuel cells. Journal of Membrane Science, 2012, 389, 316-323.  | 4.1  | 28        |
| 247 | Preparation of modified graphene oxide/polyethyleneimine film with enhanced hydrogen barrier properties by reactive layer-by-layer self-assembly. Composites Part B: Engineering, 2019, 166, 663-672.   | 5.9  | 28        |
| 248 | Cation and anion (de)intercalation into MXene/Perovskite oxides for high-rate intercalation pseudocapacitance. Energy Storage Materials, 2022, 50, 86-95.   | 9.5  | 28        |
| 249 | Facile synthesis of N-doped graphene supported porous cobalt molybdenum oxynitride nanodendrites for the oxygen reduction reaction. Nanoscale, 2019, 11, 1205-1216.   | 2.8  | 27        |
| 250 | Recent progress on single atom/sub-nano electrocatalysts for energy applications. Progress in<br>Materials Science, 2021, 115, 100711.  | 16.0 | 27        |
| 251 | All-solid-state asymmetric supercapacitor with MWCNT-based hollow NiCo2O4 positive electrode and porous Cu2WS4 negative electrode. Chemical Engineering Journal, 2021, 415, 128188.   | 6.6  | 27        |
| 252 | Bifunctional Catalyst Derived from Sulfur-Doped VMoO <sub><i>x</i></sub> Nanolayer Shelled Co<br>Nanosheets for Efficient Water Splitting. ACS Applied Materials & Interfaces, 2021, 13, 42944-42956.   | 4.0  | 26        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 253 | Rational construction of Au@Co2N0.67 nanodots-interspersed 3D interconnected N-graphene hollow sphere network for efficient water splitting and Zn-air battery. Nano Energy, 2021, 89, 106420.  | 8.2  | 26        |
| 254 | Synthesis and Characterization of Amphiphilic Reduced Graphene Oxide with Epoxidized Methyl Oleate.<br>Advanced Materials, 2012, 24, 2123-2129.   | 11.1 | 25        |
| 255 | Consequence of pH variation on the dielectric properties of Cr-doped lithium ferrite nanoparticles synthesized by the sol–gel method. Journal of Alloys and Compounds, 2015, 645, 171-177.  | 2.8  | 25        |
| 256 | Effects of acid vapour mediated oxidization on the electrochemical performance of thermally exfoliated graphene. Carbon, 2014, 74, 195-206.   | 5.4  | 24        |
| 257 | Single (Ni, Fe) atoms and ultrasmall Core@shell Ni@Fe nanostructures Dual-implanted CNTs-Graphene<br>nanonetworks for robust Zn- and Al-Air batteries. Chemical Engineering Journal, 2022, 440, 135781.   | 6.6  | 24        |
| 258 | Facile synthesis of 4,4′-diaminostilbene-2,2′-disulfonic-acid-grafted reduced graphene oxide and its<br>application as a high-performance asymmetric supercapacitor. Chemical Engineering Journal, 2018, 333,<br>170-184.                         | 6.6  | 23        |
| 259 | Hexagonal boron nitride-carbon nanotube hybrid network structure for enhanced thermal,<br>mechanical and electrical properties of polyimide nanocomposites. Composites Science and<br>Technology, 2020, 188, 107977.                              | 3.8  | 23        |
| 260 | One-Pot Hydrothermal Synthesis of La-Doped ZnIn2S4 Microspheres with Improved Visible-Light<br>Photocatalytic Performance. Nanomaterials, 2020, 10, 2026.   | 1.9  | 23        |
| 261 | Fabrication of ultrahigh hydrogen barrier polyethyleneimine/graphene oxide films by LBL assembly<br>fine-tuned with electric field application. Composites Part A: Applied Science and Manufacturing, 2015,<br>78, 60-69.                         | 3.8  | 22        |
| 262 | Electrochemical functionalization and in-situ deposition of the SAA@rGO/h-BN@Ni electrode for supercapacitor applications. Journal of Industrial and Engineering Chemistry, 2017, 52, 321-330.  | 2.9  | 21        |
| 263 | Development of hierarchically structured nanosheet arrays of CuMnO2-MnxOy@graphene foam as a nanohybrid electrode material for high-performance asymmetric supercapacitor. Journal of Alloys and Compounds, 2021, 858, 158343.                    | 2.8  | 21        |
| 264 | Covalently bonded boron nitride quantum dot and reduced graphene oxide composite electrode for highly efficient supercapacitors. Composites Part B: Engineering, 2021, 222, 109089.   | 5.9  | 21        |
| 265 | Ni Single Atoms and Ni Phosphate Clusters Synergistically Triggered Surfaceâ€Functionalized<br>MoS <sub>2</sub> Nanosheets for Highâ€performance Freshwater and Seawater Electrolysis. Energy<br>and Environmental Materials, 2022, 5, 1340-1349. | 7.3  | 20        |
| 266 | Hierarchical CoS@MoS2 core-shell nanowire arrays as free-standing electrodes for<br>high-performance asymmetric supercapacitors. Journal of Alloys and Compounds, 2020, 825, 154085.  | 2.8  | 19        |
| 267 | Tunable electrical conductivity and dielectric properties of triglycine sulfate-polypyrrole composite.<br>Chemical Engineering Journal, 2012, 187, 334-340.   | 6.6  | 18        |
| 268 | Effects of the reduction of PAni-coated oxidized multiwall carbon nanotubes on the positive temperature coefficient behaviors of their carbon black/high density polyethylene composites. Polymer Testing, 2016, 50, 83-93.                       | 2.3  | 18        |
| 269 | Mesoporous layered spinel zinc manganese oxide nanocrystals stabilized nitrogen-doped graphene as an effective catalyst for oxygen reduction reaction. Journal of Colloid and Interface Science, 2019, 545, 43-53.                                | 5.0  | 18        |
| 270 | Interfacial engineering for design of novel 2D cobalt sulfide-Mxene heterostructured catalyst toward alkaline water splitting. Functional Composites and Structures, 2021, 3, 045005.   | 1.6  | 18        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 271 | Single platinum atoms implanted 2D lateral anion-intercalated metal hydroxides of Ni2(OH)2(NO3)2 as efficient catalyst for high-yield water splitting. Applied Catalysis B: Environmental, 2022, 317, 121684.  | 10.8 | 18        |
| 272 | Surface characterization of the high voltage LiCoO2/Li cell by X-ray photoelectron spectroscopy and 2D correlation analysis. Vibrational Spectroscopy, 2010, 53, 60-63.  | 1.2  | 17        |
| 273 | Hydrothermal fabrication of MnCO3@rGO: A promising anode material for potassium-ion batteries.<br>Applied Surface Science, 2019, 484, 1161-1167.   | 3.1  | 17        |
| 274 | Efficient energy storage performance of in situ grown Co3V2O8-RGO composite nanostructure for high performance asymmetric Co3V2O8-RGO//RGO supercapacitors and consequence of magnetic field induced enhanced capacity. Composites Part B: Engineering, 2021, 227, 109384. | 5.9  | 17        |
| 275 | Benzodithiophene-thienopyrroledione-thienothiophene-based random copolymeric hole transporting material for perovskite solar cell. Chemical Engineering Journal, 2020, 382, 122830.  | 6.6  | 16        |
| 276 | Pragmatically designed tetragonal copper ferrite super-architectures as advanced multifunctional electrodes for solid-state supercapacitors and overall water splitting. Chemical Engineering Journal, 2021, 415, 127779.  | 6.6  | 16        |
| 277 | Efficient reduction of graphene oxide using Tin-powder and its electrochemical performances for use as an energy storage electrode material. Journal of Materials Chemistry A, 2013, 1, 11320.   | 5.2  | 15        |
| 278 | UV-Curable, High-Shear Pressure-Sensitive Adhesives Derived from Acrylated Epoxidized Soybean Oil.<br>Journal of Adhesion, 2013, 89, 323-338.  | 1.8  | 15        |
| 279 | Rapid effective reduction by microwave-irradiated thermal reaction for large-scale production of high-quality reduced graphene oxide. Carbon, 2022, 187, 330-337.  | 5.4  | 15        |
| 280 | Recent engineering advances in nanocatalysts for NH3-to-H2 conversion technologies. Nano Energy,<br>2022, 94, 106929.  | 8.2  | 15        |
| 281 | Fabrication of impermeable dense architecture containing covalently stitched graphene oxide/boron<br>nitride hybrid nanofiller reinforced semi-interpenetrating network for hydrogen gas barrier<br>applications. Journal of Materials Chemistry A, 2022, 10, 4376-4391.   | 5.2  | 15        |
| 282 | Peanut skin extract mediated synthesis of gold nanoparticles, silver nanoparticles and gold–silver<br>bionanocomposites for electrochemical Sudan IV sensing. IET Nanobiotechnology, 2016, 10, 431-437.  | 1.9  | 14        |
| 283 | Facile fabrication of highly durable Pt NPs/3D graphene hierarchical nanostructure for proton exchange membrane fuel cells. Carbon, 2016, 109, 805-812.  | 5.4  | 14        |
| 284 | Surface Reaction of LiCoO <sub>2</sub> /Li System under High-Voltage Conditions by X-Ray<br>Spectroscopy and Two-Dimensional Correlation Spectroscopy (2D-COS). Applied Spectroscopy, 2011, 65,<br>320-325.  | 1.2  | 12        |
| 285 | New hyperbranched polymers for membranes of highâ€ŧemperature polymer electrolyte membrane fuel<br>cells: Determination of the crystal structure and freeâ€volume size. Journal of Applied Polymer Science,<br>2011, 121, 923-929.   | 1.3  | 12        |
| 286 | A Facile One-Step Hydrothermal Synthesis of Graphene/CeO <sub>2</sub> Nanocomposite and<br>its Catalytic Properties. Advanced Materials Research, 0, 747, 242-245.   | 0.3  | 12        |
| 287 | Colorimetric/naked eye detection of arsenic ions in aqueous medium by mango flower extract: A facile and novel approach. Applied Surface Science, 2020, 513, 145760.   | 3.1  | 12        |
| 288 | Effect of surface treatment with potassium persulfate on dispersion stability of multi-walled carbon nanotubes. Materials Letters, 2010, 64, 718-721.  | 1.3  | 11        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Electrochemically Preparation of Functionalized Graphene Using Sodium Dodecyl Benzene Sulfonate<br>(SDBS). Advanced Materials Research, 0, 747, 246-249.  | 0.3 | 11        |
| 290 | Cobalt-doped cerium oxide nanocrystals shelled 1D SnO2 structures for highly sensitive and selective xanthine detection in biofluids. Journal of Colloid and Interface Science, 2021, 600, 299-309.   | 5.0 | 11        |
| 291 | Efficient synergism of NiO-NiSe2 nanosheet-based heterostructures shelled titanium nitride array for robust overall water splitting. Journal of Colloid and Interface Science, 2022, 612, 121-131.  | 5.0 | 10        |
| 292 | Freestanding Binder-Free Electrodes with Nanodisk-Needle-like MnCuCo-LTH and<br>Mn <sub>1</sub> Fe <sub>2</sub> S <sub>2</sub> Porous Microthorns for High-Performance<br>Quasi-Solid-State Supercapacitors. ACS Applied Materials & Interfaces, 2022, 14, 12523-12537. | 4.0 | 10        |
| 293 | Synthesis and Characterization of SPEEK/Layered Double Hydroxide Polymer Nanocomposite for Fuel Cell Applications. Advanced Materials Research, 0, 747, 234-237.  | 0.3 | 9         |
| 294 | Hydrogen gas barrier property of polyelectrolyte/ <scp>GO</scp> layerâ€byâ€layer films. Journal of Applied<br>Polymer Science, 2015, 132, .   | 1.3 | 9         |
| 295 | Facile synthesis of high quality multi-walled carbon nanotubes on novel 3D KIT-6: application in high performance dye-sensitized solar cells. Nanoscale, 2015, 7, 679-689.  | 2.8 | 9         |
| 296 | Effect of reactive poly(ethylene glycol) flexible chains on curing kinetics and impact properties of bisphenolâ€a glycidyl ether epoxy. Journal of Applied Polymer Science, 2012, 124, 2325-2332.   | 1.3 | 8         |
| 297 | Multi-interfacial engineering of IrOx clusters coupled porous zinc Phosphide-Zinc phosphate heterostructure for efficient water splitting. Applied Surface Science, 2022, 600, 154206.  | 3.1 | 8         |
| 298 | Aniline- and N,N-dimethylformamide-assisted processing route for graphite nanoplates: intercalation and exfoliation pathway. Materials Letters, 2011, 65, 1371-1374.  | 1.3 | 5         |
| 299 | Nicotinamide adenine dinucleotide assisted shape-controlled synthesis of catalytically active raspberry-like gold nanostructures. Electrochimica Acta, 2015, 151, 195-202.  | 2.6 | 4         |
| 300 | Layer-by-layer assembled graphene oxide/polydiallydimethylammonium chloride composites for hydrogen gas barrier application. Advanced Composite Materials, 2018, 27, 457-466.   | 1.0 | 4         |
| 301 | Synthesis and characterization of novel thiophene-based polybenzimidazole membrane for high-temperature fuel cells. Journal of Applied Electrochemistry, 2013, 43, 749-754.   | 1.5 | 3         |
| 302 | Heating fluid from aqueous dispersion of metallic to semiconducting particles. International Journal of Thermal Sciences, 2010, 49, 2000-2007.  | 2.6 | 2         |
| 303 | Mo and Zn-Dual doped CuxO nanocrystals confined High-Conductive Cu arrays as novel sensitive sensor for neurotransmitter detection. Journal of Colloid and Interface Science, 2022, 606, 1031-1041.   | 5.0 | 2         |
| 304 | Nafion-Peptized Laponite Clay Nanocomposite Membrane for PEMFC. Advanced Materials Research, 0,<br>410, 148-151.  | 0.3 | 1         |
| 305 | Polymer-Layered Silicate Nanocomposite Membranes for Fuel Cell Application. , 2014, , 481-509.  |     | 1         |
| 306 | Tin-Powder Mediated Facile Route for the Reduction of Graphene Oxide. Advanced Materials Research, 2013, 747, 238-241.  | 0.3 | 0         |

0

| #   | Article  | IF | CITATIONS |
|-----|--|----|-----------|
| 307 | Polymer nanocomposites for energy-related applications. , 2021, , 215-248. |    | 0         |
|     |  |    |           |

Transition metal nanoparticles as electrocatalysts for ORR, OER, and HER. , 2022, , 49-83.