Javier FernÃ;ndez-Torres

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5875217/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Impact of Cadmium Mediated by Tobacco Use in Musculoskeletal Diseases. Biological Trace Element Research, 2022, 200, 2008-2015.	1.9	5
2	Synovial membrane mesenchymal stem cells for cartilaginous tissues repair. Molecular Biology Reports, 2022, 49, 2503-2517.	1.0	3
3	HLA-B27 may modulate the interaction between ERAP1 polymorphisms and smoking in ankylosing spondylitis patients. Molecular Biology Reports, 2022, , .	1.0	2
4	Anti-inflammatory and Antioxidant Effect of Poly-gallic Acid (PGAL) in an In Vitro Model of Synovitis Induced by Monosodium Urate Crystals. Inflammation, 2022, 45, 2066-2077.	1.7	3
5	Ancestral contribution of the muscle-specific creatine kinase (CKM) polymorphism rs4884 in the knee osteoarthritis risk: a preliminary study. Clinical Rheumatology, 2021, 40, 279-285.	1.0	1
6	Synovial fluid analysis for the enhanced clinical diagnosis of crystal arthropathies in a tertiary care institution. Clinical Rheumatology, 2021, 40, 3239-3246.	1.0	4
7	Soluble inflammatory mediators of synoviocytes stimulated by monosodium urate crystals induce the production of oxidative stress, pain, and inflammation mediators in chondrocytes. Clinical Rheumatology, 2021, 40, 3265-3271.	1.0	5
8	A proposed HLA-B*27 screening method for ankylosing spondylitis detection based on tag-single nucleotide polymorphisms: a preliminary study. Molecular Biology Reports, 2021, 48, 7819-7829.	1.0	4
9	Risk of Wnt/β-catenin signalling pathway gene polymorphisms in primary Sjögren's syndrome. Rheumatology, 2020, 59, 418-425.	0.9	9
10	Impact of cadmium toxicity on cartilage loss in a 3D in vitro model. Environmental Toxicology and Pharmacology, 2020, 74, 103307.	2.0	21
11	Effect of cadmium on the viability on monolayer cultures of synoviocytes, chondrocytes, and Hoffa: A preliminary study. Toxicology and Industrial Health, 2020, 36, 940-945.	0.6	1
12	Effect of cadmium on the concentration of essential metals in a human chondrocyte micromass culture. Journal of Trace Elements in Medicine and Biology, 2020, 62, 126614.	1.5	14
13	Cherry extracts attenuate inflammation and oxidative stress triggered by monosodium urate crystals in THPâ€1 cells. Journal of Food Biochemistry, 2020, 44, e13403.	1.2	5
14	Multifactor dimensionality reduction reveals a strong gene–gene interaction between STC1 and COL11A1 genes as a possible risk factor of knee osteoarthritis. Molecular Biology Reports, 2020, 47, 2627-2634.	1.0	9
15	Afatinib is active in osteosarcoma in osteosarcoma cell lines. Journal of Cancer Research and Clinical Oncology, 2020, 146, 1693-1700.	1.2	7
16	Epistasis of polymorphisms related to the articular cartilage extracellular matrix in knee osteoarthritis: Analysis-based multifactor dimensionality reduction. Genetics and Molecular Biology, 2020, 43, e20180349.	0.6	6
17	Monosodium urate-like crystals in stools in a gouty patient: intestinal tophi?. Clinical and Experimental Rheumatology, 2020, 38, 1269-1270.	0.4	0
18	Common gene variants interactions related to uric acid transport are associated with knee osteoarthritis susceptibility. Connective Tissue Research, 2019, 60, 219-229.	1.1	5

#	Article	IF	CITATIONS
19	Toxicity of cadmium in musculoskeletal diseases. Environmental Toxicology and Pharmacology, 2019, 72, 103219.	2.0	99
20	Impact of the gene-gene interactions related to the HIF-1α signaling pathway with the knee osteoarthritis development. Clinical Rheumatology, 2019, 38, 2897-2907.	1.0	7
21	Epistasis between ADIPOQ rs1501299 and PON1 rs662 polymorphisms is potentially associated with the development of knee osteoarthritis. Molecular Biology Reports, 2019, 46, 2049-2058.	1.0	9
22	Phagocytosis of monosodium urate crystals by human synoviocytes induces inflammation. Experimental Biology and Medicine, 2019, 244, 344-351.	1.1	23
23	The association of AKNA gene polymorphisms with knee osteoarthritis suggests the relevance of this immune response regulator in the disease genetic susceptibility. Molecular Biology Reports, 2018, 45, 151-161.	1.0	5
24	Afatinib is active in osteosarcoma in vitro models. Annals of Oncology, 2018, 29, iii22-iii23.	0.6	0
25	Fast Morphological Gallbladder Changes Triggered by a Hypercholesterolemic Diet. Annals of Hepatology, 2018, 17, 857-863.	0.6	3
26	Gene–gene interactions of the Wnt/β-catenin signaling pathway in knee osteoarthritis. Molecular Biology Reports, 2018, 45, 1089-1098.	1.0	16
27	Emergent nanotherapies in microcrystal-induced arthritis. International Immunopharmacology, 2018, 61, 197-203.	1.7	3
28	Hypoxia Inducible Factor-1α Gene rs11549465 Might be Protective Factor for the Development of Type 1 Diabetes Mellitus. Endocrinology & Diabetes Research, 2018, 04, .	0.0	1
29	AB0059â€Synovial secretion of pro-inflammatory and pro-oxidant molecules triggered by monosodium urate crystals induces ngf and h2o2 pain mediators in the chondrocyte. , 2017, , .		0
30	THU0016â€A comprehensive contribution of genes of the hypoxia inducible factor-1 alpha signaling pathway to knee osteoarthritis susceptibility. , 2017, , .		0
31	THU0230â€HIF1A (RS11549465) and AKNA (RS10817595) gene polymorphisms are associated with primary sjÃ−gren's syndrome. , 2017, , .		0
32	Hyperlipidemic microenvironment conditionates damage mechanisms in human chondrocytes by oxidative stress. Lipids in Health and Disease, 2017, 16, 114.	1.2	19
33	Papel da via de sinalização do HIFâ€1α na osteoartrite: revisão sistemática. Revista Brasileira De Reumatologia, 2017, 57, 162-173.	0.8	12
34	Role of HIF-1α signaling pathway in osteoarthritis: a systematic review. Revista Brasileira De Reumatologia, 2017, 57, 162-173.	0.7	26
35	<i>HIF1A</i> (rs11549465) and <i>AKNA</i> (rs10817595) Gene Polymorphisms Are Associated with Primary Sjögren's Syndrome. BioMed Research International, 2017, 2017, 1-8.	0.9	10
36	Hypoxia-Inducible Factors (HIFs) in the articular cartilage: a systematic review. European Review for Medical and Pharmacological Sciences, 2017, 21, 2800-2810.	0.5	27

#	Article	IF	CITATIONS
37	The Overexpression of NALP3 Inflammasome in Knee Osteoarthritis Is Associated with Synovial Membrane Prolidase and NADPH Oxidase 2. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-7.	1.9	46
38	Monosodium urate crystals induce oxidative stress in human synoviocytes. Arthritis Research and Therapy, 2016, 18, 117.	1.6	55
39	Ultrasound in the interstitial pulmonary fibrosis. Can it facilitate a best routine assessment in rheumatic disorders?. Clinical Rheumatology, 2016, 35, 2387-2395.	1.0	6
40	Animal model of acute gout reproduces the inflammatory and ultrasonographic joint changes of human gout. Arthritis Research and Therapy, 2015, 17, 37.	1.6	34
41	Polymorphic variation of hypoxia inducible factor-1 A (HIF1A) gene might contribute to the development of knee osteoarthritis: a pilot study. BMC Musculoskeletal Disorders, 2015, 16, 218.	0.8	21
42	Ultrasound in psoriatic arthritis. Can it facilitate a best routine practice in the diagnosis and management of psoriatic arthritis?. Clinical Rheumatology, 2015, 34, 1847-1855.	1.0	18
43	The HIF1A rs2057482 polymorphism is associated with risk of developing premature coronary artery disease and with some metabolic and cardiovascular risk factors. The Genetics of Atherosclerotic Disease (GEA) Mexican Study. Experimental and Molecular Pathology, 2014, 96, 405-410.	0.9	18
44	HLA-B*40 Allele Plays a Role in the Development of Acute Leukemia in Mexican Population: A Case-Control Study. BioMed Research International, 2013, 2013, 1-6.	0.9	16
45	The ancestry of the HLA–DRB1â^—15 allele predisposes the Mexican mestizo to the development of aplastic anemia. Human Immunology, 2012, 73, 840-843.	1.2	10