

# Alessandro Mantovani

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5875367/alessandro-mantovani-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

144  
papers

3,702  
citations

33  
h-index

57  
g-index

168  
ext. papers

5,456  
ext. citations

5.1  
avg, IF

6.43  
L-index

#	Paper	IF	Citations
144	Hypertension, diabetes, atherosclerosis and NASH: Cause or consequence?. <i>Journal of Hepatology</i> , <b>2018</b> , 68, 335-352	13.4	298
143	Nonalcoholic Fatty Liver Disease and Risk of Incident Type 2 Diabetes: A Meta-analysis. <i>Diabetes Care</i> , <b>2018</b> , 41, 372-382	14.6	262
142	Nonalcoholic fatty liver disease increases risk of incident chronic kidney disease: A systematic review and meta-analysis. <i>Metabolism: Clinical and Experimental</i> , <b>2018</b> , 79, 64-76	12.7	171
141	Diabetes as a risk factor for greater COVID-19 severity and in-hospital death: A meta-analysis of observational studies. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2020</b> , 30, 1236-1248	4.5	126
140	Risk of cardiomyopathy and cardiac arrhythmias in patients with nonalcoholic fatty liver disease. <i>Nature Reviews Gastroenterology and Hepatology</i> , <b>2018</b> , 15, 425-439	24.2	114
139	Complications, morbidity and mortality of nonalcoholic fatty liver disease. <i>Metabolism: Clinical and Experimental</i> , <b>2020</b> , 111S, 154170	12.7	113
138	Nonalcoholic fatty liver disease is independently associated with an increased incidence of chronic kidney disease in patients with type 1 diabetes. <i>Diabetes Care</i> , <b>2014</b> , 37, 1729-36	14.6	98
137	Coronavirus disease 2019 and prevalence of chronic liver disease: A meta-analysis. <i>Liver International</i> , <b>2020</b> , 40, 1316-1320	7.9	95
136	Risk of severe illness from COVID-19 in patients with metabolic dysfunction-associated fatty liver disease and increased fibrosis scores. <i>Gut</i> , <b>2020</b> , 69, 1545-1547	19.2	93
135	Patients with diabetes are at higher risk for severe illness from COVID-19. <i>Diabetes and Metabolism</i> , <b>2020</b> , 46, 335-337	5.4	84
134	Non-alcoholic fatty liver disease is associated with an increased prevalence of atrial fibrillation in hospitalized patients with type 2 diabetes. <i>Clinical Science</i> , <b>2013</b> , 125, 301-9	6.5	80
133	Coronavirus disease 2019 (COVID-19) in children and/or adolescents: a meta-analysis. <i>Pediatric Research</i> , <b>2021</b> , 89, 733-737	3.2	80
132	Non-alcoholic fatty liver disease and risk of incident diabetes mellitus: an updated meta-analysis of 501 022 adult individuals. <i>Gut</i> , <b>2021</b> , 70, 962-969	19.2	80
131	Cardiovascular Disease and Myocardial Abnormalities in Nonalcoholic Fatty Liver Disease. <i>Digestive Diseases and Sciences</i> , <b>2016</b> , 61, 1246-67	4	75
130	Type 2 diabetes mellitus and risk of hepatocellular carcinoma: spotlight on nonalcoholic fatty liver disease. <i>Annals of Translational Medicine</i> , <b>2017</b> , 5, 270	3.2	68
129	Nonalcoholic Fatty Liver Disease Is Associated With Ventricular Arrhythmias in Patients With Type 2 Diabetes Referred for Clinically Indicated 24-Hour Holter Monitoring. <i>Diabetes Care</i> , <b>2016</b> , 39, 1416-23	14.6	66
128	Nonalcoholic Fatty Liver Disease Is Independently Associated with Early Left Ventricular Diastolic Dysfunction in Patients with Type 2 Diabetes. <i>PLoS ONE</i> , <b>2015</b> , 10, e0135329	3.7	61

127	Non-alcoholic fatty liver disease and risk of incident chronic kidney disease: an updated meta-analysis. <i>Gut</i> , <b>2022</b> , 71, 156-162	19.2	56
126	Heart valve calcification in patients with type 2 diabetes and nonalcoholic fatty liver disease. <i>Metabolism: Clinical and Experimental</i> , <b>2015</b> , 64, 879-87	12.7	55
125	Association of nonalcoholic fatty liver disease with QTc interval in patients with type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2014</b> , 24, 663-9	4.5	55
124	Prognostic Impact of Diabetes on Long-term Survival Outcomes in Patients With Heart Failure: A Meta-analysis. <i>Diabetes Care</i> , <b>2017</b> , 40, 1597-1605	14.6	52
123	Association Between Primary Hypothyroidism and Nonalcoholic Fatty Liver Disease: A Systematic Review and Meta-Analysis. <i>Thyroid</i> , <b>2018</b> , 28, 1270-1284	6.2	50
122	Glucagon-Like Peptide-1 Receptor Agonists for Treatment of Nonalcoholic Fatty Liver Disease and Nonalcoholic Steatohepatitis: An Updated Meta-Analysis of Randomized Controlled Trials. <i>Metabolites</i> , <b>2021</b> , 11,	5.6	50
121	Association between nonalcoholic fatty liver disease and colorectal tumours in asymptomatic adults undergoing screening colonoscopy: a systematic review and meta-analysis. <i>Metabolism: Clinical and Experimental</i> , <b>2018</b> , 87, 1-12	12.7	48
120	Relationship between Non-Alcoholic Fatty Liver Disease and Psoriasis: A Novel Hepato-Dermal Axis?. <i>International Journal of Molecular Sciences</i> , <b>2016</b> , 17, 217	6.3	47
119	Non-alcoholic fatty liver disease is independently associated with left ventricular hypertrophy in hypertensive Type 2 diabetic individuals. <i>Journal of Endocrinological Investigation</i> , <b>2012</b> , 35, 215-8	5.2	44
118	Association between non-alcoholic fatty liver disease and risk of atrial fibrillation in adult individuals: An updated meta-analysis. <i>Liver International</i> , <b>2019</b> , 39, 758-769	7.9	43
117	NAFLD in Some Common Endocrine Diseases: Prevalence, Pathophysiology, and Principles of Diagnosis and Management. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	43
116	Efficacy and safety of anti-hyperglycaemic drugs in patients with non-alcoholic fatty liver disease with or without diabetes: An updated systematic review of randomized controlled trials. <i>Diabetes and Metabolism</i> , <b>2020</b> , 46, 427-441	5.4	42
115	Nonalcoholic fatty liver disease is independently associated with an increased incidence of cardiovascular disease in adult patients with type 1 diabetes. <i>International Journal of Cardiology</i> , <b>2016</b> , 225, 387-391	3.2	39
114	Nonalcoholic fatty liver disease is associated with aortic valve sclerosis in patients with type 2 diabetes mellitus. <i>PLoS ONE</i> , <b>2014</b> , 9, e88371	3.7	39
113	Clinical relevance of liver histopathology and different histological classifications of NASH in adults. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2018</b> , 12, 351-367	4.2	34
112	Epidemiology and pathophysiology of the association between NAFLD and metabolically healthy or metabolically unhealthy obesity. <i>Annals of Hepatology</i> , <b>2020</b> , 19, 359-366	3.1	33
111	Nonalcoholic fatty liver disease is associated with an increased prevalence of distal symmetric polyneuropathy in adult patients with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , <b>2017</b> , 31, 1021-1026	3.2	30
110	Nonalcoholic fatty liver disease is associated with an increased risk of heart block in hospitalized patients with type 2 diabetes mellitus. <i>PLoS ONE</i> , <b>2017</b> , 12, e0185459	3.7	29

109	Nonalcoholic Fatty Liver Disease (NAFLD) and Risk of Cardiac Arrhythmias: A New Aspect of the Liver-heart Axis. <i>Journal of Clinical and Translational Hepatology</i> , <b>2017</b> , 5, 134-141	5.2	28
108	Non-alcoholic fatty liver disease and risk of fatal and non-fatal cardiovascular events: an updated systematic review and meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2021</b> , 6, 903-913	18.8	28
107	Liver fibrosis by FibroScan independently of established cardiovascular risk parameters associates with macrovascular and microvascular complications in patients with type 2 diabetes. <i>Liver International</i> , <b>2020</b> , 40, 347-354	7.9	27
106	Pathogenesis of hypothyroidism-induced NAFLD: Evidence for a distinct disease entity?. <i>Digestive and Liver Disease</i> , <b>2019</b> , 51, 462-470	3.3	26
105	Nonalcoholic fatty liver disease and increased risk of 1-year all-cause and cardiac hospital readmissions in elderly patients admitted for acute heart failure. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173398	3.7	26
104	Hyperuricemia is associated with an increased prevalence of atrial fibrillation in hospitalized patients with type 2 diabetes. <i>Journal of Endocrinological Investigation</i> , <b>2016</b> , 39, 159-67	5.2	25
103	Association between Helicobacter pylori infection and risk of nonalcoholic fatty liver disease: An updated meta-analysis. <i>Metabolism: Clinical and Experimental</i> , <b>2019</b> , 96, 56-65	12.7	24
102	Coronavirus disease 2019 (COVID-19): we don't leave women alone. <i>International Journal of Public Health</i> , <b>2020</b> , 65, 235-236	4	24
101	Nonalcoholic fatty liver disease and reduced serum vitamin D(3) levels. <i>Metabolic Syndrome and Related Disorders</i> , <b>2013</b> , 11, 217-28	2.6	24
100	Relationship Between PNPLA3 rs738409 Polymorphism and Decreased Kidney Function in Children With NAFLD. <i>Hepatology</i> , <b>2019</b> , 70, 142-153	11.2	23
99	Contribution of a genetic risk score to clinical prediction of hepatic steatosis in obese children and adolescents. <i>Digestive and Liver Disease</i> , <b>2019</b> , 51, 1586-1592	3.3	22
98	Sodium-Glucose Cotransporter-2 Inhibitors for Treatment of Nonalcoholic Fatty Liver Disease: A Meta-Analysis of Randomized Controlled Trials. <i>Metabolites</i> , <b>2020</b> , 11,	5.6	22
97	Association between PNPLA3rs738409 polymorphism decreased kidney function in postmenopausal type 2 diabetic women with or without non-alcoholic fatty liver disease. <i>Diabetes and Metabolism</i> , <b>2019</b> , 45, 480-487	5.4	22
96	Systematic review with meta-analysis: non-alcoholic fatty liver disease is associated with a history of osteoporotic fractures but not with low bone mineral density. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2019</b> , 49, 375-388	6.1	22
95	Liver Fibrosis Biomarkers Accurately Exclude Advanced Fibrosis and Are Associated with Higher Cardiovascular Risk Scores in Patients with NAFLD or Viral Chronic Liver Disease. <i>Diagnostics</i> , <b>2021</b> , 11,	3.8	22
94	Screening for non-alcoholic fatty liver disease using liver stiffness measurement and its association with chronic kidney disease and cardiovascular complications in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , <b>2020</b> , 46, 296-303	5.4	21
93	Association of Plasma Ceramides With Myocardial Perfusion in Patients With Coronary Artery Disease Undergoing Stress Myocardial Perfusion Scintigraphy. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2018</b> , 38, 2854-2861	9.4	21
92	Prognostic impact of elevated serum uric acid levels on long-term outcomes in patients with chronic heart failure: A post-hoc analysis of the GISSI-HF (Gruppo Italiano per lo Studio della Sopravvivenza nella Insufficienza Cardiaca-Heart Failure) trial. <i>Metabolism: Clinical and Experimental</i> , <b>2019</b> , 93, 205-215	12.7	20

91	Non-alcoholic fatty liver disease and increased risk of all-cause mortality in elderly patients admitted for acute heart failure. <i>International Journal of Cardiology</i> , <b>2018</b> , 265, 162-168	3.2	20
90	Comparison of two creatinine-based estimating equations in predicting all-cause and cardiovascular mortality in patients with type 2 diabetes. <i>Diabetes Care</i> , <b>2012</b> , 35, 2347-53	14.6	20
89	Early impairment in left ventricular longitudinal systolic function is associated with an increased risk of incident atrial fibrillation in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , <b>2017</b> , 31, 413-418	3.2	19
88	Detrimental effects of metabolic dysfunction-associated fatty liver disease and increased neutrophil-to-lymphocyte ratio on severity of COVID-19. <i>Diabetes and Metabolism</i> , <b>2020</b> , 46, 505-507	5.4	19
87	Non-alcoholic fatty liver disease and increased risk of incident extrahepatic cancers: a meta-analysis of observational cohort studies. <i>Gut</i> , <b>2021</b> ,	19.2	19
86	Treatments for NAFLD: State of Art. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	19
85	Ceramides and risk of major adverse cardiovascular events: A meta-analysis of longitudinal studies. <i>Journal of Clinical Lipidology</i> , <b>2020</b> , 14, 176-185	4.9	18
84	Prevalence of prediabetes and diabetes in children and adolescents with biopsy-proven non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , <b>2019</b> , 71, 802-810	13.4	18
83	Extra-hepatic manifestations and complications of nonalcoholic fatty liver disease. <i>Future Medicinal Chemistry</i> , <b>2019</b> , 11, 2171-2192	4.1	18
82	Association between non-alcoholic fatty liver disease and decreased lung function in adults: A systematic review and meta-analysis. <i>Diabetes and Metabolism</i> , <b>2019</b> , 45, 536-544	5.4	17
81	Association between non-alcoholic fatty liver disease and bone turnover biomarkers in post-menopausal women with type 2 diabetes. <i>Diabetes and Metabolism</i> , <b>2019</b> , 45, 347-355	5.4	17
80	Association Between Nonalcoholic Fatty Liver Disease and Reduced Bone Mineral Density in Children: A Meta-Analysis. <i>Hepatology</i> , <b>2019</b> , 70, 812-823	11.2	16
79	PNPLA3 I148M gene variant and chronic kidney disease in type 2 diabetic patients with NAFLD: Clinical and experimental findings. <i>Liver International</i> , <b>2020</b> , 40, 1130-1141	7.9	16
78	Commentary: Nonalcoholic or metabolic dysfunction-associated fatty liver disease? The epidemic of the 21st century in search of the most appropriate name. <i>Metabolism: Clinical and Experimental</i> , <b>2020</b> , 113, 154413	12.7	16
77	Associations between specific plasma ceramides and severity of coronary-artery stenosis assessed by coronary angiography. <i>Diabetes and Metabolism</i> , <b>2020</b> , 46, 150-157	5.4	16
76	Hyperuricemia is associated with an increased prevalence of paroxysmal atrial fibrillation in patients with type 2 diabetes referred for clinically indicated 24-h Holter monitoring. <i>Journal of Endocrinological Investigation</i> , <b>2018</b> , 41, 223-231	5.2	14
75	Plasma N-terminal propeptide of type III procollagen accurately predicts liver fibrosis severity in children with non-alcoholic fatty liver disease. <i>Liver International</i> , <b>2019</b> , 39, 2317-2329	7.9	14
74	Multiple Evanescent White Dot Syndrome: A Multimodal Imaging Study of Foveal Granularity. <i>Ocular Immunology and Inflammation</i> , <b>2019</b> , 27, 141-147	2.8	12

73	Association between plasma ceramides and inducible myocardial ischemia in patients with established or suspected coronary artery disease undergoing myocardial perfusion scintigraphy. <i>Metabolism: Clinical and Experimental</i> , <b>2018</b> , 85, 305-312	12.7	11
72	Relationship between increased left atrial volume and microvascular complications in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , <b>2015</b> , 29, 822-8	3.2	9
71	PNPLA3 gene and kidney disease <b>2020</b> , 1, 42-50		9
70	Association between increased plasma ceramides and chronic kidney disease in patients with and without ischemic heart disease. <i>Diabetes and Metabolism</i> , <b>2021</b> , 47, 101152	5.4	9
69	Advances and potential new developments in imaging techniques for posterior uveitis Part 2: invasive imaging methods. <i>Eye</i> , <b>2021</b> , 35, 52-73	4.4	9
68	Hypothyroidism and nonalcoholic fatty liver disease - a chance association?. <i>Hormone Molecular Biology and Clinical Investigation</i> , <b>2018</b> , 41,	1.3	8
67	Association between subclinical left ventricular systolic dysfunction and glycemic control in asymptomatic type 2 diabetic patients with preserved left ventricular function. <i>Journal of Diabetes and Its Complications</i> , <b>2017</b> , 31, 1035-1040	3.2	6
66	Relation between plasma ceramides and cardiovascular death in chronic heart failure: A subset analysis of the GISSI-HF trial. <i>ESC Heart Failure</i> , <b>2020</b> , 7, 3288	3.7	6
65	Efficacy of peroxisome proliferator-activated receptor agonists, glucagon-like peptide-1 receptor agonists, or sodium-glucose cotransporter-2 inhibitors for treatment of non-alcoholic fatty liver disease: a systematic review.. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2022</b> ,	18.8	6
64	NAFLD, MAFLD and DAFLD. <i>Digestive and Liver Disease</i> , <b>2020</b> , 52, 1519-1520	3.3	6
63	Gender disparity in editorial boards of journals in neurology. <i>Neurology</i> , <b>2020</b> , 95, 489-491	6.5	6
62	Diffuse Idiopathic Skeletal Hyperostosis (DISH) in Type 2 Diabetes: A New Imaging Possibility and a New Biomarker. <i>Calcified Tissue International</i> , <b>2021</b> , 108, 231-239	3.9	6
61	Relation of elevated serum uric acid levels to first-degree heart block and other cardiac conduction defects in hospitalized patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , <b>2017</b> , 31, 1691-1697	3.2	5
60	Sural nerve biopsy: current role and comparison with serum neurofilament light chain levels. <i>Journal of Neurology</i> , <b>2020</b> , 267, 2881-2887	5.5	5
59	Risk of Kidney Dysfunction IN Nafld. <i>Current Pharmaceutical Design</i> , <b>2020</b> , 26, 1045-1061	3.3	5
58	Gender difference in authorship of clinical practice guidelines and position statements in endocrinology. <i>Journal of Endocrinological Investigation</i> , <b>2019</b> , 42, 489-490	5.2	4
57	Thyroid Dysfunction and Nonalcoholic Fatty Liver Disease: We Need New Larger and Well-Designed Longitudinal Studies. <i>Digestive Diseases and Sciences</i> , <b>2018</b> , 63, 1970-1976	4	4
56	Is it time to include non-alcoholic fatty liver disease in the current risk scores for atrial fibrillation?. <i>Digestive and Liver Disease</i> , <b>2018</b> , 50, 626-628	3.3	4

55	Severe hypoglycemia in patients with known diabetes requiring emergency department care: A report from an Italian multicenter study. <i>Journal of Clinical and Translational Endocrinology</i> , <b>2016</b> , 5, 46-52 <sup>4</sup>		4
54	Association between specific plasma ceramides and high-sensitivity C-reactive protein levels in postmenopausal women with type 2 diabetes. <i>Diabetes and Metabolism</i> , <b>2020</b> , 46, 326-330	5.4	4
53	The E/eSratio difference between subjects with type 2 diabetes and controls. A meta-analysis of clinical studies. <i>PLoS ONE</i> , <b>2018</b> , 13, e0209794	3.7	4
52	Increased aortic stiffness index in patients with type 1 diabetes without cardiovascular disease compared to controls. <i>Journal of Endocrinological Investigation</i> , <b>2019</b> , 42, 1109-1115	5.2	3
51	Nonalcoholic Fatty Liver Disease and Implications for Older Adults with Diabetes. <i>Clinics in Geriatric Medicine</i> , <b>2020</b> , 36, 527-547	3.8	3
50	NAFLD and risk of cardiac arrhythmias: Is hyperuricemia a neglected pathogenic mechanism?. <i>Digestive and Liver Disease</i> , <b>2018</b> , 50, 518-520	3.3	3
49	Pressure heel ulcers in patients with type 2 diabetes: Is it T.I.M.E. to customise wound bed preparation according to different heel areas?. <i>International Wound Journal</i> , <b>2018</b> , 15, 849-850	2.6	3
48	Risk of non-alcoholic fatty liver disease in patients with chronic plaque psoriasis: an updated systematic review and meta-analysis of observational studies.. <i>Journal of Endocrinological Investigation</i> , <b>2022</b> , 1	5.2	3
47	Pulmonary Fat Embolism and Coronary Amyloidosis. <i>American Journal of Case Reports</i> , <b>2018</b> , 19, 744-747 <sup>1.3</sup>		3
46	Risk of Heart Failure in Patients With Nonalcoholic Fatty Liver Disease: JACC Review Topic of the Week.. <i>Journal of the American College of Cardiology</i> , <b>2022</b> , 79, 180-191	15.1	3
45	Association between MBOAT7 rs641738 polymorphism and non-alcoholic fatty liver in overweight or obese children. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2021</b> , 31, 1548-1555	4.5	3
44	Plasma Bile Acid Profile in Patients with and without Type 2 Diabetes. <i>Metabolites</i> , <b>2021</b> , 11,	5.6	3
43	Not all NAFLD patients are the same: We need to find a personalized therapeutic approach. <i>Digestive and Liver Disease</i> , <b>2019</b> , 51, 176-177	3.3	3
42	Diagnostic accuracy of ultrasonography for the detection of hepatic steatosis: an updated meta-analysis of observational studies		3
41	Honey dressing on a leg ulcer with tendon exposure in a patient with type 2 diabetes. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , <b>2018</b> , 2018,	1.4	3
40	Association between non-alcoholic fatty liver disease and impaired cardiac sympathetic/parasympathetic balance in subjects with and without type 2 diabetes-The Cooperative Health Research in South Tyrol (CHRIS)-NAFLD sub-study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2021</b> , 31, 3464-3473	4.5	3
39	MAFLD vs NAFLD: Where are we?. <i>Digestive and Liver Disease</i> , <b>2021</b> , 53, 1368-1372	3.3	3
38	Looking for women in hepatology: Sex authorship differences in clinical practice guidelines and position statements. <i>Digestive and Liver Disease</i> , <b>2019</b> , 51, 911-913	3.3	2

37	Left ventricular chamber dilation and filling pressure may help to categorise patients with type 2 diabetes. <i>BMJ Open Diabetes Research and Care</i> , <b>2018</b> , 6, e000529	4.5	2
36	Association between higher serum uric acid levels and plasma N-terminal pro-B-type natriuretic peptide concentrations in patients with coronary artery disease and without overt heart failure.. <i>International Journal of Cardiology</i> , <b>2022</b> ,	3.2	2
35	GLP-1 receptor agonists for NAFLD treatment in patients with and without type 2 diabetes: an updated meta-analysis. <i>Exploration of Medicine</i> , <b>2020</b> , 1, 108-123	1.1	2
34	NAFLD fibrosis score (NFS) can be used in outpatient services to identify chronic vascular complications besides advanced liver fibrosis in type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , <b>2020</b> , 34, 107684	3.2	2
33	Time to revise the definition of NAFLD: A purist vision. <i>Digestive and Liver Disease</i> , <b>2019</b> , 51, 457-458	3.3	2
32	Association between lower plasma adiponectin levels and higher plasma thrombin generation parameters in men with type 2 diabetes: role of plasma triglycerides. <i>Journal of Endocrinological Investigation</i> , <b>2021</b> , 44, 547-555	5.2	2
31	Scientific productivity in neurology: impact of the socio-economic status. <i>Neurological Sciences</i> , <b>2021</b> , 42, 1563-1566	3.5	2
30	Type 2 Diabetes, sarcopenic obesity and Mediterranean food pattern: Considerations about the therapeutic effect and the problem of maintaining weight loss and healthy habits. The outpatient experience of two clinical cases. <i>Journal of Clinical and Translational Endocrinology: Case Reports</i> , <b>2020</b> , 15, 100061	0.5	1
29	Gender differences in editorial boards of journals in hepatology. <i>Digestive and Liver Disease</i> , <b>2020</b> , 52, 469-470	3.3	1
28	Gender disparity in editorial boards of scientific journals in endocrinology. <i>Journal of Endocrinological Investigation</i> , <b>2020</b> , 43, 549-550	5.2	1
27	Increased aortic stiffness in adults with chronic indeterminate Chagas disease. <i>PLoS ONE</i> , <b>2019</b> , 14, e0220689	3.7	1
26	Primary cutaneous B-cell lymphoma and chronic leg ulcers in a patient with type 2 diabetes. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , <b>2017</b> , 2017,	1.4	1
25	Cutaneous squamous carcinoma in a patient with diabetic foot: an unusual evolution of a frequent complication. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , <b>2018</b> , 2018,	1.4	1
24	COVID-19 outbreak in children and/or adolescents. <i>Pediatric Research</i> , <b>2021</b> ,	3.2	1
23	Causality between non-alcoholic fatty liver disease and risk of cardiovascular disease and type 2 diabetes. <i>Liver International</i> , <b>2019</b> , 39, 779	7.9	1
22	Letter to the Editor about PNPLA3 gene polymorphism in Brazilian patients with type 2 diabetes: A prognostic marker beyond liver disease?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2020</b> , 30, 162-163	4.5	1
21	Assessment of simple strategies for identifying undiagnosed diabetes and prediabetes in the general population. <i>Journal of Endocrinological Investigation</i> , <b>2021</b> , 44, 75-81	5.2	1
20	Association between decreasing estimated glomerular filtration rate and risk of cardiac conduction defects in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , <b>2018</b> , 44, 473-481	5.4	1



19	Breastfeeding duration and reduced risk of NAFLD in midlife of parous women. <i>Exploration of Medicine</i> ,	1.1	1
18	Diabetic foot complicated by vertebral osteomyelitis and epidural abscess. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , <b>2016</b> , 2016, 150132	1.4	0
17	Nonalcoholic Fatty Liver Disease and Bone Mineral Density in Children and Adolescents: Specific Considerations for Future Studies. <i>Digestive Diseases and Sciences</i> , <b>2019</b> , 64, 898-900	4	0
16	GLP-1 receptor agonists and reduction of liver fat content in NAFLD patients: Just a question of weight loss?. <i>Digestive and Liver Disease</i> , <b>2021</b> , 53, 1673-1674	3.3	0
15	Cardiovascular morbidity and mortality in patients with rheumatic disease: hyperuricemia, a forgotten puzzle piece?. <i>Clinical Rheumatology</i> , <b>2017</b> , 36, 2869-2870	3.9	
14	Letter: non-alcoholic fatty liver disease is associated with a history of osteoporotic fractures but not with low bone mineral density-authorsSreply. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2019</b> , 49, 961-962	6.1	
13	Diabetes and NAFLD. <i>Endocrinology</i> , <b>2018</b> , 1-27	0.1	
12	Impaired Aortic Valve Growth in Type 1 Diabetes Mellitus. <i>Canadian Journal of Cardiology</i> , <b>2019</b> , 35, 941.e5-941.e6	5.5	
11	NAFLD, Diabetes, and Other Endocrine Diseases: Clinical Implications <b>2020</b> , 147-168		
10	Diabetes and NAFLD. <i>Endocrinology</i> , <b>2018</b> , 495-521	0.1	
9	Diabetes and NAFLD. <i>Endocrinology</i> , <b>2019</b> , 1-27	0.1	
8	Diabetes and NAFLD. <i>Endocrinology</i> , <b>2020</b> , 495-521	0.1	
7	Echocardiographic parameters according to insulin dose in young patients affected by type 1 diabetes. <i>PLoS ONE</i> , <b>2020</b> , 15, e0244483	3.7	
6	Association between increased carotid intima-media thickness and higher serum C-terminal telopeptide of type 1 collagen levels in post-menopausal women with type 2 diabetes. <i>Diabetes and Metabolism</i> , <b>2020</b> , 46, 409-411	5.4	
5	NAFLD, diabete tipo 2, rischio cardiovascolare?. <i>L Endocrinologo</i> , <b>2018</b> , 19, 255-259	0	
4	Non-alcoholic fatty liver disease and risk of developing chronic kidney disease: a new piece of a recent puzzle from a large Asian study. <i>AME Medical Journal</i> , <b>2018</b> , 3, 37-37	1	
3	Clearing hepatitis C virus with direct antiviral agents reduces cardiovascular events in patients with prediabetes. Commentary to Sasso and colleagues. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2021</b> , 31, 2354-2357	4.5	
2	Hepatitis C virus infection and diabetes: a complex bidirectional relationship.. <i>Diabetes Research and Clinical Practice</i> , <b>2022</b> , 109870	7.4	

- 1 Estimated peak systolic pulmonary artery pressure in young non-complicated patients with type 1 diabetes. *European Review for Medical and Pharmacological Sciences*, **2020**, 24, 5028-5035 2.9