

Raphael Hirsch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5876449/publications.pdf>

Version: 2024-02-01

64
papers

2,715
citations

186265

28
h-index

182427

51
g-index

64
all docs

64
docs citations

64
times ranked

2837
citing authors

#	ARTICLE	IF	CITATIONS
1	FSTL-1 Attenuation Causes Spontaneous Smoke-Resistant Pulmonary Emphysema. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 201, 934-945.	5.6	11
2	Regulation of Pulmonary Bacterial Immunity by Follistatin-Like Protein 1. <i>Infection and Immunity</i> , 2020, 89, .	2.2	2
3	The Follistatin-Like Protein 1 Pathway Is Important for Maintaining Healthy Articular Cartilage. <i>ACR Open Rheumatology</i> , 2020, 2, 407-414.	2.1	7
4	Follistatin-Like protein 1 modulates IL-17 signaling via IL-17RC regulation in stromal cells. <i>Immunology and Cell Biology</i> , 2017, 95, 656-665.	2.3	11
5	Suppression of arthritis-induced bone erosion by a CRAC channel antagonist. <i>RMD Open</i> , 2016, 2, e000093.	3.8	8
6	Follistatin-like protein 1 regulates chondrocyte proliferation and chondrogenic differentiation of mesenchymal stem cells. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1467-1473.	0.9	39
7	Follistatin-Like protein 1 enhances NLRP3 inflammasome-mediated IL-1 β secretion from monocytes and macrophages. <i>European Journal of Immunology</i> , 2014, 44, 1467-1479.	2.9	48
8	Follistatin-like protein 1 and its role in inflammation and inflammatory diseases. <i>Immunologic Research</i> , 2014, 59, 266-272.	2.9	86
9	Follistatin-like protein 1 is a critical mediator of experimental Lyme arthritis and the humoral response to <i>Borrelia burgdorferi</i> infection. <i>Microbial Pathogenesis</i> , 2014, 73, 70-79.	2.9	6
10	Follistatin-like Protein 1 and the Ferritin/Erythrocyte Sedimentation Rate Ratio Are Potential Biomarkers for Dysregulated Gene Expression and Macrophage Activation Syndrome in Systemic Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2013, 40, 1191-1199.	2.0	51
11	The DBA/1 Strain Is a Novel Mouse Model for Experimental <i>Borrelia burgdorferi</i> Infection. <i>Vaccine Journal</i> , 2012, 19, 1567-1573.	3.1	6
12	Do patients with juvenile idiopathic arthritis in clinical remission have evidence of persistent inflammation on 3T magnetic resonance imaging?. <i>Arthritis Care and Research</i> , 2012, 64, 1846-1854.	3.4	32
13	FSTL1 promotes arthritis in mice by enhancing inflammatory cytokine/chemokine expression. <i>Arthritis and Rheumatism</i> , 2012, 64, 1082-1088.	6.7	60
14	Plasma Follistatin-Like Protein 1 is Elevated in Kawasaki Disease and May Predict Coronary Artery Aneurysm Formation. <i>Journal of Pediatrics</i> , 2012, 161, 116-119.	1.8	26
15	Akt Fine-tunes NF- κ B-dependent Gene Expression during T Cell Activation. <i>Journal of Biological Chemistry</i> , 2011, 286, 36076-36085.	3.4	52
16	Hypocomplementemia Associated with Macrophage Activation Syndrome in Systemic Juvenile Idiopathic Arthritis and Adult Onset Still's Disease: 3 Cases: Table 1.. <i>Journal of Rheumatology</i> , 2011, 38, 396-397.	2.0	16
17	Pediatric Pigmented Villonodular Synovitis Mimicking a Septic Hip. <i>Journal of Clinical Rheumatology</i> , 2010, 16, 71-73.	0.9	12
18	Synovial fluid proteins differentiate between the subtypes of juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2010, 62, 1813-1823.	6.7	34

#	ARTICLE	IF	CITATIONS
19	Follistatin-like protein 1 is a mesenchyme-derived inflammatory protein and may represent a biomarker for systemic-onset juvenile rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2010, 62, 2510-2516.	6.7	69
20	Follistatin-Like Protein 1 Promotes Arthritis by Up-Regulating IFN- β . <i>Journal of Immunology</i> , 2009, 182, 234-239.	0.8	88
21	Three-dimensional and thermal surface imaging produces reliable measures of joint shape and temperature: a potential tool for quantifying arthritis. <i>Arthritis Research and Therapy</i> , 2008, 10, R10.	3.5	61
22	Is long-term etanercept therapy safe and effective in patients with juvenile RA?. <i>Nature Clinical Practice Rheumatology</i> , 2008, 4, 628-629.	3.2	0
23	Gene therapy for arthritis. <i>Modern Rheumatology</i> , 2008, 18, 2-14.	1.8	13
24	Gene therapy for arthritis. <i>Modern Rheumatology</i> , 2008, 18, 2-14.	1.8	12
25	Staphylococcus aureus Panniculitis Complicating Juvenile Dermatomyositis. <i>Pediatrics</i> , 2007, 119, e528-e530.	2.1	11
26	Gene therapy for rheumatoid arthritis. <i>Future Rheumatology</i> , 2007, 2, 403-413.	0.2	1
27	Inflammatory cytokine regulation of transgene expression in human fibroblast-like synoviocytes infected with adeno-associated virus. <i>Arthritis and Rheumatism</i> , 2006, 54, 2119-2126.	6.7	15
28	NOD.c3c4 congenic mice develop autoimmune biliary disease that serologically and pathogenetically models human primary biliary cirrhosis. <i>Journal of Experimental Medicine</i> , 2006, 203, 1209-1219.	8.5	173
29	Follistatin-Like Protein-1 Is a Novel Proinflammatory Molecule. <i>Journal of Immunology</i> , 2006, 177, 4758-4762.	0.8	107
30	Proteasome Inhibition Enhances AAV-Mediated Transgene Expression in Human Synoviocytes in Vitro and in Vivo. <i>Molecular Therapy</i> , 2005, 11, 600-607.	8.2	55
31	A soluble divalent class I MHC/IgG1 fusion protein activates CD8+ T cells in vivo. <i>Clinical Immunology</i> , 2005, 116, 65-76.	3.2	7
32	Pediatric rheumatology workforce: a status update. <i>Current Opinion in Rheumatology</i> , 2004, 16, 553-554.	4.3	4
33	Recombinant adeno-associated virus preferentially transduces human, compared to mouse, synovium: implications for arthritis therapy. <i>Modern Rheumatology</i> , 2004, 14, 18-24.	1.8	9
34	Recombinant adeno-associated virus preferentially transduces human, compared to mouse, synovium: implications for arthritis therapy. <i>Modern Rheumatology</i> , 2004, 14, 18-24.	1.8	9
35	Pediatric rheumatology: a call to action. <i>Current Opinion in Rheumatology</i> , 2003, 15, 571.	4.3	2
36	A Single-Chain Class II MHC-IgG3 Fusion Protein Inhibits Autoimmune Arthritis by Induction of Antigen-Specific Hyporesponsiveness. <i>Journal of Immunology</i> , 2002, 168, 2554-2559.	0.8	25

#	ARTICLE	IF	CITATIONS
37	DNA Microarray Analysis Reveals Novel Gene Expression Profiles in Collagen-Induced Arthritis. <i>Clinical Immunology</i> , 2002, 105, 155-168.	3.2	69
38	Gene transfer of a fibronectin peptide inhibits leukocyte recruitment and suppresses inflammation in mouse collagen-induced arthritis. <i>Arthritis and Rheumatism</i> , 2002, 46, 1102-1108.	6.7	16
39	MR imaging of murine arthritis using ultrasmall superparamagnetic iron oxide particles. <i>Magnetic Resonance Imaging</i> , 2001, 19, 1209-1216.	1.8	348
40	Expression of angiogenic factors in juvenile rheumatoid arthritis: Correlation with revascularization of human synovium engrafted into SCID mice. <i>Arthritis and Rheumatism</i> , 2001, 44, 794-801.	6.7	38
41	NK cells secrete high levels of IFN- γ in response to in vivo administration of IL-2. <i>European Journal of Immunology</i> , 2001, 31, 3355-3360.	2.9	19
42	Osteonecrosis of the Femoral Head after Acute Rheumatic Fever. <i>Journal of Clinical Rheumatology</i> , 2000, 6, 321-323.	0.9	0
43	T-cell and T-cell receptor abnormalities in the immunopathogenesis of juvenile rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2000, 12, 420-424.	4.3	45
44	Heterogeneous Effects of IL-2 on Collagen-Induced Arthritis. <i>Journal of Immunology</i> , 2000, 165, 1557-1563.	0.8	47
45	Adeno-Associated Virus Mediates Long-Term Gene Transfer and Delivery of Chondroprotective IL-4 to Murine Synovium. <i>Molecular Therapy</i> , 2000, 2, 147-152.	8.2	96
46	On the Mechanism of Protection of Distal Joints after Local Gene Transfer in Collagen-Induced Arthritis. <i>Human Gene Therapy</i> , 2000, 11, 751-758.	2.7	15
47	Viral IL-10 and Soluble TNF Receptor Act Synergistically to Inhibit Collagen-Induced Arthritis Following Adenovirus-Mediated Gene Transfer. <i>Journal of Immunology</i> , 2000, 164, 1576-1581.	0.8	89
48	A Divalent Major Histocompatibility Complex/IgG1 Fusion Protein Induces Antigen-Specific T Cell Activation in Vitro and in Vivo. <i>Cellular Immunology</i> , 1999, 192, 54-62.	3.0	11
49	Association of the course of collagen-induced arthritis with distinct patterns of cytokine and chemokine messenger RNA expression. <i>Arthritis and Rheumatism</i> , 1999, 42, 1109-1118.	6.7	117
50	Altered susceptibility to collagen-induced arthritis in transgenic mice with aberrant expression of interleukin-1 receptor antagonist. <i>Arthritis and Rheumatism</i> , 1998, 41, 1798-1805.	6.7	68
51	Adenovirus-Mediated Granulocyte-Macrophage Colony-Stimulating Factor Improves Lung Pathology of Pulmonary Alveolar Proteinosis in Granulocyte-Macrophage Colony-Stimulating Factor-Deficient Mice. <i>Human Gene Therapy</i> , 1998, 9, 2101-2109.	2.7	63
52	Anti-T Cell Receptor Antibody Prolongs Transgene Expression and Reduces Lung Inflammation after Adenovirus-Mediated Gene Transfer. <i>Human Gene Therapy</i> , 1997, 8, 935-941.	2.7	24
53	Anti-T Cell Receptor Monoclonal Antibody Prolongs Transgene Expression Following Adenovirus-Mediated In Vivo Gene Transfer to Mouse Synovium. <i>Human Gene Therapy</i> , 1996, 7, 499-506.	2.7	83
54	Safety of Adenovirus-Mediated Transfer of the Human Cystic Fibrosis Transmembrane Conductance Regulator cDNA to the Lungs of Nonhuman Primates. <i>Human Gene Therapy</i> , 1996, 7, 301-318.	2.7	79

#	ARTICLE	IF	CITATIONS
55	COMPARISON OF IN VIVO EFFICACY AND MECHANISM OF ACTION OF ANTIMURINE MONOCLONAL ANTIBODIES DIRECTED AGAINST TCR $\alpha\beta$ (H57 α 597) AND CD3 (145 α 2C11). Transplantation, 1995, 60, 828-835.	1.0	18
56	Kawasaki Disease. Pediatric Clinics of North America, 1995, 42, 1205-1222.	1.8	119
57	CONTRASTING IN VIVO EFFECTS ON T HELPER CELL FUNCTIONS INDUCED BY MITOGENIC (INTACT) VERSUS		