

Tatsuya Yurimoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5877089/publications.pdf>

Version: 2024-02-01

23
papers

164
citations

933447

10
h-index

1199594

12
g-index

23
all docs

23
docs citations

23
times ranked

165
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of transplant sites and preventive measures against predation on the survival rates of pen shell in the Ariake Sea, Japan. <i>Plankton and Benthos Research</i> , 2021, 16, 266-277.	0.6	1
2	Survival and behavior patterns associated with hypoxia at different life stages of the pen shell <i>Atrina cf. japonica</i> . <i>Aquatic Toxicology</i> , 2020, 227, 105610.	4.0	4
3	Migratory Pattern of the Spotted Scat (<i>Scatophagus argus</i>) in the Mangrove Estuary of the Matang Mangrove Forest Reserve, Malaysia, Estimated by Stable Isotope Analysis. <i>Japan Agricultural Research Quarterly</i> , 2020, 54, 193-199.	0.4	2
4	Growth and Reproductive Status of the Spotted Scat <i>Scatophagus argus</i> in Mangrove Estuary in Matang Mangrove Forest Reserve, Malaysia. <i>Japan Agricultural Research Quarterly</i> , 2020, 54, 361-368.	0.4	3
5	Feeding ecology of three sympatric species of stingrays on a tropical mudflat. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 999-1007.	0.8	6
6	Preliminary Physiological Study on the Edible Wild Bivalves in Myeik, Myanmar. <i>Asian Fisheries Science</i> , 2019, 32, .	0.3	1
7	Monitoring and Risk Assessment of Paralytic Shellfish Poisoning (PSP) Toxins in Two Estuaries at Chanthaburi Province, Thailand. <i>Asian Fisheries Science</i> , 2019, 32, .	0.3	0
8	Palynomorph Assemblages Dominated by Heterotrophic Marine Palynomorphs in Tropical Coastal Shallow-water Sediments from the Southern Myanmar Coast. <i>Japan Agricultural Research Quarterly</i> , 2018, 52, 77-89.	0.4	2
9	Seasonal dynamics influencing coastal primary production and phytoplankton communities along the southern Myanmar coast. <i>Journal of Oceanography</i> , 2017, 73, 345-364.	1.7	11
10	Marine Palynomorphs Dominated by Heterotrophic Organism Remains in the Tropical Coastal Shallow-Water Sediment; the Case of Selangor Coast and the Estuary of the Manjung River in Malaysia. <i>Paleontological Research</i> , 2017, 21, 14-26.	1.0	12
11	Nutrient (N, P, Si) concentration and primary production on a perturbed tropical coastal mudflat. <i>Environmental Earth Sciences</i> , 2016, 75, 1.	2.7	11
12	Ichthyofauna on a Tropical Mudflat: Implications of Spatial and Temporal Variability in Assemblage Structure and Abundance. <i>Estuaries and Coasts</i> , 2016, 39, 1543-1560.	2.2	11
13	Seasonal Changes in Glycogen Contents in Various Tissues of the Edible Bivalves, Pen Shell<i>Atrina lischkeana</i>, Ark Shell<i>Scapharca kagoshimensis</i>, and Manila Clam<i>Ruditapes philippinarum</i> in West Japan. <i>Journal of Marine Biology</i> , 2015, 2015, 1-5.	1.0	14
14	Bloom of the two dinoflagellates <i>Ceratium furca</i> and <i>Diplopsalis lenticula</i> in a mangrove estuary of Thailand. <i>International Aquatic Research</i> , 2015, 7, 133-141.	1.5	6
15	Mass mortality event of the blood cockle, <i>Anadara granosa</i> , in aquaculture ground along Selangor coast, Peninsular Malaysia. <i>International Aquatic Research</i> , 2014, 6, 177-186.	1.5	14
16	Are Intertidal Mudfl at Communities (Fish And Shrimp) Affected by Cockle Culture?. <i>Malaysian Journal of Science</i> , 2013, 32, 107-116.	0.3	1
17	Monthly vertical profile of dissolved sulfide in the interstitial water at the pen shell (<i>Atrina</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 0.1 3	0.1	3
18	A Simple in situ Extraction Method for Dissolved Sulfide in Sandy Mud Sediments Followed by Spectrophotometric Determination and Its Application to the Bottom Sediment at the Northeast of Ariake Bay. <i>Bunseki Kagaku</i> , 2010, 59, 1155-1161.	0.2	8

#	ARTICLE	IF	CITATIONS
19	Reproductive cycle of the venerid clam <i>Meretrix lusoria</i> in Ariake Sound and Tokyo Bay, Japan. <i>Fisheries Science</i> , 2010, 76, 931-941.	1.6	11
20	Maturation Process of Broodstock of the Pen Shell <i>Atrina pectinata</i> (Linnaeus, 1767) in Suspension Culture. <i>Journal of Shellfish Research</i> , 2009, 28, 561-568.	0.9	10
21	Reproductive Cycle of the Subcrenated Ark Shell <i>Scapharca kagoshimensis</i> (Tokunaga, 1906) in Ariake Bay, Japan. <i>Journal of Shellfish Research</i> , 2008, 27, 1101-1108.	0.9	12
22	Virus-like particles associated with mass mortalities of the pen shell <i>Atrina pectinata</i> in Japan. <i>Diseases of Aquatic Organisms</i> , 2006, 71, 169-173.	1.0	19
23	Determination of Estrogenic Substances in Coastal Seawater and River Water in Japan Using Four Types of <i>in vitro</i> Assay. <i>Journal of Japan Society on Water Environment</i> , 2004, 27, 811-816.	0.4	2