

Ozan Akca

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5877116/ozan-akca-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

4,449
citations

31
h-index

66
g-index

123
ext. papers

5,012
ext. citations

5.7
avg. IF

4.83
L-index

#	Paper	IF	Citations
95	Trends in Racial and Ethnic Diversity in Vascular Neurology Fellowships From 2006 to 2018: A Cross-Sectional Analysis.. <i>Stroke</i> , 2022 , STROKEAHA121035481	6.7	0
94	Association and predictive value of biomarkers with severe outcomes in hospitalized patients with SARS-CoV-2 infection. <i>Cytokine</i> , 2022 , 149, 155755	4	1
93	Outcomes and Risk Factors for Cardiovascular Events in Hospitalized COVID-19 Patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021 , 35, 3581-3593	2.1	7
92	Is Microthrombosis the Main Pathology in Coronavirus Disease 2019 Severity?-A Systematic Review of the Postmortem Pathologic Findings 2021 , 3, e0427		6
91	A case of aphemia following non-dominant sub-insular stroke: unveiling the Foix-Chavany-Marie phenomenon. <i>Neurocase</i> , 2021 , 27, 281-286	0.8	
90	Acute Respiratory Distress Syndrome and Time to Weaning Off the Invasive Mechanical Ventilator among Patients with COVID-19 Pneumonia. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	4
89	Blood Pressure Management Following Large Vessel Occlusion Strokes: A Narrative Review. <i>Balkan Medical Journal</i> , 2020 , 37, 253-259	1.5	1
88	Association of Early Oxygenation Levels with Mortality in Acute Ischemic Stroke - A Retrospective Cohort Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020 , 29, 104556	2.8	2
87	Short-Term Outcomes of Patients With COVID-19 Undergoing Invasive Mechanical Ventilation: A Retrospective Observational Study From Wuhan, China. <i>Frontiers in Medicine</i> , 2020 , 7, 571542	4.9	5
86	Management of Acute Ischemic Stroke-Specific Focus on Anesthetic Management for Mechanical Thrombectomy. <i>Anesthesia and Analgesia</i> , 2020 , 131, 1124-1134	3.9	4
85	Early Prediction of Prognosis in Elderly Acute Stroke Patients 2019 , 1, e0007		1
84	704. <i>Critical Care Medicine</i> , 2019 , 47, 332	1.4	1
83	High intraoperative oxygen use-context matters. <i>British Journal of Anaesthesia</i> , 2018 , 120, 197-198	5.4	1
82	Abstract TP299: Early Mortality Prediction in Ischemic Stroke. <i>Stroke</i> , 2018 , 49,	6.7	1
81	Family-Support Intervention in the ICU. <i>New England Journal of Medicine</i> , 2018 , 379, 1285	59.2	6
80	Video Laryngoscopy for Endotracheal Intubation of Critically Ill Adults-Role of Different Blades and Styles. <i>Critical Care Medicine</i> , 2017 , 45, e461-e463	1.4	2
79	WHO Needs High FIO?. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2017 , 45, 181-192	0.7	19

78	Teaching basic lung isolation skills on human anatomy simulator: attainment and retention of lung isolation skills. <i>BMC Anesthesiology</i> , 2016 , 16, 7	2.4	2
77	Perioperative Supplemental Oxygen Does Not Worsen Long-Term Mortality of Colorectal Surgery Patients. <i>Anesthesia and Analgesia</i> , 2016 , 122, 1907-11	3.9	22
76	Teaching basic fiberoptic intubation skills in a simulator: initial learning and skills decay. <i>Journal of Anesthesia</i> , 2016 , 30, 12-9	2.2	16
75	Effect of Aspirin on Development of ARDS in At-Risk Patients Presenting to the Emergency Department: The LIPS-A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 2406-14	27.4	132
74	Hyperoxia: is it a biomarker for mortality?. <i>Intensive Care Medicine</i> , 2015 , 41, 1873-4	14.5	5
73	Effects of supplemental oxygen and dexamethasone on surgical site infection: a factorial randomized trial. <i>British Journal of Anaesthesia</i> , 2015 , 115, 434-43	5.4	68
72	Bispectral Index Dynamics During Propofol Hypnosis Is Similar in Red-Haired and Dark-Haired Subjects. <i>Survey of Anesthesiology</i> , 2015 , 59, 17-18		
71	Pain and Tissue Oxygenation. <i>Critical Care Medicine</i> , 2015 , 43, e462-3	1.4	6
70	527. <i>Critical Care Medicine</i> , 2015 , 43, 133	1.4	2
69	Right-Sided Pleural Effusion in a Critically Ill Stroke Patient. <i>Journal of Investigative Medicine High Impact Case Reports</i> , 2014 , 2, 2324709614523258	1.2	
68	Is video laryngoscope-assisted flexible tracheoscope intubation feasible for patients with predicted difficult airway? A prospective, randomized clinical trial. <i>Anesthesia and Analgesia</i> , 2014 , 118, 1259-65	3.9	23
67	Prehospital use of inhaled steroids and incidence of acute lung injury among patients at risk. <i>Journal of Critical Care</i> , 2013 , 28, 985-91	4	11
66	Hypercapnia: is it protective in lung injury?. <i>Medical Gas Research</i> , 2013 , 3, 23	2.2	10
65	Hypercapnia and ventilator-induced diaphragmatic dysfunction. <i>Critical Care</i> , 2013 , 17, 129	10.8	3
64	Hypercapnia and surgical site infection: a randomized trial. <i>British Journal of Anaesthesia</i> , 2013 , 111, 759-67	5.7	18
63	Bispectral index dynamics during propofol hypnosis is similar in red-haired and dark-haired subjects. <i>Anesthesia and Analgesia</i> , 2013 , 116, 319-26	3.9	2
62	Teaching aseptic technique for central venous access under ultrasound guidance: a randomized trial comparing didactic training alone to didactic plus simulation-based training. <i>Anesthesia and Analgesia</i> , 2012 , 114, 626-33	3.9	29
61	Correlation between bispectral index, observational sedation scale, and lower esophageal sphincter pressure in volunteers using dexmedetomidine or propofol. <i>Medical Science Monitor</i> , 2012 , 18, CR593-6	3.2	12

60	Preadmission Use of Inhaled Corticosteroids Is Associated With a Reduced Risk of Direct Acute Lung Injury/Acute Respiratory Distress Syndrome. <i>Chest</i> , 2011 , 140, 912A	5.3	8
59	Can transnasal flexible fiberoptic laryngoscopy contribute to airway management decisions?. <i>Anesthesia and Analgesia</i> , 2011 , 112, 519-20	3.9	7
58	Ventilator-associated pneumonia in critically ill stroke patients: frequency, risk factors, and outcomes. <i>Journal of Critical Care</i> , 2011 , 26, 273-9	4	40
57	CAGS and ACS evidence based reviews in surgery. 36. Effect of high perioperative oxygen fraction on surgical site infection. <i>Canadian Journal of Surgery</i> , 2011 , 54, 67-9	2	1
56	Managing intraoperative blood pressure with norepinephrine: effects on perfusion and oxygenation of the intestinal tract. <i>Anesthesiology</i> , 2011 , 114, 488-9	4.3	3
55	Early postoperative subcutaneous tissue oxygen predicts surgical site infection. <i>Anesthesia and Analgesia</i> , 2010 , 111, 946-52	3.9	38
54	The effect of aminophylline on loss of consciousness, bispectral index, propofol requirement, and minimum alveolar concentration of desflurane in volunteers. <i>Anesthesia and Analgesia</i> , 2010 , 110, 449-54	3.9	18
53	Effects of dexmedetomidine and propofol on lower esophageal sphincter and gastroesophageal pressure gradient in healthy volunteers. <i>Anesthesiology</i> , 2010 , 112, 19-24	4.3	20
52	Oxygen and surgical site infection: a study of underlying immunologic mechanisms. <i>Anesthesiology</i> , 2010 , 113, 369-77	4.3	50
51	Perioperative supplemental oxygen therapy and surgical site infection: a meta-analysis of randomized controlled trials. <i>Archives of Surgery</i> , 2009 , 144, 359-66; discussion 366-7		131
50	Accuracy of postoperative end-tidal Pco2 measurements with mainstream and sidestream capnography in non-obese patients and in obese patients with and without obstructive sleep apnea. <i>Anesthesiology</i> , 2009 , 111, 609-15	4.3	58
49	Transdermal oxygen does not improve sternal wound oxygenation in patients recovering from cardiac surgery. <i>Anesthesia and Analgesia</i> , 2008 , 106, 1619-26	3.9	11
48	Syndrome of inappropriate antidiuretic hormone (SIADH) secretion caused by squamous cell carcinoma of the nasopharynx: case report. <i>Clinical and Experimental Otorhinolaryngology</i> , 2008 , 1, 110-2	3.4	12
47	Ventilator-associated pneumonia by multidrug-resistant bacteria: pathogen-specific risks versus care-related risks. <i>Journal of Critical Care</i> , 2007 , 22, 26-7	4	1
46	Endotracheal tube cuff leak: can optimum management of cuff pressure prevent pneumonia?. <i>Critical Care Medicine</i> , 2007 , 35, 1624-6	1.4	6
45	Lower tidal volumes and positive end-expiratory pressure prevents alveolar coagulation in patients without lung injury. <i>Anesthesiology</i> , 2007 , 106, 1065-6	4.3	1
44	Tissue oxygenation response to mild hypercapnia during cardiopulmonary bypass with constant pump output. <i>British Journal of Anaesthesia</i> , 2006 , 96, 708-14	5.4	16
43	Valve leaks with new disposable extraglottic airway devices. <i>Anesthesiology</i> , 2006 , 104, 615; author reply 615	4.3	

42	Optimizing the intraoperative management of carbon dioxide concentration. <i>Current Opinion in Anaesthesiology</i> , 2006 , 19, 19-25	2.9	32
41	Nitrous oxide and risk of surgical wound infection: a randomised trial. <i>Lancet, The</i> , 2005 , 366, 1101-7	4.0	65
40	Core temperature measurements through a new airway device, perilaryngeal airway (CobraPLA). <i>Journal of Clinical Anesthesia</i> , 2005 , 17, 358-62	1.9	3
39	Supplemental intravenous crystalloid administration does not reduce the risk of surgical wound infection. <i>Anesthesia and Analgesia</i> , 2005 , 101, 1546-1553	3.9	81
38	Effects of nitrous oxide on intraoperative bowel distension. <i>Current Opinion in Anaesthesiology</i> , 2005 , 18, 620-4	2.9	21
37	The timing of acupuncture stimulation does not influence anesthetic requirement. <i>Anesthesia and Analgesia</i> , 2005 , 100, 387-392	3.9	25
36	Hypercapnia: what is the upper limit?. <i>Paediatric Anaesthesia</i> , 2005 , 15, 80-1	1.8	3
35	Sevoflurane-induced preconditioning protects against cerebral ischemic neuronal damage in rats. <i>Brain Research</i> , 2005 , 1034, 147-52	3.7	98
34	Magnesium sulphate only slightly reduces the shivering threshold in humans. <i>British Journal of Anaesthesia</i> , 2005 , 94, 756-62	5.4	81
33	CobraPLA as a conduit for flexible bronchoscopy in a child under general anaesthesia. <i>British Journal of Anaesthesia</i> , 2005 , 94, 548-9	5.4	9
32	Nitrous oxide increases the incidence of bowel distension in patients undergoing elective colon resection. <i>Acta Anaesthesiologica Scandinavica</i> , 2004 , 48, 894-8	1.9	45
31	The new perilaryngeal airway (CobraPLA) is as efficient as the laryngeal mask airway (LMA) but provides better airway sealing pressures. <i>Anesthesia and Analgesia</i> , 2004 , 99, 272-278	3.9	111
30	Supplemental oxygen and risk of surgical site infection. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 291, 1956-7; author reply 1958-9	27.4	4
29	Dexmedetomidine and meperidine additively reduce the shivering threshold in humans. <i>Stroke</i> , 2003 , 34, 1218-23	6.7	134
28	The influence of protocol pain and risk on patients' willingness to consent for clinical studies: a randomized trial. <i>Anesthesia and Analgesia</i> , 2003 , 96, 498-506, table of contents	3.9	8
27	Minute sphere acupressure does not reduce postoperative pain or morphine consumption. <i>Anesthesia and Analgesia</i> , 2003 , 96, 493-7, table of contents	3.9	10
26	Minute Sphere Acupressure Does Not Reduce Postoperative Pain or Morphine Consumption. <i>Anesthesia and Analgesia</i> , 2003 , 96, 493-497	3.9	15
25	The Influence of Protocol Pain and Risk on Patients' Willingness to Consent for Clinical Studies: A Randomized Trial. <i>Anesthesia and Analgesia</i> , 2003 , 96, 498-506	3.9	75

24	Effect of intra-operative end-tidal carbon dioxide partial pressure on tissue oxygenation. <i>Anaesthesia</i> , 2003 , 58, 536-42	6.6	45
23	Use of cerebral oximetry to detect and manage cerebral desaturation with a rapidly expanding neck hematoma. <i>Acta Anaesthesiologica Scandinavica</i> , 2002 , 46, 607-8	1.9	9
22	Nonpharmacological prevention of surgical wound infections. <i>Clinical Infectious Diseases</i> , 2002 , 35, 1397-404	4.0	64
21	Insufficiency in a new temporal-artery thermometer for adult and pediatric patients. <i>Anesthesia and Analgesia</i> , 2002 , 95, 67-71, table of contents	3.9	91
20	INTRAOPERATIVE PCO2 AND TISSUE OXYGENATION. <i>Anesthesiology</i> , 2002 , 97, B16-B16	4.3	
19	Electro-acupuncture at the Zusanli, Yanglingquan, and Kuntun points does not reduce anesthetic requirement. <i>Anesthesia and Analgesia</i> , 2002 , 95, 98-102, table of contents	3.9	51
18	Initial experience with a novel heat-exchanging catheter in neurosurgical patients. <i>Anesthesia and Analgesia</i> , 2002 , 95, 1752-6, table of contents	3.9	29
17	Hypercapnia improves tissue oxygenation. <i>Anesthesiology</i> , 2002 , 97, 801-6	4.3	95
16	Evaluation of a New m-Opioid Antagonist for the Management of Postoperative Ileus; Additional Phase II Study Results. <i>Anesthesiology</i> , 2002 , 96, A452	4.3	2
15	Chewing gum on a Laryngeal Mask Airway. <i>Anesthesiology</i> , 2002 , 97, 1647-8	4.3	7
14	Ondansetron is no more effective than supplemental intraoperative oxygen for prevention of postoperative nausea and vomiting. <i>Anesthesia and Analgesia</i> , 2001 , 92, 112-7	3.9	141
13	Lower Respiratory Tract (LRT) Infection. <i>Anesthesiology</i> , 2001 , 94, 1152-1153	4.3	
12	Risk factors for early-onset, ventilator-associated pneumonia in critical care patients: selected multiresistant versus nonresistant bacteria. <i>Anesthesiology</i> , 2000 , 93, 638-45	4.3	72
11	Temperature Monitoring and Management During Neuraxial Anesthesia: An Observational Study. <i>Anesthesia and Analgesia</i> , 2000 , 91, 662-666	3.9	66
10	Aggressive warming reduces blood loss during hip arthroplasty. <i>Anesthesia and Analgesia</i> , 2000 , 91, 978-84	3.9	183
9	Supplemental perioperative oxygen to reduce the incidence of surgical-wound infection. <i>New England Journal of Medicine</i> , 2000 , 342, 161-7	59.2	1352
8	Postoperative pain and subcutaneous oxygen tension. <i>Lancet, The</i> , 1999 , 354, 41-2	4.0	218
7	Onset time, recovery duration, and drug cost with four different methods of inducing general anesthesia. <i>Anesthesia and Analgesia</i> , 1999 , 88, 930-5	3.9	12

6	Shivering and shivering-like tremor during labor with and without epidural analgesia. <i>Anesthesiology</i> , 1999 , 90, 1609-16	4.3	50
5	Exposure to sevoflurane and nitrous oxide during four different methods of anesthetic induction. <i>Anesthesia and Analgesia</i> , 1999 , 88, 925-9	3.9	6
4	Exposure to Sevoflurane and Nitrous Oxide During Four Different Methods of Anesthetic Induction. <i>Anesthesia and Analgesia</i> , 1999 , 88, 925-929	3.9	60
3	Onset Time, Recovery Duration, and Drug Cost with Four Different Methods of Inducing General Anesthesia. <i>Anesthesia and Analgesia</i> , 1999 , 88, 930-935	3.9	25
2	Comparable postoperative pulmonary atelectasis in patients given 30% or 80% oxygen during and 2 hours after colon resection. <i>Anesthesiology</i> , 1999 , 91, 991-8	4.3	128
1	Magnesium sulfate stops postanesthetic shivering. <i>Annals of the New York Academy of Sciences</i> , 1997 , 813, 799-806	6.5	55