
EÄŒernis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5877356/publications.pdf Version: 2024-02-01



FÄÆEDNIS

#	Article	IF	CITATIONS
1	Dissociation in patients with non-affective psychosis: Prevalence, symptom associations, and maintenance factors. Schizophrenia Research, 2022, 239, 11-18.	1.1	6
2	Psychological mechanisms connected to dissociation: Generating hypotheses using network analyses. Journal of Psychiatric Research, 2022, 148, 165-173.	1.5	6
3	Dissociation in relation to other mental health conditions: An exploration using network analysis. Journal of Psychiatric Research, 2021, 136, 460-467.	1.5	32
4	A new perspective and assessment measure for common dissociative experiences: â€~Felt Sense of Anomaly'. PLoS ONE, 2021, 16, e0247037.	1.1	15
5	Comparison of a theoretically driven cognitive therapy (the Feeling Safe Programme) with befriending for the treatment of persistent persecutory delusions: a parallel, single-blind, randomised controlled trial. Lancet Psychiatry,the, 2021, 8, 696-707.	3.7	40
6	Catastrophic cognitions about coronavirus: the Oxford psychological investigation of coronavirus questionnaire [TOPIC-Q]. Psychological Medicine, 2021, , 1-10.	2.7	10
7	Cognitive appraisals of dissociation in psychosis: a new brief measure. Behavioural and Cognitive Psychotherapy, 2021, 49, 472-484.	0.9	7
8	The challenges and opportunities of social connection when hearing derogatory and threatening voices: A thematic analysis with patients experiencing psychosis. Psychology and Psychotherapy: Theory, Research and Practice, 2021, 94, 341-356.	1.3	9
9	The Dunn Worry Questionnaire and the Paranoia Worries Questionnaire: new assessments of worry. Psychological Medicine, 2020, 50, 771-780.	2.7	24
10	Describing the indescribable: A qualitative study of dissociative experiences in psychosis. PLoS ONE, 2020, 15, e0229091.	1.1	17
11	Treating sleep problems in young people at ultra-high-risk of psychosis: study protocol for a single-blind parallel group randomised controlled feasibility trial (SleepWell). BMJ Open, 2020, 10, e045235.	0.8	11
12	Describing the indescribable: A qualitative study of dissociative experiences in psychosis. , 2020, 15, e0229091.		0
13	Describing the indescribable: A qualitative study of dissociative experiences in psychosis. , 2020, 15, e0229091.		0
14	Describing the indescribable: A qualitative study of dissociative experiences in psychosis. , 2020, 15, e0229091.		0
15	Describing the indescribable: A qualitative study of dissociative experiences in psychosis. , 2020, 15, e0229091.		0
16	Describing the indescribable: A qualitative study of dissociative experiences in psychosis. , 2020, 15, e0229091.		0
17	Describing the indescribable: A qualitative study of dissociative experiences in psychosis. , 2020, 15, e0229091.		0
18	Suicidal ideation and behaviour in patients with persecutory delusions: Prevalence, symptom associations, and psychological correlates. Comprehensive Psychiatry, 2019, 93, 41-47.	1.5	36

E ÄŒernis

#	Article	IF	CITATIONS
19	What is the relationship between dissociation and selfâ€harming behaviour in adolescents?. Clinical Psychology and Psychotherapy, 2019, 26, 328-338.	1.4	14
20	Developing a new measure of dissociation: The Dissociative Experiences Measure, Oxford (DEMO). Psychiatry Research, 2018, 269, 229-236.	1.7	8
21	Targeting Recovery in Persistent Persecutory Delusions: A Proof of Principle Study of a New Translational Psychological Treatment (the Feeling Safe Programme). Behavioural and Cognitive Psychotherapy, 2016, 44, 539-552.	0.9	30
22	Self-Confidence and Paranoia: An Experimental Study Using an Immersive Virtual Reality Social Situation. Behavioural and Cognitive Psychotherapy, 2016, 44, 56-64.	0.9	37
23	Virtual reality in the treatment of persecutory delusions: Randomised controlled experimental study testing how to reduce delusional conviction. British Journal of Psychiatry, 2016, 209, 62-67.	1.7	180
24	Worry processes in patients with persecutory delusions. British Journal of Clinical Psychology, 2016, 55, 387-400.	1.7	31
25	The Perseverative Thinking Questionnaire in Patients with Persecutory Delusions. Behavioural and Cognitive Psychotherapy, 2016, 44, 472-481.	0.9	19
26	Effects of cognitive behaviour therapy for worry on persecutory delusions in patients with psychosis (WIT): a parallel, single-blind, randomised controlled trial with a mediation analysis. Lancet Psychiatry,the, 2015, 2, 305-313.	3.7	207
27	Schizophrenia patients with high intelligence: A clinically distinct sub-type of schizophrenia?. European Psychiatry, 2015, 30, 628-632.	0.1	18
28	The effect of paranoia on the judging of harmful events. Cognitive Neuropsychiatry, 2015, 20, 122-127.	0.7	4
29	An early Phase II randomised controlled trial testing the effect on persecutory delusions of using CBT to reduce negative cognitions about the self: The potential benefits of enhancing self confidence. Schizophrenia Research, 2014, 160, 186-192.	1.1	99
30	Depersonalization in Patients With Persecutory Delusions. Journal of Nervous and Mental Disease, 2014, 202, 752-758.	0.5	11
31	Understanding jumping to conclusions in patients with persecutory delusions: working memory and intolerance of uncertainty. Psychological Medicine, 2014, 44, 3017-3024.	2.7	54
32	Persecutory delusions and psychological well-being. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1045-1050.	1.6	42
33	The interaction of affective with psychotic processes: A test of the effects of worrying on working memory, jumping to conclusions, and anomalies of experience in patients with persecutory delusions. Journal of Psychiatric Research, 2013, 47, 1837-1842.	1.5	43