

Ratana Rujiravanit

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/587783/ratana-rujiravanit-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

4,309
citations

36
h-index

65
g-index

78
ext. papers

4,621
ext. citations

5.9
avg, IF

5.52
L-index

#	Paper	IF	Citations
78	Plasma-Assisted Synthesis of Multicomponent Nanoparticles Containing Carbon, Tungsten Carbide and Silver as Multifunctional Filler for Polylactic Acid Composite Films. <i>Polymers</i> , 2021 , 13,	4.5	2
77	Deposition of carbon/tungsten carbide on coir pulp to improve its compatibility with polylactic acid. <i>Cellulose</i> , 2021 , 28, 4119-4136	5.5	1
76	Effect of electrical discharge plasma on cytotoxicity against cancer cells of N,O-carboxymethyl chitosan-stabilized gold nanoparticles. <i>Carbohydrate Polymers</i> , 2020 , 237, 116162	10.3	7
75	Simultaneous deacetylation and degradation of chitin hydrogel by electrical discharge plasma using low sodium hydroxide concentrations. <i>Carbohydrate Polymers</i> , 2020 , 228, 115377	10.3	5
74	In vitro cytotoxicity of carbon black nanoparticles synthesized from solution plasma on human lung fibroblast cells. <i>Japanese Journal of Applied Physics</i> , 2018 , 57, 0102BG	1.4	7
73	Degradation of chitosan hydrogel dispersed in dilute carboxylic acids by solution plasma and evaluation of anticancer activity of degraded products. <i>Japanese Journal of Applied Physics</i> , 2018 , 57, 0102B5	1.4	8
72	Cytotoxicity against cancer cells of chitosan oligosaccharides prepared from chitosan powder degraded by electrical discharge plasma. <i>Carbohydrate Polymers</i> , 2018 , 201, 20-30	10.3	34
71	Sericin-binded-deprotenized natural rubber film containing chitin whiskers as elasto-gel dressing. <i>International Journal of Biological Macromolecules</i> , 2017 , 101, 417-426	7.9	10
70	Enhanced degradation of chitosan by applying plasma treatment in combination with oxidizing agents for potential use as an anticancer agent. <i>Carbohydrate Polymers</i> , 2017 , 167, 1-11	10.3	33
69	Fabrication of bacterial cellulose-ZnO composite via solution plasma process for antibacterial applications. <i>Carbohydrate Polymers</i> , 2016 , 148, 335-44	10.3	88
68	Photocatalytic disinfection of water by bacterial cellulose/NE co-doped TiO ₂ under fluorescent light. <i>Cellulose</i> , 2015 , 22, 3321-3335	5.5	31
67	Fabrication of cellulose nanofiber/chitin whisker/silk sericin bionanocomposite sponges and characterizations of their physical and biological properties. <i>Composites Science and Technology</i> , 2014 , 96, 88-96	8.6	44
66	Depolymerization of chitosan-metal complexes via a solution plasma technique. <i>Carbohydrate Polymers</i> , 2014 , 102, 504-12	10.3	31
65	Formation of nanocrystalline ZnO particles into bacterial cellulose pellicle by ultrasonic-assisted in situ synthesis. <i>Cellulose</i> , 2013 , 20, 1275-1292	5.5	78
64	Preparation and characterization of ZnO-deposited DBD plasma-treated PP packaging film with antibacterial activities. <i>Applied Surface Science</i> , 2013 , 273, 824-835	6.7	60
63	Release characteristic and stability of curcumin incorporated in chitin non-woven fibrous sheet using Tween 20 as an emulsifier. <i>European Polymer Journal</i> , 2012 , 48, 512-523	5.2	26
62	Preparation and Characterization of Chitosan-Coated DBD Plasma-Treated Natural Rubber Latex Medical Surgical Gloves with Antibacterial Activities. <i>Plasma Chemistry and Plasma Processing</i> , 2012 , 32, 1275-1292	3.6	11

61	Combinatorial effects of charge characteristics and hydrophobicity of silk fibroin on the sorption and release of charged dyes. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2012 , 23, 1199-215	3.5	2
60	Preparation of chitosan-coated polyethylene packaging films by DBD plasma treatment. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 2474-82	9.5	114
59	Chitosan whiskers from shrimp shells incorporated into dimethacrylate-based dental resin sealant. <i>Dental Materials Journal</i> , 2012 , 31, 273-9	2.5	20
58	Synthesis of polyaniline nanofibers and nanotubes via rhamnolipid biosurfactant templating. <i>Synthetic Metals</i> , 2011 , 161, 298-306	3.6	18
57	Characterization and encapsulation efficiency of rhamnolipid vesicles with cholesterol addition. <i>Journal of Bioscience and Bioengineering</i> , 2011 , 112, 102-6	3.3	21
56	Removal of trace Cd ²⁺ using continuous multistage ion foam fractionation. Part III Effect of salt addition. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011 , 385, 171-180	5.1	8
55	Surface Characterization and Antimicrobial Activity of Chitosan-Deposited DBD Plasma-Modified Woven PET Surface. <i>Plasma Chemistry and Plasma Processing</i> , 2011 , 31, 233-249	3.6	29
54	Anomalous rheology of polypyrrole nanoparticle/alginate suspensions: effect of solids volume fraction, particle size, and electronic state. <i>Rheologica Acta</i> , 2011 , 50, 809-823	2.3	3
53	Synthesis of magnetic nanoparticle into bacterial cellulose matrix by ammonia gas-enhancing in situ co-precipitation method. <i>Carbohydrate Polymers</i> , 2011 , 86, 162-170	10.3	54
52	Removal of Trace Cd ²⁺ Using Continuous Multistage Ion Foam Fractionation: Part III The Effects of Operational Parameters. <i>Separation Science and Technology</i> , 2011 , 46, 1673-1683	2.5	9
51	Rhamnolipid biosurfactants: production and their potential in environmental biotechnology. <i>Advances in Experimental Medicine and Biology</i> , 2010 , 672, 211-21	3.6	18
50	In vitro and in vivo release of basic fibroblast growth factor using a silk fibroin scaffold as delivery carrier. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2010 , 21, 1403-19	3.5	33
49	Removal of trace Cd ²⁺ using continuous multistage ion foam fractionation: part I--The effect of feed SDS/Cd molar ratio. <i>Journal of Hazardous Materials</i> , 2010 , 182, 812-9	12.8	36
48	Biosurfactant production by <i>Pseudomonas aeruginosa</i> SP4 using sequencing batch reactors: Effect of oil-to-glucose ratio. <i>Biochemical Engineering Journal</i> , 2010 , 49, 185-191	4.2	52
47	Effect of gamma radiation on dilute aqueous solutions and thin films of N-succinyl chitosan. <i>Polymer Degradation and Stability</i> , 2010 , 95, 234-244	4.7	28
46	Silver Loading on DBD Plasma-Modified Woven PET Surface for Antimicrobial Property Improvement. <i>Plasma Chemistry and Plasma Processing</i> , 2010 , 30, 191-206	3.6	26
45	Fabrication and properties of solution-cast polyaniline/carboxymethylchitin blend films. <i>Journal of Applied Polymer Science</i> , 2010 , 116, NA-NA	2.9	2
44	Photooxidative mineralization of microorganisms-produced glycolipid biosurfactants by a titania-mediated advanced oxidation process. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2010 , 209, 147-152	4.7	3

43	Purification and concentration of a rhamnolipid biosurfactant produced by <i>Pseudomonas aeruginosa</i> SP4 using foam fractionation. <i>Bioresource Technology</i> , 2010 , 101, 324-30	11	86
42	Wet-spun alginate/chitosan whiskers nanocomposite fibers: Preparation, characterization and release characteristic of the whiskers. <i>Carbohydrate Polymers</i> , 2010 , 79, 738-746	10.3	79
41	X-ray diffraction and dynamic mechanical analyses of chitin whisker-reinforced poly(vinyl alcohol) nanocomposite nanofibers. <i>Polymer International</i> , 2010 , 59, 85-91	3.3	50
40	Novel chitosan-spotted alginate fibers from wet-spinning of alginate solutions containing emulsified chitosan-citrate complex and their characterization. <i>Biomacromolecules</i> , 2009 , 10, 320-7	6.9	59
39	Polyaniline nanoparticles with controlled sizes using a cross-linked carboxymethyl chitin template. <i>Journal of Nanoparticle Research</i> , 2009 , 11, 1167-1177	2.3	14
38	Phase behavior of ternary mannosylerythritol lipid/water/oil systems. <i>Colloids and Surfaces B: Biointerfaces</i> , 2009 , 68, 207-12	6	26
37	Solution properties and vesicle formation of rhamnolipid biosurfactants produced by <i>Pseudomonas aeruginosa</i> SP4. <i>Colloids and Surfaces B: Biointerfaces</i> , 2009 , 72, 6-15	6	68
36	Biosurfactant production by <i>Pseudomonas aeruginosa</i> SP4 using sequencing batch reactors: effects of oil loading rate and cycle time. <i>Bioresource Technology</i> , 2009 , 100, 812-8	11	30
35	Synthesis of polyaniline nanofibrils using an in situ seeding technique. <i>Synthetic Metals</i> , 2008 , 158, 695-708	3.8	28
34	Physical and Electrical Properties of Chlorophyllin/Carboxymethyl Chitin and Chlorophyllin/Carboxymethyl Chitosan Blend Films. <i>Macromolecular Symposia</i> , 2008 , 264, 168-175	0.8	5
33	Formation of W/O microemulsion based on natural glycolipid biosurfactant, mannosylerythritol lipid-a. <i>Journal of Oleo Science</i> , 2008 , 57, 55-9	1.6	20
32	Preparation and Physico-Chemical Characteristics of N-Maleoyl Chitosan Films. <i>Macromolecular Symposia</i> , 2008 , 264, 121-126	0.8	5
31	Fabrication, structure, and properties of chitin whisker-reinforced alginate nanocomposite fibers. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 890-899	2.9	100
30	Isolation and comparison of biosurfactants produced by <i>Bacillus subtilis</i> PT2 and <i>Pseudomonas aeruginosa</i> SP4 for microbial surfactant-enhanced oil recovery. <i>Biochemical Engineering Journal</i> , 2008 , 42, 172-179	4.2	114
29	Aqueous-phase behavior and vesicle formation of natural glycolipid biosurfactant, mannosylerythritol lipid-B. <i>Colloids and Surfaces B: Biointerfaces</i> , 2008 , 65, 106-12	6	51
28	Structural and physicochemical characterization of crude biosurfactant produced by <i>Pseudomonas aeruginosa</i> SP4 isolated from petroleum-contaminated soil. <i>Bioresource Technology</i> , 2008 , 99, 1589-95	11	203
27	In vitro biocompatibility of electrospun hexanoyl chitosan fibrous scaffolds towards human keratinocytes and fibroblasts. <i>European Polymer Journal</i> , 2008 , 44, 2060-2067	5.2	47
26	Dendritic polyaniline nanoparticles synthesized by carboxymethyl chitin templating. <i>European Polymer Journal</i> , 2008 , 44, 3423-3429	5.2	11

25	Impregnation of silver nanoparticles into bacterial cellulose for antimicrobial wound dressing. <i>Carbohydrate Polymers</i> , 2008 , 72, 43-51	10.3	766
24	Electrically controlled release of sulfosalicylic acid from crosslinked poly(vinyl alcohol) hydrogel. <i>International Journal of Pharmaceutics</i> , 2008 , 356, 1-11	6.5	75
23	Effect of casting solvent on characteristics of hexanoyl chitosan/polylactide blend films. <i>Journal of Applied Polymer Science</i> , 2007 , 105, 1844-1852	2.9	14
22	Electrical conductivity and mechanical properties of polyaniline/natural rubber composite fibers. <i>Journal of Applied Polymer Science</i> , 2007 , 106, 4038-4046	2.9	36
21	Miscibility and biodegradability of silk fibroin/carboxymethyl chitin blend films. <i>Macromolecular Bioscience</i> , 2007 , 7, 1258-71	5.5	26
20	In vitro biocompatibility evaluations of hexanoyl chitosan film. <i>Carbohydrate Polymers</i> , 2007 , 68, 166-172	10.3	39
19	Preparation and characterization of chitin whisker-reinforced silk fibroin nanocomposite sponges. <i>European Polymer Journal</i> , 2007 , 43, 4123-4135	5.2	87
18	Electrical conductivity responses and interactions of poly(3-thiopheneacetic acid)/zeolites L, mordenite, beta and H2. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2007 , 140, 23-30	3.1	19
17	Fabrication of chitin whisker-reinforced poly(vinyl alcohol) nanocomposite nanofibres by electrospinning. <i>Nanotechnology</i> , 2006 , 17, 4519-4528	3.4	108
16	Dilute solution properties of hexanoyl chitosan in chloroform, dichloromethane, and tetrahydrofuran. <i>Carbohydrate Polymers</i> , 2006 , 64, 175-183	10.3	8
15	Preparation and characterization of polyaniline/chitosan blend film. <i>Carbohydrate Polymers</i> , 2006 , 64, 560-568	10.3	134
14	Electrospinning of hexanoyl chitosan. <i>Carbohydrate Polymers</i> , 2006 , 66, 298-305	10.3	81
13	Electrospinning of hexanoyl chitosan/polylactide blends. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2006 , 17, 547-65	3.5	64
12	Preparation and characterization of chitin whisker-reinforced poly(vinyl alcohol) nanocomposite films with or without heat treatment. <i>Polymer</i> , 2005 , 46, 5637-5644	3.9	127
11	Preparation and characterization of starch/poly(L-lactic acid) hybrid foams. <i>Carbohydrate Polymers</i> , 2005 , 59, 329-337	10.3	62
10	Preparation and characterization of hexanoyl chitosan/polylactide blend films. <i>Carbohydrate Polymers</i> , 2005 , 60, 343-350	10.3	79
9	Preparation and characterization of chitin whisker-reinforced chitosan nanocomposite films with or without heat treatment. <i>Carbohydrate Polymers</i> , 2005 , 62, 130-136	10.3	177
8	Preparation and characterization of microwave-treated carboxymethyl chitin and carboxymethyl chitosan films for potential use in wound care application. <i>Macromolecular Bioscience</i> , 2005 , 5, 1001-12	5.5	71

7	Preparation and Properties of Starch/Poly(vinyl alcohol) Composite Foams. <i>Macromolecular Symposia</i> , 2004 , 216, 217-228	0.8	20
6	Porous polyethylene membranes by template-leaching technique: preparation and characterization. <i>Polymer Testing</i> , 2004 , 23, 91-99	4.5	29
5	Characterization of starch/poly(ε-caprolactone) hybrid foams. <i>Polymer Testing</i> , 2004 , 23, 651-657	4.5	37
4	Preparation of chitosan filament applying new coagulation system. <i>Carbohydrate Polymers</i> , 2004 , 56, 205-211	10.3	33
3	Preparation and characterization of jute- and flax-reinforced starch-based composite foams. <i>Carbohydrate Polymers</i> , 2004 , 58, 53-63	10.3	142
2	Preparation of Crosslinked Chitosan/Silk Fibroin Blend Films for Drug Delivery System. <i>Macromolecular Bioscience</i> , 2003 , 3, 604-611	5.5	76
1	Characterisation of beta-chitin/poly(vinyl alcohol) blend films. <i>Polymer Testing</i> , 2003 , 22, 381-387	4.5	51