

# Edgar B Cahoon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5878085/publications.pdf>

Version: 2024-02-01

145  
papers

10,250  
citations

34105

52  
h-index

38395

95  
g-index

148  
all docs

148  
docs citations

148  
times ranked

9132  
citing authors

#	ARTICLE	IF	CITATIONS
1	Structural diversity, biosynthesis, and function of plant falcarin-type polyacetylenic lipids. <i>Journal of Experimental Botany</i> , 2022, 73, 2889-2904.	4.8	10
2	Better together: Protein partnerships for lineage-specific oil accumulation. <i>Current Opinion in Plant Biology</i> , 2022, 66, 102191.	7.1	9
3	Chemical and genetic variation in feral <i>Cannabis sativa</i> populations across the Nebraska climate gradient. <i>Phytochemistry</i> , 2022, 200, 113206.	2.9	10
4	Variation on a theme: the structures and biosynthesis of specialized fatty acid natural products in plants. <i>Plant Journal</i> , 2022, 111, 954-965.	5.7	5
5	Generation of camelina mid-oleic acid seed oil by identification and stacking of fatty acid biosynthetic mutants. <i>Industrial Crops and Products</i> , 2021, 159, 113074.	5.2	2
6	Mass Spectrometry-Based Profiling of Plant Sphingolipids from Typical and Aberrant Metabolism. <i>Methods in Molecular Biology</i> , 2021, 2295, 157-177.	0.9	3
7	Generating Pennycress ( <i>Thlaspi arvense</i> ) Seed Triacylglycerols and Acetyl-Triacylglycerols Containing Medium-Chain Fatty Acids. <i>Frontiers in Energy Research</i> , 2021, 9, .	2.3	8
8	Plasma and vacuolar membrane sphingolipidomes: composition and insights on the role of main molecular species. <i>Plant Physiology</i> , 2021, 186, 624-639.	4.8	15
9	Production of tocotrienols in seeds of cotton ( <i>Gossypium hirsutum</i> L.) enhances oxidative stability and offers nutraceutical potential. <i>Plant Biotechnology Journal</i> , 2021, 19, 1268-1282.	8.3	17
10	A co-opted steroid synthesis gene, maintained in sorghum but not maize, is associated with a divergence in leaf wax chemistry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	26
11	CRISPR/Cas9-Induced <i>fad2</i> and <i>rod1</i> Mutations Stacked With <i>fae1</i> Confer High Oleic Acid Seed Oil in Pennycress ( <i>Thlaspi arvense</i> L.). <i>Frontiers in Plant Science</i> , 2021, 12, 652319.	3.6	25
12	Multi-strategy engineering greatly enhances provitamin A carotenoid accumulation and stability in <i>Arabidopsis</i> seeds. <i>ABIOTECH</i> , 2021, 2, 191-214.	3.9	11
13	Genetic Engineering of <i>Lesquerella</i> with Increased Ricinoleic Acid Content in Seed Oil. <i>Plants</i> , 2021, 10, 1093.	3.5	4
14	Quantitative trait loci controlling agronomic and biochemical traits in <i>Cannabis sativa</i> . <i>Genetics</i> , 2021, 219, .	2.9	14
15	Disruption of long-chain base hydroxylation alters growth and impacts sphingolipid synthesis in <i>Physcomitrella patens</i> . <i>Plant Direct</i> , 2021, 5, e336.	1.9	3
16	Toward sustainable production of value-added bioenergy and industrial oils in oilseed and biomass feedstocks. <i>GCB Bioenergy</i> , 2021, 13, 1610-1623.	5.6	7
17	Dissecting the regulatory roles of ORM proteins in the sphingolipid pathway of plants. <i>PLoS Computational Biology</i> , 2021, 17, e1008284.	3.2	7
18	Molecular-assisted breeding for soybean with high oleic/low linolenic acid and elevated vitamin E in the seed oil. <i>Molecular Breeding</i> , 2021, 41, 1.	2.1	7

#	ARTICLE	IF	CITATIONS
19	Plasma Membrane Fluidity: An Environment Thermal Detector in Plants. <i>Cells</i> , 2021, 10, 2778.	4.1	22
20	Green Chemistry Production of Codlemone, the Sex Pheromone of the Codling Moth ( <i>Cydia</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 T Chemical Ecology, 2021, 47, 950-967.	1.8	12
21	Metabolic engineering of soybean seeds for enhanced vitamin E tocochromanol content and effects on oil antioxidant properties in polyunsaturated fatty acid-rich germplasm. <i>Metabolic Engineering</i> , 2020, 57, 63-73.	7.0	26
22	Biotechnology tools and applications for development of oilseed crops with healthy vegetable oils. <i>Biochimie</i> , 2020, 178, 4-14.	2.6	25
23	Stearidonicâ€Enriched Soybean Oil Modulates Obesity, Glucose Metabolism, and Fatty Acid Profiles Independently of <i>Akkermansia muciniphila</i> . <i>Molecular Nutrition and Food Research</i> , 2020, 64, e2000162.	3.3	8
24	Variability in structural carbohydrates, lipid composition, and cellulosic sugar production from industrial hemp varieties. <i>Industrial Crops and Products</i> , 2020, 157, 112906.	5.2	20
25	The Lipid Flippases ALA4 and ALA5 Play Critical Roles in Cell Expansion and Plant Growth. <i>Plant Physiology</i> , 2020, 182, 2111-2125.	4.8	11
26	Unregulated Sphingolipid Biosynthesis in Gene-Edited Arabidopsis <i>ORM</i> Mutants Results in Nonviable Seeds with Strongly Reduced Oil Content. <i>Plant Cell</i> , 2020, 32, 2474-2490.	6.6	21
27	RGPDB: database of root-associated genes and promoters in maize, soybean, and sorghum. Database: the Journal of Biological Databases and Curation, 2020, 2020, .	3.0	8
28	The genome evolution and domestication of tropical fruit mango. <i>Genome Biology</i> , 2020, 21, 60.	8.8	104
29	Oil crops for the future. <i>Current Opinion in Plant Biology</i> , 2020, 56, 181-189.	7.1	38
30	Identification and stacking of crucial traits required for the domestication of pennycress. <i>Nature Food</i> , 2020, 1, 84-91.	14.0	54
31	Lubrication characteristics of wax esters from oils produced by a genetically-enhanced oilseed crop. <i>Tribology International</i> , 2020, 146, 106234.	5.9	10
32	Plant unusual fatty acids: learning from the less common. <i>Current Opinion in Plant Biology</i> , 2020, 55, 66-73.	7.1	41
33	Nature-Guided Synthesis of Advanced Bio-Lubricants. <i>Scientific Reports</i> , 2019, 9, 11711.	3.3	33
34	Identification of Climate and Genetic Factors That Control Fat Content and Fatty Acid Composition of <i>Theobroma cacao</i> L. Beans. <i>Frontiers in Plant Science</i> , 2019, 10, 1159.	3.6	19
35	Field performance of terpene-producing <i>Camelina sativa</i> . <i>Industrial Crops and Products</i> , 2019, 136, 50-58.	5.2	9
36	Mapping of transgenic alleles in soybean using a nanopore-based sequencing strategy. <i>Journal of Experimental Botany</i> , 2019, 70, 3825-3833.	4.8	24

#	ARTICLE	IF	CITATIONS
37	Expression of the Arabidopsis <i>WRINKLED</i> 1 transcription factor leads to higher accumulation of palmitate in soybean seed. <i>Plant Biotechnology Journal</i> , 2019, 17, 1369-1379.	8.3	17
38	<i>FAD2</i> Gene Radiation and Positive Selection Contributed to Polyacetylene Metabolism Evolution in Campanulids. <i>Plant Physiology</i> , 2019, 181, 714-728.	4.8	12
39	Extraction of astaxanthin from engineered <i>Camelina sativa</i> seed using ethanol-modified supercritical carbon dioxide. <i>Journal of Supercritical Fluids</i> , 2019, 143, 171-178.	3.2	28
40	Molecular tools enabling pennycress ( <i>Thlaspi arvense</i> ) as a model plant and oilseed cash cover crop. <i>Plant Biotechnology Journal</i> , 2019, 17, 776-788.	8.3	75
41	A Plant Immune Receptor Degraded by Selective Autophagy. <i>Molecular Plant</i> , 2019, 12, 113-123.	8.3	57
42	Provitamin A biofortification of cassava enhances shelf life but reduces dry matter content of storage roots due to altered carbon partitioning into starch. <i>Plant Biotechnology Journal</i> , 2018, 16, 1186-1200.	8.3	49
43	Endoplasmic reticulum acyltransferase with prokaryotic substrate preference contributes to triacylglycerol assembly in <i>Chlamydomonas</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1652-1657.	7.1	53
44	Development of iFOX hunting as a functional genomic tool and demonstration of its use to identify early senescence-related genes in the polyploid <i>Brassica napus</i> . <i>Plant Biotechnology Journal</i> , 2018, 16, 591-602.	8.3	24
45	Lipid composition and emulsifying properties of <i>Camelina sativa</i> seed lecithin. <i>Food Chemistry</i> , 2018, 242, 139-146.	8.2	28
46	Identification of bottlenecks in the accumulation of cyclic fatty acids in camelina seed oil. <i>Plant Biotechnology Journal</i> , 2018, 16, 926-938.	8.3	32
47	Identification of Genes Encoding Enzymes Catalyzing the Early Steps of Carrot Polyacetylene Biosynthesis. <i>Plant Physiology</i> , 2018, 178, 1507-1521.	4.8	26
48	Towards the synthetic design of camelina oil enriched in tailored acetyl-triacylglycerols with medium-chain fatty acids. <i>Journal of Experimental Botany</i> , 2018, 69, 4395-4402.	4.8	30
49	GLUCOSAMINE INOSITOLPHOSPHORYLCERAMIDE TRANSFERASE1 (GINT1) Is a GlcNAc-Containing Glycosylinositol Phosphorylceramide Glycosyltransferase. <i>Plant Physiology</i> , 2018, 177, 938-952.	4.8	35
50	Transcriptional Regulation of Vitamin E Biosynthesis during Germination of Dwarf Fan Palm Seeds. <i>Plant and Cell Physiology</i> , 2018, 59, 2490-2501.	3.1	8
51	Discontinuous fatty acid elongation yields hydroxylated seed oil with improved function. <i>Nature Plants</i> , 2018, 4, 711-720.	9.3	43
52	Effect of Extraction Method on the Oxidative Stability of Camelina Seed Oil Studied by Differential Scanning Calorimetry. <i>Journal of Food Science</i> , 2017, 82, 632-637.	3.1	11
53	A Specialized Diacylglycerol Acyltransferase Contributes to the Extreme Medium-Chain Fatty Acid Content of <i>Cuphea</i> Seed Oil. <i>Plant Physiology</i> , 2017, 174, 97-109.	4.8	44
54	Ethanol-Modified Supercritical Carbon Dioxide Extraction of the Bioactive Lipid Components of <i>Camelina sativa</i> Seed. <i>JAACS, Journal of the American Oil Chemists' Society</i> , 2017, 94, 855-865.	1.9	24

#	ARTICLE	IF	CITATIONS
55	Significant enhancement of fatty acid composition in seeds of the allohexaploid, <i>Camelina sativa</i> , using CRISPR/Cas9 gene editing. <i>Plant Biotechnology Journal</i> , 2017, 15, 648-657.	8.3	285
56	Towards the development of a sustainable soya bean-based feedstock for aquaculture. <i>Plant Biotechnology Journal</i> , 2017, 15, 227-236.	8.3	24
57	Glycosylation of inositol phosphorylceramide sphingolipids is required for normal growth and reproduction in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2017, 89, 278-290.	5.7	43
58	A Prokaryotic-like Lysophosphatidic Acid Acyltransferase Reveals Unique Features of Triacylglycerol Biosynthesis in Microalgae. <i>FASEB Journal</i> , 2017, 31, .	0.5	0
59	snRNA 3' End Processing by a CPSF73-Containing Complex Essential for Development in <i>Arabidopsis</i> . <i>PLoS Biology</i> , 2016, 14, e1002571.	5.6	21
60	Synthetic redesign of plant lipid metabolism. <i>Plant Journal</i> , 2016, 87, 76-86.	5.7	72
61	Identification of Homogentisate Dioxygenase as a Target for Vitamin E Biofortification in Oilseeds. <i>Plant Physiology</i> , 2016, 172, 1506-1518.	4.8	43
62	Dedicated Industrial Oilseed Crops as Metabolic Engineering Platforms for Sustainable Industrial Feedstock Production. <i>Scientific Reports</i> , 2016, 6, 22181.	3.3	46
63	Plant Sphingolipid Metabolism and Function. <i>Sub-Cellular Biochemistry</i> , 2016, 86, 249-286.	2.4	65
64	ORM Expression Alters Sphingolipid Homeostasis and Differentially Affects Ceramide Synthase Activities. <i>Plant Physiology</i> , 2016, 172, pp.00965.2016.	4.8	33
65	Substrate specificity, kinetic properties and inhibition by fumonisin B1 of ceramide synthase isoforms from <i>Arabidopsis</i> . <i>Biochemical Journal</i> , 2016, 473, 593-603.	3.7	27
66	Glucosylceramides are critical for cell type differentiation and organogenesis, but not for cell viability in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2015, 84, 188-201.	5.7	60
67	Structurally divergent lysophosphatidic acid acyltransferases with high selectivity for saturated medium chain fatty acids from <i>Cuphea</i> seeds. <i>Plant Journal</i> , 2015, 84, 1021-1033.	5.7	32
68	Combinatorial Effects of Fatty Acid Elongase Enzymes on Nervonic Acid Production in <i>Camelina sativa</i> . <i>PLoS ONE</i> , 2015, 10, e0131755.	2.5	46
69	Multiplexing strategy for simultaneous detection of redox-, phospho- and total proteome understanding TOR regulating pathways in <i>Chlamydomonas reinhardtii</i> . <i>Analytical Methods</i> , 2015, 7, 7336-7344.	2.7	7
70	Sphingolipid metabolism is strikingly different between pollen and leaf in <i>Arabidopsis</i> as revealed by compositional and gene expression profiling. <i>Phytochemistry</i> , 2015, 115, 121-129.	2.9	42
71	Chlorophyll Synthase under Epigenetic Surveillance Is Critical for Vitamin E Synthesis, and Altered Expression Affects Tocopherol Levels in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2015, 168, 1503-1511.	4.8	40
72	Toward production of jet fuel functionality in oilseeds: identification of FatB acyl-acyl carrier protein thioesterases and evaluation of combinatorial expression strategies in <i>Camelina</i> seeds. <i>Journal of Experimental Botany</i> , 2015, 66, 4251-4265.	4.8	80

#	ARTICLE	IF	CITATIONS
73	Redirection of metabolic flux for high levels of omega-7 monounsaturated fatty acid accumulation in camelina seeds. <i>Plant Biotechnology Journal</i> , 2015, 13, 38-50.	8.3	89
74	Glutamatergic receptor dysfunction in spinal cord contributes to the exaggerated exercise pressor reflex in heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 308, H447-H455.	3.2	7
75	Field production, purification and analysis of high-oleic acetyl-triacylglycerols from transgenic <i>Camelina sativa</i> . <i>Industrial Crops and Products</i> , 2015, 65, 259-268.	5.2	46
76	Extraction of omega-3-rich oil from <i>Camelina sativa</i> seed using supercritical carbon dioxide. <i>Journal of Supercritical Fluids</i> , 2015, 104, 153-159.	3.2	67
77	A mass spectrometry-based method for the assay of ceramide synthase substrate specificity. <i>Analytical Biochemistry</i> , 2015, 478, 96-101.	2.4	9
78	Development and analysis of a highly flexible multi-gene expression system for metabolic engineering in <i>Arabidopsis</i> seeds and other plant tissues. <i>Plant Molecular Biology</i> , 2015, 89, 113-126.	3.9	27
79	Overexpression of <i>Arabidopsis</i> Ceramide Synthases Differentially Affects Growth, Sphingolipid Metabolism, Programmed Cell Death, and Mycotoxin Resistance. <i>Plant Physiology</i> , 2015, 169, 1108-1117.	4.8	63
80	Production of high levels of polyhydroxybutyrate in plastids of <i>Camelina sativa</i> seeds. <i>Plant Biotechnology Journal</i> , 2015, 13, 675-688.	8.3	35
81	To Grow or Die: Regulation of Plant Sphingolipid Metabolism. <i>FASEB Journal</i> , 2015, 29, 366.2.	0.5	0
82	Chlorophyll Degradation: The Tocopherol Biosynthesis-Related Phytol Hydrolase in <i>Arabidopsis</i> Seeds Is Still Missing. <i>Plant Physiology</i> , 2014, 166, 70-79.	4.8	58
83	Identification of a Sphingolipid $\beta$ -Glucuronosyltransferase That Is Essential for Pollen Function in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2014, 26, 3314-3325.	6.6	80
84	A High-Throughput Fatty Acid Profiling Screen Reveals Novel Variations in Fatty Acid Biosynthesis in <i>Chlamydomonas reinhardtii</i> and Related Algae. <i>Eukaryotic Cell</i> , 2014, 13, 1431-1438.	3.4	15
85	The Origin and Biosynthesis of the Benzenoid Moiety of Ubiquinone (Coenzyme Q) in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2014, 26, 1938-1948.	6.6	80
86	Understanding and manipulating plant lipid composition: Metabolic engineering leads the way. <i>Current Opinion in Plant Biology</i> , 2014, 19, 68-75.	7.1	93
87	Imaging heterogeneity of membrane and storage lipids in transgenic <i>Camelina sativa</i> seeds with altered fatty acid profiles. <i>Plant Journal</i> , 2013, 76, 138-150.	5.7	84
88	Two novel <i>Physcomitrella patens</i> fatty acid elongases (ELOs): identification and functional characterization. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 3485-3497.	3.6	17
89	Disruption of plastid acyl:acyl carrier protein synthetases increases medium chain fatty acid accumulation in seeds of transgenic <i>Arabidopsis</i> . <i>FEBS Letters</i> , 2013, 587, 936-942.	2.8	41
90	Genetic and biochemical basis for alternative routes of tocotrienol biosynthesis for enhanced vitamin E antioxidant production. <i>Plant Journal</i> , 2013, 73, 628-639.	5.7	54

#	ARTICLE	IF	CITATIONS
91	Plant sphingolipids: function follows form. <i>Current Opinion in Plant Biology</i> , 2013, 16, 350-357.	7.1	157
92	Identification of a cytochrome b5-fusion desaturase responsible for the synthesis of triunsaturated sphingolipid long chain bases in the marine diatom <i>Thalassiosira pseudonana</i> . <i>Phytochemistry</i> , 2013, 90, 50-55.	2.9	12
93	Camelina seed transcriptome: a tool for meal and oil improvement and translational research. <i>Plant Biotechnology Journal</i> , 2013, 11, 759-769.	8.3	166
94	<i>Arabidopsis</i> 56“Amino Acid Serine Palmitoyltransferase-Interacting Proteins Stimulate Sphingolipid Synthesis, Are Essential, and Affect Mycotoxin Sensitivity Å. <i>Plant Cell</i> , 2013, 25, 4627-4639.	6.6	54
95	A thraustochyrid diacylglycerol acyltransferase 2 with broad substrate specificity strongly increases oleic acid content in engineered <i>Arabidopsis thaliana</i> seeds. <i>Journal of Experimental Botany</i> , 2013, 64, 3189-3200.	4.8	42
96	<i>Arabidopsis</i> 3-Ketoacyl-Coenzyme A Synthase9 Is Involved in the Synthesis of Tetracosanoic Acids as Precursors of Cuticular Waxes, Suberins, Sphingolipids, and Phospholipids Å. <i>Plant Physiology</i> , 2013, 162, 567-580.	4.8	162
97	AtABCA9 transporter supplies fatty acids for lipid synthesis to the endoplasmic reticulum. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 773-778.	7.1	103
98	Sphingolipid Î”8 unsaturation is important for glucosylceramide biosynthesis and lowâ€temperature performance in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2012, 69, 769-781.	5.7	140
99	Metabolic and gene expression changes triggered by nitrogen deprivation in the photoautotrophically grown microalgae <i>Chlamydomonas reinhardtii</i> and <i>Coccomyxa</i> sp. C-169. <i>Phytochemistry</i> , 2012, 75, 50-59.	2.9	344
100	Sphingolipids in the Root Play an Important Role in Regulating the Leaf Ionome in <i>Arabidopsis thaliana</i> Å. <i>Plant Cell</i> , 2011, 23, 1061-1081.	6.6	111
101	Vitamin E biosynthesis: functional characterization of the monocot homogentisate geranylgeranyl transferase. <i>Plant Journal</i> , 2011, 65, 206-217.	5.7	94
102	MPK6, sphinganine and the <i>LCB2a</i> gene from serine palmitoyltransferase are required in the signaling pathway that mediates cell death induced by long chain bases in <i>Arabidopsis</i>. <i>New Phytologist</i> , 2011, 191, 943-957.	7.3	111
103	The BioCassava Plus Program: Biofortification of Cassava for Sub-Saharan Africa. <i>Annual Review of Plant Biology</i> , 2011, 62, 251-272.	18.7	245
104	New frontiers in oilseed biotechnology: meeting the global demand for vegetable oils for food, feed, biofuel, and industrial applications. <i>Current Opinion in Biotechnology</i> , 2011, 22, 252-259.	6.6	223
105	Reactive oxygen species as transducers of sphinganine-mediated cell death pathway. <i>Plant Signaling and Behavior</i> , 2011, 6, 1616-1619.	2.4	19
106	Control of Glucosylceramide Production and Morphogenesis by the Bar1 Ceramide Synthase in <i>Fusarium graminearum</i> . <i>PLoS ONE</i> , 2011, 6, e19385.	2.5	51
107	Draft genome sequence of the oilseed species <i>Ricinus communis</i> . <i>Nature Biotechnology</i> , 2010, 28, 951-956.	17.5	449
108	Soybean Oil: Genetic Approaches for Modification of Functionality and Total Content. <i>Plant Physiology</i> , 2009, 151, 1030-1040.	4.8	431

#	ARTICLE	IF	CITATIONS
109	Sphingolipid C-9 Methyltransferases Are Important for Growth and Virulence but Not for Sensitivity to Antifungal Plant Defensins in <i>Fusarium graminearum</i> . <i>Eukaryotic Cell</i> , 2009, 8, 217-229.	3.4	59
110	Lipid signaling in Arabidopsis: no sphingosine? No problem!. <i>Trends in Plant Science</i> , 2009, 14, 463-466.	8.8	25
111	Plant Sphingolipids: Structure, Synthesis and Function. <i>Advances in Photosynthesis and Respiration</i> , 2009, , 77-115.	1.0	38
112	Loss of function mutations and inducible RNAi suppression of Arabidopsis <i>LCB2</i> genes reveal the critical role of sphingolipids in gametophytic and sporophytic cell viability. <i>Plant Journal</i> , 2008, 54, 284-298.	5.7	101
113	Metabolic Engineering of the Content and Fatty Acid Composition of Vegetable Oils. <i>Advances in Plant Biochemistry and Molecular Biology</i> , 2008, , 161-200.	0.5	16
114	Sphingolipid Long-Chain Base Hydroxylation Is Important for Growth and Regulation of Sphingolipid Content and Composition in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2008, 20, 1862-1878.	6.6	144
115	The Essential Nature of Sphingolipids in Plants as Revealed by the Functional Identification and Characterization of the Arabidopsis LCB1 Subunit of Serine Palmitoyltransferase. <i>Plant Cell</i> , 2007, 18, 3576-3593.	6.6	138
116	Arabidopsis Mutants Lacking Long Chain Base Phosphate Lyase Are Fumonisin-sensitive and Accumulate Trihydroxy-18:1 Long Chain Base Phosphate. <i>Journal of Biological Chemistry</i> , 2007, 282, 28195-28206.	3.4	66
117	Glucosylceramide synthase is essential for alfalfa defensin-mediated growth inhibition but not for pathogenicity of <i>Fusarium graminearum</i> . <i>Molecular Microbiology</i> , 2007, 66, 771-786.	2.5	104
118	Engineering oilseeds for sustainable production of industrial and nutritional feedstocks: solving bottlenecks in fatty acid flux. <i>Current Opinion in Plant Biology</i> , 2007, 10, 236-244.	7.1	179
119	Enhancing Vitamin E in Oilseeds: Unraveling Tocopherol and Tocotrienol Biosynthesis. <i>Lipids</i> , 2007, 42, 97-108.	1.7	129
120	Separation and Identification of Major Plant Sphingolipid Classes from Leaves. <i>Journal of Biological Chemistry</i> , 2006, 281, 22684-22694.	3.4	297
121	Co-expression of the borage $\Delta^6$ desaturase and the Arabidopsis $\Delta^15$ desaturase results in high accumulation of stearidonic acid in the seeds of transgenic soybean. <i>Planta</i> , 2006, 224, 1050-1057.	3.2	104
122	Conjugated fatty acids accumulate to high levels in phospholipids of metabolically engineered soybean and Arabidopsis seeds. <i>Phytochemistry</i> , 2006, 67, 1166-1176.	2.9	138
123	Members of the Arabidopsis FAE1-like 3-Ketoacyl-CoA Synthase Gene Family Substitute for the Elop Proteins of <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2006, 281, 9018-9029.	3.4	119
124	Deficiency in Phylloquinone (Vitamin K1) Methylation Affects Prenyl Quinone Distribution, Photosystem I Abundance, and Anthocyanin Accumulation in the Arabidopsis <i>AtmenG</i> Mutant. <i>Journal of Biological Chemistry</i> , 2006, 281, 40461-40472.	3.4	97
125	Identification and Functional Characterization of the Moss <i>Physcomitrella patens</i> $\Delta^5$ -Desaturase Gene Involved in Arachidonic and Eicosapentaenoic Acid Biosynthesis. <i>Journal of Biological Chemistry</i> , 2006, 281, 21988-21997.	3.4	44
126	The production of vegetable oils with novel properties: Using genomic tools to probe and manipulate plant fatty acid metabolism. <i>European Journal of Lipid Science and Technology</i> , 2005, 107, 239-243.	1.5	30



#	ARTICLE	IF	CITATIONS
127	Production of 22:5n-3 and 20:1n-5 in Brassica carinata and soybean breeding lines via introduction of Limnanthes genes. Molecular Breeding, 2005, 15, 157-167.	2.1	13
128	A Multifunctional Acyl-Acyl Carrier Protein Desaturase from Hedera helix L. (English Ivy) Can Synthesize 16- and 18-Carbon Monoene and Diene Products. Journal of Biological Chemistry, 2005, 280, 28169-28176.	3.4	44
129	Mechanistic analysis of wheat chlorophyllase. Archives of Biochemistry and Biophysics, 2005, 438, 146-155.	3.0	83
130	Dimorphecolic Acid Is Synthesized by the Coordinate Activities of Two Divergent $\Delta^{12}$ -Oleic Acid Desaturases. Journal of Biological Chemistry, 2004, 279, 12495-12502.	3.4	49
131	Dimorphecolic acid is synthesized by the coordinate activities of two divergent $\Delta^{12}$ -oleic acid desaturases. Vol. 279 (2004) 12495-12502. Journal of Biological Chemistry, 2004, 279, 21678.	3.4	0
132	Industrial oils from transgenic plants. Current Opinion in Plant Biology, 2003, 6, 178-184.	7.1	170
133	Fungal responsive fatty acid acetylases occur widely in evolutionarily distant plant families. Plant Journal, 2003, 34, 671-683.	5.7	55
134	Metabolic redesign of vitamin E biosynthesis in plants for tocotrienol production and increased antioxidant content. Nature Biotechnology, 2003, 21, 1082-1087.	17.5	365
135	Characterization of Tocopherol Cyclases from Higher Plants and Cyanobacteria. Evolutionary Implications for Tocopherol Synthesis and Function. Plant Physiology, 2003, 132, 2184-2195.	4.8	239
136	Transgenic Production of Epoxy Fatty Acids by Expression of a Cytochrome P450 Enzyme from Euphorbia lagascaeSeed. Plant Physiology, 2002, 128, 615-624.	4.8	108
137	An unusual seed-specific 3-ketoacyl-ACP synthase associated with the biosynthesis of petroselinic acid in coriander. Plant Molecular Biology, 2001, 47, 507-518.	3.9	23
138	Formation of Conjugated $\Delta^8, \Delta^{10}$ -Double Bonds by $\Delta^{12}$ -Oleic-acid Desaturase-related Enzymes. Journal of Biological Chemistry, 2001, 276, 2637-2643.	3.4	99
139	Production of Fatty Acid Components of Meadowfoam Oil in Somatic Soybean Embryos. Plant Physiology, 2000, 124, 243-252.	4.8	107
140	DESATURATION AND RELATED MODIFICATIONS OF FATTY ACIDS. Annual Review of Plant Biology, 1998, 49, 611-641.	14.3	808
141	A Determinant of Substrate Specificity Predicted from the Acyl-Acyl Carrier Protein Desaturase of Developing Cat's Claw Seed1. Plant Physiology, 1998, 117, 593-598.	4.8	103
142	Characterization of a structurally and functionally diverged acyl-acyl carrier protein desaturase from milkweed seed. Plant Molecular Biology, 1997, 33, 1105-1110.	3.9	44
143	Analysis of Glucocerebrosides of Rye (Secale cereale L. cv Puma) Leaf and Plasma Membrane. Plant Physiology, 1991, 95, 58-68.	4.8	92
144	Acyl-acyl carrier protein pool dynamics with oil accumulation in nitrogen-depleted Chlamydomonas reinhardtii microalgal cells. JAOCS, Journal of the American Oil Chemists' Society, 0, , .	1.9	3

#	ARTICLE	IF	CITATIONS
145	Genetic and Biochemical Investigation of Seed Fatty Acid Accumulation in Arabidopsis. <i>Frontiers in Plant Science</i> , 0, 13, .	3.6	4