

Koji Wada

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5878882/koji-wada-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86

papers

1,621

citations

21

h-index

36

g-index

99

ext. papers

2,009

ext. citations

3.5

avg, IF

4.85

L-index

#	Paper	IF	Citations
86	Changes in cause-specific mortality trends across occupations in working-age Japanese women from 1980 to 2015: a cross-sectional analysis.. <i>BMC Womens Health</i> , 2022 , 22, 44	2.9	2
85	Public health responses to COVID-19 in Japan.. <i>Global Health & Medicine</i> , 2022 , 4, 78-82	2.4	0
84	Method-specific suicide trends from 1979 to 2016 among Japanese adolescents.. <i>Journal of Affective Disorders</i> , 2022 , 310, 129-134	6.6	0
83	Does poor spousal health negatively affect own health among elderly retired Japanese couples? A 1-year follow-up study. <i>SSM - Population Health</i> , 2021 , 16, 100970	3.8	
82	Mortality risks among blue- and white-collar workers: A time series study among Japanese men aged 25-64 years from 1980 to 2015. <i>Journal of Occupational Health</i> , 2021 , 63, e12215	2.3	2
81	The effect of perceived social support on psychological distress and life satisfaction among Nepalese migrants in Japan. <i>PLoS ONE</i> , 2021 , 16, e0246271	3.7	8
80	Malaria rapid diagnostic test (HRP2/pLDH) positivity, incidence, care accessibility and impact of community WASH Action programme in DR Congo: mixed method study involving 625 households. <i>Malaria Journal</i> , 2021 , 20, 117	3.6	
79	Factors associated with participation in an ongoing national catch-up campaign against rubella: a cross-sectional internet survey among 1680 adult men in Japan. <i>BMC Public Health</i> , 2021 , 21, 292	4.1	4
78	Secondary Attack Rate among Non-Spousal Household Contacts of Coronavirus Disease 2019 in Tsuchiura, Japan, August 2020-February 2021. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
77	Factors associated with adults' actions to confirm their own rubella immune status in Japan to drive toward rubella elimination: Cross-sectional online survey of non-healthcare workers in their 20s to 40s. <i>Environmental Health and Preventive Medicine</i> , 2021 , 26, 77	4.2	1
76	Japanese citizens' behavioral changes and preparedness against COVID-19: An online survey during the early phase of the pandemic. <i>PLoS ONE</i> , 2020 , 15, e0234292	3.7	76
75	Local perspectives on Ebola during its tenth outbreak in DR Congo: A nationwide qualitative study. <i>PLoS ONE</i> , 2020 , 15, e0241120	3.7	4
74	Autistic and Attention Deficit/Hyperactivity Disorder Traits Are Associated with Suboptimal Performance among Japanese University Students. <i>JMA Journal</i> , 2020 , 3, 216-231	1	0
73	Gastric cancer mortality rates by occupation and industry among male and female workers aged 25-64 years in Japan. <i>Industrial Health</i> , 2020 , 58, 554-564	2.5	3
72	Environmental Sampling for Severe Acute Respiratory Syndrome Coronavirus 2 During a COVID-19 Outbreak on the Diamond Princess Cruise Ship. <i>Journal of Infectious Diseases</i> , 2020 , 222, 1098-1102	7	37
71	Dimensions of women's empowerment on access to skilled delivery services in Nepal. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 622	3.2	7
70	Infection and transmission of COVID-19 among students and teachers in schools in Japan after the reopening in June 2020. <i>BMJ Paediatrics Open</i> , 2020 , 4, e000854	2.4	1

69	Mortality by occupation and industry among Japanese men in the 2015 fiscal year. <i>Environmental Health and Preventive Medicine</i> , 2020 , 25, 37	4.2	2
68	Assessing the prevalence of hepatitis B virus infection among health care workers in a referral hospital in Kisantu, Congo DR: a pilot study. <i>Industrial Health</i> , 2019 , 57, 621-626	2.5	4
67	Environmental and sociodemographic factors associated with household malaria burden in the Congo. <i>Malaria Journal</i> , 2019 , 18, 53	3.6	14
66	Selenium supplementation in HIV-infected individuals: A systematic review of randomized controlled trials. <i>Clinical Nutrition ESPEN</i> , 2019 , 34, 1-7	1.3	11
65	A Consensus on Immunization Recommendations for Healthcare and Other Workers at the Tokyo 2020 Olympic and Paralympic Games: A Delphi Survey. <i>JMA Journal</i> , 2019 , 2, 80-84	1	
64	New Reforms to Limit the Excessive Working Hours of Japanese Physicians and Help Prevent Karoshi. <i>Journal of Occupational and Environmental Medicine</i> , 2019 , 61, e304-e305	2	4
63	Health risks and precautions for visitors to the Tokyo 2020 Olympic and Paralympic Games. <i>Travel Medicine and Infectious Disease</i> , 2018 , 22, 3-7	8.4	14
62	Serum selenium levels in tuberculosis patients: A systematic review and meta-analysis. <i>Journal of Trace Elements in Medicine and Biology</i> , 2018 , 50, 257-262	4.1	6
61	Health preparedness plan for dengue detection during the 2020 summer Olympic and Paralympic games in Tokyo. <i>PLoS Neglected Tropical Diseases</i> , 2018 , 12, e0006755	4.8	13
60	Mental health of working-age populations in Japan who provide nursing care for a person at home: A cross-sectional analysis. <i>Journal of Occupational Health</i> , 2018 , 60, 458-466	2.3	3
59	Co-worker perceptions of return-to-work opportunities for Japanese cancer survivors. <i>Psycho-Oncology</i> , 2017 , 26, 309-315	3.9	4
58	Nurses' willingness to care for patients infected with HIV or Hepatitis B / C in Vietnam. <i>Environmental Health and Preventive Medicine</i> , 2017 , 22, 9	4.2	17
57	Lung, gastric and colorectal cancer mortality by occupation and industry among working-aged men in Japan. <i>Scientific Reports</i> , 2017 , 7, 43204	4.9	16
56	Preventing heat illness in the anticipated hot climate of the Tokyo 2020 Summer Olympic Games. <i>Environmental Health and Preventive Medicine</i> , 2017 , 22, 68	4.2	48
55	A review of Vietnam's healthcare reform through the Direction of Healthcare Activities (DOHA). <i>Environmental Health and Preventive Medicine</i> , 2017 , 22, 74	4.2	41
54	Attitudes of nurses toward HIV-infected colleagues in Japan. <i>Contemporary Nurse</i> , 2017 , 53, 133-142	1.5	2
53	A consensus for occupational health management of healthcare workers infected with human immunodeficiency virus, hepatitis B virus, and / or hepatitis C virus. <i>Journal of Occupational Health</i> , 2017 , 59, 304-308	2.3	2
52	Differences in stroke and ischemic heart disease mortality by occupation and industry among Japanese working-aged men. <i>SSM - Population Health</i> , 2016 , 2, 745-749	3.8	5

51	Barriers to the acceptance of work colleagues infected with Hepatitis B and Hepatitis C in Japan. <i>Journal of Occupational Health</i> , 2016 , 58, 269-75	2.3	7
50	Inequality in mortality by occupation related to economic crisis from 1980 to 2010 among working-age Japanese males. <i>Scientific Reports</i> , 2016 , 6, 22255	4.9	16
49	Reluctance to care for patients with HIV or hepatitis B / C in Japan. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 31	3.2	20
48	Occupational differences in suicide mortality among Japanese men of working age. <i>Journal of Affective Disorders</i> , 2016 , 190, 316-321	6.6	19
47	Assessing the Impact of Nationwide Smoking Cessation Interventions among Employed, Middle-Aged Japanese Men, 2005-2010. <i>PLoS ONE</i> , 2016 , 11, e0155151	3.7	5
46	HIV testing and attitudes among the working-age population of Japan: annual health checkups may offer an effective way forwards. <i>Industrial Health</i> , 2016 , 54, 116-22	2.5	10
45	Sharp injuries in Japanese operating theaters of HIV/AIDS referral hospitals 2009-2011. <i>Industrial Health</i> , 2016 , 54, 224-9	2.5	2
44	Associations between psychological distress and the most concerning present personal problems among working-age men in Japan. <i>BMC Public Health</i> , 2015 , 15, 305	4.1	6
43	Mistrust surrounding vaccination recommendations by the Japanese government: results from a national survey of working-age individuals. <i>BMC Public Health</i> , 2015 , 15, 426	4.1	12
42	Socioeconomic status and self-reported health among middle-aged Japanese men: results from a nationwide longitudinal study. <i>BMJ Open</i> , 2015 , 5, e008178	3	18
41	A Socio-Demographic Examination of Adults Responding to Governmental Vaccination Recommendations during the Japanese Rubella Outbreak of 2013. <i>PLoS ONE</i> , 2015 , 10, e0129900	3.7	6
40	Work Content and Serious Mental Illness among Middle-Aged Men: Results from a 6-Year Longitudinal Study in Japan. <i>PLoS ONE</i> , 2015 , 10, e0131203	3.7	5
39	Sociodemographic factors and prejudice toward HIV and hepatitis B/C status in a working-age population: results from a national, cross-sectional study in Japan. <i>PLoS ONE</i> , 2014 , 9, e96645	3.7	17
38	Hepatitis screening in Japanese individuals of working age and prejudice against infected persons in the workplace. <i>Journal of Occupational Health</i> , 2014 , 55, 392-7	2.3	6
37	An awareness survey of surgeons involved in breast cancer treatment regarding their patients returning to work. <i>Nagoya Journal of Medical Science</i> , 2014 , 76, 315-22	0.7	4
36	Reasons for and against receiving influenza vaccination in a working age population in Japan: a national cross-sectional study. <i>BMC Public Health</i> , 2013 , 13, 647	4.1	22
35	The economic impact of loss of performance due to absenteeism and presenteeism caused by depressive symptoms and comorbid health conditions among Japanese workers. <i>Industrial Health</i> , 2013 , 51, 482-9	2.5	41
34	Declining rates of tobacco use in the Japanese medical profession, 1965-2009. <i>Journal of Epidemiology</i> , 2013 , 23, 4-11	3.4	10

33	Influenza vaccination uptake among the working age population of Japan: results from a national cross-sectional survey. <i>PLoS ONE</i> , 2013 , 8, e59272	3.7	24
32	Knowledge of HBV and HCV and individuals' attitudes toward HBV- and HCV-infected colleagues: a national cross-sectional study among a working population in Japan. <i>PLoS ONE</i> , 2013 , 8, e76921	3.7	26
31	Association of knowledge of HIV and other factors with individuals' attitudes toward HIV infection: a national cross-sectional survey among the Japanese non-medical working population. <i>PLoS ONE</i> , 2013 , 8, e68495	3.7	9
30	Incidence rate of needlestick and sharps injuries in 67 Japanese hospitals: a national surveillance study. <i>PLoS ONE</i> , 2013 , 8, e77524	3.7	32
29	Wearing face masks in public during the influenza season may reflect other positive hygiene practices in Japan. <i>BMC Public Health</i> , 2012 , 12, 1065	4.1	39
28	Trends in cause specific mortality across occupations in Japanese men of working age during period of economic stagnation, 1980-2005: retrospective cohort study. <i>BMJ, The</i> , 2012 , 344, e1191	5.9	82
27	Decontamination work in the area surrounding Fukushima Dai-ichi Nuclear Power Plant: another occupational health challenge of the nuclear disaster. <i>Archives of Environmental and Occupational Health</i> , 2012 , 67, 128-32	2	10
26	Awareness and behavior of oncologists and support measures in medical institutions related to ongoing employment of cancer patients in Japan. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 295-301	2.8	11
25	Emergency response technical work at Fukushima Dai-ichi nuclear power plant: occupational health challenges posed by the nuclear disaster. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 599-602	2.1	19
24	Evaluation of validity of the urine dipstick test for identification of reduced glomerular filtration rate in Japanese male workers aged 40 years and over. <i>Journal of Occupational Health</i> , 2012 , 54, 176-80	2.3	2
23	Bacterial hazards of sludge brought ashore by the tsunami after the great East Japan earthquake of 2011. <i>Journal of Occupational Health</i> , 2012 , 54, 255-62	2.3	6
22	Risk factors of household transmission of pandemic (H1N1) 2009 among patients treated with antivirals: a prospective study at a primary clinic in Japan. <i>PLoS ONE</i> , 2012 , 7, e31519	3.7	16
21	What has made the population of Japan healthy?. <i>Lancet, The</i> , 2011 , 378, 1094-105	4.0	284
20	Factors of working conditions and prolonged fatigue among teachers at public elementary and junior high schools. <i>Industrial Health</i> , 2011 , 49, 434-42	2.5	11
19	Work-family conflict and prolonged fatigue among Japanese married male physicians. <i>International Archives of Occupational and Environmental Health</i> , 2011 , 84, 937-42	3.2	6
18	Association of depression and suicidal ideation with unreasonable patient demands and complaints among Japanese physicians: a national cross-sectional survey. <i>International Journal of Behavioral Medicine</i> , 2011 , 18, 384-90	2.6	27
17	Association between asymptomatic hyperuricemia and new-onset chronic kidney disease in Japanese male workers: a long-term retrospective cohort study. <i>BMC Nephrology</i> , 2011 , 12, 31	2.7	37
16	Factors associated with preferences for health system goals in Japan: a pilot study of the World Health Survey. <i>Asia-Pacific Journal of Public Health</i> , 2011 , 23, 721-9	2	6

15	National survey of the association of depressive symptoms with the number of off duty and on-call, and sleep hours among physicians working in Japanese hospitals: a cross sectional study. <i>BMC Public Health</i> , 2010 , 10, 127	4.1	17
14	Physician job satisfaction and working conditions in Japan. <i>Journal of Occupational Health</i> , 2009 , 51, 261-263	3.0	
13	Effort-reward imbalance and depression in Japanese medical residents. <i>Journal of Occupational Health</i> , 2008 , 50, 498-504	2.3	27
12	Effort-reward imbalance and social support are associated with chronic fatigue among medical residents in Japan. <i>International Archives of Occupational and Environmental Health</i> , 2008 , 81, 331-6	3.2	11
11	Factors on working conditions and prolonged fatigue among physicians in Japan. <i>International Archives of Occupational and Environmental Health</i> , 2008 , 82, 59-66	3.2	28
10	An epidemiological study of work-related violence experienced by physicians who graduated from a medical school in Japan. <i>Journal of Occupational Health</i> , 2008 , 50, 357-61	2.3	41
9	Occupational exposure to blood or body fluids as a result of needlestick injuries and other sharp device injuries among medical residents in Japan. <i>Infection Control and Hospital Epidemiology</i> , 2007 , 28, 507-9	2	10
8	Development of Japanese version of the checklist individual strength questionnaire in a working population. <i>Journal of Occupational Health</i> , 2007 , 49, 453-60	2.3	28
7	Associations of excessive sleepiness on duty with sleeping hours and number of days of overnight work among medical residents in Japan. <i>Journal of Occupational Health</i> , 2007 , 49, 523-7	2.3	7
6	Associations of depressive symptoms with regular leisure activity and family social support among Japanese workers. <i>Industrial Health</i> , 2007 , 45, 181-5	2.5	6
5	Validity of the Center for Epidemiologic Studies Depression Scale as a screening instrument of major depressive disorder among Japanese workers. <i>American Journal of Industrial Medicine</i> , 2007 , 50, 8-12	2.7	105
4	Application of the stratum-specific likelihood ratio (SSLR) analysis to results of a depressive symptoms screening survey among Japanese workers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 410-3	4.5	3
3	The association of needlestick injury with depressive symptoms among first-year medical residents in Japan. <i>Industrial Health</i> , 2007 , 45, 750-5	2.5	13
2	Effects of overtime work on blood pressure and body mass index in Japanese male workers. <i>Occupational Medicine</i> , 2006 , 56, 578-80	2.1	30
1	Associations of health behaviors on depressive symptoms among employed men in Japan. <i>Industrial Health</i> , 2006 , 44, 486-92	2.5	15