

Manfred J Müller

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5879573/manfred-j-muller-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

193
papers

8,546
citations

50
h-index

83
g-index

228
ext. papers

9,802
ext. citations

5.4
avg, IF

5.96
L-index

#	Paper	IF	Citations
193	Ernährungsmanagement vor und während Schwangerschaft sowie nach Geburt 2022 , 37-70		
192	Phenotypic differences between people varying in muscularity.. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022 ,	10.3	2
191	What Is a ?. <i>Nutrients</i> , 2022 , 14,	6.7	1
190	Associations between high-metabolic rate organ masses and fasting hunger: A study using whole-body magnetic resonance imaging in healthy males.. <i>Physiology and Behavior</i> , 2022 , 250, 113796	3.5	
189	Prävention von Übergewicht 2022 , 545-556		
188	Impact of Energy Turnover on the Regulation of Energy and Macronutrient Balance. <i>Obesity</i> , 2021 , 29, 1114-1119	8	1
187	Are metabolic adaptations to weight changes an artefact?. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 1386-1395	7	6
186	Resting Energy Expenditure: From Cellular to Whole-Body Level, a Mechanistic Historical Perspective. <i>Obesity</i> , 2021 , 29, 500-511	8	5
185	Reference Values for Skeletal Muscle Mass - Current Concepts and Methodological Considerations. <i>Nutrients</i> , 2020 , 12,	6.7	42
184	Response to Letter from Bero et al. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 353-354	5.2	
183	From a "Metabolomics fashion" to a sound application of metabolomics in research on human nutrition. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 1619-1629	5.2	3
182	Appetite Control Is Improved by Acute Increases in Energy Turnover at Different Levels of Energy Balance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 4481-4491	5.6	15
181	Body Composition 2019 , 406-413		1
180	Obesity Tissue: Composition, Energy Expenditure, and Energy Content in Adult Humans. <i>Obesity</i> , 2019 , 27, 1472-1481	8	12
179	Determinants of ectopic liver fat in metabolic disease. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 209-214	5.2	16
178	Body composition-related functions: a problem-oriented approach to phenotyping. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 179-186	5.2	12
177	Thanks for opening an overdue discussion on GWAS of BMI: a reply to Prof. Speakman et al. <i>International Journal of Obesity</i> , 2019 , 43, 217-218	5.5	

176	The anatomy of resting energy expenditure: body composition mechanisms. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 166-171	5.2	20
175	Association between fat mass, adipose tissue, fat fraction per adipose tissue, and metabolic risks: a cross-sectional study in normal, overweight, and obese adults. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 62-71	5.2	6
174	Functional correlates of detailed body composition in healthy elderly subjects. <i>Journal of Applied Physiology</i> , 2018 , 124, 182-189	3.7	8
173	Contribution of structural brain phenotypes to the variance in resting energy expenditure in healthy Caucasian subjects. <i>Journal of Applied Physiology</i> , 2018 , 125, 320-327	3.7	4
172	Human energy expenditure: advances in organ-tissue prediction models. <i>Obesity Reviews</i> , 2018 , 19, 1177-1188	4.1	18
171	Normalizing resting energy expenditure across the life course in humans: challenges and hopes. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 628-637	5.2	28
170	Body composition and cardiometabolic health: the need for novel concepts. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 638-644	5.2	19
169	Recent advances in understanding body weight homeostasis in humans. <i>F1000Research</i> , 2018 , 7,	3.6	22
168	Dietary Patterns in Primary School are of Prospective Relevance for the Development of Body Composition in Two German Pediatric Populations. <i>Nutrients</i> , 2018 , 10,	6.7	7
167	Resting energy expenditure and body composition: critical aspects for clinical nutrition. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 1208-1214	5.2	13
166	The case of GWAS of obesity: does body weight control play by the rules?. <i>International Journal of Obesity</i> , 2018 , 42, 1395-1405	5.5	28
165	Changes in lean and skeletal muscle body mass in adult females with anorexia nervosa before and after weight restoration. <i>Clinical Nutrition</i> , 2017 , 36, 170-178	5.9	13
164	Association between individual fat depots and cardio-metabolic traits in normal- and overweight children, adolescents and adults. <i>Nutrition and Diabetes</i> , 2017 , 7, e267	4.7	18
163	Impact of Fat-Free Mass Quality and Detailed Body Composition on Changes of Resting Energy Expenditure with Age. <i>Current Nutrition Reports</i> , 2017 , 6, 111-121	6	4
162	From the past to future: from energy expenditure to energy intake to energy expenditure. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 358-364	5.2	23
161	Definition of new cut-offs of BMI and waist circumference based on body composition and insulin resistance: differences between children, adolescents and adults. <i>Obesity Science and Practice</i> , 2017 , 3, 272-281	2.6	15
160	Impact of weight loss-associated changes in detailed body composition as assessed by whole-body MRI on plasma insulin levels and homeostatis model assessment index. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 212-218	5.2	14
159	Estimation of Skeletal Muscle Mass and Visceral Adipose Tissue Volume by a Single Magnetic Resonance Imaging Slice in Healthy Elderly Adults. <i>Journal of Nutrition</i> , 2016 , 146, 2143-2148	4.1	29

158	Changes in Energy Expenditure with Weight Gain and Weight Loss in Humans. <i>Current Obesity Reports</i> , 2016 , 5, 413-423	8.4	102
157	Bioavailability of quercetin in humans and the influence of food matrix comparing quercetin capsules and different apple sources. <i>Food Research International</i> , 2016 , 88, 159-165	7	38
156	Gender-Specific Associations in Age-Related Changes in Resting Energy Expenditure (REE) and MRI Measured Body Composition in Healthy Caucasians. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 941-6	6.4	18
155	Application of standards and models in body composition analysis. <i>Proceedings of the Nutrition Society</i> , 2016 , 75, 181-7	2.9	36
154	Inadequacy of Body Weight-Based Recommendations for Individual Protein Intake-Lessons from Body Composition Analysis. <i>Nutrients</i> , 2016 , 9,	6.7	14
153	Age-Dependent Changes in Resting Energy Expenditure (REE): Insights from Detailed Body Composition Analysis in Normal and Overweight Healthy Caucasians. <i>Nutrients</i> , 2016 , 8,	6.7	33
152	What is the best reference site for a single MRI slice to assess whole-body skeletal muscle and adipose tissue volumes in healthy adults?. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 58-65	7	131
151	Identification of skeletal muscle mass depletion across age and BMI groups in health and disease--there is need for a unified definition. <i>International Journal of Obesity</i> , 2015 , 39, 379-86	5.5	72
150	Assessment of fat and lean mass by quantitative magnetic resonance: a future technology of body composition research?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2015 , 18, 446-51	3.8	19
149	Regional fat distribution in adolescent and adult females with anorexia nervosa: A longitudinal study. <i>Clinical Nutrition</i> , 2015 , 34, 1224-32	5.9	19
148	Deep body composition phenotyping during weight cycling: relevance to metabolic efficiency and metabolic risk. <i>Obesity Reviews</i> , 2015 , 16 Suppl 1, 36-44	10.6	29
147	Endocrine determinants of changes in insulin sensitivity and insulin secretion during a weight cycle in healthy men. <i>PLoS ONE</i> , 2015 , 10, e0117865	3.7	7
146	Prävention der Adipositas 2015 , 475-480		
145	Carbohydrate intake and glycemic index affect substrate oxidation during a controlled weight cycle in healthy men. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 1060-6	5.2	23
144	Impact of body composition during weight change on resting energy expenditure and homeostasis model assessment index in overweight nonsmoking adults. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 779-91	7	34
143	Functional body composition and related aspects in research on obesity and cachexia: report on the 12th Stock Conference held on 6 and 7 September 2013 in Hamburg, Germany. <i>Obesity Reviews</i> , 2014 , 15, 640-56	10.6	18
142	Is a child's growth pattern early in life related to serum adipokines at the age of 10 years?. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 25-31	5.2	11
141	Assessment and definition of lean body mass deficiency in the elderly. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 1220-7	5.2	49

140	Differences in BMI z-scores between offspring of smoking and nonsmoking mothers: a longitudinal study of German children from birth through 14 years of age. <i>Environmental Health Perspectives</i> , 2014 , 122, 761-7	8.4	18
139	Re-entering obesity prevention: a qualitative-empirical inquiry into the subjective aetiology of extreme obese adolescents. <i>BMC Public Health</i> , 2014 , 14, 977	4.1	3
138	Measuring the impact of weight cycling on body composition: a methodological challenge. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2014 , 17, 396-400	3.8	22
137	Overweight in adolescence can be predicted at age 6 years: a CART analysis in German cohorts. <i>PLoS ONE</i> , 2014 , 9, e93581	3.7	11
136	What makes a BIA equation unique? Validity of eight-electrode multifrequency BIA to estimate body composition in a healthy adult population. <i>European Journal of Clinical Nutrition</i> , 2013 , 67 Suppl 1, S14-21	5.2	124
135	Adaptive thermogenesis with weight loss in humans. <i>Obesity</i> , 2013 , 21, 218-28	8	92
134	Adiposity rebound is misclassified by BMI rebound. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 984-95.2	5.2	22
133	Effect of weight loss and regain on adipose tissue distribution, composition of lean mass and resting energy expenditure in young overweight and obese adults. <i>International Journal of Obesity</i> , 2013 , 37, 1371-7	5.5	72
132	Issues in characterizing resting energy expenditure in obesity and after weight loss. <i>Frontiers in Physiology</i> , 2013 , 4, 47	4.6	39
131	Advances in the understanding of specific metabolic rates of major organs and tissues in humans. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2013 , 16, 501-8	3.8	55
130	Carbohydrate quality and quantity affect glucose and lipid metabolism during weight regain in healthy men. <i>Journal of Nutrition</i> , 2013 , 143, 1593-601	4.1	23
129	Impact of body-composition methodology on the composition of weight loss and weight gain. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 446-54	5.2	32
128	Impact of glycaemic index and dietary fibre on insulin sensitivity during the refeeding phase of a weight cycle in young healthy men. <i>British Journal of Nutrition</i> , 2013 , 109, 1606-16	3.6	15
127	Longitudinal influences of neighbourhood built and social environment on children's weight status. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 5083-96	4.6	42
126	Relationships between body roundness with body fat and visceral adipose tissue emerging from a new geometrical model. <i>FASEB Journal</i> , 2013 , 27, 360.2	0.9	
125	Adiposity in children and adolescents: correlates and clinical consequences of fat stored in specific body depots. <i>Pediatric Obesity</i> , 2012 , 7, e42-61	4.6	50
124	Evolving concepts on adjusting human resting energy expenditure measurements for body size. <i>Obesity Reviews</i> , 2012 , 13, 1001-14	10.6	67
123	Evaluation of specific metabolic rates of major organs and tissues: comparison between nonobese and obese women. <i>Obesity</i> , 2012 , 20, 95-100	8	35

122	Total and regional relationship between lean and fat mass with increasing adiposity--impact for the diagnosis of sarcopenic obesity. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 1356-61	5.2	46
121	Advances in the science and application of body composition measurement. <i>Journal of Parenteral and Enteral Nutrition</i> , 2012 , 36, 96-107	4.2	45
120	Beyond the body mass index: tracking body composition in the pathogenesis of obesity and the metabolic syndrome. <i>Obesity Reviews</i> , 2012 , 13 Suppl 2, 6-13	10.6	180
119	Gestational weight gain and body mass index in children: results from three german cohort studies. <i>PLoS ONE</i> , 2012 , 7, e33205	3.7	25
118	Human brain mass: similar body composition associations as observed across mammals. <i>American Journal of Human Biology</i> , 2012 , 24, 479-85	2.7	14
117	Use of balance methods for assessment of short-term changes in body composition. <i>Obesity</i> , 2012 , 20, 701-7	8	21
116	Attributable risks for childhood overweight: evidence for limited effectiveness of prevention. <i>Pediatrics</i> , 2012 , 130, e865-71	7.4	33
115	Impact of age on leptin and adiponectin independent of adiposity. <i>British Journal of Nutrition</i> , 2012 , 108, 363-70	3.6	44
114	Effects of brief perturbations in energy balance on indices of glucose homeostasis in healthy lean men. <i>International Journal of Obesity</i> , 2012 , 36, 1094-101	5.5	30
113	Different age-specific incidence and remission rates in pre-school and primary school suggest need for targeted obesity prevention in childhood. <i>International Journal of Obesity</i> , 2012 , 36, 505-10	5.5	28
112	Body fat percentiles for German children and adolescents. <i>Obesity Facts</i> , 2012 , 5, 77-90	5.1	29
111	Adaptive alterations in metabolism: practical consequences on energy requirements in the severely ill patient. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2011 , 14, 171-5	3.8	18
110	Effect of constitution on mass of individual organs and their association with metabolic rate in humans--a detailed view on allometric scaling. <i>PLoS ONE</i> , 2011 , 6, e22732	3.7	50
109	Voluntary weight loss: systematic review of early phase body composition changes. <i>Obesity Reviews</i> , 2011 , 12, e348-61	10.6	67
108	Impact of intra- and extra-osseous soft tissue composition on changes in bone mineral density with weight loss and regain. <i>Obesity</i> , 2011 , 19, 1503-10	8	38
107	Associations between neighbourhood characteristics, body mass index and health-related behaviours of adolescents in the Kiel Obesity Prevention Study: a multilevel analysis. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 711-9	5.2	30
106	Associations between breast adipose tissue, body fat distribution and cardiometabolic risk in women: cross-sectional data and weight-loss intervention. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 784-90	5.2	21
105	Evaluation of specific metabolic rates of major organs and tissues: comparison between men and women. <i>American Journal of Human Biology</i> , 2011 , 23, 333-8	2.7	34

104	Eight-year follow-up of school-based intervention on childhood overweight--the Kiel Obesity Prevention Study. <i>Obesity Facts</i> , 2011 , 4, 35-43	5.1	47
103	Association of pericardial fat with liver fat and insulin sensitivity after diet-induced weight loss in overweight women. <i>Obesity</i> , 2010 , 18, 2111-7	8	32
102	Is the 1975 Reference Man still a suitable reference?. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 1035-42	5.2	21
101	Brain size, body size and longevity. <i>International Journal of Obesity</i> , 2010 , 34, 1349-52	5.5	10
100	How are we going to turn the obesity prevention experience?. <i>Obesity Reviews</i> , 2010 , 11, 101-4	10.6	6
99	Genetic studies of common types of obesity: a critique of the current use of phenotypes. <i>Obesity Reviews</i> , 2010 , 11, 612-8	10.6	48
98	Is there evidence for a set point that regulates human body weight?. <i>F1000 Medicine Reports</i> , 2010 , 2, 59		34
97	Specific metabolic rates of major organs and tissues across adulthood: evaluation by mechanistic model of resting energy expenditure. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 1369-77	7	244
96	Measurement site for waist circumference affects its accuracy as an index of visceral and abdominal subcutaneous fat in a Caucasian population. <i>Journal of Nutrition</i> , 2010 , 140, 954-61	4.1	129
95	Different thermic effects of leptin in adolescent females with varying body fat content. <i>Clinical Nutrition</i> , 2010 , 29, 639-45	5.9	13
94	Influence of changes in body composition and adaptive thermogenesis on the difference between measured and predicted weight loss in obese women. <i>Obesity Facts</i> , 2009 , 2, 105-9	5.1	29
93	Ernährung zur Beeinflussung des Stoffwechsels (oder umgekehrt?). <i>Aktuelle Ernährungsmedizin Klinik Und Praxis</i> , 2009 , 34, 63-68	0.3	
92	Functional body composition: insights into the regulation of energy metabolism and some clinical applications. <i>European Journal of Clinical Nutrition</i> , 2009 , 63, 1045-56	5.2	57
91	Contribution of individual organ mass loss to weight loss-associated decline in resting energy expenditure. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 993-1001	7	114
90	Grade of adiposity affects the impact of fat mass on resting energy expenditure in women. <i>British Journal of Nutrition</i> , 2009 , 101, 474-7	3.6	34
89	Short stature and obesity: positive association in adults but inverse association in children and adolescents. <i>British Journal of Nutrition</i> , 2009 , 102, 453-61	3.6	53
88	Functional body composition: differentiating between benign and non-benign obesity. <i>F1000 Biology Reports</i> , 2009 , 1, 75		4
87	Energy gain and energy gap in normal-weight children: longitudinal data of the KOPS. <i>Obesity</i> , 2008 , 16, 777-83	8	43

86	Associations between active commuting to school, fat mass and lifestyle factors in adolescents: the Kiel Obesity Prevention Study (KOPS). <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 739-47	5.2	59
85	Malnutrition and hypermetabolism are not risk factors for the presence of hepatic encephalopathy: a cross-sectional study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23, 606-10	4	18
84	Familial influences and obesity-associated metabolic risk factors contribute to the variation in resting energy expenditure: the Kiel Obesity Prevention Study. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 1695-701	7	37
83	No evidence of mass dependency of specific organ metabolic rate in healthy humans. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1004-9	7	21
82	Prävention der Adipositas 2008 , 312-316		
81	Influence of methods used in body composition analysis on the prediction of resting energy expenditure. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 582-9	5.2	71
80	Common familial influences on clustering of metabolic syndrome traits with central obesity and insulin resistance: the Kiel obesity prevention study. <i>International Journal of Obesity</i> , 2007 , 31, 784-90	5.5	50
79	Four-year follow-up of school-based intervention on overweight children: the KOPS study. <i>Obesity</i> , 2007 , 15, 3159-69	8	71
78	Childhood overweight: is there need for a new societal approach to the obesity epidemic?. <i>Obesity Reviews</i> , 2007 , 8, 87-90; discussion 91-2	10.6	21
77	School-based interventions to prevent overweight and obesity in prepubertal children: process and 4-years outcome evaluation of the Kiel Obesity Prevention Study (KOPS). <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 96, 19-25	3.1	44
76	Methods for evaluation of health promotion programmes. Smoking prevention and obesity prevention for children and adolescents. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , 2007 , 50, 980-6	7.5	2
75	Public Health Nutrition. <i>Ernährung - Wissenschaft Und Praxis</i> , 2007 , 1, 348-351		1
74	Malnutrition and hypermetabolism in patients with liver cirrhosis. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 1167-8	7	12
73	Value of body fat mass vs anthropometric obesity indices in the assessment of metabolic risk factors. <i>International Journal of Obesity</i> , 2006 , 30, 475-83	5.5	190
72	Phase angle from bioelectrical impedance analysis: population reference values by age, sex, and body mass index. <i>Journal of Parenteral and Enteral Nutrition</i> , 2006 , 30, 309-16	4.2	275
71	Interventions to prevent overweight in children. <i>International Journal for Vitamin and Nutrition Research</i> , 2006 , 76, 225-9	1.7	7
70	Use of height ³ :waist circumference ³ as an index for metabolic risk assessment?. <i>British Journal of Nutrition</i> , 2006 , 95, 1212-20	3.6	9
69	Patterns of bioelectrical impedance vector distribution by body mass index and age: implications for body-composition analysis. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 60-68	7	67

68	Intra- and interindividual variability of resting energy expenditure in healthy male subjects -- biological and methodological variability of resting energy expenditure. <i>British Journal of Nutrition</i> , 2005 , 94, 843-9	3.6	63
67	School- and family-based interventions to prevent overweight in children. <i>Proceedings of the Nutrition Society</i> , 2005 , 64, 249-54	2.9	64
66	First lessons from the Kiel Obesity Prevention Study (KOPS). <i>International Journal of Obesity</i> , 2005 , 29 Suppl 2, S78-83	5.5	46
65	Determinants of plasma adiponectin levels in patients with anorexia nervosa examined before and after weight gain. <i>European Journal of Nutrition</i> , 2005 , 44, 355-9	5.2	33
64	Patterns of bioelectrical impedance vector distribution by body mass index and age: implications for body-composition analysis. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 60-8	7	60
63	Need for optimal body composition data analysis using air-displacement plethysmography in children and adolescents. <i>Journal of Nutrition</i> , 2005 , 135, 2257-62	4.1	37
62	Leptin and body weight regulation in patients with anorexia nervosa before and during weight recovery. <i>American Journal of Clinical Nutrition</i> , 2005 , 81, 889-96	7	80
61	Physiological vs. pathological changes of nutritional status over life time. <i>Nestle Nutrition Workshop Series Clinical & Performance Programme</i> , 2005 , 10, 31-43		
60	L-tri-iodothyronine is a major determinant of resting energy expenditure in underweight patients with anorexia nervosa and during weight gain. <i>European Journal of Endocrinology</i> , 2005 , 152, 179-84	6.5	74
59	Neue Referenzwerte fñden Energieverbrauch - eine aktuelle Datenbank fñden Ruheenergieverbrauch der deutschen Bevñkerung. <i>Aktuelle Ernahrungsmedizin Klinik Und Praxis</i> , 2005 , 30, 63-68	0.3	2
58	Effect of organ and tissue masses on resting energy expenditure in underweight, normal weight and obese adults. <i>International Journal of Obesity</i> , 2004 , 28, 72-9	5.5	93
57	Parental overweight, socioeconomic status and high birth weight are the major determinants of overweight and obesity in 5-7 y-old children: baseline data of the Kiel Obesity Prevention Study (KOPS). <i>International Journal of Obesity</i> , 2004 , 28, 1494-502	5.5	260
56	Alterations in glucose metabolism associated with liver cirrhosis persist in the clinically stable long-term course after liver transplantation. <i>Liver Transplantation</i> , 2004 , 10, 1030-40	4.5	35
55	World Health Organization equations have shortcomings for predicting resting energy expenditure in persons from a modern, affluent population: generation of a new reference standard from a retrospective analysis of a German database of resting energy expenditure. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 1373-80	7	223
54	The influence of socio-economic status on the long-term effect of family-based obesity treatment intervention in prepubertal overweight children. <i>Health Education</i> , 2004 , 104, 336-343	1	21
53	Wie beurteile ich den Ernñrungszustand bei kranken Menschen?. <i>Aktuelle Ernahrungsmedizin Klinik Und Praxis</i> , 2003 , 28, 66-71	0.3	1
52	Assessment of energy expenditure in children and adolescents. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2003 , 6, 519-30	3.8	9
51	The age-related decline in resting energy expenditure in humans is due to the loss of fat-free mass and to alterations in its metabolically active components. <i>Journal of Nutrition</i> , 2003 , 133, 2356-62	4.1	89

50	Socioeconomic gradients in body weight of German children reverse direction between the ages of 2 and 6 years. <i>Journal of Nutrition</i> , 2003 , 133, 789-96	4.1	32
49	Kieler Adipositaspräventionsstudie (KOPS). <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , 2003 , 46, 727-731	7.5	6
48	Validation of air-displacement plethysmography for estimation of body fat mass in healthy elderly subjects. <i>European Journal of Nutrition</i> , 2003 , 42, 207-16	5.2	28
47	Metabolically active components of fat free mass (FFM) and resting energy expenditure (REE) in humans. <i>Forum of Nutrition</i> , 2003 , 56, 301-3		13
46	Adipositas: Eine Herausforderung für Public Health. <i>Zeitschrift Für Gesundheitswissenschaften</i> , 2002 , 10, 11-20	1.4	4
45	Impact of parental BMI on the manifestation of overweight 5-7 year old children. <i>European Journal of Nutrition</i> , 2002 , 41, 132-8	5.2	188
44	Use of BMI as a measure of overweight and obesity in a field study on 5-7 year old children. <i>European Journal of Nutrition</i> , 2002 , 41, 61-7	5.2	36
43	Metabolically active components of fat-free mass and resting energy expenditure in humans: recent lessons from imaging technologies. <i>Obesity Reviews</i> , 2002 , 3, 113-22	10.6	167
42	Inconsistencies in bioelectrical impedance and anthropometric measurements of fat mass in a field study of prepubertal children. <i>British Journal of Nutrition</i> , 2002 , 87, 163-75	3.6	85
41	Obesity Prevention. <i>Aktuelle Ernährungsmedizin Klinik Und Praxis</i> , 2002 , 27, 139-141	0.3	1
40	Social class differences in overweight of prepubertal children in northwest Germany. <i>International Journal of Obesity</i> , 2002 , 26, 566-72	5.5	72
39	Determinants of fat mass in prepubertal children. <i>British Journal of Nutrition</i> , 2002 , 88, 545-54	3.6	6
38	Regional lean body mass and resting energy expenditure in non-obese adults. <i>European Journal of Nutrition</i> , 2001 , 40, 93-7	5.2	13
37	Association between different attributes of physical activity and fat mass in untrained, endurance- and resistance-trained men. <i>European Journal of Applied Physiology</i> , 2001 , 84, 310-20	3.4	20
36	Prevention of obesity--is it possible?. <i>Obesity Reviews</i> , 2001 , 2, 15-28	10.6	62
35	Prevention of obesity--more than an intention. Concept and first results of the Kiel Obesity Prevention Study (KOPS). <i>International Journal of Obesity</i> , 2001 , 25 Suppl 1, S66-74	5.5	123
34	Is TV viewing an index of physical activity and fitness in overweight and normal weight children?. <i>Public Health Nutrition</i> , 2001 , 4, 1245-51	3.3	91
33	No effect of gender on different components of daily energy expenditure in free living prepubertal children. <i>International Journal of Obesity</i> , 2000 , 24, 299-305	5.5	17

32	Relationships between physical activity, physical fitness, muscle strength and nutritional state in 5- to 11-year-old children. <i>European Journal of Applied Physiology</i> , 2000 , 82, 425-38	3.4	56
31	Metabolically active components of fat free mass and resting energy expenditure in nonobese adults. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000 , 278, E308-15	6	113
30	Hypermetabolism in clinically stable patients with liver cirrhosis. <i>American Journal of Clinical Nutrition</i> , 1999 , 69, 1194-201	7	183
29	Physical activity and diet in 5 to 7 years old children. <i>Public Health Nutrition</i> , 1999 , 2, 443-4	3.3	49
28	Gender differences in fat mass of 5-7-year old children. <i>International Journal of Obesity</i> , 1998 , 22, 878-84	5.5	43
27	Hepatic energy and substrate metabolism: a possible metabolic basis for early nutritional support in cirrhotic patients. <i>Nutrition</i> , 1998 , 14, 30-8	4.8	43
26	Energy and protein requirements of patients with chronic liver disease. <i>Journal of Hepatology</i> , 1997 , 27, 239-47	13.4	112
25	Identification of high- and low-risk patients before liver transplantation: a prospective cohort study of nutritional and metabolic parameters in 150 patients. <i>Hepatology</i> , 1997 , 25, 652-7	11.2	287
24	Metabolic, endocrine, haemodynamic and pulmonary responses to different types of exercise in individuals with normal or reduced liver function. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1996 , 74, 246-57		11
23	The creatinine approach to estimate skeletal muscle mass in patients with cirrhosis. <i>Hepatology</i> , 1996 , 24, 1422-7	11.2	73
22	Hepatic fuel selection. <i>Proceedings of the Nutrition Society</i> , 1995 , 54, 139-50	2.9	15
21	Are patients with liver cirrhosis hypermetabolic?. <i>Clinical Nutrition</i> , 1994 , 13, 131-44	5.9	66
20	Resting energy expenditure and nutritional state in patients with liver cirrhosis before and after liver transplantation. <i>Clinical Nutrition</i> , 1994 , 13, 145-52	5.9	45
19	Tumour necrosis factor receptor levels are linked to the acute-phase response and malnutrition in human-immunodeficiency-virus-infected patients. <i>Clinical Science</i> , 1994 , 86, 461-7	6.5	32
18	Resting energy expenditure and weight loss in human immunodeficiency virus-infected patients. <i>Metabolism: Clinical and Experimental</i> , 1993 , 42, 1173-9	12.7	42
17	Insulin resistance in liver cirrhosis. Positron-emission tomography scan analysis of skeletal muscle glucose metabolism. <i>Journal of Clinical Investigation</i> , 1993 , 91, 1897-902	15.9	81
16	Resting energy expenditure and the thermic effect of adrenaline in patients with liver cirrhosis. <i>Clinical Science</i> , 1992 , 83, 191-8	6.5	13
15	Thermic effect of epinephrine: a role for endogenous insulin. <i>Metabolism: Clinical and Experimental</i> , 1992 , 41, 582-7	12.7	11

14	Energy expenditure and substrate oxidation in patients with cirrhosis: the impact of cause, clinical staging and nutritional state. <i>Hepatology</i> , 1992 , 15, 782-94	11.2	243
13	Thermogenic effect of adrenaline: interaction with insulin. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1991 , 63, 417-23		3
12	Glucoregulatory function of thyroid hormones: role of pancreatic hormones. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1989 , 256, E101-10	6	6
11	Energy expenditure in children with type I diabetes: evidence for increased thermogenesis. <i>BMJ: British Medical Journal</i> , 1989 , 299, 487-91		31
10	Effect of thyroid hormones on oxidative and nonoxidative glucose metabolism in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1988 , 255, E146-52	6	12
9	Interrelation between thyroid state and the effect of glucagon on gluconeogenesis in perfused rat livers. <i>Biochemical Pharmacology</i> , 1987 , 36, 1623-7	6	13
8	Glucoregulatory function of thyroid hormones: interaction with insulin depends on the prevailing glucose concentration. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1986 , 63, 62-71	5.6	33
7	Pleiotypic action of thyroid hormones at the target cell level. <i>Biochemical Pharmacology</i> , 1984 , 33, 1579-84		21
6	Effect of ketone bodies on glucose production and utilization in the miniature pig. <i>Journal of Clinical Investigation</i> , 1984 , 74, 249-61	15.9	52
5	Glucose production measured by tracer and balance data in conscious miniature pig. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1983 , 244, E236-44	6	8
4	Starvation-induced ketone body production in the conscious unrestrained miniature pig. <i>Journal of Nutrition</i> , 1982 , 112, 1379-86	4.1	20
3	Effect of thyroid state on ketogenic capacity of the isolated perfused liver of starved rats. <i>Lipids and Lipid Metabolism</i> , 1981 , 666, 475-81		19
2	Dose dependent stimulation of hepatic oxygen consumption and alanine conversion to CO ₂ and glucose by 3,5,3Rtriiodo-L-thyronine (T ₃) in the isolated perfused liver of hypothyroid rats. <i>Life Sciences</i> , 1981 , 28, 2243-9	6.8	23
1	Coordinate control of intermediary metabolism in rat liver by the insulin/glucagon ratio during starvation and after glucose refeeding. Regulatory significance of long-chain acyl-CoA and cyclic AMP. <i>Archives of Biochemistry and Biophysics</i> , 1977 , 183, 647-63	4.1	84