
## Mario Luiz Ribeiro Monteiro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5880087/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A randomized comparative study of inferomedial vs. balanced orbital decompression. Analysis of changes in orbital volume, eyelid parameters, and eyeball position. Eye, 2022, 36, 547-554.	1.1	5
2	Choroidal Thickness in Eyes with Band Atrophy of the Optic Nerve from Chiasmal Compression. Journal of Ophthalmology, 2022, 2022, 1-6.	0.6	1
3	Electroretinography reveals retinal dysfunction in Parkinson's disease despite normal high-resolution optical coherence tomography findings. Parkinsonism and Related Disorders, 2022, 101, 90-95.	1.1	10
4	EFFECT OF LASER PHOTOCOAGULATION ON MACULAR EDEMA ASSOCIATED WITH MACULAR HOLES. Retinal Cases and Brief Reports, 2021, 15, 730-733.	0.3	4
5	MULTIMODAL IMAGING OF FOCAL CHOROIDAL EXCAVATION COMPLICATED BY CHOROIDAL NEOVASCULARIZATION IN A PATIENT WITH ANGIOID STREAKS AND PSEUDOXANTHOMA ELASTICUM. Retinal Cases and Brief Reports, 2021, 15, 155-162.	0.3	1
6	Recurrent and Reversible, Bitemporal Field Defect from Presumed Chiasmitis in a Patient with Systemic Lupus Erythematosus. Neuro-Ophthalmology, 2021, 45, 117-119.	0.4	2
7	Ocular motility changes after inferomedial wall and balanced medial plus lateral wall orbital decompression in Graves' orbitopathy: a randomized prospective comparative study. Clinics, 2021, 76, e2592.	0.6	4
8	Contractile peripapillary staphyloma: OCTA documentation of increased peripapillary vessel density during transient visual loss episodes. American Journal of Ophthalmology Case Reports, 2021, 21, 101010.	0.4	1
9	Safety and cost-effectiveness of single-use endolaser probe reprocessing in vitreoretinal surgery. International Journal of Retina and Vitreous, 2021, 7, 22.	0.9	2
10	Diagnostic ability of confocal near-infrared reflectance fundus imaging to detect retrograde microcystic maculopathy from chiasm compression. A comparative study with OCT findings. PLoS ONE, 2021, 16, e0253323.	1.1	3
11	Comparison of Visual Evoked Potentials in Patients Affected by Optic Neuritis From Multiple Sclerosis or Neuromyelitis Optica Spectrum Disorder. Journal of Neuro-Ophthalmology, 2021, Publish Ahead of Print, .	0.4	1
12	Bruch's membrane opening minimum rim width and retinal nerve fiber layer helps differentiate compressive optic neuropathy from glaucoma. American Journal of Ophthalmology, 2021, 234, 156-165.	1.7	4
13	Complete reversal of bilateral optic nerve infiltration from lymphoblastic leukemia using chemotherapy without adjuvant radiotherapy. BMC Ophthalmology, 2021, 21, 335.	0.6	5
14	Spontaneous closure of degenerative lamellar macular hole with epiretinal membrane proliferation. International Journal of Retina and Vitreous, 2021, 7, 64.	0.9	2
15	Unilateral papilledema and peripapillary polypoidal choroidal vasculopathy as the presenting manifestations of intracranial hypertension. Arquivos Brasileiros De Oftalmologia, 2021, 84, 598-601.	0.2	1
16	Circumpapillary and macular vessel density assessment by optical coherence tomography angiography in eyes with temporal hemianopia from chiasmal compression. Correlation with retinal neural and visual field loss. Eye, 2020, 34, 695-703.	1.1	19
17	Occupational effect of sugarcane biomass burning on the conjunctival mucin profile of harvest workers and residents of an adjacent town - A Brazilian panel study. Experimental Eye Research, 2020, 190, 107889.	1.2	6
18	The Retinal Nerve Fiber Layer: How William F. Hoyt Opened Our Eyes to It. Journal of Neuro-Ophthalmology, 2020, 40, S35-S42.	0.4	3

#	Article	IF	CITATIONS
19	Optic coherence tomography features of subretinal vitreous substitutes. International Journal of Retina and Vitreous, 2020, 6, 53.	0.9	3
20	Spontaneous macular hole closure after posterior vitreous detachment in an eye with hyperreflective OCT stress line. American Journal of Ophthalmology Case Reports, 2020, 20, 100950.	0.4	3
21	Evaluation of Ocular Versions in Graves' Orbitopathy: Correlation between the Qualitative Clinical Method and the Quantitative Photographic Method. Journal of Ophthalmology, 2020, 2020, 1-7.	0.6	2
22	Retinal Layers and Choroid Measurements in Parkinson's Disease With or Without Pramipexole Treatment. Movement Disorders, 2020, 35, 2357-2359.	2.2	7
23	A Comparative Study of Clinical vs. Digital Exophthalmometry Measurement Methods. Journal of Ophthalmology, 2020, 2020, 1-6.	0.6	6
24	OCT and Compressive Optic Neuropathy. , 2020, , 169-194.		0
25	Estrias angióides e drusas de disco óptico no Querubismo: um relato de caso. Arquivos Brasileiros De Oftalmologia, 2020, 83, 535-537.	0.2	0
26	Correlation between cognitive impairment and retinal neural loss assessed by sweptâ€source optical coherence tomography in patients with mild cognitive impairment. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 659-669.	1.2	22
27	Outer Retinal Dysfunction on Multifocal Electroretinography May Help Differentiating Multiple Sclerosis From Neuromyelitis Optica Spectrum Disorder. Frontiers in Neurology, 2019, 10, 928.	1.1	12
28	Homonymous quadrantic macular ganglion cell complex loss as a sign of trans-synaptic degeneration from occipital lobe lesion. American Journal of Ophthalmology Case Reports, 2019, 13, 76-79.	0.4	5
29	SURGICAL REMOVAL OF EPIRETINAL MEMBRANE WITH AND WITHOUT REMOVAL OF INTERNAL LIMITING MEMBRANE. Retina, 2019, 39, 601-607.	1.0	16
30	Effect of panretinal photocoagulation on the peripapillary retinal nerve fiber layer in diabetic retinopathy patients. Clinics, 2019, 74, e1163.	0.6	1
31	Macular and Multifocal PERG and FD-OCT in Preperimetric and Hemifield Loss Glaucoma. Journal of Glaucoma, 2018, 27, 121-132.	0.8	10
32	A Comparative Study of Full-Thickness Blepharotomy Versus Transconjunctival Eyelid Lengthening in the Correction of Upper Eyelid Retraction in Graves' Orbitopathy. Aesthetic Plastic Surgery, 2018, 42, 215-223.	0.5	8
33	OPTICAL COHERENCE TOMOGRAPHY ANALYSIS OF OUTER RETINAL TUBULATIONS. Retina, 2018, 38, 1518-1525.	1.0	27
34	Macular Ganglion Cell Complex Reduction Preceding Visual Field Loss in a Patient With Chiasmal Compression With a 21-Month Follow-Up. Journal of Neuro-Ophthalmology, 2018, 38, 124-127.	0.4	15
35	Acute visual loss and optic disc edema followed by optic atrophy in two cases with deeply buried optic disc drusen: a mimicker of atypical optic neuritis. BMC Ophthalmology, 2018, 18, 278.	0.6	4
36	Subconjunctival 0.1% epinephrine versus placebo in maintenance of mydriasis during vitrectomy: a randomized controlled trial. International Journal of Retina and Vitreous, 2018, 4, 38.	0.9	5

#	Article	IF	CITATIONS
37	Non-Mydriatic Fundus Retinography in Screening for Diabetic Retinopathy: Agreement Between Family Physicians, General Ophthalmologists, and a Retinal Specialist. Frontiers in Endocrinology, 2018, 9, 251.	1.5	19
38	Cellular stress response in human Müller cells (MIO-M1) after bevacizumab treatment. Experimental Eye Research, 2017, 160, 1-10.	1.2	8
39	Customized Minimally Invasive Orbital Decompression Surgery Improves Lower Eyelid Retraction and Contour in Thyroid Eye Disease. Ophthalmic Plastic and Reconstructive Surgery, 2017, 33, 446-451.	0.4	20
40	A New Method of Subretinal Injection of Tissue Plasminogen Activator and Air in Patients With Submacular Hemorrhage. Retina, 2017, 37, 1607-1611.	1.0	23
41	Multifocal Visual Evoked Potential in Eyes With Temporal Hemianopia From Chiasmal Compression: Correlation With Standard Automated Perimetry and OCT Findings. , 2017, 58, 4436.		15
42	The effect of laser pan-retinal photocoagulation with or without intravitreal bevacizumab injections on the OCT-measured macular choroidal thickness of eyes with proliferative diabetic retinopathy. Clinics, 2017, 72, 81-86.	0.6	7
43	Morphological and Functional Inner and Outer Retinal Layer Abnormalities in Eyes with Permanent Temporal Hemianopia from Chiasmal Compression. Frontiers in Neurology, 2017, 8, 619.	1.1	22
44	Recurrence rate and need for reoperation after surgery with or without internal limiting membrane removal for the treatment of the epiretinal membrane. International Journal of Retina and Vitreous, 2017, 3, 48.	0.9	9
45	Nonarteritic anterior ischemic optic neuropathy following pars plana vitrectomy for macular hole treatment: case report. Arquivos Brasileiros De Oftalmologia, 2016, 79, 342-345.	0.2	6
46	Isolated primary amyloidosis of the inferior rectus muscle mimicking Graves' orbitopathy. Einstein (Sao Paulo, Brazil), 2016, 14, 553-556.	0.3	10
47	Choroidal and Retinal Abnormalities by Optical Coherence Tomography in Endogenous Cushing's Syndrome. Frontiers in Endocrinology, 2016, 7, 154.	1.5	16
48	Macular Thickness Measurements with Frequency Domain-OCT for Quantification of Retinal Neural Loss and its Correlation with Cognitive Impairment in Alzheimer's Disease. PLoS ONE, 2016, 11, e0153830.	1.1	78
49	Epithelial-Myoepithelial Carcinoma of the Lacrimal Gland 14 Years After En Bloc Resection of a Pleomorphic Lacrimal Gland Adenoma. Ophthalmic Plastic and Reconstructive Surgery, 2016, 32, e42-e44.	0.4	6
50	Homonymous Hemianopic Hyporeflective Retinal Abnormality on Infrared Confocal Scanning Laser Photography. Journal of Neuro-Ophthalmology, 2016, 36, 46-49.	0.4	4
51	Autologous Internal Limiting Membrane Fragment Transplantation for Large, Chronic, and Refractory Macular Holes. Ophthalmic Research, 2016, 55, 45-52.	1.0	56
52	Optical Coherence Tomography in Neuro-Ophthalmology: Do We Really Need It?. Journal of Neuro-Ophthalmology, 2016, 36, 353-355.	0.4	1
53	OCT and Compressive Optic Neuropathy. , 2016, , 69-86.		0
54	The role of optical coherence tomography in Alzheimer's disease. International Journal of Retina and Vitreous, 2016, 2, 24.	0.9	36

#	Article	IF	CITATIONS
55	Bilateral extraocular muscles enlargement from Kimura′s disease of the orbit. Indian Journal of Ophthalmology, 2016, 64, 538.	0.5	10
56	Metamizole versus placebo for panretinal photocoagulation pain control: a prospective double-masked randomized controlled study. International Journal of Retina and Vitreous, 2015, 1, 21.	0.9	8
57	Novel Outer Retinal Optical Coherence Tomography Hyperreflective Abnormality Associated With Sub–Internal Limiting Membrane Hemorrhage. Retina, 2015, 35, 1713-1714.	1.0	3
58	Factors affecting visual loss and visual recovery in patients with pseudotumor cerebri syndrome. Arquivos Brasileiros De Oftalmologia, 2015, 78, 175-9.	0.2	8
59	Idiopathic polypoidal choroidal vasculopathy masquerading as choroidal tumors: one year follow-up of a peripheral lesion. Arquivos Brasileiros De Oftalmologia, 2015, 78, 187-9.	0.2	1
60	Relationship Between Pattern Electroretinogram, Frequency-Domain OCT, and Automated Perimetry in Chronic Papilledema From Pseudotumor Cerebri Syndrome. , 2015, 56, 3656.		9
61	A RANDOMIZED CONTROLLED TRIAL OF PANRETINAL PHOTOCOAGULATION WITH AND WITHOUT INTRAVITREAL RANIBIZUMAB IN TREATMENT-NAIVE EYES WITH NON–HIGH-RISK PROLIFERATIVE DIABETIC RETINOPATHY. Retina, 2015, 35, 280-287.	1.0	33
62	Role of Percent Tissue Altered on Ectasia After LASIK in Eyes With Suspicious Topography. Journal of Refractive Surgery, 2015, 31, 258-265.	1.1	70
63	Anti-MOG (Myelin Oligodendrocyte Glycoprotein)–Positive Severe Optic Neuritis with Optic Disc Ischaemia and Macular Star. Neuro-Ophthalmology, 2015, 39, 285-288.	0.4	12
64	Lacrimal Cytokines Assessment in Subjects Exposed to Different Levels of Ambient Air Pollution in a Large Metropolitan Area. PLoS ONE, 2015, 10, e0143131.	1.1	29
65	Publish (negative results too) or perish. Arquivos Brasileiros De Oftalmologia, 2015, 78, 5-6.	0.2	1
66	Anatomic and functional outcome of eyes with massive submacular hemorrhage secondary to retinal macroaneurysm submitted to vitrectomy. Revista Brasileira De Oftalmologia, 2015, 74, .	0.1	0
67	Neuro-Ophthalmology in Brazil. Journal of Neuro-Ophthalmology, 2015, 35, e20-e23.	0.4	1
68	Influence of aspheric intraocular lens on frequency doubling technology and contrast sensitivity: a fellow eye study. Arquivos Brasileiros De Oftalmologia, 2014, 77, 373-6.	0.2	1
69	The role of pattern-reversal electroretinography in the diagnosis of glaucoma. Arquivos Brasileiros De Oftalmologia, 2014, 77, 403-10.	0.2	6
70	Evaluation of Inner Retinal Layers in Eyes With Temporal Hemianopic Visual Loss From Chiasmal Compression Using Optical Coherence Tomography. , 2014, 55, 3328.		76
71	Macular thickness measurements with frequency domain-OCT for quantification of axonal loss in chronic papilledema from pseudotumor cerebri syndrome. Eye, 2014, 28, 390-398.	1.1	33
72	Bevacizumab Reduces Neurocan Content and Gene Expression in Newborn Rat Retina In Vitro. , 2014, 55,		6

72 5109.

#	Article	IF	CITATIONS
73	Effect of a Single Intravitreal Bevacizumab Injection on Contrast Sensitivity and Macular Thickness in Eyes with Macular Edema from Central Retinal Vein Occlusion: A Prospective, Nonrandomized, Three-Month Follow-Up Study. Ophthalmic Research, 2014, 51, 140-145.	1.0	9
74	Effects of ambient levels of traffic-derived air pollution on the ocular surface: Analysis of symptoms, conjunctival goblet cell count and mucin 5AC gene expression. Environmental Research, 2014, 131, 59-63.	3.7	81
75	Reply. American Journal of Ophthalmology, 2014, 158, 1359-1360.	1.7	0
76	Association Between the Percent Tissue Altered and Post–Laser In Situ Keratomileusis Ectasia in Eyes With Normal Preoperative Topography. American Journal of Ophthalmology, 2014, 158, 87-95.e1.	1.7	183
77	Bilateral acute visual loss from Rathke's cleft cyst apoplexy in a patient with dengue fever. Arquivos Brasileiros De Oftalmologia, 2014, 77, 330-333.	0.2	0
78	Predictive factors for anterior chamber fibrin formation after vitreoretinal surgery. Revista Brasileira De Oftalmologia, 2014, 73, .	0.1	3
79	Correlation between multifocal pattern electroretinography and Fourier-domain OCT in eyes with temporal hemianopia from chiasmal compression. Graefe's Archive for Clinical and Experimental Ophthalmology, 2013, 251, 903-915.	1.0	18
80	Pattern electroretinogram in neuromyelitis optica and multiple sclerosis with or without optic neuritis and its correlation with FD-OCT and perimetry. Documenta Ophthalmologica, 2013, 127, 201-215.	1.0	26
81	Evaluation of Inner Retinal Layers in Patients with Multiple Sclerosis or Neuromyelitis Optica Using Optical Coherence Tomography. Ophthalmology, 2013, 120, 387-394.	2.5	111
82	Structural and Functional Assessment of Macula in Patients with High-Risk Proliferative Diabetic Retinopathy Submitted to Panretinal Photocoagulation and Associated Intravitreal Bevacizumab Injections: A Comparative, Randomised, Controlled Trial. Ophthalmologica, 2013, 230, 1-8.	1.0	16
83	Contrast sensitivity evaluation in high risk proliferative diabetic retinopathy treated with panretinal photocoagulation associated or not with intravitreal bevacizumab injections: a randomised clinical trial. British Journal of Ophthalmology, 2013, 97, 885-889.	2.1	33
84	Correlation Between Signs and Symptoms of Ocular Surface Dysfunction and Tear Osmolarity With Ambient Levels of Air Pollution in a Large Metropolitan Area. Cornea, 2013, 32, e11-e15.	0.9	95
85	Unilateral central retinal artery occlusion as the sole presenting sign of Susac syndrome in a young man: case report. Arquivos Brasileiros De Oftalmologia, 2013, 76, 192-194.	0.2	10
86	Reply: Fibrin-like material in the retinal arterioles and fluorescein angiography findings in Susac syndrome. Arquivos Brasileiros De Oftalmologia, 2013, 76, 328-329.	0.2	2
87	Reply: progression of retinal artery occlusion in Susac syndrome. Arquivos Brasileiros De Oftalmologia, 2013, 76, 391-392.	0.2	0
88	Comparison of Visual Acuity and Automated Perimetry Findings in Patients With Neuromyelitis Optica or Multiple Sclerosis After Single or Multiple Attacks of Optic Neuritis. Journal of Neuro-Ophthalmology, 2012, 32, 102-106.	0.4	56
89	Multifocal pattern electroretinography for the detection of neural loss in eyes with permanent temporal hemianopia or quadrantanopia from chiasmal compression. British Journal of Ophthalmology, 2012, 96, 104-109.	2.1	13
90	Quantification of Orbital Apex Crowding for Screening of Dysthyroid Optic Neuropathy Using Multidetector CT. American Journal of Neuroradiology, 2012, 33, 1602-1607.	1.2	50

#	Article	IF	CITATIONS
91	Optic Nerve Sheath Meningioma in the First Decade of Life: Case Report and Review of the Literature. Case Reports in Ophthalmology, 2012, 3, 270-276.	0.3	20
92	In Vitro Effects of Bevacizumab Treatment on Newborn Rat Retinal Cell Proliferation, Death, and Differentiation. , 2012, 53, 7904.		15
93	Nerve fiber layer in glaucomatous hemifield loss: a case-control study with time- and spectral-domain optical coherence tomography. Arquivos Brasileiros De Oftalmologia, 2012, 75, 53-58.	0.2	4
94	Avaliação da camada de fibras nervosas da retina nas afecções neuroftalmológicas da via óptica anterior. Revista Brasileira De Oftalmologia, 2012, 71, 125-138.	0.1	1
95	Predicting dysthyroid optic neuropathy using computed tomography volumetric analyses of orbital structures. Clinics, 2012, 67, 891-896.	0.6	31
96	Quantification of Retinal Neural Loss in Patients with Neuromyelitis Optica and Multiple Sclerosis with or without Optic Neuritis Using Fourier-Domain Optical Coherence Tomography. , 2012, 53, 3959.		101
97	Single intravitreal bevacizumab injection effects on contrast sensitivity in macular edema from branch retinal vein occlusion. Arquivos Brasileiros De Oftalmologia, 2012, 75, 29-32.	0.2	11
98	Magnetic resonance appearance of recurrent ophthalmoplegic migraine. Arquivos De Neuro-Psiquiatria, 2012, 70, 77-77.	0.3	5
99	Reduced occurrence of programmed cell death and gliosis in the retinas of juvenile rabbits after short-term treatment with intravitreous bevacizumab. Clinics, 2012, 67, 61-67.	0.6	15
100	Imaging studies for diagnosing Graves' orbitopathy and dysthyroid optic neuropathy. Clinics, 2012, 67, 1327-1334.	0.6	71
101	Bilateral nonarteritic anterior ischemic neuropathy following acute angle-closure glaucoma in a patient with iridoschisis: case report. Arquivos Brasileiros De Oftalmologia, 2011, 74, 61-63.	0.2	10
102	Primary localized amyloidosis presenting as diffuse amorphous calcified mass in both orbits: case report. Arquivos Brasileiros De Oftalmologia, 2011, 74, 374-376.	0.2	7
103	Pattern-reversal electroretinograms for the diagnosis and management of disorders of the anterior visual pathway. Arquivos Brasileiros De Oftalmologia, 2011, 74, 222-226.	0.2	8
104	Acometimento orbitário na doença de Rosai-Dorfman. Revista Brasileira De Oftalmologia, 2011, 70, 46-50.	0.1	2
105	Optical coherence tomography evaluation of retinal nerve fiber layer in longitudinally extensive transverse myelitis. Arquivos De Neuro-Psiquiatria, 2011, 69, 69-73.	0.3	8
106	Ocular surface adverse effects of ambient levels of air pollution. Arquivos Brasileiros De Oftalmologia, 2011, 74, 377-381.	0.2	54
107	Color Doppler imaging of the superior ophthalmic vein in patients with Graves' orbitopathy before and after treatment of congestive disease. Clinics, 2011, 66, 1329-34.	0.6	15
108	Abnormal visual activation in Parkinson's disease patients. Movement Disorders, 2010, 25, 1590-1596.	2.2	50

#	Article	IF	CITATIONS
109	Correlation between macular and retinal nerve fibre layer Fourier-domain OCT measurements and visual field loss in chiasmal compression. Eye, 2010, 24, 1382-1390.	1.1	53
110	Relationship between diabetic retinopathy severity and the timespan between the endocrinopathy diagnosis and the first ophthalmic examination. Arquivos Brasileiros De Oftalmologia, 2010, 73, 240-243.	0.2	4
111	Relationship between visual field sensitivity loss and quadrantic macular thickness measured with Stratus-Optical coherence tomography in patients with chiasmal syndrome. Arquivos Brasileiros De Oftalmologia, 2010, 73, 409-413.	0.2	16
112	Intraretinal worm documented by optical coherence tomography in a patient with diffuse unilateral subacute neuroretinitis: case report. Arquivos Brasileiros De Oftalmologia, 2010, 73, 462-463.	0.2	9
113	Predictive factors for the development of visual loss in patients with pituitary macroadenomas and for visual recovery after optic pathway decompression. Canadian Journal of Ophthalmology, 2010, 45, 404-408.	0.4	59
114	Trypan blue staining for capsulorhexis: Ultrastructural effect on lens epithelial cells and capsules. Journal of Cataract and Refractive Surgery, 2010, 36, 582-587.	0.7	16
115	Perfil clÃnico e epidemiológico de recém-natos prematuros com muito baixo peso no Rio de Janeiro: estudo de 152 pacientes. Revista Brasileira De Oftalmologia, 2010, 69, 389-394.	0.1	3
116	Evaluation of retinal nerve fiber layer thickness measurements using optical coherence tomography in patients with tobacco-alcohol-induced toxic optic neuropathy. Indian Journal of Ophthalmology, 2010, 58, 143.	0.5	26
117	Hipertensão intracraniana idiopática de apresentação atÃpica com papiledema unilateral. Revista Brasileira De Oftalmologia, 2009, 68, 168-174.	0.1	0
118	Multiple brown tumors of the orbital walls: case report. Arquivos Brasileiros De Oftalmologia, 2009, 72, 116-118.	0.2	13
119	Retinal nerve fiber layer loss documented by optical coherence tomography in patients with optic tract lesions. Revista Brasileira De Oftalmologia, 2009, 68, 48-52.	0.1	3
120	Comparison between retinal nerve fiber layer and macular thickness measured with OCT detecting progressive axonal loss following traumatic optic neuropathy. Arquivos Brasileiros De Oftalmologia, 2009, 72, 622-625.	0.2	33
121	SÃndrome do Ãįpice orbitÃįrio causada por herpes zóster oftÃįlmico: relato de caso e revisão da literatura. Revista Brasileira De Oftalmologia, 2009, 68, 304-308.	0.1	0
122	Relationship between Optical Coherence Tomography, Pattern Electroretinogram and Automated Perimetry in Eyes with Temporal Hemianopia from Chiasmal Compression. , 2009, 50, 3535.		60
123	Comparative study of Botox® injection treatment for upper eyelid retraction with 6-month follow-up in patients with thyroid eye disease in the congestive or fibrotic stage. Eye, 2009, 23, 767-773.	1.1	50
124	Comparison of Fourier-Domain and Time-Domain Optical Coherence Tomography in the Detection of Band Atrophy of the Optic Nerve. American Journal of Ophthalmology, 2009, 147, 56-63.e2.	1.7	79
125	Membrana neovascular sub-retineana justapapilar em paciente com papiledema e hipertensão intracraniana idiopática. Revista Brasileira De Oftalmologia, 2009, 68, 42-47.	0.1	0
126	Pattern electroretinograms for the detection of neural loss in patients with permanent temporal visual field defect from chiasmal compression. Documenta Ophthalmologica, 2008, 117, 223-232.	1.0	21

#	Article	IF	CITATIONS
127	Using frequency-doubling perimetry to detect optic neuropathy in patients with Graves' orbitopathy. Japanese Journal of Ophthalmology, 2008, 52, 475-482.	0.9	7
128	Color Doppler imaging of the superior ophthalmic vein in different clinical forms of Graves' orbitopathy. Japanese Journal of Ophthalmology, 2008, 52, 483-488.	0.9	31
129	Comparison of the GDx VCC scanning laser polarimeter and the stratus optical coherence tomograph in the detection of band atrophy of the optic nerve. Eye, 2008, 22, 641-648.	1.1	19
130	Scanning Laser Polarimetry with Enhanced Corneal Compensation for Detection of Axonal Loss in Band Atrophy of the Optic Nerve. American Journal of Ophthalmology, 2008, 145, 747-754.e2.	1.7	6
131	Comparison of retinal nerve fiber layer measurements using Stratus OCT fast and regular scan protocols in eyes with band atrophy of the optic nerve and normal controls. Arquivos Brasileiros De Oftalmologia, 2008, 71, 534-539.	0.2	10
132	Diagnostic Ability Of Barrett's Index to Detect Dysthyroid Optic Neuropathy Using Multidetector Computed Tomography. Clinics, 2008, 63, 301-306.	0.6	41
133	Aspectos oftalmológicos da sÃndrome da hipertensão intracraniana idiopática (pseudotumor) Tj ETQq1 1 0.7	'84314 rgl 0.1	3T <sub>3</sub> Overlock
134	Holmes-Adie pupil in a patient with hemicrania: a spectrum of a multifocal autonomic dysfunction?. Arquivos De Neuro-Psiquiatria, 2008, 66, 423-424.	0.3	1
135	NEW STRATUSOCT FINDINGS IN EXTRAPAPILLARY EXCAVATED ANOMALY AND SECONDARY MACULAR COMPLICATIONS. Retina, 2007, 27, 113-115.	1.0	7
136	Evaluation of Macular Thickness Measurements for Detection of Band Atrophy of the Optic Nerve Using Optical Coherence Tomography. Ophthalmology, 2007, 114, 175-181.	2.5	77
137	Diagnostic Ability of Optical Coherence Tomography with a Normative Database to Detect Band Atrophy of the Optic Nerve. American Journal of Ophthalmology, 2007, 143, 896-899.	1.7	39
138	Effect of trypan blue on lens epithelial cells in human eyes having capsulorhexis. Journal of Cataract and Refractive Surgery, 2007, 33, 1135-1136.	0.7	6
139	Frequency doubling perimetry in patients with mild and moderate pituitary tumor-associated visual field defects detected by conventional perimetry. Arquivos Brasileiros De Oftalmologia, 2007, 70, 323-329.	0.2	8
140	Comparison of retinal nerve fibre layer measurements using optical coherence tomography versions 1 and 3 in eyes with band atrophy of the optic nerve and normal controls. Eye, 2007, 21, 16-22.	1.1	28
141	Extraocular muscle cysticercosis mimicking idiopathic orbital inflammation: case report. Arquivos Brasileiros De Oftalmologia, 2007, 70, 537-539.	0.2	10
142	Seesaw nystagmus caused by giant pituitary adenoma: case report. Arquivos De Neuro-Psiquiatria, 2006, 64, 139-141.	0.3	9
143	Retinal nerve fiber layer loss documented by Stratus OCT TM in patients with pituitary adenoma: case report. Arquivos Brasileiros De Oftalmologia, 2006, 69, 251-254.	0.2	11
144	Bilateral Visual Loss Complicating Liposuction in a Patient with Idiopathic Intracranial Hypertension. Journal of Neuro-Ophthalmology, 2006, 26, 34-37.	0.4	19

#	Article	IF	CITATIONS
145	Mesenchymal Chondrosarcoma of the Orbit. Ophthalmic Plastic and Reconstructive Surgery, 2006, 22, 378-382.	0.4	23
146	Unilateral blindness as a complication of nasal septoplasty: case report. Arquivos Brasileiros De Oftalmologia, 2006, 69, 249-250.	0.2	18
147	Anterior ischemic optic neuropathy: a comparison of the optic disc area of patients with the arteritic and non-arteritic forms of the disease and that of normal controls. Arquivos Brasileiros De Oftalmologia, 2006, 69, 805-810.	0.2	14
148	Bilateral visual loss after liposuction: case report and review of the literature. Clinics, 2006, 61, 489-491.	0.6	18
149	Bilateral Progressive Enophthalmos as the Presenting Sign of Metastatic Breast Carcinoma. Ophthalmic Plastic and Reconstructive Surgery, 2005, 21, 311-313.	0.4	13
150	Bilateral Optic Neuritis in Wegener Granulomatosis. Journal of Neuro-Ophthalmology, 2005, 25, 25-28.	0.4	29
151	Optical coherence tomography analysis of axonal loss in band atrophy of the optic nerve. British Journal of Ophthalmology, 2004, 88, 896-899.	2.1	84
152	Persistent accommodative spasm after severe head trauma. British Journal of Ophthalmology, 2003, 87, 243-244.	2.1	30
153	Peroxisome Proliferator-Activated Receptor-Î <sup>3</sup> Gene Expression in Orbital Adipose/Connective Tissues is Increased During the Active Stage of Graves' Ophthalmopathy. Thyroid, 2003, 13, 845-850.	2.4	32
154	Quantitative analysis of axonal loss in band atrophy of the optic nerve using scanning laser polarimetry. British Journal of Ophthalmology, 2003, 87, 32-37.	2.1	37
155	Proptose causada por adenoma pituitário gigante: relato de caso. Arquivos Brasileiros De Oftalmologia, 2003, 66, 485-488.	0.2	2
156	Perimetria computadorizada na detecção de defeitos campimétricos discretos (ao perÃmetro de) Tj ETQq0 C 803-809.	0 rgBT /C 0.2	overlock 101 5
157	Cisto hemático intraconal espontâneo de órbita: relato de caso. Arquivos Brasileiros De Oftalmologia, 2002, 65, 479-482.	0.2	0
158	Descompressão da bainha do nervo óptico para tratamento do papiledema no pseudotumor cerebral. Arquivos Brasileiros De Oftalmologia, 2002, 65, 401-407.	0.2	3
159	Bilateral orbital involvement in Erdheim-Chester disease: case report. Arquivos Brasileiros De Oftalmologia, 2002, 65, 675-678.	0.2	0
160	Liposarcoma of the orbit presenting as an enlarged medial rectus muscle on CT scan. British Journal of Ophthalmology, 2002, 86, 1450-1450.	2.1	20
161	Mudanças na refração após cirurgia de correção de esotropia. Arquivos Brasileiros De Oftalmologia, 2001, 64, 315.	0.2	0
162	Fabry's disease in a female carrier with bilateral thalamic infarcts: a case report and a family study. Sao Paulo Medical Journal, 1994, 112, 649-653.	0.4	7

#	Article	IF	CITATIONS
163	Knobloch syndrome in a large Brazilian consanguineous family: Confirmation of autosomal recessive inheritance. American Journal of Medical Genetics Part A, 1994, 52, 170-173.	2.4	47
164	Lithium-induced Downbeat Nystagmus in a Patient With Arnold-Chiari Malformation. American Journal of Ophthalmology, 1993, 116, 648-649.	1.7	6
165	Diagnosis of highly occult giant cell arteritis by repeat temporal artery biopsies Some observations. Neuro-Ophthalmology, 1990, 10, 217-218.	0.4	7
166	Bitemporal hemianopic scotomas from intraventricular catheter: the â€~pinched-chiasm' syndrome?. Neuro-Ophthalmology, 1989, 9, 343-346.	0.4	3
167	Horner's Syndrome Associated With Carotid Artery Atherosclerosis. American Journal of Ophthalmology, 1988, 105, 93-94.	1.7	14
168	Angle-Closure Glaucoma and Transient Ischemic Attacks. American Journal of Ophthalmology, 1985, 99, 493.	1.7	1
169	Angioimmunoblastic Lymphadenopathy With Fisher Syndrome. Archives of Neurology, 1984, 41, 456-457.	4.9	6
170	Puerperal Cerebral Blindness. Archives of Neurology, 1984, 41, 1300.	4.9	24
171	Craniofacial dysmorphism and opsoclonus. Ophthalmic Paediatrics and Genetics, 1984, 4, 147-153.	0.4	4
172	A Syndrome of Arterial-Occlusive Retinopathy and Encephalopathy. American Journal of Ophthalmology, 1984, 98, 189-202.	1.7	65
173	Iron Mydriasis. American Journal of Ophthalmology, 1984, 97, 794-796.	1.7	7
174	Incipient Hemangioblastoma of the Optic Disk. American Journal of Ophthalmology, 1984, 98, 116.	1.7	13
175	Foster-Kennedy syndrome caused by solitary intracranial plasmacytoma. World Neurosurgery, 1983, 19, 267-272.	1.3	18
176	Downbeat Nystagmus. Archives of Neurology, 1983, 40, 754.	4.9	33