

# Kaori Takehara-Nishiuchi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5880797/publications.pdf>

Version: 2024-02-01

44  
papers

1,754  
citations

361413

20  
h-index

289244

40  
g-index

51  
all docs

51  
docs citations

51  
times ranked

1812  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neuronal ensemble dynamics in associative learning. <i>Current Opinion in Neurobiology</i> , 2022, 73, 102530.	4.2	8
2	Lateral Entorhinal Cortex Suppresses Drift in Cortical Memory Representations. <i>Journal of Neuroscience</i> , 2022, 42, 1104-1118.	3.6	6
3	Outcome-Locked Cholinergic Signaling Suppresses Prefrontal Encoding of Stimulus Associations. <i>Journal of Neuroscience</i> , 2022, 42, 4202-4214.	3.6	6
4	Neuronal Code for Episodic Time in the Lateral Entorhinal Cortex. <i>Frontiers in Integrative Neuroscience</i> , 2022, 16, 899412.	2.1	1
5	Prefrontal projections to the nucleus reuniens signal behavioral relevance of stimuli during associative learning. <i>Scientific Reports</i> , 2022, 12, .	3.3	0
6	Neurobiology of systems memory consolidation. <i>European Journal of Neuroscience</i> , 2021, 54, 6850-6863.	2.6	25
7	Multiple dimensions of social motivation in adult female degus. <i>PLoS ONE</i> , 2021, 16, e0250219.	2.5	6
8	Lateral entorhinal cortex supports the development of prefrontal network activity that bridges temporally discontinuous stimuli. <i>Hippocampus</i> , 2021, 31, 1285-1299.	1.9	10
9	Distributed representations of temporal stimulus associations across regular-firing and fast-spiking neurons in rat medial prefrontal cortex. <i>Journal of Neurophysiology</i> , 2020, 123, 439-450.	1.8	9
10	Prefrontal Neural Ensembles Develop Selective Code for Stimulus Associations within Minutes of Novel Experiences. <i>Journal of Neuroscience</i> , 2020, 40, 8355-8366.	3.6	15
11	Prefrontal-hippocampal interaction during the encoding of new memories. <i>Brain and Neuroscience Advances</i> , 2020, 4, 239821282092558.	3.4	30
12	Aberrant Cortical Event-Related Potentials During Associative Learning in Rat Models for Presymptomatic Stages of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 725-740.	2.6	4
13	Neural representations of time-linked memory. <i>Neurobiology of Learning and Memory</i> , 2018, 153, 57-70.	1.9	10
14	Cholinergic Modulation of Frontoparietal Cortical Network Dynamics Supporting Supramodal Attention. <i>Journal of Neuroscience</i> , 2018, 38, 3988-4005.	3.6	21
15	Prefrontal Theta Oscillations Promote Selective Encoding of Behaviorally Relevant Events. <i>ENeuro</i> , 2018, 5, ENEURO.0407-18.2018.	1.9	16
16	Observational fear learning in degus is correlated with temporal vocalization patterns. <i>Behavioural Brain Research</i> , 2017, 332, 362-371.	2.2	15
17	Entorhinal tau pathology disrupts hippocampal-prefrontal oscillatory coupling during associative learning. <i>Neurobiology of Aging</i> , 2017, 58, 151-162.	3.1	28
18	Generalizable knowledge outweighs incidental details in prefrontal ensemble code over time. <i>ELife</i> , 2017, 6, .	6.0	37

#	ARTICLE	IF	CITATIONS
19	Parvalbumin-positive interneurons mediate neocortical-hippocampal interactions that are necessary for memory consolidation. <i>ELife</i> , 2017, 6, .	6.0	151
20	Phasic and tonic neuron ensemble codes for stimulus-environment conjunctions in the lateral entorhinal cortex. <i>ELife</i> , 2017, 6, .	6.0	32
21	The Anatomy and Physiology of Eyeblink Classical Conditioning. <i>Current Topics in Behavioral Neurosciences</i> , 2016, 37, 297-323.	1.7	33
22	Enhancing Prefrontal Neuron Activity Enables Associative Learning of Temporally Disparate Events. <i>Cell Reports</i> , 2016, 15, 2400-2410.	6.4	21
23	Cholinergic, but not <sc>NMDA</sc>, receptors in the lateral entorhinal cortex mediate acquisition in trace eyeblink conditioning. <i>Hippocampus</i> , 2015, 25, 1456-1464.	1.9	16
24	Weaning Off Mental Tasks to Achieve Voluntary Self-Regulatory Control of a Near-Infrared Spectroscopy Brain-Computer Interface. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2015, 23, 548-561.	4.9	28
25	Exploring methodological frameworks for a mental task-based near-infrared spectroscopy brain-computer interface. <i>Journal of Neuroscience Methods</i> , 2015, 254, 36-45.	2.5	11
26	Usability and performance-informed selection of personalized mental tasks for an online near-infrared spectroscopy brain-computer interface. <i>Neurophotonics</i> , 2015, 2, 025001.	3.3	24
27	Chronic deep brain stimulation of the rat ventral medial prefrontal cortex disrupts hippocampal-prefrontal coherence. <i>Experimental Neurology</i> , 2015, 269, 1-7.	4.1	11
28	Entorhinal cortex and consolidated memory. <i>Neuroscience Research</i> , 2014, 84, 27-33.	1.9	71
29	Parvalbumin and GAD65 Interneuron Inhibition in the Ventral Hippocampus Induces Distinct Behavioral Deficits Relevant to Schizophrenia. <i>Journal of Neuroscience</i> , 2014, 34, 14948-14960.	3.6	78
30	Diversity of mnemonic function within the entorhinal cortex: A meta-analysis of rodent behavioral studies. <i>Neurobiology of Learning and Memory</i> , 2014, 115, 95-107.	1.9	29
31	P4-005: ENTORHINAL TAU PATHOLOGY AFFECTS LOCAL NEURONS AND CORTICAL THETA OSCILLATIONS DURING MEMORY ACQUISITION. , 2014, 10, P785-P785.		0
32	The cortical structure of consolidated memory: A hypothesis on the role of the cingulate-entorhinal cortical connection. <i>Neurobiology of Learning and Memory</i> , 2013, 106, 343-350.	1.9	33
33	Activation Patterns in Superficial Layers of Neocortex Change Between Experiences Independent of Behavior, Environment, or the Hippocampus. <i>Cerebral Cortex</i> , 2013, 23, 2225-2234.	2.9	5
34	Coupling of prefrontal gamma amplitude and theta phase is strengthened in trace eyeblink conditioning. <i>Neurobiology of Learning and Memory</i> , 2013, 100, 117-126.	1.9	8
35	Unilateral Lateral Entorhinal Inactivation Impairs Memory Expression in Trace Eyeblink Conditioning. <i>PLoS ONE</i> , 2013, 8, e84543.	2.5	19
36	Functional Dissociation within the Entorhinal Cortex for Memory Retrieval of an Association between Temporally Discontiguous Stimuli. <i>Journal of Neuroscience</i> , 2012, 32, 5356-5361.	3.6	48

#	ARTICLE	IF	CITATIONS
37	Increased Entorhinalâ€“Prefrontal Theta Synchronization Parallels Decreased Entorhinalâ€“Hippocampal Theta Synchronization during Learning and Consolidation of Associative Memory. <i>Frontiers in Behavioral Neuroscience</i> , 2011, 5, 90.	2.0	52
38	Spontaneous Changes of Neocortical Code for Associative Memory During Consolidation. <i>Science</i> , 2008, 322, 960-963.	12.6	213
39	Systems Consolidation Requires Postlearning Activation of NMDA Receptors in the Medial Prefrontal Cortex in Trace Eyeblick Conditioning. <i>Journal of Neuroscience</i> , 2006, 26, 5049-5058.	3.6	98
40	NMDA receptor-dependent processes in the medial prefrontal cortex are important for acquisition and the early stage of consolidation during trace, but not delay eyeblink conditioning. <i>Learning and Memory</i> , 2005, 12, 606-614.	1.3	68
41	The N-methyl-d-aspartate (NMDA)-type glutamate receptor GluR $\mu$ 2 is important for delay and trace eyeblink conditioning in mice. <i>Neuroscience Letters</i> , 2004, 364, 43-47.	2.1	16
42	Time-Dependent Reorganization of the Brain Components Underlying Memory Retention in Trace Eyeblick Conditioning. <i>Journal of Neuroscience</i> , 2003, 23, 9897-9905.	3.6	309
43	Time-limited role of the hippocampus in the memory for trace eyeblink conditioning in mice. <i>Brain Research</i> , 2002, 951, 183-190.	2.2	89
44	Effects of the noncompetitive NMDA receptor antagonist MK-801 on classical eyeblink conditioning in mice. <i>Neuropharmacology</i> , 2001, 41, 618-628.	4.1	37