

Rony Dev Do

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5880931/publications.pdf>

Version: 2024-02-01

44
papers

1,460
citations

331670

21
h-index

315739

38
g-index

46
all docs

46
docs citations

46
times ranked

1675
citing authors

#	ARTICLE	IF	CITATIONS
1	Concepts and Definitions for “Actively Dying,” “End of Life,” “Terminally Ill,” “Terminal Care,” and “Transition of Care”: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2014, 47, 77-89.	1.2	233
2	Clinical Signs of Impending Death in Cancer Patients. <i>Oncologist</i> , 2014, 19, 681-687.	3.7	126
3	Undocumented alcoholism and its correlation with tobacco and illegal drug use in advanced cancer patients. <i>Cancer</i> , 2011, 117, 4551-4556.	4.1	98
4	Clinical Outcomes and Contributors to Weight Loss in a Cancer Cachexia Clinic. <i>Journal of Palliative Medicine</i> , 2011, 14, 1004-1008.	1.1	85
5	Preliminary Report: Vitamin D Deficiency in Advanced Cancer Patients with Symptoms of Fatigue or Anorexia. <i>Oncologist</i> , 2011, 16, 1637-1641.	3.7	67
6	Is there a role for parenteral nutrition or hydration at the end of life?. <i>Current Opinion in Supportive and Palliative Care</i> , 2012, 6, 365-370.	1.3	56
7	Use of Palliative Care Services in a Tertiary Cancer Center. <i>Oncologist</i> , 2016, 21, 110-118.	3.7	51
8	Association between megestrol acetate treatment and symptomatic adrenal insufficiency with hypogonadism in male patients with cancer. <i>Cancer</i> , 2007, 110, 1173-1177.	4.1	47
9	Associations Among Hypogonadism, C-Reactive Protein, Symptom Burden, and Survival in Male Cancer Patients with Cachexia: A Preliminary Report. <i>Journal of Pain and Symptom Management</i> , 2010, 39, 1016-1024.	1.2	47
10	Hypermetabolism and symptom burden in advanced cancer patients evaluated in a cachexia clinic. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2015, 6, 95-98.	7.3	46
11	Association Between Tobacco Use, Symptom Expression, and Alcohol and Illicit Drug Use in Advanced Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 762-768.	1.2	46
12	Association between hypogonadism, symptom burden, and survival in male patients with advanced cancer. <i>Cancer</i> , 2014, 120, 1586-1593.	4.1	43
13	Measuring cachexia’s diagnostic criteria. <i>Annals of Palliative Medicine</i> , 2019, 8, 24-32.	1.2	39
14	Association Between Multi-frequency Phase Angle and Survival in Patients With Advanced Cancer. <i>Journal of Pain and Symptom Management</i> , 2017, 53, 571-577.	1.2	38
15	A Prospective Study of Family Conferences: Effects of Patient Presence on Emotional Expression and End-of-life Discussions. <i>Journal of Pain and Symptom Management</i> , 2013, 46, 536-545.	1.2	36
16	Association Between Serum Cortisol and Testosterone Levels, Opioid Therapy, and Symptom Distress in Patients with Advanced Cancer. <i>Journal of Pain and Symptom Management</i> , 2011, 41, 788-795.	1.2	29
17	Acute symptomatic complications among patients with advanced cancer admitted to acute palliative care units: A prospective observational study. <i>Palliative Medicine</i> , 2015, 29, 826-833.	3.1	29
18	Predicting survival in patients with advanced cancer in the last weeks of life: How accurate are prognostic models compared to clinicians’ estimates?. <i>Palliative Medicine</i> , 2020, 34, 126-133.	3.1	28

#	ARTICLE	IF	CITATIONS
19	Neuroleptics in the management of delirium in patients with advanced cancer. <i>Current Opinion in Supportive and Palliative Care</i> , 2016, 10, 316-323.	1.3	27
20	Characteristics of Family Conferences in a Palliative Care Unit at a Comprehensive Cancer Center. <i>Journal of Palliative Medicine</i> , 2008, 11, 1208-1211.	1.1	26
21	Growth of an Academic Palliative Medicine Program: Patient Encounters and Clinical Burden. <i>Journal of Pain and Symptom Management</i> , 2013, 45, 261-271.	1.2	26
22	The opioid rotation ratio of strong opioids to transdermal fentanyl in cancer patients. <i>Cancer</i> , 2016, 122, 149-156.	4.1	25
23	Prophylactic Fentanyl Sublingual Spray for Episodic Exertional Dyspnea in Cancer Patients: A Pilot Double-Blind Randomized Controlled Trial. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 605-613.	1.2	24
24	Family Conferences in Palliative Care: A Survey of Health Care Providers in France. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 1117-1124.	1.2	21
25	Patient-Controlled Analgesia in Patients with Advanced Cancer. Should Patients Be in Control?. <i>Journal of Pain and Symptom Management</i> , 2011, 42, 296-300.	1.2	16
26	The Opioid Rotation Ratio From Transdermal Fentanyl to “Strong” Opioids in Patients With Cancer Pain. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 1040-1045.	1.2	16
27	Endocrinopathies and cancer cachexia. <i>Current Opinion in Supportive and Palliative Care</i> , 2019, 13, 286-291.	1.3	14
28	The assessment and management of cancer cachexia. <i>Current Opinion in Supportive and Palliative Care</i> , 2014, 8, 279-285.	1.3	13
29	Implications of the Parenteral Opioid Shortage for Prescription Patterns and Pain Control Among Hospitalized Patients With Cancer Referred to Palliative Care. <i>JAMA Oncology</i> , 2019, 5, 841.	7.1	13
30	When and When Not To Use Testosterone for Palliation in Cancer Care. <i>Current Oncology Reports</i> , 2014, 16, 378.	4.0	12
31	The minimal clinically important difference of the Richmond Agitation-Sedation Scale in patients with cancer with agitated delirium. <i>Cancer</i> , 2018, 124, 2246-2252.	4.1	12
32	Association between tobacco use, pain expression, and coping strategies among patients with advanced cancer. <i>Cancer</i> , 2019, 125, 153-160.	4.1	12
33	Anamorelin combined with physical activity, and nutritional counseling for cancer-related fatigue: a preliminary study. <i>Supportive Care in Cancer</i> , 2022, 30, 497-509.	2.2	12
34	Random urine drug testing among patients receiving opioid therapy for cancer pain. <i>Cancer</i> , 2021, 127, 968-975.	4.1	11
35	Concurrent use of opioids with benzodiazepines or nonbenzodiazepine sedatives among patients with cancer referred to an outpatient palliative care clinic. <i>Cancer</i> , 2019, 125, 4525-4531.	4.1	8
36	Chronic Non-Malignant Pain in Patients with Cancer Seen at a Timely Outpatient Palliative Care Clinic. <i>Cancers</i> , 2020, 12, 214.	3.7	8

#	ARTICLE	IF	CITATIONS
37	Acupuncture for Cancer-Related Anorexia: a Review of the Current Evidence. <i>Current Oncology Reports</i> , 2021, 23, 82.	4.0	5
38	Oncology patients' perception of physicians who use an integrated electronic health record (EHR) during clinic visits: PRIMEâ€EHR doubleâ€blind, randomized controlled trial. <i>Cancer</i> , 2021, 127, 3967-3974.	4.1	5
39	Outcomes of novel trials for cancer cachexia. <i>Clinical Investigation</i> , 2014, 4, 247-257.	0.0	3
40	Palliative medicine integration in the USA: cancer centre executivesâ€™ attitudes. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, 199-208.	1.6	2
41	Supportive care for the prevention of nausea, vomiting and anorexia in a phase 1B study of selinexor in advanced cancer patients: an exploratory study. <i>Investigational New Drugs</i> , 2022, 40, 124-133.	2.6	2
42	Goals of care are important for older adults with severe illness and their families, and are infrequently addressed by health professionals. <i>Evidence-based Nursing</i> , 2015, 18, 126-126.	0.2	1
43	Alcohol, Tobacco, and Substance Use and Association with Opioid Use Disorder in Patients with Non-malignant and Cancer Pain: a Review. <i>Current Anesthesiology Reports</i> , 2020, 10, 388-395.	2.0	1
44	A retrospective review of the use of oxymorphone immediate release for long term pain control in cancer patients with gastrostomy tubes. <i>Annals of Palliative Medicine</i> , 2021, 10, 2662-2667.	1.2	1