

Wojciech Stefan Zgliczynski

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/5881135/wojciech-stefan-zgliczynski-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

1,079
citations

16
h-index

31
g-index

86
ext. papers

1,251
ext. citations

3
avg, IF

3.74
L-index

#	Paper	IF	Citations
74	Efficacy of the new long-acting formulation of lanreotide (lanreotide Autogel) in the management of acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 99-104	5.6	154
73	Pituitary apoplexy: endocrine, surgical and oncological emergency. Incidence, clinical course and treatment with reference to 799 cases of pituitary adenomas. <i>Acta Neurochirurgica</i> , 1993 , 120, 118-22	3	139
72	Effect of testosterone replacement therapy on lipids and lipoproteins in hypogonadal and elderly men. <i>Atherosclerosis</i> , 1996 , 121, 35-43	3.1	131
71	The role of hyperinsulinemia in the development of lipid disturbances in nonobese and obese women with the polycystic ovary syndrome. <i>Journal of Endocrinological Investigation</i> , 1991 , 14, 569-75	5.2	51
70	Transdermal 17 beta-estradiol combined with oral progestogen increases plasma levels of insulin-like growth factor-I in postmenopausal women. <i>Journal of Endocrinological Investigation</i> , 1992 , 15, 533-8	5.2	42
69	Osteitis fibrosa cystica-a forgotten radiological feature of primary hyperparathyroidism. <i>Endocrine</i> , 2017 , 58, 380-385	4	38
68	Hyperinsulinaemia and decreased plasma levels of dehydroepiandrosterone sulfate in premenopausal women with coronary heart disease. <i>Journal of Internal Medicine</i> , 1995 , 237, 465-72	10.8	38
67	Incidentally discovered adrenal tumors: a lesson from observation of 1,444 patients. <i>Hormone and Metabolic Research</i> , 2008 , 40, 338-41	3.1	34
66	Association between gynecomastia and aromatase (CYP19) polymorphisms. <i>European Journal of Endocrinology</i> , 2008 , 158, 721-7	6.5	27
65	Diagnostic and therapeutic guidelines for gastro-entero-pancreatic neuroendocrine neoplasms (recommended by the Polish Network of Neuroendocrine Tumours). <i>Endokrynologia Polska</i> , 2017 , 68, 79-110	1.1	26
64	Treatment effectiveness of pasireotide on health-related quality of life in patients with Cushing's disease. <i>European Journal of Endocrinology</i> , 2014 , 171, 89-98	6.5	23
63	1,161 patients with adrenal incidentalomas: indications for surgery. <i>Langenbeck's Archives of Surgery</i> , 2008 , 393, 121-6	3.4	21
62	Effect of DHEA supplementation on serum IGF-1, osteocalcin, and bone mineral density in postmenopausal, glucocorticoid-treated women. <i>Advances in Medical Sciences</i> , 2012 , 57, 51-7	2.8	19
61	Nelson's syndrome -- 46 years later: clinical experience with 37 patients. <i>Zentralblatt Fur Neurochirurgie</i> , 2006 , 67, 14-20		19
60	The ratios of aldosterone / plasma renin activity (ARR) versus aldosterone / direct renin concentration (ADRR). <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015 , 16, 1298-305	3	18
59	The impact of transsphenoidal surgery on glucose homeostasis and insulin resistance in acromegaly. <i>Neurologia I Neurochirurgia Polska</i> , 2011 , 45, 328-34	1	16
58	Acromegaly--a novel view of the patient. Polish proposals for diagnostic and therapeutic procedures in the light of recent reports. <i>Endokrynologia Polska</i> , 2014 , 65, 326-31	1.1	14

57	Fatal Carney Complex in Siblings Due to De Novo Large Gene Deletion. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 3924-3927	5.6	12
56	Gastroduodenal neuroendocrine neoplasms, including gastrinoma - management guidelines (recommended by the Polish Network of Neuroendocrine Tumours). <i>Endokrynologia Polska</i> , 2017 , 68, 138-153	1.1	12
55	Neuroendocrine neoplasms of the small intestine and appendix - management guidelines (recommended by the Polish Network of Neuroendocrine Tumours). <i>Endokrynologia Polska</i> , 2017 , 68, 223-236	1.1	12
54	Late-onset hypogonadism. <i>Przegląd Menopauzalny</i> , 2017 , 16, 66-69	1.2	11
53	The incidence of hypogonadotropic hypogonadism in type 2 diabetic men in Polish population. <i>BioMed Research International</i> , 2013 , 2013, 767496	3	11
52	Effects of transdermal 17 beta-oestradiol combined with oral progestogen on lipids and lipoproteins in hypercholesterolaemic postmenopausal women. <i>Journal of Internal Medicine</i> , 1993 , 234, 447-51	10.8	11
51	Polish Society of Endocrinology Position statement on endocrine disrupting chemicals (EDCs). <i>Endokrynologia Polska</i> , 2015 , 66, 276-81	1.1	11
50	Heart in Acromegaly: The Echocardiographic Characteristics of Patients Diagnosed with Acromegaly in Various Stages of the Disease. <i>International Journal of Endocrinology</i> , 2018 , 2018, 6935054	2.7	10
49	The high prevalence of testosterone deficiency in population of Polish men over 65 years with erectile dysfunctions. <i>Aging Male</i> , 2012 , 15, 258-62	2.1	10
48	Abnormalities in glucose homeostasis in acromegaly. Does the prevalence of glucose intolerance depend on the level of activity of the disease and the duration of the symptoms?. <i>Endokrynologia Polska</i> , 2009 , 60, 20-4	1.1	10
47	Dosage and costs of lanreotide Autogel 120 mg administered as part of routine acromegaly care in Poland - two years of data from Lanro-Study. <i>Endokrynologia Polska</i> , 2015 , 66, 142-8	1.1	9
46	Colorectal neuroendocrine neoplasms - management guidelines (recommended by the Polish Network of Neuroendocrine Tumours). <i>Endokrynologia Polska</i> , 2017 , 68, 250-260	1.1	9
45	The effect of blood collection procedure on plasma renin activity (PRA) and concentrations of direct renin (DRC) and aldosterone. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015 , 16, 339-43	3	8
44	Fetal thyroid in two-dimensional ultrasonography: nomograms according to gestational age and biparietal diameter. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012 , 162, 131-34	2.4	8
43	Hyperthyroidism during pregnancy--the role of measuring maternal TSH receptor antibodies and foetal ultrasound monitoring. <i>Endokrynologia Polska</i> , 2014 , 65, 259-68	1.1	8
42	Comparison of chromogranin A (CgA) levels in serum and plasma (EDTA2K) and the respective reference ranges in healthy males. <i>Endokrynologia Polska</i> , 2015 , 66, 53-6	1.1	8
41	Colorectal neuroendocrine neoplasms - management guidelines (recommended by the Polish Network of Neuroendocrine Tumours). <i>Endokrynologia Polska</i> , 2013 , 64, 494-504	1.1	7
40	The effect of biotin interference on the results of blood hormone assays. <i>Endokrynologia Polska</i> , 2019 , 70, 102-121	1.1	7

39	Diagnostics and treatment of acromegaly - updated recommendations of the Polish Society of Endocrinology. <i>Endokrynologia Polska</i> , 2019 , 70, 2-18	1.1	7
38	Fetuin-A levels in lean and obese women with polycystic ovary syndrome. <i>Endokrynologia Polska</i> , 2014 , 65, 371-6	1.1	6
37	Cinacalcet as symptomatic treatment of hypercalcaemia in primary hyperparathyroidism prior to surgery. <i>Endokrynologia Polska</i> , 2017 , 68, 306-310	1.1	6
36	Laboratory and clinical experience in 55 patients with macroprolactinemia identified by a simple polyethylene glycol precipitation method. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 1909-10; author reply 1910	5.6	5
35	Prognostic factors in adrenocortical carcinoma: data from a large Polish series. <i>Polish Archives of Internal Medicine</i> , 2018 , 128, 371-378	1.9	5
34	Percutaneous Bilateral Adrenal Radiofrequency Ablation in Severe Adrenocorticotrophic Hormone-dependent Cushing Syndrome. <i>Journal of Clinical Imaging Science</i> , 2020 , 10, 60	1.1	5
33	Efficacy and safety of high-dose long-acting repeatable octreotide as monotherapy or in combination with pegvisomant or cabergoline in patients with acromegaly not adequately controlled by conventional regimens: results of an open-label, multicentre study. <i>Endokrynologia Polska</i> , 2019 , 70, 305-312	1.1	5
32	Proinsulin, adiponectin and hsCRP in reproductive age women with polycystic ovary syndrome (PCOS)--the effect of metformin treatment. <i>Endokrynologia Polska</i> , 2014 , 65, 2-10	1.1	4
31	Low-dose etomidate for the management of severe hypercortisolaemia in different clinical scenarios: a case series and review of the literature. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2019 , 10, 2042018819825541	4.5	3
30	Guidelines for menopausal hormone therapy: Recommendations of the Polish Menopause and Andropause Society - state of knowledge as of December 2013. <i>Przegląd Menopauzalny</i> , 2014 , 13, 1-12	1.2	3
29	Assessment of real-world usage of lanreotide AUTOGEL 120 in Polish acromegalic patients - results from the prospective 12-month phase of Lanro-Study. <i>Współczesna Onkologia</i> , 2013 , 17, 460-5	1	3
28	Adrenocortical carcinoma associated with giant bilateral myelolipomas in classic congenital adrenal hyperplasia. <i>Polish Archives of Internal Medicine</i> , 2019 , 129, 549-550	1.9	3
27	Chromogranin A (CgA) in adrenal tumours. <i>Endokrynologia Polska</i> , 2013 , 64, 358-62	1.1	3
26	Increased size and vascularisation, plus decreased echogenicity, of foetal thyroid in two-dimensional ultrasonography caused by maternal Graves disease. <i>Endokrynologia Polska</i> , 2014 , 65, 64-8	1.1	3
25	Therapeutic effect of presurgical treatment with longacting octreotide (Sandostatin [®] LAR [®]) in patients with acromegaly. <i>Endokrynologia Polska</i> , 2020 , 71, 285-291	1.1	3
24	Epstein-Barr Virus and Human Adenovirus Viremia in Renal Tumors Is Associated with Histological Features of Malignancy. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3
23	Menopausal hormone therapy in questions and answers - a manual for physicians of various specialties. <i>Przegląd Menopauzalny</i> , 2019 , 18, 1-8	1.2	2
22	The relationship between efficacy of surgical treatment of Cushing disease and pathological -- immunohistochemical and ultrastructural -- confirmation of corticotroph tumour presence. <i>Neurologia i Neurochirurgia Polska</i> , 2012 , 46, 37-46	1	2

21	Increased prevalence of thyroid autoimmunity in patients successfully treated for Cushing's disease. <i>Clinical Endocrinology</i> , 2001 , 54, 411; author reply 411	3.4	2
20	Expert opinion on liquid L-thyroxine usage in hypothyroid patients and new liquid thyroxine formulation - Tirosint SOL [Opinia eksperta dotycza stosowania plynnej postaci lewotyroksyny oraz nowego preparatu Tirosint SOL u chorych na niedoczynno¶c tarczycy]. <i>Endokrynologia Polska</i> , 2020 , 71, 441-465	1.1	2
19	Primary aldosteronism - recent progress and current concepts. <i>Endokrynologia Polska</i> , 2013 , 64, 312-8	1.1	2
18	Gastric Contractility Modulation - a novel method for the treatment of type 2 diabetes mellitus and obesity. <i>Endokrynologia Polska</i> , 2017 , 68, 579-584	1.1	2
17	Iodine supplementation during pregnancy of hypothyroid women treated with L-thyroxine neither influences neonatal TSH nor prevents decrease in maternal free thyroid hormone concentrations in second and third trimesters. <i>Endokrynologia Polska</i> , 2016 , 67, 367-74	1.1	2
16	National Program of Severe Growth Hormone Deficiency Treatment in Adults and Adolescents after Completion of Growth Promoting Therapy. <i>Endokrynologia Polska</i> , 2018 , 69, 468-524	1.1	2
15	Withdrawal of all medications is not necessary for accurate screening for primary aldosteronism: preliminary results. <i>Polish Archives of Internal Medicine</i> , 2021 , 131, 578-581	1.9	2
14	The DIAMOND system in the treatment of type 2 diabetes mellitus in an obese patient. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2014 , 9, 627-31	1.4	1
13	A woman who gained weight and became schizophrenic. <i>Lancet, The</i> , 2003 , 361, 704-5; author reply 705	4.0	1
12	A woman who gained weight and became schizophrenic. <i>Lancet, The</i> , 2003 , 361, 705; author reply 705	4.0	1
11	Improvements in Quality of Life and Thyroid Parameters in Hypothyroid Patients on Ethanol-Free Formula of Liquid Levothyroxine Therapy in Comparison to Tablet LT4 Form: An Observational Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
10	Supplementation of dehydroepiandrosterone (DHEA) in pre- and postmenopausal women - position statement of expert panel of Polish Menopause and Andropause Society. <i>Ginekologia Polska</i> , 2020 , 91, 554-562	1	1
9	The effects of testosterone replacement therapy in men with age-dependent hypogonadism on body composition, and serum levels of leptin, adiponectin, and C-reactive protein. <i>Endokrynologia Polska</i> , 2020 , 71, 382-387	1.1	1
8	Real-world experience with pasireotide-LAR in resistant acromegaly: a single center 1-year observation. <i>Pituitary</i> , 2021 , 1	4.3	1
7	Sulodexide improves capillary blood flow and the quality of life in patients with Raynaud syndrome: a pilot study. <i>Polish Archives of Internal Medicine</i> , 2020 , 130, 79-81	1.9	0
6	Desmopressin treatment for nocturia caused by nocturnal polyuria: practical guidelines. <i>Central European Journal of Urology</i> , 2020 , 73, 498-505	0.9	0
5	Stanowisko Zespo¶u Ekspert¶w Polskiego Towarzystwa Menopauzy i Andropauzy dotycze zastosowania preparat¶w PROMENSIL¶ i PROMENSIL FORTE¶ u kobiet w okresie oko¶o- i pomenopauzalnym. <i>Przeglad Menopauzalny</i> , 2013 , 3, 189-193	1.2	
4	Recommendations on the diagnosis of male infertility - genetic testing [Rekomendacje dotycze diagnostyki genetycznej w niep¶dno¶ci m¶skiej]. <i>Endokrynologia Polska</i> , 2020 , 71, 561-572	1.1	

- 3 Position statement by Experts of the Polish Menopause and Andropause Society, and the Polish Society of Aesthetic and Reconstructive Gynaecology on the medicinal product Intrarosa. *Przegląd Menopauzalny*, **2019**, 18, 127-132 1.2
- 2 Dehydroepiandrosterone can restore the function of the ovaries in a series of 5 cases and a review of the literature. *Journal of Obstetrics and Gynecological Investigations*, **2019**, 2, 11-18 0.3
- 1 Poor Performance of Angiotensin II Enzyme-Linked Immuno-Sorbent Assays in Mostly Hypertensive Cohort Routinely Screened for Primary Aldosteronism. *Diagnostics*, **2022**, 12, 1124 3.8