

# Wojciech Stefan Zgliczynski

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5881135/wojciech-stefan-zgliczynski-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74  
papers

1,079  
citations

16  
h-index

31  
g-index

86  
ext. papers

1,251  
ext. citations

3  
avg, IF

3.74  
L-index

#	Paper	IF	Citations
74	Poor Performance of Angiotensin II Enzyme-Linked Immuno-Sorbent Assays in Mostly Hypertensive Cohort Routinely Screened for Primary Aldosteronism. <i>Diagnostics</i> , <b>2022</b> , 12, 1124	3.8	
73	Improvements in Quality of Life and Thyroid Parameters in Hypothyroid Patients on Ethanol-Free Formula of Liquid Levothyroxine Therapy in Comparison to Tablet LT4 Form: An Observational Study. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	1
72	Withdrawal of all medications is not necessary for accurate screening for primary aldosteronism: preliminary results. <i>Polish Archives of Internal Medicine</i> , <b>2021</b> , 131, 578-581	1.9	2
71	Real-world experience with pasireotide-LAR in resistant acromegaly: a single center 1-year observation. <i>Pituitary</i> , <b>2021</b> , 1	4.3	1
70	Supplementation of dehydroepiandrosterone (DHEA) in pre- and postmenopausal women - position statement of expert panel of Polish Menopause and Andropause Society. <i>Ginekologia Polska</i> , <b>2020</b> , 91, 554-562	1	1
69	The effects of testosterone replacement therapy in men with age-dependent hypogonadism on body composition, and serum levels of leptin, adiponectin, and C-reactive protein. <i>Endokrynologia Polska</i> , <b>2020</b> , 71, 382-387	1.1	1
68	Expert opinion on liquid L-thyroxine usage in hypothyroid patients and new liquid thyroxine formulation - Tirosint SOL [Opinia eksperta dotycząca stosowania płynnej postaci lewotyroksyny oraz nowego preparatu Tirosint SOL u chorych na niedoczynność tarczycy]. <i>Endokrynologia Polska</i> , <b>2020</b> , 71, 441-465	1.1	2
67	Percutaneous Bilateral Adrenal Radiofrequency Ablation in Severe Adrenocorticotrophic Hormone-dependent Cushing Syndrome. <i>Journal of Clinical Imaging Science</i> , <b>2020</b> , 10, 60	1.1	5
66	Therapeutic effect of presurgical treatment with longacting octreotide (Sandostatin <sup>®</sup> LAR <sup>®</sup> ) in patients with acromegaly. <i>Endokrynologia Polska</i> , <b>2020</b> , 71, 285-291	1.1	3
65	Sulodexide improves capillary blood flow and the quality of life in patients with Raynaud syndrome: a pilot study. <i>Polish Archives of Internal Medicine</i> , <b>2020</b> , 130, 79-81	1.9	0
64	Recommendations on the diagnosis of male infertility - genetic testing [Rekomendacje dotyczące diagnostyki genetycznej w niepłodności męskiej]. <i>Endokrynologia Polska</i> , <b>2020</b> , 71, 561-572	1.1	
63	Desmopressin treatment for nocturia caused by nocturnal polyuria: practical guidelines. <i>Central European Journal of Urology</i> , <b>2020</b> , 73, 498-505	0.9	0
62	Epstein-Barr Virus and Human Adenovirus Viremia in Renal Tumors Is Associated with Histological Features of Malignancy. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	3
61	Menopausal hormone therapy in questions and answers - a manual for physicians of various specialties. <i>Przegląd Menopauzalny</i> , <b>2019</b> , 18, 1-8	1.2	2
60	Low-dose etomidate for the management of severe hypercortisolaemia in different clinical scenarios: a case series and review of the literature. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , <b>2019</b> , 10, 2042018819825541	4.5	3
59	Adrenocortical carcinoma associated with giant bilateral myelolipomas in classic congenital adrenal hyperplasia. <i>Polish Archives of Internal Medicine</i> , <b>2019</b> , 129, 549-550	1.9	3
58	The effect of biotin interference on the results of blood hormone assays. <i>Endokrynologia Polska</i> , <b>2019</b> , 70, 102-121	1.1	7

57	Diagnostics and treatment of acromegaly - updated recommendations of the Polish Society of Endocrinology. <i>Endokrynologia Polska</i> , <b>2019</b> , 70, 2-18	1.1	7
56	Efficacy and safety of high-dose long-acting repeatable octreotide as monotherapy or in combination with pegvisomant or cabergoline in patients with acromegaly not adequately controlled by conventional regimens: results of an open-label, multicentre study. <i>Endokrynologia Polska</i> , <b>2019</b> , 70, 207-216	1.1	5
55	Position statement by Experts of the Polish Menopause and Andropause Society, and the Polish Society of Aesthetic and Reconstructive Gynaecology on the medicinal product Intrarosa. <i>Przegląd Menopauzalny</i> , <b>2019</b> , 18, 127-132	1.2	
54	Dehydroepiandrosterone can restore the function of the ovaries in a series of 5 cases and a review of the literature. <i>Journal of Obstetrics and Gynecological Investigations</i> , <b>2019</b> , 2, 11-18	0.3	
53	Heart in Acromegaly: The Echocardiographic Characteristics of Patients Diagnosed with Acromegaly in Various Stages of the Disease. <i>International Journal of Endocrinology</i> , <b>2018</b> , 2018, 6935054	2.7	10
52	Prognostic factors in adrenocortical carcinoma: data from a large Polish series. <i>Polish Archives of Internal Medicine</i> , <b>2018</b> , 128, 371-378	1.9	5
51	National Program of Severe Growth Hormone Deficiency Treatment in Adults and Adolescents after Completion of Growth Promoting Therapy. <i>Endokrynologia Polska</i> , <b>2018</b> , 69, 468-524	1.1	2
50	Late-onset hypogonadism. <i>Przegląd Menopauzalny</i> , <b>2017</b> , 16, 66-69	1.2	11
49	Osteitis fibrosa cystica-a forgotten radiological feature of primary hyperparathyroidism. <i>Endocrine</i> , <b>2017</b> , 58, 380-385	4	38
48	Fatal Carney Complex in Siblings Due to De Novo Large Gene Deletion. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 3924-3927	5.6	12
47	Diagnostic and therapeutic guidelines for gastro-entero-pancreatic neuroendocrine neoplasms (recommended by the Polish Network of Neuroendocrine Tumours). <i>Endokrynologia Polska</i> , <b>2017</b> , 68, 79-110	1.1	26
46	Gastroduodenal neuroendocrine neoplasms, including gastrinoma - management guidelines (recommended by the Polish Network of Neuroendocrine Tumours). <i>Endokrynologia Polska</i> , <b>2017</b> , 68, 138-153	1.1	12
45	Neuroendocrine neoplasms of the small intestine and appendix - management guidelines (recommended by the Polish Network of Neuroendocrine Tumours). <i>Endokrynologia Polska</i> , <b>2017</b> , 68, 223-236	1.1	12
44	Colorectal neuroendocrine neoplasms - management guidelines (recommended by the Polish Network of Neuroendocrine Tumours). <i>Endokrynologia Polska</i> , <b>2017</b> , 68, 250-260	1.1	9
43	Cinacalcet as symptomatic treatment of hypercalcaemia in primary hyperparathyroidism prior to surgery. <i>Endokrynologia Polska</i> , <b>2017</b> , 68, 306-310	1.1	6
42	Gastric Contractility Modulation - a novel method for the treatment of type 2 diabetes mellitus and obesity. <i>Endokrynologia Polska</i> , <b>2017</b> , 68, 579-584	1.1	2
41	Iodine supplementation during pregnancy of hypothyroid women treated with L-thyroxine neither influences neonatal TSH nor prevents decrease in maternal free thyroid hormone concentrations in second and third trimesters. <i>Endokrynologia Polska</i> , <b>2016</b> , 67, 367-74	1.1	2
40	The effect of blood collection procedure on plasma renin activity (PRA) and concentrations of direct renin (DRC) and aldosterone. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , <b>2015</b> , 16, 339-43	3	8

39	The ratios of aldosterone / plasma renin activity (ARR) versus aldosterone / direct renin concentration (ADRR). <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , <b>2015</b> , 16, 1298-305	3	18
38	Comparison of chromogranin A (CgA) levels in serum and plasma (EDTA2K) and the respective reference ranges in healthy males. <i>Endokrynologia Polska</i> , <b>2015</b> , 66, 53-6	1.1	8
37	Dosage and costs of lanreotide Autogel 120 mg administered as part of routine acromegaly care in Poland - two years of data from Lanro-Study. <i>Endokrynologia Polska</i> , <b>2015</b> , 66, 142-8	1.1	9
36	Polish Society of Endocrinology Position statement on endocrine disrupting chemicals (EDCs). <i>Endokrynologia Polska</i> , <b>2015</b> , 66, 276-81	1.1	11
35	Guidelines for menopausal hormone therapy: Recommendations of the Polish Menopause and Andropause Society - state of knowledge as of December 2013. <i>Przegląd Menopauzalny</i> , <b>2014</b> , 13, 1-12	1.2	3
34	The DIAMOND system in the treatment of type 2 diabetes mellitus in an obese patient. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , <b>2014</b> , 9, 627-31	1.4	1
33	Treatment effectiveness of pasireotide on health-related quality of life in patients with Cushing's disease. <i>European Journal of Endocrinology</i> , <b>2014</b> , 171, 89-98	6.5	23
32	Proinsulin, adiponectin and hsCRP in reproductive age women with polycystic ovary syndrome (PCOS)--the effect of metformin treatment. <i>Endokrynologia Polska</i> , <b>2014</b> , 65, 2-10	1.1	4
31	Increased size and vascularisation, plus decreased echogenicity, of foetal thyroid in two-dimensional ultrasonography caused by maternal Graves disease. <i>Endokrynologia Polska</i> , <b>2014</b> , 65, 64-8	1.1	3
30	Hyperthyroidism during pregnancy--the role of measuring maternal TSH receptor antibodies and foetal ultrasound monitoring. <i>Endokrynologia Polska</i> , <b>2014</b> , 65, 259-68	1.1	8
29	Acromegaly--a novel view of the patient. Polish proposals for diagnostic and therapeutic procedures in the light of recent reports. <i>Endokrynologia Polska</i> , <b>2014</b> , 65, 326-31	1.1	14
28	Fetuin-A levels in lean and obese women with polycystic ovary syndrome. <i>Endokrynologia Polska</i> , <b>2014</b> , 65, 371-6	1.1	6
27	The incidence of hypogonadotropic hypogonadism in type 2 diabetic men in Polish population. <i>BioMed Research International</i> , <b>2013</b> , 2013, 767496	3	11
26	Stanowisko Zespołu Ekspertów Polskiego Towarzystwa Menopauzy i Andropauzy dotyczące zastosowania preparatów PROMENSIL i PROMENSIL FORTE u kobiet w okresie okoł- i pomenopauzalnym. <i>Przegląd Menopauzalny</i> , <b>2013</b> , 3, 189-193	1.2	
25	Assessment of real-world usage of lanreotide AUTOGEL 120 in Polish acromegalic patients - results from the prospective 12-month phase of Lanro-Study. <i>Współczesna Onkologia</i> , <b>2013</b> , 17, 460-5	1	3
24	Primary aldosteronism - recent progress and current concepts. <i>Endokrynologia Polska</i> , <b>2013</b> , 64, 312-8	1.1	2
23	Chromogranin A (CgA) in adrenal tumours. <i>Endokrynologia Polska</i> , <b>2013</b> , 64, 358-62	1.1	3
22	Colorectal neuroendocrine neoplasms - management guidelines (recommended by the Polish Network of Neuroendocrine Tumours). <i>Endokrynologia Polska</i> , <b>2013</b> , 64, 494-504	1.1	7

21	The relationship between efficacy of surgical treatment of Cushing disease and pathological -- immunohistochemical and ultrastructural -- confirmation of corticotroph tumour presence. <i>Neurologia I Neurochirurgia Polska</i> , <b>2012</b> , 46, 37-46	1	2
20	Effect of DHEA supplementation on serum IGF-1, osteocalcin, and bone mineral density in postmenopausal, glucocorticoid-treated women. <i>Advances in Medical Sciences</i> , <b>2012</b> , 57, 51-7	2.8	19
19	Fetal thyroid in two-dimensional ultrasonography: nomograms according to gestational age and biparietal diameter. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2012</b> , 162, 131-34	2.8	8
18	The high prevalence of testosterone deficiency in population of Polish men over 65 years with erectile dysfunctions. <i>Aging Male</i> , <b>2012</b> , 15, 258-62	2.1	10
17	The impact of transsphenoidal surgery on glucose homeostasis and insulin resistance in acromegaly. <i>Neurologia I Neurochirurgia Polska</i> , <b>2011</b> , 45, 328-34	1	16
16	Abnormalities in glucose homeostasis in acromegaly. Does the prevalence of glucose intolerance depend on the level of activity of the disease and the duration of the symptoms?. <i>Endokrynologia Polska</i> , <b>2009</b> , 60, 20-4	1.1	10
15	Association between gynecomastia and aromatase (CYP19) polymorphisms. <i>European Journal of Endocrinology</i> , <b>2008</b> , 158, 721-7	6.5	27
14	Incidentally discovered adrenal tumors: a lesson from observation of 1,444 patients. <i>Hormone and Metabolic Research</i> , <b>2008</b> , 40, 338-41	3.1	34
13	1,161 patients with adrenal incidentalomas: indications for surgery. <i>Langenbeck's Archives of Surgery</i> , <b>2008</b> , 393, 121-6	3.4	21
12	Nelson's syndrome -- 46 years later: clinical experience with 37 patients. <i>Zentralblatt Fur Neurochirurgie</i> , <b>2006</b> , 67, 14-20		19
11	A woman who gained weight and became schizophrenic. <i>Lancet, The</i> , <b>2003</b> , 361, 704-5; author reply 705	40	1
10	A woman who gained weight and became schizophrenic. <i>Lancet, The</i> , <b>2003</b> , 361, 705; author reply 705	40	1
9	Efficacy of the new long-acting formulation of lanreotide (lanreotide Autogel) in the management of acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2002</b> , 87, 99-104	5.6	154
8	Laboratory and clinical experience in 55 patients with macroprolactinemia identified by a simple polyethylene glycol precipitation method. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2002</b> , 87, 1909-10; author reply 1910	5.6	5
7	Increased prevalence of thyroid autoimmunity in patients successfully treated for Cushing's disease. <i>Clinical Endocrinology</i> , <b>2001</b> , 54, 411; author reply 411	3.4	2
6	Effect of testosterone replacement therapy on lipids and lipoproteins in hypogonadal and elderly men. <i>Atherosclerosis</i> , <b>1996</b> , 121, 35-43	3.1	131
5	Hyperinsulinaemia and decreased plasma levels of dehydroepiandrosterone sulfate in premenopausal women with coronary heart disease. <i>Journal of Internal Medicine</i> , <b>1995</b> , 237, 465-72	10.8	38
4	Effects of transdermal 17 beta-oestradiol combined with oral progestogen on lipids and lipoproteins in hypercholesterolaemic postmenopausal women. <i>Journal of Internal Medicine</i> , <b>1993</b> , 234, 447-51	10.8	11

3	Pituitary apoplexy: endocrine, surgical and oncological emergency. Incidence, clinical course and treatment with reference to 799 cases of pituitary adenomas. <i>Acta Neurochirurgica</i> , <b>1993</b> , 120, 118-22	3	139
2	Transdermal 17 beta-estradiol combined with oral progestogen increases plasma levels of insulin-like growth factor-I in postmenopausal women. <i>Journal of Endocrinological Investigation</i> , <b>1992</b> , 15, 533-8	5.2	42
1	The role of hyperinsulinemia in the development of lipid disturbances in nonobese and obese women with the polycystic ovary syndrome. <i>Journal of Endocrinological Investigation</i> , <b>1991</b> , 14, 569-75	5.2	51