

# Javier Veloso Freire

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5881281/publications.pdf>

Version: 2024-02-01

14  
papers

493  
citations

1163117

8  
h-index

1125743

13  
g-index

14  
all docs

14  
docs citations

14  
times ranked

700  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Non-Pathogenic <i>Fusarium oxysporum</i> Fo47 Induces Distinct Responses in Two Closely Related Solanaceae Plants against the Pathogen <i>Verticillium dahliae</i> . <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 344.	3.5	3
2	<i>Fusaria</i> Strains as Biocontrol Agents: The Case of Strain Fo47 and <i>Verticillium dahliae</i> . <i>Progress in Biological Control</i> , 2020, , 309-331.	0.5	0
3	Comparative genomics of plant pathogenic <i>Botrytis</i> species with distinct host specificity. <i>BMC Genomics</i> , 2019, 20, 203.	2.8	53
4	Functional Analysis of Mating Type Genes and Transcriptome Analysis during Fruiting Body Development of <i>Botrytis cinerea</i> . <i>MBio</i> , 2018, 9, .	4.1	40
5	Properties of vanillyl nonanoate for protection of pepper plants against <i>Phytophthora capsici</i> and <i>Botrytis cinerea</i> . <i>European Journal of Plant Pathology</i> , 2018, 150, 1091-1101.	1.7	9
6	Many Shades of Grey in <i>Botrytis</i> –Host Plant Interactions. <i>Trends in Plant Science</i> , 2018, 23, 613-622.	8.8	172
7	Vanillyl nonanoate induces systemic resistance and lignification in pepper plants. <i>Journal of Plant Physiology</i> , 2018, 231, 251-260.	3.5	3
8	Modes of action of the protective strain Fo47 in controlling verticillium wilt of pepper. <i>Plant Pathology</i> , 2016, 65, 997-1007.	2.4	26
9	Wounding induces local resistance but systemic susceptibility to <i>Botrytis cinerea</i> in pepper plants. <i>Journal of Plant Physiology</i> , 2015, 176, 202-209.	3.5	20
10	Properties of capsaicinoids for the control of fungi and oomycetes pathogenic to pepper. <i>Plant Biology</i> , 2014, 16, 177-185.	3.8	22
11	New bricks on the wall of induced resistance: salicylic acid receptors and transgenerational priming. <i>European Journal of Plant Pathology</i> , 2014, 138, 685-693.	1.7	5
12	Induced resistance to <i>Botrytis cinerea</i> in <i>Capsicum annuum</i> by a <i>Fusarium</i> crude elicitor fraction, free of proteins. <i>Plant Biology</i> , 2013, 15, 1040-1044.	3.8	5
13	<i>Fusarium oxysporum</i> Fo47 confers protection to pepper plants against <i>Verticillium dahliae</i> and <i>Phytophthora capsici</i> , and induces the expression of defence genes. <i>Plant Pathology</i> , 2012, 61, 281-288.	2.4	87
14	Cross-protection of pepper plants stressed by copper against a vascular pathogen is accompanied by the induction of a defence response. <i>Plant Science</i> , 2010, 178, 176-182.	3.6	48