Marco Vugman Wainstein

List of Publications by Year
in descending order

50 papers	**7,346** citations	471061 **17** h-index	243296 **44** g-index
52 all docs	**52** docs citations	**52** times ranked	**8946** citing authors

#	Article	IF	Citations
1	Ezetimibe Added to Statin Therapy after Acute Coronary Syndromes. New England Journal of Medicine, 2015, 372, 2387-2397.	13.9	3,337
2	Alogliptin after Acute Coronary Syndrome in Patients with Type 2 Diabetes. New England Journal of Medicine, 2013, 369, 1327-1335.	13.9	2,261
3	Effect of Darapladib on Major Coronary Events After an Acute Coronary Syndrome. JAMA - Journal of the American Medical Association, 2014, 312, 1006.	3.8	375
4	Effect of vitamins C and E on progression of transplant-associated arteriosclerosis: a randomised trial. Lancet, The, 2002, 359, 1108-1113.	6.3	296
5	No-reflow is an independent predictor of death and myocardial infarction after percutaneous coronary intervention. American Heart Journal, 2003, 145, 42-46.	1.2	224
6	Effect of Aleglitazar on Cardiovascular Outcomes After Acute Coronary Syndrome in Patients With Type 2 Diabetes Mellitus. JAMA - Journal of the American Medical Association, 2014, 311, 1515.	3.8	206
7	Role of Endothelin-1 in the Active Constriction of Human Atherosclerotic Coronary Arteries. Circulation, 2001, 104, 1114-1118.	1.6	148
8	Elevated serum interleukin-6 is predictive of coronary artery disease in intermediate risk overweight patients referred for coronary angiography. Diabetology and Metabolic Syndrome, 2017, 9, 67.	1.2	65
9	Endothelial dysfunction as a predictor of cardiovascular disease in type 1 diabetes. World Journal of Diabetes, 2015, 6, 679.	1.3	58
10	Erectile Dysfunction and Coronary Artery Disease: An Association of Higher Risk in Younger Men. Journal of Sexual Medicine, 2011, 8, 1445-1453.	0.3	36
11	Comparison of neutrophil-to-lymphocyte ratio and mean platelet volume in the prediction of adverse events after primary percutaneous coronary intervention in patients with ST-elevation myocardial infarction. Atherosclerosis, 2018, 274, 212-217.	0.4	32
12	Association between myeloperoxidase polymorphisms and its plasma levels with severity of coronary artery disease. Clinical Biochemistry, 2010, 43, 57-62.	0.8	31
13	Custo-efetividade dos stents recobertos por rapamicina em procedimentos percutâneos coronarianos no Brasil. Arquivos Brasileiros De Cardiologia, 2007, 88, 464-474.	0.3	24
14	HOMA-IR is associated with significant angiographic coronary artery disease in non-diabetic, non-obese individuals: a cross-sectional study. Diabetology and Metabolic Syndrome, 2015, 7, 100.	1.2	24
15	Rationale, design, and baseline characteristics of the Acetylcystein for Contrast-Induced nephropaThy (ACT) Trial: a pragmatic randomized controlled trial to evaluate the efficacy of acetylcysteine for the prevention of contrast-induced nephropathy. Trials, 2009, 10, 38.	0.7	23
16	Impact of Coronary Endothelial Function on the Progression of Cardiac Transplant–associated Arteriosclerosis: Effect of Anti-oxidant Vitamins C and E. Journal of Heart and Lung Transplantation, 2006, 25, 426-433.	0.3	20
17	Plasma endothelin-1 levels after coronary stenting in humans. American Journal of Cardiology, 2003, 92, 1211-1214.	0.7	14
18	Simplifying contrast-induced acute kidney injury prediction after primary percutaneous coronary intervention: the age, creatinine and ejection fraction score. Cardiovascular Intervention and Therapeutics, 2018, 33, 224-231.	1.2	14

#	Article	IF	Citations
19	Carbonyl groups: Bridging the gap between sleep disordered breathing and coronary artery disease. Free Radical Research, 2010, 44, 907-912.	1.5	13
20	Coronary stent implantation may seal the inflammatory response in patients with acute coronary syndromes. International Journal of Cardiology, 2008, 130, 503-504.	0.8	10
21	Lack of association between plasma myeloperoxidase levels and angiographic severity of coronary artery disease in patients with acute coronary syndrome. Inflammation Research, 2011, 60, 137-142.	1.6	10
22	Severity of obstructive sleep apnea and extension of coronary artery disease. Sleep and Breathing, 2019, 23, 747-752.	0.9	10
23	Atherosclerosis and acute arterial thrombosis in rabbits: a model using balloon desendothelization without dietary intervention. Brazilian Journal of Medical and Biological Research, 1997, 30, 415-417.	0.7	9
24	Rescue percutaneous coronary intervention following coronary artery bypass graft-A descriptive analysis of the changing interface between interventional cardiologist and cardiac surgeon. Clinical Cardiology, 2002, 25, 280-286.	0.7	9
25	Inflammatory and Oxidative Stress Markers after Intravenous Insulin in Percutaneous Coronary Intervention with Stent in Type 2 Diabetes Mellitus: A Randomized Controlled Trial. Journal of Clinical Endocrinology and Metabolism, 2011, 96, 478-485.	1.8	9
26	Obstructive sleep apnea, detected by the Berlin Questionnaire: an associated risk factor for coronary artery disease. Cadernos De Saude Publica, 2012, 28, 1530-1538.	0.4	9
27	Oxidized-LDL and Paraoxonase-1 As Biomarkers of Coronary Artery Disease in Patients with Sleep-Disordered Breathing. Current Medicinal Chemistry, 2012, 19, 4359-4366.	1.2	8
28	Elevated neutrophil-to-lymphocyte ratio can predict procedural adverse events in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. Coronary Artery Disease, 2019, 30, 20-25.	0.3	8
29	Syntax Score and Major Adverse Cardiac Events in Patients with Suspected Coronary Artery Disease: Results from a Cohort Study in a University-Affiliated Hospital in Southern Brazil. Arquivos Brasileiros De Cardiologia, 2016, 107, 207-215.	0.3	7
30	Comparison of Two Risk Models in Predicting the Incidence of Contrast-Induced Nephropathy after Percutaneous Coronary Intervention. Journal of Interventional Cardiology, 2016, 29, 447-453.	0.5	6
31	Comparison of Admission Lung Ultrasound and Left Ventricular End-Diastolic Pressure in Patients Undergoing Primary Percutaneous Coronary Intervention. Circulation: Cardiovascular Imaging, 2021, 14, e011641.	1.3	5
32	Temporal pattern of neutrophil-to-lymphocyte ratio in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. Coronary Artery Disease, 2019, 30, 631-633.	0.3	3
33	Two HEmostasis Methods After TransradIal Catheterization. Journal of Cardiovascular Nursing, 2020, 35, 217-222.	0.6	3
34	Long-term Pattern of Red Cell Distribution Width in Patients With ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. Critical Pathways in Cardiology, 2020, 19, 43-48.	0.2	3
35	The Effects of a Flavonoid-Rich Diet on Oxidative Stress, Inflammation, and Lipid Profile after Elective Percutaneous Coronary Intervention : A Randomized Clinical Trial. Preventive Nutrition and Food Science, 2018, 23, 108-114.	0.7	3
36	Mechanical plaque sealing in patients with acute coronary syndromes. International Journal of Cardiology, 2009, 135, 105-106.	0.8	2

#	Article	IF	Citations
37	Diagnostic Accuracy of Perfusional Computed Tomography in Moderate Coronary Stenosis: Comparison With Fractional Flow Reserve. Critical Pathways in Cardiology, 2020, 19, 9-13.	0.2	2
38	Ultrasound-guided antecubital vein approach for right heart catheterisation in a Brazilian tertiary centre. Open Heart, 2020, 7, e001181.	0.9	2
39	What seals inflammation in acute coronary syndromes?. International Journal of Cardiology, 2009, 135, 108.	0.8	1
40	Re: Virtual Cavernoscopy: A Novel Diagnostic Tool for Use in the Corpus Cavernosal Lumen in Patients With Erectile Dysfunction. Journal of Urology, 2011, 186, 1012-1012.	0.2	1
41	Guidewire Self-Extrusion After Entrapment of Distal Protection Device During Saphenous Vein Graft Angioplasty. JACC: Cardiovascular Interventions, 2017, 10, e3-e5.	1.1	1
42	Two HEmostasis Methods After TransradIal Catheterization: THEMATIC - protocol for a randomized clinical trial. Revista Gaucha De Enfermagem / EENFUFRGS, 2018, 39, e20170257.	0.2	1
43	Valvoplastia mitral percutânea: 30 anos de experiência. Arquivos Brasileiros De Cardiologia, 2010, 94, 292-293.	0.3	1
44	Long‐term complication after LM bifurcation treatment. Catheterization and Cardiovascular Interventions, 2010, 75, 1045-1049.	0.7	0
45	Unprotected left main bifurcation restenosis treated with a 2‐stent technique. Catheterization and Cardiovascular Interventions, 2013, 82, E200-5.	0.7	0
46	Serum ferritin levels may have a pro-atherosclerotic role in coronary artery disease patients with sleep disordered breathing. Journal of Applied Biomedicine, 2015, 13, 289-298.	0.6	0
47	Right heart catheterization through ultrasound-guided antecubital vein approach. Revista Brasileira De Cardiologia Invasiva (English Edition), 2016, 24, 35-37.	0.1	0
48	Cardiovascular outcomes in patients treated with primary percutaneous coronary intervention in a general tertiary hospital. Revista Brasileira De Cardiologia Invasiva (English Edition), 2016, 24, 4-8.	0.1	0
49	Reply to "Mean platelet volume may not have a role in the prediction of adverse events after percutaneous coronary intervention in patients with ST-elevation myocardial infarction". Atherosclerosis, 2018, 276, 206-207.	0.4	0
50	Inter-observer variation of Syntax score among cardiac surgeons, clinical and interventional cardiologists. Therapeutic Advances in Cardiovascular Disease, 2020, 14, 175394472092425.	1.0	0