## Marco Vugman Wainstein

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5881457/marco-vugman-wainstein-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48 5,644 15 52 g-index

52 6,660 6.9 4.76 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
48	Comparison of Admission Lung Ultrasound and Left Ventricular End-Diastolic Pressure in Patients Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Imaging</i> , <b>2021</b> , 14, e011641	3.9	2
47	Ultrasound-guided antecubital vein approach for right heart catheterisation in a Brazilian tertiary centre. <i>Open Heart</i> , <b>2020</b> , 7, e001181	3	1
46	Inter-observer variation of Syntax score among cardiac surgeons, clinical and interventional cardiologists. <i>Therapeutic Advances in Cardiovascular Disease</i> , <b>2020</b> , 14, 1753944720924254	3.4	
45	Long-term Pattern of Red Cell Distribution Width in Patients With ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Critical Pathways in Cardiology</i> , <b>2020</b> , 19, 43-48	1.3	O
44	Two HEmostasis Methods After Transradlal Catheterization: THEMATIC Randomized Clinical Trial. <i>Journal of Cardiovascular Nursing</i> , <b>2020</b> , 35, 217-222	2.1	1
43	Diagnostic Accuracy of Perfusional Computed Tomography in Moderate Coronary Stenosis: Comparison With Fractional Flow Reserve. <i>Critical Pathways in Cardiology</i> , <b>2020</b> , 19, 9-13	1.3	1
42	Elevated neutrophil-to-lymphocyte ratio can predict procedural adverse events in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>Coronary Artery Disease</i> , <b>2019</b> , 30, 20-25	1.4	6
41	Temporal pattern of neutrophil-to-lymphocyte ratio in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>Coronary Artery Disease</i> , <b>2019</b> , 30, 631-633	1.4	1
40	Severity of obstructive sleep apnea and extension of coronary artery disease. <i>Sleep and Breathing</i> , <b>2019</b> , 23, 747-752	3.1	8
39	Simplifying contrast-induced acute kidney injury prediction after primary percutaneous coronary intervention: the age, creatinine and ejection fraction score. <i>Cardiovascular Intervention and Therapeutics</i> , <b>2018</b> , 33, 224-231	2.5	9
38	Reply to "Mean platelet volume may not have a role in the prediction of adverse events after percutaneous coronary intervention in patients with ST-elevation myocardial infarction". <i>Atherosclerosis</i> , <b>2018</b> , 276, 206-207	3.1	
37	Two HEmostasis Methods After Transradlal Catheterization: THEMATIC - protocol for a randomized clinical trial. <i>Revista Gaucha De Enfermagem / EENFUFRGS</i> , <b>2018</b> , 39, e20170257	0.5	1
36	The Effects of a Flavonoid-Rich Diet on Oxidative Stress, Inflammation, and Lipid Profile after Elective Percutaneous Coronary Intervention: A Randomized Clinical Trial. <i>Preventive Nutrition and Food Science</i> , <b>2018</b> , 23, 108-114	2.4	2
35	Comparison of neutrophil-to-lymphocyte ratio and mean platelet volume in the prediction of adverse events after primary percutaneous coronary intervention in patients with ST-elevation myocardial infarction. <i>Atherosclerosis</i> , <b>2018</b> , 274, 212-217	3.1	25
34	Guidewire Self-Extrusion After Entrapment of Distal Protection Device During Saphenous Vein Graft Angioplasty. <i>JACC: Cardiovascular Interventions</i> , <b>2017</b> , 10, e3-e5	5	1
33	Elevated serum interleukin-6 is predictive of coronary artery disease in intermediate risk overweight patients referred for coronary angiography. <i>Diabetology and Metabolic Syndrome</i> , <b>2017</b> , 9, 67	5.6	41
32	Right heart catheterization through ultrasound-guided antecubital vein approach. <i>Revista Brasileira De Cardiologia Invasiva (English Edition)</i> , <b>2016</b> , 24, 35-37		

## (2010-2016)

Cardiovascular outcomes in patients treated with primary percutaneous coronary intervention in a 31 general tertiary hospital. Revista Brasileira De Cardiologia Invasiva (English Edition), 2016, 24, 4-8 Syntax Score and Major Adverse Cardiac Events in Patients with Suspected Coronary Artery Disease: Results from a Cohort Study in a University-Affiliated Hospital in Southern Brazil. Arquivos 30 1.2 Brasileiros De Cardiologia, **2016**, 107, 207-215 Comparison of Two Risk Models in Predicting the Incidence of Contrast-Induced Nephropathy after 1.8 6 29 Percutaneous Coronary Intervention. Journal of Interventional Cardiology, 2016, 29, 447-453 Serum ferritin levels may have a pro-atherosclerotic role in coronary artery disease patients with 28 0.6 sleep disordered breathing. Journal of Applied Biomedicine, 2015, 13, 289-298 HOMA-IR is associated with significant angiographic coronary artery disease in non-diabetic, 5.6 27 17 non-obese individuals: a cross-sectional study. Diabetology and Metabolic Syndrome, 2015, 7, 100 Endothelial dysfunction as a predictor of cardiovascular disease in type 1 diabetes. World Journal of 26 50 4.7 Diabetes, 2015, 6, 679-92 Ezetimibe Added to Statin Therapy after Acute Coronary Syndromes. New England Journal of 25 59.2 2371 Medicine, **2015**, 372, 2387-97 Effect of darapladib on major coronary events after an acute coronary syndrome: the SOLID-TIMI 285 24 52 randomized clinical trial. JAMA - Journal of the American Medical Association, 2014, 312, 1006-15 Effect of alegilitazar on cardiovascular outcomes after acute coronary syndrome in patients with type 2 diabetes mellitus: the AleCardio randomized clinical trial. JAMA - Journal of the American 23 27.4 177 Medical Association, 2014, 311, 1515-25 Alogliptin after acute coronary syndrome in patients with type 2 diabetes. New England Journal of 1858 59.2 Medicine, 2013, 369, 1327-35 Unprotected left main bifurcation restenosis treated with a 2-stent technique. Catheterization and 21 2.7 Cardiovascular Interventions, 2013, 82, E200-5 Obstructive sleep apnea, detected by the Berlin Questionnaire: an associated risk factor for 20 3.2 coronary artery disease. Cadernos De Saude Publica, 2012, 28, 1530-8 Oxidized-LDL and paraoxonase-1 as biomarkers of coronary artery disease in patients with 6 19 4.3 sleep-disordered breathing. Current Medicinal Chemistry, 2012, 19, 4359-66 Erectile dysfunction and coronary artery disease: an association of higher risk in younger men. 18 1.1 33 Journal of Sexual Medicine, 2011, 8, 1445-53 Lack of association between plasma myeloperoxidase levels and angiographic severity of coronary 17 7.2 7 artery disease in patients with acute coronary syndrome. Inflammation Research, 2011, 60, 137-42 Inflammatory and oxidative stress markers after intravenous insulin in percutaneous coronary 16 intervention with stent in type 2 diabetes mellitus: a randomized controlled trial. Journal of Clinical 5.6 8 Endocrinology and Metabolism, 2011, 96, 478-85 Carbonyl groups: Bridging the gap between sleep disordered breathing and coronary artery 15 4 10 disease. Free Radical Research, 2010, 44, 907-12 Long-term complication after LM bifurcation treatment. Catheterization and Cardiovascular 2.7 Interventions, **2010**, 75, 1045-9

13	Association between myeloperoxidase polymorphisms and its plasma levels with severity of coronary artery disease. <i>Clinical Biochemistry</i> , <b>2010</b> , 43, 57-62	3.5	23
12	Rationale, design, and baseline characteristics of the Acetylcystein for Contrast-Induced nephropaThy (ACT) Trial: a pragmatic randomized controlled trial to evaluate the efficacy of acetylcysteine for the prevention of contrast-induced nephropathy. <i>Trials</i> , <b>2009</b> , 10, 38	2.8	18
11	What seals inflammation in acute coronary syndromes?. <i>International Journal of Cardiology</i> , <b>2009</b> , 135, 108	3.2	1
10	Mechanical plaque sealing in patients with acute coronary syndromes. <i>International Journal of Cardiology</i> , <b>2009</b> , 135, 105-106	3.2	1
9	Coronary stent implantation may seal the inflammatory response in patients with acute coronary syndromes. <i>International Journal of Cardiology</i> , <b>2008</b> , 130, 503-4	3.2	8
8	Cost-effectiveness of sirolimus-eluting stents in percutaneous coronary interventions in Brazil. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2007</b> , 88, 464-74	1.2	10
7	Impact of coronary endothelial function on the progression of cardiac transplant-associated arteriosclerosis: effect of anti-oxidant vitamins C and E. <i>Journal of Heart and Lung Transplantation</i> , <b>2006</b> , 25, 426-33	5.8	17
6	Plasma endothelin-1 levels after coronary stenting in humans. <i>American Journal of Cardiology</i> , <b>2003</b> , 92, 1211-4	3	13
5	No-reflow is an independent predictor of death and myocardial infarction after percutaneous coronary intervention. <i>American Heart Journal</i> , <b>2003</b> , 145, 42-6	4.9	193
4	Rescue percutaneous coronary intervention following coronary artery bypass grafta descriptive analysis of the changing interface between interventional cardiologist and cardiac surgeon. <i>Clinical Cardiology</i> , <b>2002</b> , 25, 280-6	3.3	8
3	Effect of vitamins C and E on progression of transplant-associated arteriosclerosis: a randomised trial. <i>Lancet, The</i> , <b>2002</b> , 359, 1108-13	40	265
2	Role of endothelin-1 in the active constriction of human atherosclerotic coronary arteries. <i>Circulation</i> , <b>2001</b> , 104, 1114-8	16.7	130
1	Atherosclerosis and acute arterial thrombosis in rabbits: a model using balloon desendothelization without dietary intervention. <i>Brazilian Journal of Medical and Biological Research</i> , <b>1997</b> , 30, 415-7	2.8	9