Marc Stadler

List of Publications by Year
in descending order

Version: 2024-02-01

346 papers	15,689 citations	30070 54 h-index	29157 104 g-index
381 all docs	381 docs citations	381 times ranked	10226 citing authors

#	Article	IF	Citations
1	Natural products in drug discovery: advances and opportunities. Nature Reviews Drug Discovery, 2021, 20, 200-216.	46.4	1,990
2	The amazing potential of fungi: 50 ways we can exploit fungi industrially. Fungal Diversity, 2019, 97, 1-136.	12.3	459
3	Towards the sustainable discovery and development of new antibiotics. Nature Reviews Chemistry, 2021, 5, 726-749.	30.2	439
4	The sooty moulds. Fungal Diversity, 2014, 66, 1-36.	12.3	417
5	Fungal diversity notes 111â€“252â€”taxonomic and phylogenetic contributions to fungal taxa. Fungal Diversity, 2015, 75, 27-274.	12.3	375
6	Fungal diversity notes 367â€“490: taxonomic and phylogenetic contributions to fungal taxa. Fungal Diversity, 2016, 80, 1-270.	12.3	314
7	Families of Sordariomycetes. Fungal Diversity, 2016, 79, 1-317.	12.3	256
8	Fungal diversity notes 253â€“366: taxonomic and phylogenetic contributions to fungal taxa. Fungal Diversity, 2016, 78, 1-237.	12.3	239
9	Unambiguous identification of fungi: where do we stand and how accurate and precise is fungal DNA barcoding?. IMA Fungus, 2020, 11, 14.	3.8	232
10	Current insights into fungal species diversity and perspective on naming the environmental DNA sequences of fungi. Mycology, 2019, 10, 127-140.	4.4	186
11	Bioactive metabolites from macrofungi: ethnopharmacology, biological activities and chemistry. Fungal Diversity, 2013, 62, 1-40.	12.3	182
12	Fungal diversity notes 491â€“602: taxonomic and phylogenetic contributions to fungal taxa. Fungal Diversity, 2017, 83, 1-261.	12.3	180
13	Degradation of Ciprofloxacin by Basidiomycetes and Identification of Metabolites Generated by the Brown Rot Fungus Gloeophyllum striatum. Applied and Environmental Microbiology, 1999, 65, 1556-1563.	3.1	176
14	Towards unraveling relationships in Xylariomycetidae (Sordariomycetes). Fungal Diversity, 2015, 73, 73-144.	12.3	164
15	Diversity of biologically active secondary metabolites from endophytic and saprotrophic fungi of the ascomycete order Xylariales. Natural Product Reports, 2018, 35, 992-1014.	10.3	155
16	A polyphasic taxonomy of Daldinia (Xylariaceae)1. Studies in Mycology, 2014, 77, 1-143.	7.2	150
17	Cystobactamids: Myxobacterial Topoisomerase Inhibitors Exhibiting Potent Antibacterial Activity. Angewandte Chemie - International Edition, 2014, 53, 14605-14609.	13.8	145
18	Resurrection and emendation of the Hypoxylaceae, recognised from a multigene phylogeny of the Xylariales. Mycological Progress, 2018, 17, 115-154.	1.4	144

#	Article	IF	Citations
19	Pochonins Aâ˜F, New Antiviral and Antiparasitic Resorcylic Acid Lactones fromPochoniachlamydosporiavar.catenulata. Journal of Natural Products, 2003, 66, 829-837.	3.0	139
20	Thailandâ€™s amazing diversity: up to 96% of fungi in northern Thailand may be novel. Fungal Diversity, 2018, 93, 215-239.	12.3	139
21	Fusarium: more than a node or a foot-shaped basal cell. Studies in Mycology, 2021, 98, 100116.	7.2	134
22	Hericium erinaceus, an amazing medicinal mushroom. Mycological Progress, 2015, 14, 1.	1.4	119
23	Synthetic Biotechnology to Study and Engineer Ribosomal Bottromycin Biosynthesis. Chemistry and Biology, 2012, 19, 1278-1287.	6.0	118
24	Fatty Acids and Other Compounds with Nematicidal Activity from Cultures of Basidiomycetes. Planta Medica, 1994, 60, 128-132.	1.3	112
25	Pinensins: The First Antifungal Lantibiotics. Angewandte Chemie - International Edition, 2015, 54, 11254-11258.	13.8	112
26	Genomic and transcriptomic analysis of the endophytic fungus Pestalotiopsis fici reveals its lifestyle and high potential for synthesis of natural products. BMC Genomics, 2015, 16, 28.	2.8	102
27	An assessment of the taxonomy and chemotaxonomy of Ganoderma. Fungal Diversity, 2015, 71, 1-15.	12.3	102
28	Fungal taxonomy and sequence-based nomenclature. Nature Microbiology, 2021, 6, 540-548.	13.3	101
29	Secondary metabolites with nematicidal and antimicrobial activity from nematophagous fungi and Ascomycetes. Canadian Journal of Botany, 1995, 73, 932-939.	1.1	100
30	Biological and chemical diversity go hand in hand: Basidiomycota as source of new pharmaceuticals and agrochemicals. Biotechnology Advances, 2019, 37, 107344.	11.7	98
31	Hypoxylon pulicicidum sp. nov. (Ascomycota, Xylariales), a Pantropical Insecticide-Producing Endophyte. PLoS ONE, 2012, 7, e46687.	2.5	97
32	Microfungi associated with Clematis (Ranunculaceae) with an integrated approach to delimiting species boundaries. Fungal Diversity, 2020, 102, 1-203.	12.3	93
33	Altersetin, a New Antibiotic from Cultures of Endophytic Alternaria spp. Taxonomy, Fermentation, Isolation, Structure Elucidation and Biological Activities.. Journal of Antibiotics, 2002, 55, 881-892.	2.0	91
34	Chemical Constituents of the AscomyceteDaldinia concentrica. Journal of Natural Products, 2002, 65, 1869-1874.	3.0	88
35	Affinities of Phylacia and the daldinoid Xylariaceae, inferred from chemotypes of cultures and ribosomal DNA sequences. Mycological Research, 2008, 112, 251-270.	2.5	87
36	New Hypoxylon species from Martinique and new evidence on the molecular phylogeny of Hypoxylon based on ITS rDNA and Î²-tubulin data. Fungal Diversity, 2014, 64, 181-203.	12.3	87

#	Article	IF	Citations
37	Cinnabaramides Aâ^'C:Â Analogues of Lactacystin and Salinosporamide from a Terrestrial Streptomycete. Journal of Natural Products, 2007, 70, 246-252.	3.0	86
38	The worldâ€™s ten most feared fungi. Fungal Diversity, 2018, 93, 161-194.	12.3	85
39	Taxonomic and phylogenetic contributions to fungi associated with the invasive weed Chromolaena odorata (Siam weed). Fungal Diversity, 2020, 101, 1-175.	12.3	82
40	Expanded phylogeny of myxobacteria and evidence for cultivation of the â€˜unculturablesâ€™. Molecular Phylogenetics and Evolution, 2010, 57, 878-887.	2.7	80
41	Phylogenetic relationships among Daldinia, Entonaema, and Hypoxylon as inferred from ITS nrDNA analyses of Xylariales. Nova Hedwigia, 2005, 80, 25-43.	0.4	77
42	Towards a natural classification and backbone tree for Graphostromataceae, Hypoxylaceae, Lopadostomataceae and Xylariaceae. Fungal Diversity, 2018, 88, 1-165.	12.3	77
43	How to publish a new fungal species, or name, version 3.0. IMA Fungus, 2021, 12, 11.	3.8	76
44	Anthostomella is polyphyletic comprising several genera in Xylariaceae. Fungal Diversity, 2015, 73, 203-238.	12.3	72
45	Cohaerins A and B, azaphilones from the fungus Hypoxylon cohaerens, and comparison of HPLC-based metabolite profiles in Hypoxylon sect. Annulata. Phytochemistry, 2005, 66, 797-809.	2.9	67
46	Cloning and Characterization of an Armillaria gallica cDNA Encoding Protoilludene Synthase, Which Catalyzes the First Committed Step in the Synthesis of Antimicrobial Melleolides. Journal of Biological Chemistry, 2011, 286, 6871-6878.	3.4	67
47	The genus Diaporthe: a rich source of diverse and bioactive metabolites. Mycological Progress, 2017, 16, 477-494.	1.4	67
48	Phylogenetic and chemotaxonomic resolution of the genus Annulohypoxylon (Xylariaceae) including four new species. Fungal Diversity, 2017, 85, 1-43.	12.3	65
49	High quality genome sequences of thirteen Hypoxylaceae (Ascomycota) strengthen the phylogenetic family backbone and enable the discovery of new taxa. Fungal Diversity, 2021, 106, 7-28.	12.3	65
50	Discovery and Total Synthesis of Natural Cystobactamid Derivatives with Superior Activity against Gramâ€Negative Pathogens. Angewandte Chemie - International Edition, 2017, 56, 12760-12764.	13.8	62
51	A new endophytic insect-associated Daldinia species, recognised from a comparison of secondary metabolite profiles and molecular phylogeny. Fungal Diversity, 2013, 60, 107-123.	12.3	61
52	Recent progress in biodiversity research on the Xylariales and their secondary metabolism. Journal of Antibiotics, 2021, 74, 1-23.	2.0	61
53	Production of bioactive secondary metabolites in the fruit bodies of macrofungi as a response to injury. Phytochemistry, 1998, 49, 1013-1019.	2.9	60
54	Intragenomic polymorphisms in the ITS region of high-quality genomes of the Hypoxylaceae (Xylariales,) Tj ETQq0 0 0 rgBT /Overlock 10	1.4	60

#	Article	IF	Citations
55	Corallocins Aâ€“C, Nerve Growth and Brain-Derived Neurotrophic Factor Inducing Metabolites from the Mushroom Hericium coralloides. Journal of Natural Products, 2016, 79, 2264-2269.	3.0	59
56	Cohaerins Câ€“F, four azaphilones from the xylariaceous fungus Annulohypoxylon cohaerens. Tetrahedron, 2006, 62, 6349-6354.	1.9	58
57	Hymenosetin, a 3-decalinoyltetramic acid antibiotic from cultures of the ash dieback pathogen, Hymenoscyphus pseudoalbidus. Phytochemistry, 2014, 100, 86-91.	2.9	57
58	Chemotaxonomy of Entonaema, Rhopalostroma and other Xylariaceae. Mycological Research, 2004, 108, 239-256.	2.5	56
59	Activities of Prenylphenol Derivatives from Fruitbodies of Albatrellus spp. on the Human and Rat Vanilloid Receptor 1 (VR1) and Characterisation of the Novel Natural Product, Confluentin. Archiv Der Pharmazie, 2003, 336, 119-126.	4.1	55
60	Integrative approaches for species delimitation in Ascomycota. Fungal Diversity, 2021, 109, 155-179.	12.3	55
61	Changes in secondary metabolism during stromatal ontogeny of Hypoxylon fragiforme. Mycological Research, 2006, 110, 811-820.	2.5	54
62	Molecular and morphological evidence for the delimitation ofXylaria hypoxylon. Mycologia, 2009, 101, 256-268.	1.9	54
63	Fatty Acid-Related Phylogeny of Myxobacteria as an Approach to Discover Polyunsaturated Omega-3/6 Fatty Acids. Journal of Bacteriology, 2011, 193, 1930-1942.	2.2	54
64	Can we use environmental DNA as holotypes?. Fungal Diversity, 2018, 92, 1-30.	12.3	54
65	Importance of secondary metabolites in the Xylariaceae as parameters for. Current Research in Environmental and Applied Mycology, 2011, 1, 75-133.	0.6	54
66	Accelerated Dereplication of Natural Products, Supported by Reference Libraries. Chimia, 2007, 61, 332-338.	0.6	53
67	Aetheramides A and B, Potent HIV-Inhibitory Depsipeptides from a Myxobacterium of the New Genus â€œAetherobacterâ€. Organic Letters, 2012, 14, 2854-2857.	4.6	53
68	Paenilarvins: Iturin Family Lipopeptides from the Honey Bee Pathogen Paenibacillus larvae. ChemBioChem, 2014, 15, 1947-1955.	2.6	51
69	Lachnumon and lachnumol A, new metabolites with nematicidal and antimicrobial activities from the ascomycete Lachnum papyraceum (Karst.) Karst. I. Producing organism, fermentation, isolation and biological activities.. Journal of Antibiotics, 1993, 46, 961-967.	2.0	50
70	Cyclic azaphilones daldinins E and F from the ascomycete fungus Hypoxylon fuscum (Xylariaceae). Phytochemistry, 2004, 65, 469-473.	2.9	50
71	Chemotaxonomic and phylogenetic studies of Thamnomyces (Xylariaceae). Mycoscience, 2010, 51, 189-207.	0.8	50
72	Fungal natural productsÃ¢â‚¬â€the mushroom perspective. Frontiers in Microbiology, 2015, 6, 127.	3.5	49

#	Article	IF	Citations
73	Molecular chemotaxonomy of Daldinia and other Xylariaceae. Mycological Research, 2001, 105, 1191-1205.	2.5	47
74	New Azaphilones from the Inedible MushroomHypoxylonrubiginosum. Journal of Natural Products, 2004, 67, 1152-1155.	3.0	47
75	Farming of a defensive fungal mutualist by an attelabid weevil. ISME Journal, 2015, 9, 1793-1801.	9.8	47
76	Two New Cyathane Diterpenoids from Mycelial Cultures of the Medicinal Mushroom Hericium erinaceus and the Rare Species, Hericium flagellum. International Journal of Molecular Sciences, 2018, 19, 740.	4.1	47
77	One stop shop IV: taxonomic update with molecular phylogeny for important phytopathogenic genera: 76â€“100 (2020). Fungal Diversity, 2020, 103, 87-218.	12.3	47
78	Fungal endophytes for biocontrol of ash dieback: The antagonistic potential of Hypoxylon rubiginosum. Fungal Ecology, 2020, 45, 100918.	1.6	47
79	Biosensor-guided screening for macrolides. Analytical and Bioanalytical Chemistry, 2007, 388, 1117-1125.	3.7	46
80	Lenormandins Aâ€”G, new azaphilones from Hypoxylon lenormandii and Hypoxylon jaklitschii sp. nov., recognised by chemotaxonomic data. Fungal Diversity, 2015, 71, 165-184.	12.3	46
81	Rickenyls Aâ€“E, antioxidative terphenyls from the fungus Hypoxylon rickii (Xylariaceae, Ascomycota). Phytochemistry, 2015, 118, 68-73.	2.9	46
82	Pyristriatins A and B: Pyridino-Cyathane Antibiotics from the Basidiomycete Cyathus cf. striatus. Journal of Natural Products, 2016, 79, 1684-1688.	3.0	46
83	Microporenic Acids Aâ€“G, Biofilm Inhibitors, and Antimicrobial Agents from the Basidiomycete Microporus Species. Journal of Natural Products, 2018, 81, 778-784.	3.0	46
84	Linoleic acid ? The nematicidal principle of several nematophagous fungi and its production in trap-forming submerged cultures. Archives of Microbiology, 1993, 160, 401.	2.2	45
85	Sassafrins Aâ€“D, new antimicrobial azaphilones from the fungus Creosphaeria sassafras. Tetrahedron, 2005, 61, 1743-1748.	1.9	45
86	Hypomiltin, a novel azaphilone from Hypoxylon hypomiltum, and chemotypes in Hypoxylon sect. Hypoxylon as inferred from analytical HPLC profiling. Mycological Progress, 2005, 4, 39-54.	1.4	45
87	Blue pigment in Hypocrea caerulescens sp. nov. and two additional new species in sect. Trichoderma. Mycologia, 2012, 104, 925-941.	1.9	45
88	Exploitation of Fungal Biodiversity for Discovery of Novel Antibiotics. Current Topics in Microbiology and Immunology, 2016, 398, 303-338.	1.1	45
89	Ijuhya vitellina sp. nov., a novel source for chaetoglobosin A, is a destructive parasite of the cereal cyst nematode Heterodera filipjevi. PLoS ONE, 2017, 12, e0180032.	2.5	45
90	Metabolites with Nematicidal and Antimicrobial Activities from the Ascomycete Lachnum papyraceum(Karst.) Karst. III. Production of Novel Isocoumarin Derivatives, Isolation, and Biological Activities.. Journal of Antibiotics, 1995, 48, 261-266.	2.0	44

#	Article	IF	Citations
91	Concentricol, a taxonomically significant triterpenoid from Daldinia concentrica. Phytochemistry, 2001, 56, 787-793.	2.9	44
92	Mining the Cinnabaramide Biosynthetic Pathway to Generate Novel Proteasome Inhibitors. ChemBioChem, 2011, 12, 922-931.	2.6	44
93	Nannozinones and Sorazinones, Unprecedented Pyrazinones from Myxobacteria. Journal of Natural Products, 2014, 77, 2545-2552.	3.0	44
94	Viridistratins Aâˆ'C, Antimicrobial and Cytotoxic Benzo[j]fluoranthenes from Stromata of Annulohypoxylon viridistratum (Hypoxylaceae, Ascomycota). Biomolecules, 2020, 10, 805.	4.0	44
95	Cohaerins Gâ€"K, azaphilone pigments from Annulohypoxylon cohaerens and absolute stereochemistry of cohaerins Câ€"K. Phytochemistry, 2013, 95, 252-258.	2.9	43
96	Deconins Aâ€"E: Cuparenic and Mevalonic or Propionic Acid Conjugates from the Basidiomycete Deconica sp. 471. Journal of Natural Products, 2015, 78, 934-938.	3.0	43
97	Antiviral Meroterpenoid Rhodatin and Sesquiterpenoids Rhodocoranes Aâ€"E from the Wrinkled Peach Mushroom, Rhodotus palmatus. Organic Letters, 2019, 21, 3286-3289.	4.6	43
98	Sporothriolide derivatives as chemotaxonomic markers forHypoxylon monticulosum. Mycology, 2014, 5, 110-119.	4.4	42
99	Novel and interesting Ophiocordyceps spp. (Ophiocordycipitaceae, Hypocreales) with superficial perithecia from Thailand. Studies in Mycology, 2018, 89, 125-142.	7.2	42
100	Chemotaxonomy of Pochonia and other conidial fungi with Verticillium-like anamorphs. Mycological Progress, 2003, 2, 95-122.	1.4	41
101	Pyrronazols, Metabolites from the Myxobacteria Nannocystis pusilla and N. exedens, Are Unusual Chlorinated Pyrone-Oxazole-Pyrroles. Journal of Natural Products, 2014, 77, 320-326.	3.0	41
102	Pigment chemistry, taxonomy and phylogeny of the Hypoxyloideae (Xylariaceae). Revista Iberoamericana De Micologia, 2006, 23, 160-170.	0.9	40
103	Three new Xylaria species from southwestern Europe. Mycological Progress, 2011, 10, 33-52.	1.4	40
104	Ten reasons why a sequence-based nomenclature is not useful for fungi anytime soon. IMA Fungus, 2018, 9, 177-183.	3.8	40
105	Aetherobacter fasciculatus gen. nov., sp. nov. and Aetherobacter rufus sp. nov., novel myxobacteria with promising biotechnological applications. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 928-938.	1.7	40
106	New nematicidal and antimicrobial compounds from the basidiomycete Cheimonophyllum candidissimum (Berk & Curt.) sing. I. Producing organism, fermentation, isolation, and biological activities.. Journal of Antibiotics, 1994, 47, 1284-1289.	2.0	39
107	Recognition of hypoxyloid and xylarioid Entonaema species and allied Xylaria species from a comparison of holomorphic morphology, HPLC profiles, and ribosomal DNA sequences. Mycological Progress, 2008, 7, 53-73.	1.4	39
108	Cyathane Diterpenes from Cultures of the Birdâ€™s Nest Fungus Cyathus hookeri and Their Neurotrophic and Anti-neuroinflammatory Activities. Journal of Natural Products, 2019, 82, 1599-1608.	3.0	39

#	Article	IF	Citations
109	Antimicrobial Azaphilones from the FungusHypoxylon multiforme. Planta Medica, 2005, 71, 1058-1062.	1.3	38
110	Botryane, noreudesmane and abietane terpenoids from the ascomycete Hypoxylon rickii. Phytochemistry, 2015, 117, 116-122.	2.9	38
111	Comparison of myxobacterial diversity and evaluation of isolation success in two niches: Kiritimati Island and German compost. MicrobiologyOpen, 2016, 5, 268-278.	3.0	38
112	Hypomontagnella (Hypoxylaceae): a new genus segregated from Hypoxylon by a polyphasic taxonomic approach. Mycological Progress, 2019, 18, 187-201.	1.4	38
113	Repositories for Taxonomic Data: Where We Are and What is Missing. Systematic Biology, 2020, 69, 1231-1253.	5.6	38
114	Paradigm shifts in fungal secondary metabolite research. Mycological Research, 2008, 112, 127-130.	2.5	36
115	High energy biofuel from endophytic fungi?. Trends in Plant Science, 2009, 14, 353-355.	8.8	36
116	Gymnopalynes A and B, Chloropropynyl-isocoumarin Antibiotics from Cultures of the BasidiomyceteGymnopussp.. Journal of Natural Products, 2013, 76, 2141-2144.	3.0	36
117	The Rickiols: 20â€, 22â€, and 24â€membered Macrolides from the Ascomycete Hypoxylon rickii. Chemistry - A European Journal, 2018, 24, 2200-2213.	3.3	36
118	Cytochalasans Act as Inhibitors of Biofilm Formation of Staphylococcus Aureus. Biomolecules, 2018, 8, 129.	4.0	36
119	Carneic Acids A and B, Chemotaxonomically Significant Antimicrobial Agents from the Xylariaceous AscomyceteHypoxyloncarneum. Journal of Natural Products, 2006, 69, 1198-1202.	3.0	35
120	Laxitextines A and B, Cyathane Xylosides from the Tropical Fungus Laxitextum incrustatum. Journal of Natural Products, 2016, 79, 894-898.	3.0	35
121	Monochlorinated calocerins A-D and 9-oxostrobilurin derivatives from the basidiomycete Favolaschia calocera. Phytochemistry, 2016, 132, 95-101.	2.9	35
122	Taxonomy, phylogeny, molecular dating and ancestral state reconstruction of Xylariomycetidae (Sordariomycetes). Fungal Diversity, 2022, 112, 1-88.	12.3	35
123	New Biologically Active Compounds from the Nematode-Trappmg Fungus Arthrobotrys oligospora Fresen. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1993, 48, 843-850.	1.4	34
124	Macrocarpones, novel metabolites from stromata of Hypoxylon macrocarpum, and new evidence on the chemotaxonomy of Hypoxylon species. Mycological Progress, 2002, 1, 235-248.	1.4	34
125	Generic names in the Orbiliaceae (Orbiliomycetes) and recommendations on which names should be protected or suppressed. Mycological Progress, 2018, 17, 5-31.	1.4	34
126	New cyathane diterpenoids with neurotrophic and anti-neuroinflammatory activity from the bird's nest fungus Cyathus africanus. FÃ¬toterapÃ¬Ã¢, 2019, 134, 201-209.	2.2	33

#	Article	IF	Citations
127	Identification of Rosellinia species as producers of cyclodepsipeptide PF1022 A and resurrection of the genus Dematophora as inferred from polythetic taxonomy. Studies in Mycology, 2020, 96, 1-16.	7.2	33
128	Six new antimicrobial and nematicidal bisabolanes from the basidiomycete Cheimonophyllum candidissimum. Tetrahedron, 1994, 50, 12649-12654.	1.9	32
129	Concentriols B, C and D, three squalene-type triterpenoids from the ascomycete Daldinia concentrica. Phytochemistry, 2002, 61, 345-353.	2.9	32
130	The new genus Rostrohypoxylon and two new Annulohypoxylon species from Northern Thailand. Fungal Diversity, 2010, 40, 23-36.	12.3	32
131	Chilenopeptins A and B, Peptaibols from the Chilean Sepedonium aff. chalcipori KSH 883. Journal of Natural Products, 2016, 79, 929-938.	3.0	32
132	Preussilides Aâ€“F, Bicyclic Polyketides from the Endophytic FungusPreussia similiswith Antiproliferative Activity. Journal of Natural Products, 2017, 80, 1531-1540.	3.0	32
133	Myxobacteria in high moor and fen: An astonishing diversity in a neglected extreme habitat. MicrobiologyOpen, 2017, 6, e00464.	3.0	32
134	Six Heterocyclic Metabolites from the Myxobacterium Labilithrix luteola. Molecules, 2018, 23, 542.	3.8	32
135	Unsaturated Fatty Acids Control Biofilm Formation of Staphylococcus aureus and Other Gram-Positive Bacteria. Antibiotics, 2020, 9, 788.	3.7	32
136	Elucidation of the life cycle of the endophytic genus Muscodor and its transfer to Induratia in Induratiaceae fam. nov., based on a polyphasic taxonomic approach. Fungal Diversity, 2020, 101, 177-210.	12.3	32
137	Novel Bioactive Azaphilones from Fruit Bodies and Mycelial Cultures of the Ascomycete Bulgaria inquinans (Fr.). Natural Product Research, 1995, 7, 7-14.	0.4	31
138	Antagonism between Byssochlamys spectabilis (anamorph Paecilomyces variotii) and plant pathogens: Involvement of the bioactive compounds produced by the endophyte. Annals of Applied Biology, 2017, 171, 464-476.	2.5	31
139	An unprecedented spiro [furan-2,1â€™-indene]-3-one derivative and other nematicidal and antimicrobial metabolites from Sanghuangporus sp. (Hymenochaetaceae, Basidiomycota) collected in Kenya. Phytochemistry Letters, 2018, 25, 141-146.	1.2	31
140	Lanostane triterpenoids from Tricholoma pardinum with NO production inhibitory and cytotoxic activities. Phytochemistry, 2018, 152, 105-112.	2.9	30
141	Sesquiterpenes from an Eastern African Medicinal Mushroom Belonging to the Genus Sanghuangporus. Journal of Natural Products, 2019, 82, 1283-1291.	3.0	30
142	Nematicidal Activities of Two Phytoalexins fromTaverniera abyssinica. Planta Medica, 1994, 60, 550-552.	1.3	29
143	Metabolites with Nematicidal and Antimicrobial Activities from the Ascomycete Lachnum papyraceum(Karst.) Karst. V. Production, Isolation and Biological Activities of Bromine-containing Mycorrhizin and Lachnumon Derivatives and Four Additional New Bioactive Metabolites.. Journal of Antibiotics, 1995, 48, 149-153.	2.0	29
144	New species and reports of Hypoxylon from Argentina recognized by a polyphasic approach. Mycological Progress, 2016, 15, 1.	1.4	29

#	Article	IF	Citations
145	The Effect of Cytochalasans on the Actin Cytoskeleton of Eukaryotic Cells and Preliminary Structureâ€“Activity Relationships. Biomolecules, 2019, 9, 73.	4.0	29
146	Hypoxyvermelhotins Aâ€“C, new pigments from Hypoxylon lechatii sp. nov. Fungal Biology, 2014, 118, 242-252.	2.5	28
147	Sorazolons, Carbazole Alkaloids from Sorangium cellulosum Strain Soce375. Journal of Natural Products, 2016, 79, 369-375.	3.0	28
148	Lepraric acid derivatives as chemotaxonomic markers inÂHypoxylon aeruginosum, Chlorostroma subcubisporum and C.Âcyaninum, sp. nov.. Fungal Biology, 2010, 114, 481-489.	2.5	27
149	Minimizing the chaos following the loss of Article 59: Suggestions for a discussion. Mycotaxon, 2012, 119, 495-507.	0.3	27
150	Indothiazinone, an Indolyl Thiazolyl Ketone from a Novel Myxobacterium Belonging to the Sorangiineae. Journal of Natural Products, 2014, 77, 1054-1060.	3.0	27
151	The application of the name Xylaria hypoxylon, based on Clavaria hypoxylon of Linnaeus. IMA Fungus, 2014, 5, 57-66.	3.8	27
152	Truncatones Aâ€“D, benzo[j]fluoranthenes from Annulohypoxylon species (Xylariaceae, Ascomycota). Tetrahedron, 2016, 72, 6450-6454.	1.9	27
153	Secondary metabolite biosynthetic diversity in the fungal family Hypoxylaceae and Xylaria hypoxylon. Studies in Mycology, 2021, 99, 100118-100118.	7.2	27
154	The Xylariaceae as model example for a unified nomenclature following the â€œOne Fungus-One Nameâ€• (1F1N) concept. Mycology, 2013, 4, 5-21.	4.4	27
155	New Metabolites with Nematicidal and Antimicrobial Activities from the Ascomycete Lachnum papyraceum(Karst.) Karst. IV. Structural Elucidation of Novel Isocoumarin Derivatives.. Journal of Antibiotics, 1995, 48, 267-270.	2.0	26
156	The phylogenetic position of <I>Rhopalostroma</I> as inferred from a polythetic approach. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2010, 25, 11-21.	4.4	26
157	Aggregicoccus edonensis gen. nov., sp. nov., an unusually aggregating myxobacterium isolated from a soil sample. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 745-753.	1.7	26
158	Study of three interesting Amanita species from Thailand: Morphology, multiple-gene phylogeny and toxin analysis. PLoS ONE, 2017, 12, e0182131.	2.5	26
159	Studies on the biologically active secondary metabolites of the new spider parasitic fungus Gibellula gamsii. Mycological Progress, 2019, 18, 135-146.	1.4	26
160	Taxonomic analyses of members of the Streptomyces cinnabarinus cluster, description of Streptomyces cinnabarigriseus sp. nov. and Streptomyces davaonensis sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 382-393.	1.7	26
161	Corallopyronin A for short-course anti-wolbachial, macrofilaricidal treatment of filarial infections. PLoS Neglected Tropical Diseases, 2020, 14, e0008930.	3.0	26
162	The "red Hypoxylons" of the temperate and subtropical Northern hemisphere. North American Fungi, 0, , 73.	0.4	25

#	Article	IF	Citations
163	New nematicidal and antimicrobial secondary metabolites from a new species in the new genus, Pseudobambusicola thailandica. MycoKeys, 2018, 33, 1-23.	1.9	25
164	New Metabolites with Nematicidal and Antimicrobial Activities from the Ascomycete Lachnum papyraceum (Karst.) Karst. VIII. Isolation, Structure Determination and Biological Activities of Minor Metabolites Structurally Related to Mycorrhizin A.. Journal of Antibiotics, 1996, 49, 447-452.	2.0	24
165	The genus Pyrenomyxa and its affinities to other cleistocarpous Hypoxyloideae as inferred from morphological and chemical traits. Mycologia, 2005, 97, 1129-1139.	1.9	24
166	Hyafurones, Hyapyrrolines, and Hyapyrones: Polyketides from Hyalangium minutum. Journal of Natural Products, 2014, 77, 1420-1429.	3.0	24
167	New species of <I>Hypoxylon</I> from western Europe and Ethiopia. Mycotaxon, 2010, 113, 209-235.	0.3	23
168	Two cytotoxic triterpenes from cultures of a Kenyan Laetiporus sp. (Basidiomycota). Phytochemistry Letters, 2017, 20, 106-110.	1.2	23
169	Biofilm Inhibitory Abscisic Acid Derivatives from the Plant-Associated Dothideomycete Fungus, Roussoella sp.. Molecules, 2018, 23, 2190.	3.8	23
170	Dimeric azaphilones from the xylariaceous ascomycete Hypoxylon rutilum. Tetrahedron, 2005, 61, 8451-8455.	1.9	22
171	Antiviral Compounds from Myxobacteria. Microorganisms, 2018, 6, 73.	3.6	22
172	Lachnumon and lachnumol A, new metabolites with nematicidal and antimicrobial activities from the ascomycete Lachnum papyraceum (Karst.) Karst. II. Structural elucidation.. Journal of Antibiotics, 1993, 46, 968-971.	2.0	21
173	Novel Analgesic Triglycerides from Cultures of Agaricus macrosporus and Other Basidiomycetes as Selective Inhibitors of Neurolysin. Journal of Antibiotics, 2005, 58, 775-786.	2.0	21
174	Cysteine-Derived Pleurotin Congeners from the Nematode-Trapping Basidiomycete Hohenbuehelia grisea. Journal of Natural Products, 2018, 81, 286-291.	3.0	21
175	Kenalactams Aâ€“E, Polyene Macrolactams Isolated from Nocardiopsis CG3. Journal of Natural Products, 2019, 82, 1081-1088.	3.0	21
176	Resolution of the Hypoxylon fuscum Complex (Hypoxylaceae, Xylariales) and Discovery and Biological Characterization of Two of Its Prominent Secondary Metabolites. Journal of Fungi (Basel,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 217 Td (	3.0	20
177	Hyfraxins A and B, cytotoxic ergostane-type steroid and lanostane triterpenoid glycosides from the invasive ash dieback ascomycete Hymenoscyphus fraxineus. Steroids, 2018, 135, 92-97.	1.8	20
178	Nematicidal Cyclic Lipodepsipeptides and a Xanthocillin Derivative from a Phaeosphariaceous Fungus Parasitizing Eggs of the Plant Parasitic Nematode Heterodera filipjevi. Journal of Natural Products, 2018, 81, 2228-2234.	3.0	20
179	Identification of fungal fossils and novel azaphilone pigments in ancient carbonised specimens of Hypoxylon fragiforme from forest soils of ChÃ¢tillon-sur-Seine (Burgundy). Fungal Diversity, 2018, 92, 345-356.	12.3	20
180	Investigating the Function of Cryptic Cytochalasan Cytochrome P450 Monooxygenases Using Combinatorial Biosynthesis. Organic Letters, 2019, 21, 8756-8760.	4.6	20

#	Article	IF	Citations
181	New terpenoids from the fermentation broth of the edible mushroom Cyclocybe aegerita. Beilstein Journal of Organic Chemistry, 2019, 15, 1000-1007.	2.2	20
182	Cytotoxic, antimicrobial and antiviral secondary metabolites produced by the plant pathogenic fungus Cytospora sp. CCTU A309. FÃ¬toterapÃ¬Ã¢, 2019, 134, 314-322.	2.2	20
183	Macrooxazoles Aâ€“D, New 2,5-Disubstituted Oxazole-4-Carboxylic Acid Derivatives from the Plant Pathogenic Fungus Phoma macrostoma. Molecules, 2020, 25, 5497.	3.8	20
184	Hybridorubrins Aâ€“D: Azaphilone Heterodimers from Stromata of Hypoxylon fragiforme and Insights into the Biosynthetic Machinery for Azaphilone Diversification. Chemistry - A European Journal, 2021, 27, 1438-1450.	3.3	20
185	New Metabolites with Nematicidal and Antimicrobial Activities from the Ascomycete Lachnum papyraceum(Karst.) Karst. VII. Structure Determination of Brominated Lachnumon and Mycorrhizin A Derivatives.. Journal of Antibiotics, 1995, 48, 158-161.	2.0	19
186	Antifungal Actinomycete Metabolites Discovered in a Differential Cell-Based Screening Using a Recombinant TOPO1 Deletion Mutant Strain. Archiv Der Pharmazie, 2001, 334, 143-147.	4.1	19
187	Ruwenzoria, a new genus of the Xylariaceae from Central Africa. Mycological Progress, 2010, 9, 169-179.	1.4	19
188	Theissenia reconsidered, including molecular phylogeny of the type species T. pyrenocrata and a new genus Durotheca (Xylariaceae, Ascomycota). IMA Fungus, 2013, 4, 57-69.	3.8	19
189	Truncaquinones A and B, asterriquinones from Annulohypoxylon truncatum. Tetrahedron Letters, 2016, 57, 2183-2185.	1.4	19
190	Akanthopyrones Aâ€“D, Î±-Pyrones Bearing a 4-O-Methyl-Î²-d-glucopyranose Moiety from the Spider-Associated Ascomycete Akanthomyces novoguineensis. Molecules, 2017, 22, 1202.	3.8	19
191	Bioactive Compounds Produced by Hypoxylon fragiforme against Staphylococcus aureus Biofilms. Microorganisms, 2017, 5, 80.	3.6	19
192	Phylogenetic and Chemotaxonomic Studies Confirm the Affinities of Stromatoneurospora phoenix to the Coprophilous Xylariaceae. Journal of Fungi (Basel, Switzerland), 2020, 6, 144.	3.5	19
193	Cryptic species related to Daldinia concentrica and D. eschscholzii, with notes on D. bakeri. Mycological Research, 2004, 108, 257-273.	2.5	18
194	Discovery of new mitorubrin derivatives from Hypoxylon fulvo-sulphureum sp. nov. (Ascomycota,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.4	18
195	Phellodonic Acid, a New Biologically Active Hirsutane Derivative from Phellodon melaleucus (Thelephoraceae, Basidiomycetes) [1]. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1993, 48, 545-549.	1.4	17
196	Naphthalenone and Phthalide Metabolites fromLachnum papyraceum1. Journal of Natural Products, 1997, 60, 804-805.	3.0	17
197	A survey of Daldinia species with large ascospores. Mycological Research, 2004, 108, 1025-1041.	2.5	17
198	Successful cultivation of a valuable wild strain of Lepista sordida from Thailand. Mycological Progress, 2017, 16, 311-323.	1.4	17

#	Article	IF	Citations
199	Five Unprecedented Secondary Metabolites from the Spider Parasitic Fungus Akanthomyces novoguineensis. Molecules, 2017, 22, 991.	3.8	17
200	Antiviral 4-Hydroxypleurogrisein and Antimicrobial Pleurotin Derivatives from Cultures of the Nematophagous Basidiomycete Hohenbuehelia grisea. Molecules, 2018, 23, 2697.	3.8	17
201	Biosynthesis of oxygenated brasilane terpene glycosides involves a promiscuous N-acetylglucosamine transferase. Chemical Communications, 2020, 56, 12419-12422.	4.1	17
202	Diketopiperazines from Batnamyces globulariicola, gen. & sp. nov. (Chaetomiaceae), a fungus associated with roots of the medicinal plant Globularia alypum in Algeria. Mycological Progress, 2020, 19, 589-603.	1.4	17
203	Discovery of a new species of the Hypoxylon rubiginosum complex from Iran and antagonistic activities of Hypoxylon spp. against the Ash Dieback pathogen, Hymenoscyphus fraxineus, in dual culture. MycoKeys, 2020, 66, 105-133.	1.9	17
204	Taxonomic Rearrangement ofAnthostomella(Xylariaceae) Based on a Multigene Phylogeny and Morphology. Cryptogamie, Mycologie, 2016, 37, 509-538.	1.0	17
205	1,2-Dihydroxymintlactone, a New Nematicidal Monoterpene Isolated from the Basidiomycete Cheimonophyllum candidissimum (Berk & Curt.) Sing. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1995, 50, 473-475.	1.4	16
206	The affinity to the brain dopamine D1 receptor in vitro of triprenyl phenols isolated from the fruit bodies of Albatrellus ovinus. European Journal of Medicinal Chemistry, 1997, 32, 351-356.	5.5	16
207	Production of Trichothecenes by the Apple Sooty Blotch Fungus Microcyclospora tardicrescens. Journal of Agricultural and Food Chemistry, 2014, 62, 3525-3530.	5.2	16
208	Silphiperfolene-Type Terpenoids and Other Metabolites from Cultures of the Tropical Ascomycete Hypoxylon rickii (Xylariaceae). Natural Products and Bioprospecting, 2015, 5, 167-173.	4.3	16
209	Tetrasubstituted Î±-pyrone derivatives from the endophytic fungus, Neurospora udagawae. Phytochemistry Letters, 2020, 35, 147-151.	1.2	16
210	Monocillium gamsii sp. nov. and Monocillium bulbillosum: two nematode-associated fungi parasitising the eggs of Heterodera filipjevi. MycoKeys, 0, 27, 21-38.	1.9	16
211	New Metabolites with Nematicidal and Antimicrobial Activities from the Ascomycete Lachnum papyraceum(Karst.) Karsts. VI. Structure Determination of Non-halogenated Metabolites Structurally Related to Mycorrhizin A.. Journal of Antibiotics, 1995, 48, 154-157.	2.0	15
212	Mycology should be recognized as a field in biology at eye level with other major disciplines â€“ a memorandum. Mycological Progress, 2013, 12, 455-463.	1.4	15
213	Lentinulactam, a hirsutane sesquiterpene with an unprecedented lactam modification. Tetrahedron Letters, 2016, 57, 5911-5913.	1.4	15
214	Development of a microarray-based assay for efficient testing of new HSP70/DnaK inhibitors. Bioorganic and Medicinal Chemistry, 2017, 25, 6345-6352.	3.0	15
215	Activation of the NLRP3 Inflammasome by Hyaboron, a New Asymmetric Boron-Containing Macrodiolide from the Myxobacterium Hyalangium minutum. ACS Chemical Biology, 2018, 13, 2981-2988.	3.4	15
216	Pigmentosins from Gibellula sp. as antibiofilm agents and a new glycosylated asperfuran from Cordyceps javanica. Beilstein Journal of Organic Chemistry, 2019, 15, 2968-2981.	2.2	15

#	Article	IF	Citations
217	Nonocarbolines Aâ€“E, Î²-Carboline Antibiotics Produced by the Rare Actinobacterium Nonomuraea sp. from Indonesia. Antibiotics, 2020, 9, 126.	3.7	15
218	Alpha-Glucosidase- and Lipase-Inhibitory Phenalenones from a New Species of Pseudolophiostoma Originating from Thailand. Molecules, 2020, 25, 965.	3.8	15
219	Papyracillic acid, a new penicillic acid analogue from the ascomycete Lachnum papyraceum. Tetrahedron, 1996, 52, 10249-10254.	1.9	14
220	Importance of ascospore ornamentation in the taxonomy of Daldinia. Mycological Progress, 2002, 1, 31-42.	1.4	14
221	Clarifications needed concerning the new Article 59 dealing with pleomorphic fungi. IMA Fungus, 2012, 3, 175-177.	3.8	14
222	Furanones and Anthranilic Acid Derivatives from the Endophytic Fungus Dendrothyrium variisporum. Molecules, 2017, 22, 1674.	3.8	14
223	Skeletocutins A-L: Antibacterial Agents from the Kenyan Wood-Inhabiting Basidiomycete, Skeletocutis sp.. Journal of Agricultural and Food Chemistry, 2019, 67, 8468-8475.	5.2	14
224	Sparticolins Aâ€“G, Biologically Active Oxidized Spirodioxynaphthalene Derivatives from the Ascomycete Sparticola junci. Journal of Natural Products, 2019, 82, 2878-2885.	3.0	14
225	Semisynthesis and biological evaluation of amidochelocardin derivatives as broad-spectrum antibiotics. European Journal of Medicinal Chemistry, 2020, 188, 112005.	5.5	14
226	Seven New Cytotoxic and Antimicrobial Xanthoquinodins from Jugulospora vestita. Journal of Fungi (Basel, Switzerland), 2020, 6, 188.	3.5	14
227	Two New Triterpenes from Basidiomata of the Medicinal and Edible Mushroom, Laetiporus sulphureus. Molecules, 2021, 26, 7090.	3.8	14
228	Intragenomic variation in nuclear ribosomal markers and its implication in species delimitation, identification and barcoding in fungi. Fungal Biology Reviews, 2022, 42, 1-33.	4.7	14
229	A multiple gene genealogy reveals phylogenetic placement of Rhopalostroma lekae. Phytotaxa, 2014, 186, 177.	0.3	13
230	Minutellins A â€“ D, azaphilones from the stromata of Annulohypoxylon minutellum (Xylariaceae). Phytochemistry, 2017, 137, 66-71.	2.9	13
231	Entdeckung und Totalsynthese von natÃ¼rlichen Cystobactamidâ€Derivaten mit herausragender AktivitÃt gegen Gramâ€negative Pathogene. Angewandte Chemie, 2017, 129, 12934-12938.	2.0	13
232	Volatiles from the xylarialean fungus Hypoxylon invadens. Beilstein Journal of Organic Chemistry, 2018, 14, 734-746.	2.2	13
233	Diversity of Tilletiopsis-Like Fungi in Exobasidiomycetes (Ustilaginomycotina) and Description of Six Novel Species. Frontiers in Microbiology, 2019, 10, 2544.	3.5	13
234	Antifungal Sesquiterpenoids, Rhodocoranes, from Submerged Cultures of the Wrinkled Peach Mushroom, Rhodotus palmatus. Journal of Natural Products, 2020, 83, 720-724.	3.0	13

#	Article	IF	Citations
235	Re-Evaluation of the Order Sordariales: Delimitation of Lasiosphaeriaceae s. str., and Introduction of the New Families Diplogelasinosporaceae, Naviculisporaceae, and Schizotheciaceae. Microorganisms, 2020, 8, 1430.	3.6	13
236	Molecular Phylogeny and Morphology of Amphisphaeria (= Lepteutypa) (Amphisphaeriaceae). Journal of Fungi (Basel, Switzerland), 2020, 6, 174.	3.5	13
237	Diversely Functionalised Cytochalasins through Mutasynthesis and Semiâ€Synthesis. Chemistry - A European Journal, 2020, 26, 13578-13583.	3.3	13
238	Nomenclatural issues concerning cultured yeasts and other fungi: why it is important to avoid unneeded name changes. IMA Fungus, 2021, 12, 18.	3.8	13
239	Corallopyronin A: antimicrobial discovery to preclinical development. Natural Product Reports, 2022, 39, 1705-1720.	10.3	13
240	Antibiotics from the Nematode-Trapping BasidiomyceteNematoctonus robustus. Natural Product Research, 1994, 4, 209-216.	0.4	12
241	Lanyamycin, a macrolide antibiotic from Sorangium cellulosum, strain Soce 481 (Myxobacteria). Beilstein Journal of Organic Chemistry, 2018, 14, 1554-1562.	2.2	12
242	Synthesis and biological evaluation of (Â±)-hippolachnin and analogs. Journal of Antibiotics, 2019, 72, 375-383.	2.0	12
243	Solubility and Stability Enhanced Oral Formulations for the Anti-Infective Corallopyronin A. Pharmaceutics, 2020, 12, 1105.	4.5	12
244	Polyketide-Derived Secondary Metabolites from a Dothideomycetes Fungus, Pseudopalawania siamensis gen. et sp. nov., (Muyocopronales) with Antimicrobial and Cytotoxic Activities. Biomolecules, 2020, 10, 569.	4.0	12
245	New Peptaibiotics and a Cyclodepsipeptide from Ijuhya vitellina: Isolation, Identification, Cytotoxic and Nematicidal Activities. Antibiotics, 2020, 9, 132.	3.7	12
246	Three new polyacetylene glycosides (PAGs) from the aerial part of Launaea capitata (Asteraceae) with anti-biofilm activity against Staphylococcus aureus. FÃ¬toterapÃ¬Ã¢, 2020, 143, 104548.	2.2	12
247	Phylogeny- and morphology-based recognition of new species in the spider-parasitic genus Gibellula (Hypocreales, Cordycipitaceae) from Thailand. MycoKeys, 2020, 72, 17-42.	1.9	12
248	Using standard keywords in publications to facilitate updates of new fungal taxonomic names. IMA Fungus, 2017, 8, A70-A73.	3.8	11
249	Albiducins A and B, salicylaldehyde antibiotics from the ash tree-associated saprotrophic fungus Hymenoscyphus albidus. Journal of Antibiotics, 2018, 71, 339-341.	2.0	11
250	Volatiles from the tropical ascomycete Daldinia clavata (Hypoxylaceae, Xylariales). Beilstein Journal of Organic Chemistry, 2018, 14, 135-147.	2.2	11
251	Cytotoxic, anti-biofilm and antimicrobial polyketides from the plant associated fungus Chaetosphaeronema achilleae. FÃ¬toterapÃ¬Ã¢, 2019, 139, 104390.	2.2	11
252	Formaldehyde as a Chemical Defence Agent of Fruiting Bodies of Mycena rosea and its Role in the Generation of the Alkaloid Mycenarubinâ€...C. ChemBioChem, 2020, 21, 1613-1620.	2.6	11

#	Article	IF	Citations
253	ï»¿New polyketides from the liquid culture of Diaporthe breyniae sp. nov. (Diaporthales, Diaporthaceae). MycoKeys, 0, 90, 85-118.	1.9	11
254	The structure determination of panellon and panellol, two 14-noreudesmanes isolated from resupinatus leightonii. Tetrahedron, 1993, 49, 7519-7524.	1.9	10
255	Identification of alkaloids and polyketides in an Actinomycete by high-performance liquid chromatography with mass spectrometric and UVâ€“Visible detection. Journal of Chromatography A, 1998, 818, 187-195.	3.7	10
256	The genusPyrenomyxaand its affinities to other cleistocarpousHypoxyloideaeas inferred from morphological and chemical traits. Mycologia, 2005, 97, 1129-1139.	1.9	10
257	<I>Anaselenosporella sylvatica</I> gen. & sp. nov. and <I>Pseudoacrodictys aquatica</I> sp. nov., two new anamorphic fungi from Mexico. Mycotaxon, 2010, 112, 65-74.	0.3	10
258	Aethiopinolones Aâ€“E, New Pregnenolone Type Steroids from the East African Basidiomycete Fomitiporia aethiopica. Molecules, 2018, 23, 369.	3.8	10
259	The nuclear export inhibitor aminoratjadone is a potent effector in extracellular-targeted drug conjugates. Chemical Science, 2019, 10, 5197-5210.	7.4	10
260	An endothelial cell line infected by Kaposiâ€™s sarcomaâ€“associated herpes virus (KSHV) allows the investigation of Kaposiâ€™s sarcoma and the validation of novel viral inhibitors in vitro and in vivo. Journal of Molecular Medicine, 2019, 97, 311-324.	3.9	10
261	Amidochelocardin Overcomes Resistance Mechanisms Exerted on Tetracyclines and Natural Chelocardin. Antibiotics, 2020, 9, 619.	3.7	10
262	Haprolid Inhibits Tumor Growth of Hepatocellular Carcinoma through Rb/E2F and Akt/mTOR Inhibition. Cancers, 2020, 12, 615.	3.7	10
263	Functional Analysis of Phenazine Biosynthesis Genes in Burkholderia spp.. Applied and Environmental Microbiology, 2021, 87, .	3.1	10
264	Terpenoids and Meroterpenoids from Cultures of Two Grass-Associated Species of Amylosporus (Basidiomycota). Journal of Natural Products, 2022, 85, 846-856.	3.0	10
265	Development of an enzyme linked immunosorbent assay for detection of cyathane diterpenoids. BMC Biotechnology, 2014, 14, 98.	3.3	9
266	Two novel species of Neoaquastroma (Parabambusicolaceae, Pleosporales) with their phoma-like asexual morphs. MycoKeys, 2018, 34, 47-62.	1.9	9
267	Nematicidal anthranilic acid derivatives from Laccaria species. Phytochemistry, 2019, 160, 85-91.	2.9	9
268	In vitro inferred interactions of selected entomopathogenic fungi from Taiwan and eggs of Meloidogyne graminicola. Mycological Progress, 2020, 19, 97-109.	1.4	9
269	Phylogenetic Assignment of the Fungicolous Hypoxylon invadens (Ascomycota, Xylariales) and Investigation of its Secondary Metabolites. Microorganisms, 2020, 8, 1397.	3.6	9
270	Litoralimycins A and B, New Cytotoxic Thiopeptides from Streptomonospora sp. M2. Marine Drugs, 2020, 18, 280.	4.6	9

#	Article	IF	Citations
271	Taxonomy, Diversity and Cultivation of the Oudemansielloid/Xeruloid Taxa Hymenopellis, Mucidula, Oudemansiella, and Xerula with Respect to Their Bioactivities: A Review. Journal of Fungi (Basel,) Tj ETQq1 1 0.784314 rgBT /Overlock 1	3.5	9
272	The Reactivity of the Fungal Toxin Papyracillic Acid 1. Tetrahedron, 1997, 53, 6209-6214.	1.9	8
273	Metabolomic Studies on the Chemical Ecology of the Xylariaceae (Ascomycota). Natural Product Communications, 2007, 2, 1934578X0700200.	0.5	8
274	Two new anamorphic fungi and some microfungi recorded from 'El Ãvila,' Venezuela. Mycotaxon, 2009, 107, 225-237.	0.3	8
275	Editorial to the Special Issue dedicated to Prof. Richard P. Korf. Mycological Progress, 2018, 17, 1-3.	1.4	8
276	Daldinia sacchari (Hypoxylaceae) from India produces the new cytochalasins Saccalasins A and B and belongs to the D. eschscholtzii species complex. Mycological Progress, 2019, 18, 175-185.	1.4	8
277	A novel species and a new combination of Daldinia from Ban Hua Thung community forest in the northern part of Thailand. Mycological Progress, 2019, 18, 553-564.	1.4	8
278	Isolation of a gene cluster from Armillaria gallica for the synthesis of armillyl orsellinateâ€“type sesquiterpenoids. Applied Microbiology and Biotechnology, 2021, 105, 211-224.	3.6	8
279	Ophiocordyceps flavida sp. nov. (Ophiocordycipitaceae), a new species from Thailand associated with Pseudogibellula formicarum (Cordycipitaceae), and their bioactive secondary metabolites. Mycological Progress, 2021, 20, 477-492.	1.4	8
280	Synthesis of the fungal macrolide berkeleylactone A and its inhibition of microbial biofilm formation. Organic and Biomolecular Chemistry, 2021, 19, 4743-4751.	2.8	8
281	Has taxonomic vandalism gone too far? A case study, the rise of the pay-to-publish model and the pitfalls of Morchella systematics. Mycological Progress, 2022, 21, 7-38.	1.4	8
282	Zelodactylaria, an interesting new genus from semi-arid northeast Brazil. Mycotaxon, 2012, 119, 241-248.	0.3	7
283	Editorial comment â€“ volume 60 of Fungal diversity. Fungal Diversity, 2013, 60, 1-4.	12.3	7
284	Screening for inhibitors of mutacin synthesis in Streptococcus mutans using fluorescent reporter strains. BMC Microbiology, 2018, 18, 24.	3.3	7
285	Volatiles from the hypoxylaceous fungi Hypoxylon griseobrunneum and Hypoxylon macrocarpum. Beilstein Journal of Organic Chemistry, 2018, 14, 2974-2990.	2.2	7
286	Elsinopirins Aâ€“D, Decalin Polyketides from the Ascomycete ElsinoÑ‘ pyri. Biomolecules, 2018, 8, 8.	4.0	7
287	Skeletocutins Mâ€“Q: biologically active compounds from the fruiting bodies of the basidiomycete Skeletocutis sp. collected in Africa. Beilstein Journal of Organic Chemistry, 2019, 15, 2782-2789.	2.2	7
288	Amycolatomycins A and B, Cyclic Hexapeptides Isolated from an Amycolatopsis sp. 195334CR. Antibiotics, 2021, 10, 261.	3.7	7

#	Article	IF	Citations
289	Morinagadepsin, a Depsipeptide from the Fungus Morinagamyces vermicularis gen. et comb. nov.. Microorganisms, 2021, 9, 1191.	3.6	7
290	Dual Agents: Fungal Macrocidins and Synthetic Analogues with Herbicidal and Antibiofilm Activities. Antibiotics, 2021, 10, 1022.	3.7	7
291	A new species of <I>Selenosporella</I> and two microfungi recorded from a cloud forest in MÃ©rida, Venezuela. Mycotaxon, 2009, 109, 63-74.	0.3	6
292	A new species of <I>Corynesporopsis</I> from Portugal. Mycotaxon, 2011, 114, 407-415.	0.3	6
293	Microfungi from Portugal: <I>Minimelanolocus manifestus</I> sp. nov. and <I>Vermiculariopsiella pediculata</I> comb. nov.. Mycotaxon, 2013, 122, 135-143.	0.3	6
294	Rhopalostroma brevistipitatum sp. nov. from Thailand with an extended generic description for Rhopalostroma. Phytotaxa, 2015, 227, 229.	0.3	6
295	Edonamides, the first secondary metabolites from the recently described myxobacterium Aggregicoccus edonensis. Tetrahedron Letters, 2015, 56, 6402-6404.	1.4	6
296	Tristratiperidium microsporum gen. et sp. nov. (Xylariales) on dead leaves of Arundo plinii. Mycological Progress, 2016, 15, 1.	1.4	6
297	Optimization of the biotechnological production of a novel class of anti-MRSA antibiotics from Chitinophaga sancti. Microbial Cell Factories, 2017, 16, 143.	4.0	6
298	New secondary metabolites produced by the phytopathogenic fungus Wilsonomyces carpophilus. Phytochemistry Letters, 2018, 26, 212-217.	1.2	6
299	Structurally diverse metabolites from the rare actinobacterium Saccharothrix xinjiangensis. Journal of Antibiotics, 2020, 73, 48-55.	2.0	6
300	Natonodosa speciosa gen. et sp. nov. and rediscovery of Poroisariopsis inornata: neotropical anamorphic fungi in Xylariales. Mycological Progress, 2020, 19, 15-30.	1.4	6
301	Viriditins from Byssochlamys spectabilis, their stereochemistry and biosynthesis. Tetrahedron Letters, 2020, 61, 151446.	1.4	6
302	Heimiomycins Aâ€“C and Calamenens from the African Basidiomycete Heimiomyces sp.. Journal of Natural Products, 2020, 83, 2501-2507.	3.0	6
303	Three novel species and a new record of Daldinia (Hypoxylaceae) from Thailand. Mycological Progress, 2020, 19, 1113-1132.	1.4	6
304	Three New Derivatives of Zopfinol from Pseudorhypophila Mangenotii gen. et comb. nov.. Journal of Fungi (Basel, Switzerland), 2021, 7, 181.	3.5	6
305	Comparative analyses of the Hymenoscyphus fraxineus and Hymenoscyphus albidus genomes reveals potentially adaptive differences in secondary metabolite and transposable element repertoires. BMC Genomics, 2021, 22, 503.	2.8	6
306	Occasional comment: Fungal identification to species-level can be challenging. Phytochemistry, 2021, 190, 112855.	2.9	6

#	Article	IF	Citations
307	Two new fungi from Mexico: Anaseptoidium gen. nov. and Cylindrosympodium sosae sp. nov.. Mycotaxon, 2012, 119, 141-148.	0.3	5
308	Spirangien Derivatives from the Myxobacterium Sorangium cellulosum: Isolation, Structure Elucidation, and Biological Activity. European Journal of Organic Chemistry, 2015, 2015, 847-857.	2.4	5
309	Towards a natural classification of Sordariomycetes: The genera Frondisphaeria, Immersisphaeria, Lasiobertia, Pulmosphaeria and Yuea (Sordariomycetes incertae sedis). Phytotaxa, 2016, 258, 153.	0.3	5
310	Large Scale Production and Downstream Processing of Labyrinthopeptins from the Actinobacterium Actinomadura namibiensis. Bioengineering, 2018, 5, 42.	3.5	5
311	Volatiles from the ascomycete Daldinia cf. childiae (Hypoxylaceae), originating from China. MedChemComm, 2019, 10, 726-734.	3.4	5
312	Erinacine C Activates Transcription from a Consensus ETS DNA Binding Site in Astrocytic Cells in Addition to NGF Induction. Biomolecules, 2020, 10, 1440.	4.0	5
313	Catechol-Bearing Polyketide Derivatives from Sparticola junci. Journal of Natural Products, 2021, 84, 2053-2058.	3.0	5
314	COX Inhibitory and Cytotoxic Naphthoketal-Bearing Polyketides from Sparticola junci. International Journal of Molecular Sciences, 2021, 22, 12379.	4.1	5
315	Rickicaryophyllane A, a Caryophyllane from the Ascomyceteous Fungus Hypoxylon rickii and a 10-Norbotryane Congener. Natural Product Communications, 2016, 11, 909-912.	0.5	5
316	Antiproliferative and Cytotoxic Cytochalasins from Sparticola triseptata Inhibit Actin Polymerization and Aggregation. Journal of Fungi (Basel, Switzerland), 2022, 8, 560.	3.5	5
317	Studies on the secondary metabolism of Rosellinia and Dematophora strains (Xylariaceae) from Iran. Mycological Progress, 2022, 21, .	1.4	5
318	<I>Phaeocandelabrum</I>, a new genus of anamorphic fungi to accommodate <I>Sopagraha elegans</I> and two new species, <I>Ph. callisporum</I> and <I>Ph. joseiturriagae</I>. Mycotaxon, 2009, 109, 221-232.	0.3	4
319	Distinctive gasâ€phase fragmentation pathway of the mitorubramines, novel secondary metabolites from Hypoxylon fragiforme. Rapid Communications in Mass Spectrometry, 2012, 26, 2612-2618.	1.5	4
320	Secondary metabolites of Phlebopus species from Northern Thailand. Mycological Progress, 2020, 19, 1525-1536.	1.4	4
321	Analogs of the carotane antibiotic fulvoferruginin from submerged cultures of a Thai Marasmius sp.. Beilstein Journal of Organic Chemistry, 2021, 17, 1385-1391.	2.2	4
322	The RNA Polymerase Inhibitor Corallopyronin A Has a Lower Frequency of Resistance Than Rifampicin in Staphylococcus aureus. Antibiotics, 2022, 11, 920.	3.7	4
323	Antimicrobial Azaphilones from the Xylariaceous Inedible Mushrooms. International Journal of Medicinal Mushrooms, 2005, 7, 452-455.	1.5	3
324	Antimicrobial Azaphilones from the Xylariaceous Inedible Mushrooms. International Journal of Medicinal Mushrooms, 2005, 7, 452-455.	1.5	3

#	Article	IF	Citations
325	Two setose anamorphic fungi: <I>Ampullicephala</I> gen. nov. and <I>Venustosynnema grandiae</I> sp. nov.. Mycotaxon, 2009, 109, 275-288.	0.3	3
326	<I>Elotespora</I>, an enigmatic anamorphic fungus from Tabasco, Mexico. Mycotaxon, 2010, 111, 197-203.	0.3	3
327	Two new anamorphic fungi from Cuba: <I>Endophragmiella profusa</I> sp. nov. and <I>Repetoblastiella olivacea</I> gen. & sp. nov.. Mycotaxon, 2010, 113, 415-422.	0.3	3
328	Rickicaryophyllane A, a Caryophyllane from the Ascomyceteous Fungus Hypoxylon rickii and a 10-Norbotryane Congener. Natural Product Communications, 2016, 11, 1934578X1601100.	0.5	3
329	Editorial to the special issue in honor of Walter Gams. Mycological Progress, 2019, 18, 1-4.	1.4	3
330	Discovery of novel biologically active secondary metabolites from Thai mycodiversity with anti-infective potential. Current Research in Biotechnology, 2021, 3, 160-172.	3.7	3
331	Total Synthesis via Biomimetic Late-Stage Heterocyclization: Assignment of the Relative Configuration and Biological Evaluation of the Nitraria Alkaloid (Â±)-Nitrabirine. Journal of Organic Chemistry, 2021, 86, 14903-14914.	3.2	3
332	PCR-Based Data and Secondary Metabolites as Chemotaxonomic Markers in High-Throughput Screening for Bioactive Compounds from Fungi. Mycology, 2004, , 269-307.	0.5	3
333	Editorial comment â€“ Discovery, distribution and biosynthesis of fungal secondary metabolites. Mycology, 2014, 5, 99-101.	4.4	2
334	Production of Obionin A and Derivatives by the Sooty Blotch Fungus Microcyclospora malicola. Planta Medica, 2015, 81, 1339-1344.	1.3	2
335	The Biomolecular Spectrum Drives Microbial Biology and Functions in Agri-Food-Environments. Biomolecules, 2020, 10, 401.	4.0	2
336	Five Tetramic Acid Derivatives Isolated from the Iranian Fungus ColpomaÂquercinum CCTU A372. Biomolecules, 2021, 11, 783.	4.0	2
337	Retiboletus (Boletaceae) in northern Thailand: one novel species and two first records. Mycoscience, 2021, 62, 297-306.	0.8	2
338	Report on the conference on occasion of the 100th anniversary of the DGfM. Mycological Progress, 2022, 21, 1-5.	1.4	2
339	Meroterpenoids Possibly Produced by a Bacterial Endosymbiont of the Tropical Basidiomycete Echinochaete brachypora. Biomolecules, 2022, 12, 755.	4.0	2
340	<I>Endogenospora,</I> a new genus of anamorphic fungi from Venezuela. Mycotaxon, 2010, 112, 75-82.	0.3	1
341	New developments in mycological taxonomy and nomenclature and news about the future development of Mycological Progress. Mycological Progress, 2021, 20, 223-225.	1.4	1
342	A microfungus from Costa Rica: <I>Ticosynnema</I> gen. nov.. Mycotaxon, 2013, 122, 255-259.	0.3	1

#	Article	IF	Citations
343	Downstream Processing of Natural Products â€“ A Practical Handbook. Herausgegeben von M. S. Verrall. John Wiley, Chichester, 1996. 354 S., geb. 65.00 Â£ ISBN 0â€“471â€“96326â€“7. Angewandte Chemie 1996, 108, 2699-2699.	2.0	0
344	A new species of <I>Paradendryphiopsis</I> from Portugal. Mycotaxon, 2011, 114, 473-479.	0.3	0
345	Special issue dedicated to Dr Eric McKenzie to celebrate his 70th birthday. Mycological Progress, 2017, 16, 269-270.	1.4	0
346	Bacillus methylotrophicus ASWU-C2, a strain inhabiting hot desert soil, a new source for antibacterial bacillopyrone, pyrophen, and cyclopeptides. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2018, 74, 55-59.	1.4	0