

Pedro Henrique Nunes Panzenhagen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5882956/publications.pdf>

Version: 2024-02-01

26
papers

433
citations

759233

12
h-index

752698

20
g-index

27
all docs

27
docs citations

27
times ranked

573
citing authors

#	ARTICLE	IF	CITATIONS
1	Global distribution of plasmid-mediated colistin resistance <i>mcr</i> gene in <i>Salmonella</i> : A systematic review. <i>Journal of Applied Microbiology</i> , 2022, 132, 872-889.	3.1	21
2	Antimicrobial Resistance Gene Detection Methods for Bacteria in Animal-Based Foods: A Brief Review of Highlights and Advantages. <i>Microorganisms</i> , 2021, 9, 923.	3.6	28
3	The pESI mega-plasmid conferring virulence and multiple-drug resistance is detected in <i>Salmonella</i> Infantis genome from Brazil. <i>Infection, Genetics and Evolution</i> , 2021, 95, 104934.	2.3	10
4	Virulence genes identification and characterization revealed the presence of the <i>Yersinia</i> High Pathogenicity Island (HPI) in <i>Salmonella</i> from Brazil. <i>Gene</i> , 2021, 787, 145646.	2.2	15
5	The Distribution of <i>Campylobacter jejuni</i> Virulence Genes in Genomes Worldwide Derived from the NCBI Pathogen Detection Database. <i>Genes</i> , 2021, 12, 1538.	2.4	14
6	Frequency of Antimicrobial Resistance Genes in <i>Salmonella</i> From Brazil by in silico Whole-Genome Sequencing Analysis: An Overview of the Last Four Decades. <i>Frontiers in Microbiology</i> , 2020, 11, 1864.	3.5	43
7	Antimicrobial resistance genes in bacteria from animal-based foods. <i>Advances in Applied Microbiology</i> , 2020, 112, 143-183.	2.4	25
8	Antimicrobial Resistance in Nontyphoidal <i>Salmonella</i> Isolates from Human and Swine Sources in Brazil: A Systematic Review of the Past Three Decades. <i>Microbial Drug Resistance</i> , 2020, 26, 1260-1270.	2.0	16
9	Draft Genome Sequences of <i>Leptospira interrogans</i> Serovar Copenhageni Strains Isolated from Patients with Weil's Disease in Brazil. <i>Microbiology Resource Announcements</i> , 2020, 9, .	0.6	0
10	Genetic diversity and multidrug-resistance among <i>Salmonella</i> Typhimurium isolated from swine carcasses and slaughterhouses in Rio de Janeiro, Brazil. <i>Veterinaria Italiana</i> , 2020, 56, 245-250.	0.5	1
11	Milk from different species on physicochemical and microstructural yoghurt properties. <i>Ciencia Rural</i> , 2019, 49, .	0.5	11
12	Harvest Method Influences Color Stability of Longissimus Lumborum Steaks from Cattle. <i>Meat and Muscle Biology</i> , 2019, 3, 33.	1.9	3
13	Combined Effect of Modified Atmosphere Package and Short-Wave Ultraviolet Does Not Affect <i>Proteus mirabilis</i> Growth on Rainbow Trout Fillets (<i>Oncorhynchus</i>) Tj ETQq1 1 0.784314 rgr /Overlap 10 Tf	0.5	1
14	Comparative genome analysis and characterization of the <i>Salmonella</i> Typhimurium strain CCRJ_26 isolated from swine carcasses using whole-genome sequencing approach. <i>Letters in Applied Microbiology</i> , 2018, 66, 352-359.	2.2	15
15	Genetically distinct lineages of <i>Salmonella</i> Typhimurium ST313 and ST19 are present in Brazil. <i>International Journal of Medical Microbiology</i> , 2018, 308, 306-316.	3.6	29
16	Draft Genome Sequences of 11 <i>Salmonella enterica</i> Serovar Typhimurium Strains Isolated from Human Systemic and Nonsystemic Sites in Brazil. <i>Genome Announcements</i> , 2018, 6, .	0.8	2
17	Inhibitory effect of acid concentration, aging, and different packaging on <i>Escherichia coli</i> O157:H7 and on color stability of beef. <i>Journal of Food Processing and Preservation</i> , 2018, 42, e13402.	2.0	9
18	Draft Genome Sequences of <i>Salmonella enterica</i> subsp. <i>enterica</i> Serovar Typhimurium Strains Isolated from Chicken and Swine Carcasses in Two Distinct Geographical Regions from Rio de Janeiro State, Brazil. <i>Genome Announcements</i> , 2017, 5, .	0.8	1

#	ARTICLE	IF	CITATIONS
19	Phenotypic and Genotypic Eligible Methods for Salmonella Typhimurium Source Tracking. <i>Frontiers in Microbiology</i> , 2017, 8, 2587.	3.5	58
20	Contamination of Carcasses and Utensils in Small Swine Slaughterhouses by Salmonella in the Northwestern Region of the State of Rio de Janeiro, Brazil. <i>Journal of Food Protection</i> , 2017, 80, 1128-1132.	1.7	12
21	EFFECT OF LACTIC ACID ON Escherichia coli O157:H7 AND ON COLOR STABILITY OF VACUUM-PACKAGED BEEF STEAKS UNDER HIGH STORAGE TEMPERATURE. <i>Journal of Microbiology, Biotechnology and Food Sciences</i> , 2017, 6, 1054-1058.	0.8	2
22	Investigation of enrofloxacin residues in broiler tissues using ELISA and LC-MS/MS. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016, 33, 1-5.	2.3	11
23	Prevalence and fluoroquinolones resistance of Campylobacter and Salmonella isolates from poultry carcasses in Rio de Janeiro, Brazil. <i>Food Control</i> , 2016, 61, 243-247.	5.5	36
24	Detecção de resíduos de enrofloxacin por ensaio imunoenzimático e cromatografia líquida acoplada à espectrometria de massas em ovos comerciais de galinha após tratamento. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2014, 66, 1917-1923.	0.4	1
25	Caspase-8 and caspase-9 mediate thymocyte apoptosis in <i>Trypanosoma cruzi</i> acutely infected mice. <i>Journal of Leukocyte Biology</i> , 2013, 93, 227-234.	3.3	33
26	Thymus Atrophy and Double-Positive Escape Are Common Features in Infectious Diseases. <i>Journal of Parasitology Research</i> , 2012, 2012, 1-9.	1.2	32