

Raffaele Maio

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5884760/raffaele-maio-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

1,900

citations

22

h-index

42

g-index

69

ext. papers

2,112

ext. citations

5.2

avg, IF

3.96

L-index

#	Paper	IF	Citations
63	Effects of Sacubitril-Valsartan on Clinical, Echocardiographic, and Polygraphic Parameters in Patients Affected by Heart Failure With Reduced Ejection Fraction and Sleep Apnea.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 861663	5.4	0
62	Continuous Positive Airway Pressure Improves Renal Function in Obese Patients With Obstructive Sleep Apnea Syndrome. <i>Frontiers in Medicine</i> , 2021 , 8, 642086	4.9	1
61	COPD significantly increases cerebral and cardiovascular events in hypertensives. <i>Scientific Reports</i> , 2021 , 11, 7884	4.9	2
60	Endothelial dysfunction and C-reactive protein predict the incidence of heart failure in hypertensive patients. <i>ESC Heart Failure</i> , 2021 , 8, 399-407	3.7	3
59	Predictors of Renal Function Worsening in Patients with Chronic Obstructive Pulmonary Disease (COPD): A Multicenter Observational Study. <i>Nutrients</i> , 2021 , 13,	6.7	3
58	Impact of Sacubitril/Valsartan on Clinical and Echocardiographic Parameters in Heart Failure Patients With Reduced Ejection Fraction: Data From a Real Life 2-year Follow-Up Study. <i>Frontiers in Pharmacology</i> , 2021 , 12, 733475	5.6	2
57	Association Between Sleep Apnea and Valvular Heart Diseases. <i>Frontiers in Medicine</i> , 2021 , 8, 667522	4.9	2
56	Endothelial progenitor cells predict vascular damage progression in naive hypertensive patients according to sex. <i>Hypertension Research</i> , 2021 , 44, 1451-1461	4.7	1
55	Alkaline phosphatase affects renal function in never-treated hypertensive patients: effect modification by age. <i>Scientific Reports</i> , 2020 , 10, 9847	4.9	4
54	Serum EGlutamyltransferase Concentration Predicts Endothelial Dysfunction in Naïve Hypertensive Patients. <i>Biomedicines</i> , 2020 , 8,	4.8	2
53	Uric Acid and Vascular Damage in Essential Hypertension: Role of Insulin Resistance. <i>Nutrients</i> , 2020 , 12,	6.7	9
52	Prevalence of use and appropriateness of antidepressants prescription in acutely hospitalized elderly patients. <i>European Journal of Internal Medicine</i> , 2019 , 68, e7-e11	3.9	1
51	Ketogenic Diet-Induced Weight Loss is Associated with an Increase in Vitamin D Levels in Obese Adults. <i>Molecules</i> , 2019 , 24,	4.8	20
50	Metabolic and vascular effects of silybin in hypertensive patients with high 1-h post-load plasma glucose. <i>Internal and Emergency Medicine</i> , 2019 , 14, 77-84	3.7	3
49	Prevalence of Delirium in a Population of Elderly Outpatients with Dementia: A Retrospective Study. <i>Journal of Alzheimer's Disease</i> , 2018 , 61, 251-257	4.3	5
48	Risk reclassification ability of uric acid for cardiovascular outcomes in essential hypertension. <i>International Journal of Cardiology</i> , 2017 , 243, 473-478	3.2	20
47	Liraglutide improves cardiac function in patients with type 2 diabetes and chronic heart failure. <i>Endocrine</i> , 2017 , 57, 464-473	4	41

46	Sympathovagal balance and 1-h postload plasma glucose in normoglycose tolerant hypertensive patients. <i>Acta Diabetologica</i> , 2016 , 53, 41-7	3.9	3
45	Additive Effect of Non-Alcoholic Fatty Liver Disease on Metabolic Syndrome-Related Endothelial Dysfunction in Hypertensive Patients. <i>International Journal of Molecular Sciences</i> , 2016 , 17, 456	6.3	18
44	Serum phosphorus levels are associated with endothelial dysfunction in hypertensive patients. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 683-8	4.5	6
43	Uric acid is an independent predictor of cardiovascular events in post-menopausal women. <i>International Journal of Cardiology</i> , 2015 , 197, 271-5	3.2	19
42	Insulin-resistance HCV infection-related affects vascular stiffness in normotensives. <i>Atherosclerosis</i> , 2015 , 238, 108-12	3.1	16
41	Serum alkaline phosphatase negatively affects endothelium-dependent vasodilation in naïve hypertensive patients. <i>Hypertension</i> , 2015 , 66, 874-80	8.5	20
40	Chronic HCV infection increases cardiac left ventricular mass index in normotensive patients. <i>Journal of Hepatology</i> , 2014 , 61, 755-60	13.4	15
39	Heart rate affects endothelial function in essential hypertension. <i>Internal and Emergency Medicine</i> , 2013 , 8, 211-9	3.7	5
38	Endothelial dysfunction predicts regression of hypertensive cardiac mass. <i>International Journal of Cardiology</i> , 2013 , 167, 1188-92	3.2	12
37	Creatinine and insulin predict cardiac mass in drug-naïve hypertensive patients. <i>International Journal of Cardiology</i> , 2013 , 167, 519-24	3.2	6
36	Phenotypic characterization of normotolerant hypertensive patients. <i>International Journal of Cardiology</i> , 2013 , 165, 322-6	3.2	7
35	Interaction between uric acid and endothelial dysfunction predicts new onset of diabetes in hypertensive patients. <i>International Journal of Cardiology</i> , 2013 , 167, 232-6	3.2	31
34	A polymorphism of HMG1A1 is associated with increased risk of metabolic syndrome and related components. <i>Scientific Reports</i> , 2013 , 3, 1491	4.9	44
33	Oxidative stress impairs endothelial function in nondipper hypertensive patients. <i>Cardiovascular Therapeutics</i> , 2012 , 30, 85-92	3.3	21
32	One-hour post-load plasma glucose and IGF-1 in hypertensive patients. <i>European Journal of Clinical Investigation</i> , 2012 , 42, 1325-31	4.6	9
31	Association between one-hour post-load plasma glucose levels and vascular stiffness in essential hypertension. <i>PLoS ONE</i> , 2012 , 7, e44470	3.7	50
30	Cardiovascular and noncardiovascular comorbidities in patients with chronic heart failure. <i>Journal of Cardiovascular Medicine</i> , 2011 , 12, 76-84	1.9	45
29	Association between hemoglobin level and endothelial function in uncomplicated, untreated hypertensive patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 648-55	6.9	11

28	Desenvolvimento de gramados submetidos à aplicação de retardadores de crescimento em diferentes condições de luminosidade. <i>Planta Daninha</i> , 2011 , 29, 383-395	0.7	7
27	Endothelial dysfunction and subsequent decline in glomerular filtration rate in hypertensive patients. <i>Circulation</i> , 2010 , 122, 379-84	16.7	85
26	Endothelial dysfunction, ADMA and insulin resistance in essential hypertension. <i>International Journal of Cardiology</i> , 2010 , 142, 236-41	3.2	60
25	Renal function predicts cardiovascular outcomes in southern Italian postmenopausal women. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009 , 16, 481-6		12
24	Relation of carotid intima-media thickness and aortic valve sclerosis (from the ISMIR study ["Ispessimento Medio Intimale e Rischio Cardiovascolare"] of the Italian Society of Cardiovascular Echography). <i>American Journal of Cardiology</i> , 2009 , 103, 1556-61	3	12
23	Insulin-like growth factor-1 and glomerular filtration rate in hypertensive patients. <i>Journal of Hypertension</i> , 2009 , 27, 613-7	1.9	17
22	Kidney function and risk factors for left ventricular hypertrophy in untreated uncomplicated essential hypertension. <i>American Journal of Kidney Diseases</i> , 2008 , 52, 74-84	7.4	25
21	Endothelial dysfunction and C-reactive protein are risk factors for diabetes in essential hypertension. <i>Diabetes</i> , 2008 , 57, 167-71	0.9	67
20	Low-plasma insulin-like growth factor-I levels are associated with impaired endothelium-dependent vasodilatation in a cohort of untreated, hypertensive Caucasian subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 2806-10	5.6	33
19	Composição florística da comunidade infestante em gramados de <i>Paspalum notatum</i> no município de Assis, SP. <i>Planta Daninha</i> , 2008 , 26, 57-64	0.7	13
18	Role of PC-1 and ACE genes on insulin resistance and cardiac mass in never-treated hypertensive patients. Suggestive evidence for a digenic additive modulation. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007 , 17, 181-7	4.5	12
17	Microalbuminuria, endothelial dysfunction and inflammation in primary hypertension. <i>Journal of Nephrology</i> , 2007 , 20 Suppl 12, S56-62	4.8	4
16	Uric acid and endothelial dysfunction in essential hypertension. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 1466-71	12.7	180
15	Inflammation as a mediator of the link between mild to moderate renal insufficiency and endothelial dysfunction in essential hypertension. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, S64-8	12.7	32
14	Interaction between vascular dysfunction and cardiac mass increases the risk of cardiovascular outcomes in essential hypertension. <i>European Heart Journal</i> , 2005 , 26, 921-7	9.5	39
13	Asymmetric dimethylarginine, L-arginine, and endothelial dysfunction in essential hypertension. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 518-23	15.1	214
12	Plasma concentration of IGF-I is independently associated with insulin sensitivity in subjects with different degrees of glucose tolerance. <i>Diabetes Care</i> , 2005 , 28, 120-5	14.6	135
11	Endothelial dysfunction and mild renal insufficiency in essential hypertension. <i>Circulation</i> , 2004 , 110, 821-5	16.7	84

10	Relation of fasting insulin related to insertion/deletion polymorphism of angiotensin-converting enzyme-gene and cardiac mass in never-treated patients with systemic hypertension. <i>American Journal of Cardiology</i> , 2003 , 92, 1234-7	3	15
9	Pulse pressure and endothelial dysfunction in never-treated hypertensive patients. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 1753-8	15.1	84
8	Relationship between angiotensin-converting enzyme gene polymorphism and insulin resistance in never-treated hypertensive patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 172-8	5.6	31
7	Effects of atorvastatin and vitamin C on endothelial function of hypercholesterolemic patients. <i>Atherosclerosis</i> , 2000 , 152, 511-8	3.1	66
6	Hypertensive left ventricular remodeling and ACE-gene polymorphism. <i>Cardiovascular Research</i> , 1999 , 43, 192-9	9.9	21
5	Calcium antagonist isradipine improves abnormal endothelium-dependent vasodilation in never treated hypertensive patients. <i>Cardiovascular Research</i> , 1999 , 41, 299-306	9.9	33
4	Relationship between left ventricular mass and endothelium-dependent vasodilation in never-treated hypertensive patients. <i>Circulation</i> , 1999 , 99, 1991-6	16.7	86
3	Angiotensin-converting enzyme gene polymorphism is associated with endothelium-dependent vasodilation in never treated hypertensive patients. <i>Hypertension</i> , 1998 , 31, 900-5	8.5	59
2	Evaluation of antihypertensive effects of once-a-day isradipine and fosinopril: a double-blind crossover study by means of ambulatory blood pressure monitoring. <i>Clinical Cardiology</i> , 1995 , 18, 401-7	3.3	2
1	Heart rate variability and sudden infant death syndrome. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1990 , 13, 2096-9	1.6	15