
François Saucy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5885029/publications.pdf Version: 2024-02-01



FRANÃSOIS SAUCY

#	Article	IF	CITATIONS
1	Is intra-operative blood flow predictive for early failure of radiocephalic arteriovenous fistula?. Nephrology Dialysis Transplantation, 2010, 25, 862-867.	0.7	63
2	The use of external mesh reinforcement to reduce intimal hyperplasia and preserve the structure of human saphenous veins. Biomaterials, 2014, 35, 2588-2599.	11.4	41
3	Perivascular sustained release of atorvastatin from a hydrogel-microparticle delivery system decreases intimal hyperplasia. Journal of Controlled Release, 2016, 232, 93-102.	9.9	29
4	Atorvastatin-Loaded Hydrogel Affects the Smooth Muscle Cells of Human Veins. Journal of Pharmacology and Experimental Therapeutics, 2013, 347, 574-581.	2.5	26
5	Perivascular medical devices and drug delivery systems: Making the right choices. Biomaterials, 2017, 128, 56-68.	11.4	26
6	Zenith Bifurcated Iliac Side Branch Device: Mid-term Results and Assessment of Risk Factors for Intraoperative Thrombosis. Annals of Vascular Surgery, 2017, 41, 141-150.	0.9	26
7	Pharmacological prevention of intimal hyperplasia: A state-of-the-art review. , 2022, 235, 108157.		19
8	Ten Year Experience of Using Cryopreserved Arterial Allografts for Distal Bypass in Critical Limb Ischaemia. European Journal of Vascular and Endovascular Surgery, 2019, 57, 823-831.	1.5	16
9	Evaluating intimal hyperplasia under clinical conditions. Interactive Cardiovascular and Thoracic Surgery, 2018, 27, 427-436.	1.1	12
10	The role of Doppler ultrasonography in vascular access surveillance—controversies continue. Journal of Vascular Access, 2021, 22, 63-70.	0.9	9
11	Abdominal Aortic Aneurysm: What About Screening?. Current Pharmaceutical Design, 2015, 21, 4084-4087.	1.9	5
12	Early Cannulation of the Flixeneâ, ,¢ Arteriovenous Graft. Journal of Vascular Access, 2016, 17, S75-S78.	0.9	4
13	A New Homemade Stapled Vascular Tube Graft. European Journal of Vascular and Endovascular Surgery, 2020, 59, 320-321.	1.5	4
14	Intraoperative Assessment of Vascular Access. Journal of Vascular Access, 2014, 15, 6-9.	0.9	1
15	Stapled Porcine Pericardium Displays Lower Infectivity InÂVitro Than Native and Sutured Porcine Pericardium. Journal of Surgical Research, 2022, 272, 132-138.	1.6	1
16	A Brachial False Aneurysm Repair with Xeno-pericardium Bioconduit. European Journal of Vascular and Endovascular Surgery, 2019, 58, 342.	1.5	0
17	Perivascular Administration of Atorvastatin Loaded in Microparticles and Hyaluronic Acid Gel to Prevent Intimal Hyperplasia in Venous Graft. European Journal of Vascular and Endovascular Surgery, 2019, 58, e99-e100.	1.5	0